

DAFTAR PUSTAKA

- [BPS] Badan Pusat Statistik. (2021). Produksi Tanaman Sayuran. In *Badan Pusat Statistik* (p. 23). <https://www.bps.go.id/indicator/55/61/1/produksi-tanaman-sayuran.html>
- Abdul Khalil, H. P. S., Lai, T. K., Tye, Y. Y., Rizal, S., Chong, E. W. N., Yap, S. W., Hamzah, A. A., Nurul Fazita, M. R., & Paridah, M. T. (2018). A review of extractions of seaweed hydrocolloids: Properties and applications. *Express Polymer Letters*, 12(4), 296–317. <https://doi.org/10.3144/expresspolymlett.2018.27>
- Abedinia, A., Mohammadi Nafchi, A., Sharifi, M., Ghalambor, P., Oladzadabbasabadi, N., Ariffin, F., & Huda, N. (2020). Poultry gelatin: Characteristics, developments, challenges, and future outlooks as a sustainable alternative for mammalian gelatin. *Trends in Food Science and Technology*, 104(August), 14–26. <https://doi.org/10.1016/j.tifs.2020.08.001>
- Agustin, A. T. (2013). Gelatin Ikan: Sumber, Komposisi Kimia dan Potensi Pemanfaatannya. *Media Teknologi Hasil Perikanan*, 1(2), 44–46. <https://doi.org/10.35800/mthp.1.2.2013.4167>
- Al-Dairi, M., Pathare, P. B., & Al-Yahyai, R. (2021). Effect of postharvest transport and storage on color and firmness quality of tomato. *Horticulturae*, 7(7), 1–15. <https://doi.org/10.3390/horticulturae7070163>
- Ali, A., Maqbool, M., Alderson, P. G., & Zahid, N. (2013). Effect of gum arabic as an edible coating on antioxidant capacity of tomato (*Solanum lycopersicum* L.) fruit during storage. *Postharvest Biology and Technology*, 76, 119–124. <https://doi.org/10.1016/j.postharvbio.2012.09.011>
- Ali, M. Y., Sina, A. A. I., Khandker, S. S., Neesa, L., Tanvir, E. M., Kabir, A., Khalil, M. I., & Gan, S. H. (2021). Nutritional composition and bioactive compounds in tomatoes and their impact on human health and disease: A review. *Foods*, 10(1). <https://doi.org/10.3390/foods10010045>
- Alipal, J., Mohd Pu'ad, N. A. S., Lee, T. C., Nayan, N. H. M., Sahari, N., Basri, H., Idris, M. I., & Abdullah, H. Z. (2019). A review of gelatin: Properties, sources, process, applications, and commercialisation. *Materials Today: Proceedings*, 42, 240–250. <https://doi.org/10.1016/j.matpr.2020.12.922>
- Aloui, H., Ghazouani, Z., & Khwaldia, K. (2021). Bioactive Coatings Enriched with Cuticle Components from Tomato Wastes for Cherry Tomatoes Preservation. *Waste and Biomass Valorization*, 0123456789. <https://doi.org/10.1007/s12649-021-01438-6>

- Arah, I. K., Amaglo, H., Kumah, E. K., & Ofori, H. (2015). Preharvest and postharvest factors affecting the quality and shelf life of harvested tomatoes: A mini review. *International Journal of Agronomy*, 2015. <https://doi.org/10.1155/2015/478041>
- Artanti Putri, R. D., Pangestu, M. A. Y., & Husein, M. (2020). *Physical Properties of Edible Film from Tilapia Bones (*Oreochromis niloticus*) with Addition of Caragenan (*Kappaphycus alvarezii*)*. *Eic* 2018, 413–420. <https://doi.org/10.5220/0009012304130420>
- Ayala-Zavala, J. F., González-Aguilar, G. A., & Del-Toro-Sánchez, L. (2009). Enhancing safety and aroma appealing of fresh-cut fruits and vegetables using the antimicrobial and aromatic power of essential oils. *Journal of Food Science*, 74(7). <https://doi.org/10.1111/j.1750-3841.2009.01294.x>
- Ayala-Zavala, J. F., Soto-Valdez, H., González-León, A., Álvarez-Parrilla, E., Martín-Belloso, O., & González-Aguilar, G. A. (2008). Microencapsulation of cinnamon leaf (*Cinnamomum zeylanicum*) and garlic (*Allium sativum*) oils in β -cyclodextrin. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 60(3–4), 359–368. <https://doi.org/10.1007/s10847-007-9385-1>
- Balasundram, N., Sundram, K., & Samman, S. (2006). Phenolic compounds in plants and agri-industrial by-products: Antioxidant activity, occurrence, and potential uses. *Food Chemistry*, 99(1), 191–203. <https://doi.org/10.1016/j.foodchem.2005.07.042>
- Basit, A., Ayaz, S., Rab, A., Ullah, I., Tanveer, S., Ahmad, I., Ullah, I., & Khalid, M. A. (2019). *Effect of stevia (*Stevia Rebaudiana* L .) leaf extract on the quality and shelf life of lemon (*Citrus limon* L .)*. 8(2), 1456–1468.
- Baydin, T., Aarstad, O. A., Dille, M. J., Hattrem, M. N., & Draget, K. I. (2022). Long-term storage stability of type A and type B gelatin gels: The effect of Bloom strength and co-solutes. *Food Hydrocolloids*, 127(January), 107535. <https://doi.org/10.1016/j.foodhyd.2022.107535>
- Berni, R., Romi, M., Parrotta, L., Cai, G., & Cantini, C. (2018). Ancient tomato (*Solanum lycopersicum* L.) varieties of tuscany have high contents of bioactive compounds. *Horticulturae*, 4(4). <https://doi.org/10.3390/horticulturae4040051>
- Boonsiriwit, A., Xiao, Y., Joung, J., Kim, M., Singh, S., & Lee, Y. S. (2020). Alkaline halloysite nanotubes/low density polyethylene nanocomposite films with increased ethylene absorption capacity: Applications in cherry tomato packaging. *Food Packaging and Shelf Life*, 25(July), 100533. <https://doi.org/10.1016/j.fpsl.2020.100533>
- Charles, F., Sanchez, J., & Gontard, N. (2003). of Fresh Fruits and Vegetables :

- Modeling with Tomatoes and Oxygen Absorber. *Journal of Food Science*, 68(5), 1736–1742.
- Chen, L., Qiang, T., Chen, X., Ren, W., & Zhang, H. J. (2021). Fabrication and evaluation of biodegradable multi-cross-linked mulch film based on waste gelatin. *Chemical Engineering Journal*, 419(April), 129639. <https://doi.org/10.1016/j.cej.2021.129639>
- da Silva e Silva, N., de Souza Farias, F., dos Santos Freitas, M. M., Pino Hernández, E. J. G., Dantas, V. V., Enê Chaves Oliveira, M., Joele, M. R. S. P., & de Fátima Henriques Lourenço, L. (2021). Artificial intelligence application for classification and selection of fish gelatin packaging film produced with incorporation of palm oil and plant essential oils. *Food Packaging and Shelf Life*, 27(May 2020). <https://doi.org/10.1016/j.fpsl.2020.100611>
- Das, D. K., Dutta, H., & Mahanta, C. L. (2013). Development of a rice starch-based coating with antioxidant and microbe-barrier properties and study of its effect on tomatoes stored at room temperature. *LWT - Food Science and Technology*, 50(1), 272–278. <https://doi.org/10.1016/j.lwt.2012.05.018>
- Das, S., Vishakha, K., Banerjee, S., Mondal, S., & Ganguli, A. (2020). Sodium alginate-based edible coating containing nanoemulsion of Citrus sinensis essential oil eradicates planktonic and sessile cells of food-borne pathogens and increased quality attributes of tomatoes. *International Journal of Biological Macromolecules*, 162, 1770–1779. <https://doi.org/10.1016/j.ijbiomac.2020.08.086>
- Derkach, S. R., Ilyin, S. O., Maklakova, A. A., Kulichikhin, V. G., & Malkin, A. Y. (2015). The rheology of gelatin hydrogels modified by κ -carrageenan. *Lwt*, 63(1), 612–619. <https://doi.org/10.1016/j.lwt.2015.03.024>
- He, F., Kong, Q., Jin, Z., & Mou, H. (2020). Developing a unidirectionally permeable edible film based on κ -carrageenan and gelatin for visually detecting the freshness of grass carp fillets. *Carbohydrate Polymers*, 241(May), 116336. <https://doi.org/10.1016/j.carbpol.2020.116336>
- Janjarasskul, T., & Krochta, J. M. (2010). Edible packaging materials. *Annual Review of Food Science and Technology*, 1(1), 415–448. <https://doi.org/10.1146/annurev.food.080708.100836>
- Jemilakshmi, T. V., Rakshana, L., Krishna Priya, S. J., Aishwarya, B., & Anithae, C. (2020). Postharvest quality enhancement of fruits and vegetables using edible coatings: A review. *Journal of Critical Reviews*, 7(7), 786–790. <https://doi.org/10.31838/jcr.07.07.143>
- Jridi, M., Boughriba, S., Abdelhedi, O., Nciri, H., Nasri, R., Kchaou, H., Kaya, M.,

- Sebai, H., Zouari, N., & Nasri, M. (2019). Investigation of physicochemical and antioxidant properties of gelatin edible film mixed with blood orange (*Citrus sinensis*) peel extract. *Food Packaging and Shelf Life*, 21(April), 100342. <https://doi.org/10.1016/j.fpsl.2019.100342>
- Kaewklin, P., Siripatrawan, U., Suwanagul, A., & Lee, Y. S. (2018). Active packaging from chitosan-titanium dioxide nanocomposite film for prolonging storage life of tomato fruit. *International Journal of Biological Macromolecules*, 112, 523–529. <https://doi.org/10.1016/j.ijbiomac.2018.01.124>
- Khaliq, G., Muda Mohamed, M. T., Ali, A., Ding, P., & Ghazali, H. M. (2015). Effect of gum arabic coating combined with calcium chloride on physico-chemical and qualitative properties of mango (*Mangifera indica* L.) fruit during low temperature storage. *Scientia Horticulturae*, 190, 187–194. <https://doi.org/10.1016/j.scienta.2015.04.020>
- Khan, M. R., & Sadiq, M. B. (2021). Importance of gelatin, nanoparticles and their interactions in the formulation of biodegradable composite films: a review. *Polymer Bulletin*, 78(7), 4047–4073. <https://doi.org/10.1007/s00289-020-03283-4>
- Khanjani, R., Dehghan, H., & Sarrafi, Y. (2021). Antifungal edible tomato coatings containing ajwain, neroli, and rosemary essential oils. *Journal of Food Measurement and Characterization*, 15(6), 5139–5148. <https://doi.org/10.1007/s11694-021-01067-6>
- Khojah, S. M. (2020). Bio-based Coating from Fish Gelatin, K-Carrageenan and Extract of Pomegranate Peels for Maintaining the Overall Qualities of Fish Fillet. *Journal of Aquatic Food Product Technology*, 29(8), 810–822. <https://doi.org/10.1080/10498850.2020.1718261>
- Maraveas, C. (2020). Production of sustainable and biodegradable polymers from agricultural waste. *Polymers*, 12(5). <https://doi.org/10.3390/POLYM12051127>
- Martati, E., & Ciptadi, P. P. (2020). Extraction of baby java citrus (*Citrus sinensis* (L) Osbeck) peel by microwave-assisted extraction. *IOP Conference Series: Earth and Environmental Science*, 443(1). <https://doi.org/10.1088/1755-1315/443/1/012020>
- McKay, S., Sawant, P., Fehlberg, J., & Almenar, E. (2021). Antimicrobial activity of orange juice processing waste in powder form and its suitability to produce antimicrobial packaging. *Waste Management*, 120, 230–239. <https://doi.org/10.1016/j.wasman.2020.11.048>
- Necas, J., & Bartosikova, L. (2013). Carrageenan: A review. *Veterinarni Medicina*, 58(4), 187–205. <https://doi.org/10.17221/6758-VETMED>

- Ninan, G., Joseph, J., & Abubacker, Z. (2010). Physical, Mechanical, and Barrier Properties of Carp and Mammalian Skin Gelatin Films. *Journal of Food Science*, 75(9), 620–626. <https://doi.org/10.1111/j.1750-3841.2010.01851.x>
- Niu, L., Zhou, X., Yuan, C., Bai, Y., Lai, K., Yang, F., & Huang, Y. (2013). Characterization of tilapia (*Oreochromis niloticus*) skin gelatin extracted with alkaline and different acid pretreatments. *Food Hydrocolloids*, 33(2), 336–341. <https://doi.org/10.1016/j.foodhyd.2013.04.014>
- Nkolisa, N., Magwaza, L. S., Workneh, T. S., Chimphango, A., & Sithole, N. J. (2019). Postharvest quality and bioactive properties of tomatoes (*Solanum lycopersicum*) stored in a low-cost and energy-free evaporative cooling system. *Heliyon*, 5(8), e02266. <https://doi.org/10.1016/j.heliyon.2019.e02266>
- Noor, N. Q. I. M., Razali, R. S., Ismail, N. K., Ramli, R. A., Razali, U. H. M., Bahaiddin, A. R., Zaharudin, N., Rozzamri, A., Bakar, J., & Shaarani, S. M. (2021). Application of green technology in gelatin extraction: A review. *Processes*, 9(12). <https://doi.org/10.3390/pr9122227>
- Othman, S. H., Othman, N. F. L., Shapi'i, R. A., Ariffin, S. H., & Yunos, K. F. M. (2021). Corn starch/chitosan nanoparticles/thymol bio-nanocomposite films for potential food packaging applications. *Polymers*, 13(3), 1–19. <https://doi.org/10.3390/polym13030390>
- Ozturk, B., Parkinson, C., & Gonzalez-Miquel, M. (2018). Extraction of polyphenolic antioxidants from orange peel waste using deep eutectic solvents. *Separation and Purification Technology*, 206, 1–13. <https://doi.org/10.1016/j.seppur.2018.05.052>
- Öztürk, S., & Aktaş, T. (2021). The effect of mechanical damage level on the amount of respiration and dry matter of tomato. *Journal of Tekirdag Agricultural Faculty*, 18(1), 125–137. <https://doi.org/10.33462/jotaf.746644>
- Pahoff, S., Meinert, C., Bas, O., Nguyen, L., Klein, T. J., & Hutmacher, D. W. (2019). Effect of gelatin source and photoinitiator type on chondrocyte redifferentiation in gelatin methacryloyl-based tissue-engineered cartilage constructs. *Journal of Materials Chemistry B*, 7(10), 1761–1772. <https://doi.org/10.1039/c8tb02607f>
- Pranoto, Y., Lee, C. M., & Park, H. J. (2007). Characterizations of fish gelatin films added with gellan and κ -carrageenan. *Lwt*, 40(5), 766–774. <https://doi.org/10.1016/j.lwt.2006.04.005>
- Quirós-Sauceda, A. E., Ayala-Zavala, J. F., Olivas, G. I., & González-Aguilar, G. A. (2014). Edible coatings as encapsulating matrices for bioactive compounds: a review. *Journal of Food Science and Technology*, 51(9), 1674–1685.

<https://doi.org/10.1007/s13197-013-1246-x>

- Rahimi, R., ValizadehKaji, B., Khadivi, A., & Shahrjerdi, I. (2019). Effect of chitosan and thymol essential oil on quality maintenance and shelf life extension of peach fruits cv. "Zaferani." *Journal of Horticulture and Postharvest Research*, 2(2), 143–156. <https://doi.org/10.22077/jhpr.2019.2349.1048>
- Rather, J. A., Makroo, H. A., Showkat, Q. A., Majid, D., & Dar, B. N. (2022). Recovery of gelatin from poultry waste: Characteristics of the gelatin and lotus starch-based coating material and its application in shelf-life enhancement of fresh cherry tomato. *Food Packaging and Shelf Life*, 31(April 2021). <https://doi.org/10.1016/j.fpsl.2021.100775>
- Roussos, P. A. (2015). Orange (*Citrus sinensis* (L.) Osbeck). In *Nutritional Composition of Fruit Cultivars*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-408117-8.00020-9>
- Roy, S., Ezati, P., & Rhim, J. W. (2021). Gelatin/Carrageenan-Based Functional Films with Carbon Dots from Enoki Mushroom for Active Food Packaging Applications. *ACS Applied Polymer Materials*, 3(12), 6437–6445. <https://doi.org/10.1021/acsapm.1c01175>
- Roy, S., & Rhim, J. W. (2021). Preparation of Gelatin/Carrageenan-Based Color-Indicator Film Integrated with Shikonin and Propolis for Smart Food Packaging Applications. *ACS Applied Bio Materials*, 4(1), 770–779. <https://doi.org/10.1021/acsabm.0c01353>
- Safari, Z. S., Ding, P., Nakasha, J. J., & Yusoff, S. F. (2020). Combining chitosan and vanillin to retain postharvest quality of tomato fruit during ambient temperature storage. *Coatings*, 10(12), 1–23. <https://doi.org/10.3390/coatings10121222>
- Salas-Méndez, E. de J., Vicente, A., Pinheiro, A. C., Ballesteros, L. F., Silva, P., Rodríguez-García, R., Hernández-Castillo, F. D., Díaz-Jiménez, M. de L. V., Flores-López, M. L., Villarreal-Quintanilla, J. Á., Peña-Ramos, F. M., Carrillo-Lomelí, D. A., & Jasso de Rodríguez, D. (2019). Application of edible nanolaminate coatings with antimicrobial extract of *Flourensia cernua* to extend the shelf-life of tomato (*Solanum lycopersicum* L.) fruit. *Postharvest Biology and Technology*, 150(December 2018), 19–27. <https://doi.org/10.1016/j.postharvbio.2018.12.008>
- Sanyang, M. L., Sapuan, S. M., Jawaid, M., Ishak, M. R., & Sahari, J. (2015). Effect of plasticizer type and concentration on tensile, thermal and barrier properties of biodegradable films based on sugar palm (*Arenga pinnata*) starch. *Polymers*, 7(6), 1106–1124. <https://doi.org/10.3390/polym7061106>
- Shahrim, N. A., Sarifuddin, N., Zaki, H. H. M., & Azhar, A. Z. A. (2018). The effects

of glycerol addition to the mechanical properties of thermoplastic films based on jackfruit seed starch. *Malaysian Journal of Analytical Sciences*, 22(5), 892–898. <https://doi.org/10.17576/mjas-2018-2205-17>

Shehata, M. G., Awad, T. S., Asker, D., El Sohaimy, S. A., Abd El- Aziz, N. M., & Youssef, M. M. (2021). Antioxidant and antimicrobial activities and UPLC-ESI-MS/MS polyphenolic profile of sweet orange peel extracts. *Current Research in Food Science*, 4(December 2020), 326–335. <https://doi.org/10.1016/j.crfs.2021.05.001>

Sheikh, M., Mehnaz, S., & Sadiq, M. B. (2021). Prevalence of fungi in fresh tomatoes and their control by chitosan and sweet orange (*Citrus sinensis*) peel essential oil coating. *Journal of the Science of Food and Agriculture*, May. <https://doi.org/10.1002/jsfa.11291>

Sibomana, M. S., Ziena, L. W., Schmidt, S., & Workneh, T. S. (2017). Influence of transportation conditions and postharvest disinfection treatments on microbiological quality of fresh market tomatoes (cv. Nemo-Netta) in a South African supply chain. *Journal of Food Protection*, 80(2), 345–354. <https://doi.org/10.4315/0362-028X.JFP-16-229>

Sinthusamran, S., Benjakul, S., Swedlund, P. J., & Hemar, Y. (2017). Physical and rheological properties of fish gelatin gel as influenced by κ -carrageenan. *Food Bioscience*, 20(May), 88–95. <https://doi.org/10.1016/j.fbio.2017.09.001>

Taher, M. A., MennatAllah, E. A., Tadros, L. K., & Sanad, M. I. (2020). The effects of new formulations based on Gum Arabic on antioxidant capacity of tomato (*Solanum lycopersicum* L.) fruit during storage. *Journal of Food Measurement and Characterization*, 14(5), 2489–2502. <https://doi.org/10.1007/s11694-020-00496-z>

Wang, H., Qian, J., & Ding, F. (2018). Emerging Chitosan-Based Films for Food Packaging Applications. *Journal of Agricultural and Food Chemistry*, 66(2), 395–413. <https://doi.org/10.1021/acs.jafc.7b04528>

Xylia, P., Ioannou, I., Chrysargyris, A., Stavriniades, M. C., & Tzortzakis, N. (2021). Quality attributes and storage of tomato fruits as affected by an eco-friendly, essential oil-based product. *Plants*, 10(6). <https://doi.org/10.3390/plants10061125>

Yang, H., Beak, D. R., & Park, M. H. (2020). CO₂ treatment and co-treatment with ClO₂ improves quality of “Dotaerang” tomato during storage. *Korean Journal of Food Preservation*, 27(7), 837–849. <https://doi.org/10.11002/KJFP.2020.27.7.837>

Yuniasri, R., Atkhiyah, V. M., & Faqih, K. Al. (2020). *Journal of Food Technology*

and Agroindustry Volume 2 No 1 Februari 2020 KARAKTERISTIK
KERUSAKAN FISIK DAN KIMIA BUAH TOMAT Tomato Physical and
Chemical Damage Characteristics Journal of Food Technology and
Agroindustry Volume 2 No 1 Februari 2020. *Journal of Food Technology and
Agroindustry*, 2(1), 1–8.