



DAFTAR PUSTAKA

- Al-hadid, S. A., Ali, M. B. W., & Ali, M. R. A. (2018). *Bctt-10-207.Pdf*. 207–217.
- Alamsyah, F., Fadhlurrahman, A. G., Pello, J. I., Firdausi, N., Evi, S., Karima, F. N., Pratiwi, R., Fitria, L., Nurhidayat, L., & Taruno, W. P. (2018). PO-111 Non-contact electric fields inhibit the growth of breast cancer cells in animal models and induce local immune reaction. *ESMO Open*, 3, A269. <https://doi.org/10.1136/esmoopen-2018-eacr25.636>
- Alamsyah, Firman, Niswah Ajrina, I., Nur, F., Dewi, A., Iskandriati, D., Prabandari, S. A., & Taruno, W. P. (2015). Antiproliferative Effect of Electric Fields on Breast Tumor Cells In Vitro and In Vivo. *Indonesian Journal of Cancer Chemoprevention*, 6(3), 71–77. <https://www.ijcc.chemoprev.org/index.php/ijcc/article/view/88>
- Alamsyah, Firman, Pratiwi, R., Firdausi, N., Mesak Pello, J. I., Evi, S., Nugraheni, D., Fadhlurrahman, A. G., Nurhidayat, L., Taruno, W. P., & Keserci, B. (2021). *Cytotoxic T cells response with decreased CD4/CD8 ratio during mammary tumors inhibition in rats induced by non-contact electric fields [version 1; peer review: 1 approved, 1 approved with reservations] report report*. <https://doi.org/10.12688/f1000research.27952.1>
- Andiani, L., Al Huda, M., & Purwo Taruno, W. (2017). ISSN: 2279-7165-Available on-line at www.embj.org EUROMEDITERRANEAN BIOMEDICAL JOURNAL. 12(38), 178–183. <https://doi.org/10.3269/1970-5492.2017.12.38>
- Aubrey, B. J., Kelly, G. L., Janic, A., Herold, M. J., & Strasser, A. (2017). How does p53 induce apoptosis and how does this relate to p53-mediated tumour suppression? *Nature Publishing Group*, 25, 104–113. <https://doi.org/10.1038/cdd.2017.169>
- Awasthi, K., Chang, F. L., Hsieh, P. Y., Hsu, H. Y., & Ohta, N. (2020). Characterization of endogenous fluorescence in nonsmall lung cancerous cells: A comparison with nonmalignant lung normal cells. *Journal of Biophotonics*, 13(5), e201960210. <https://doi.org/10.1002/JBIO.201960210>
- Awasthi, K., Chang, F. L., Hsu, H. Y., & Ohta, N. (2021a). Cancer specific apoptosis induced by electric field: A possible key mechanism in cell-competition and photodynamic action. *Sensors and Actuators B: Chemical*, 347(August), 130635. <https://doi.org/10.1016/j.snb.2021.130635>
- Awasthi, K., Chang, F. L., Hsu, H. Y., & Ohta, N. (2021b). Cancer specific apoptosis induced by electric field: A possible key mechanism in cell-competition and photodynamic action. *Sensors and Actuators B: Chemical*, 347, 130635. <https://doi.org/10.1016/J.SNB.2021.130635>
- Ayoub, N. M., Jaradat, S. K., Al-Shami, K. M., & Alkhaliifa, A. E. (2022). Targeting



Angiogenesis in Breast Cancer: Current Evidence and Future Perspectives of Novel Anti-Angiogenic Approaches. *Frontiers in Pharmacology*, 13(February), 1–21. <https://doi.org/10.3389/fphar.2022.838133>

Bae, W. J., Zhu, G. Q., Kang, S. M., Cho, H. J., Ha, U. S., Hong, S. H., Lee, J. Y., & Kim, S. W. (2018). Pd49-01 Efficient Promotion of Autophagy and Angiogenesis Using Mesenchymal Stem Cells Therapy Enhanced By the Low-Energy Shockwaves in the Treatment of Erectile Dysfunction. *Journal of Urology*, 199(4S). <https://doi.org/10.1016/j.juro.2018.02.2317>

Bahaloo, M., Ebrahim Rezvani, M., Farashahi Yazd, E., Zare Mehrjerdi, F., Hossein Davari, M., Roohbakhsh, A., Mollasadeghi, A., Nikkhah, H., Vafaei, M., Houshang Mehrparvar, A., Yazd, F. E., & Mehrjerdi, Z. F. (2020). Spectroscopic investigation on the interaction of DNA with superparamagnetic iron oxide nanoparticles doped with chromene via dopamine as cross linker. *Iran J Basic Med Sci*, 23, 594–599. <https://doi.org/10.22038/IJBMS.2020.41007.9693>

Bakshi, H. A., Quinn, G. A., Nasef, M. M., Mishra, V., Aljabali, A. A. A., El-Tanani, M., Serrano-Aroca, Á., Da Silva, M. W., McCarron, P. A., & Tambuwala, M. M. (2022). Crocin Inhibits Angiogenesis and Metastasis in Colon Cancer via TNF- α /NF- κ B/VEGF Pathways. *Cells*, 11(9), 1–15. <https://doi.org/10.3390/cells11091502>

Barnes, D. M., & Camplejohn, R. S. (1996). P53, apoptosis, and breast cancer. *Journal of Mammary Gland Biology and Neoplasia* 1996 1:2, 1(2), 163–175. <https://doi.org/10.1007/BF02013640>

Bhaskar, V., Konala, R., Bhonde, R., & Pal, R. (n.d.). *Secretome studies of mesenchymal stromal cells (MSCs) isolated from three tissue sources reveal subtle differences in potency*. <https://doi.org/10.1007/s11626-020-00501-1>/Published

Bitar, M. S. (2019). Diabetes Impairs Angiogenesis and Induces Endothelial Cell Senescence by Up-Regulating Thrombospondin-CD47-Dependent Signaling. *International Journal of Molecular Sciences* 2019, Vol. 20, Page 673, 20(3), 673. <https://doi.org/10.3390/IJMS20030673>

Camilleri-Broët, S., Hardy-Bessard, A. C., Le Tourneau, A., Paraiso, D., Levrel, O., Leduc, B., Bain, S., Orfeuvre, H., Audouin, J., & Pujade-Lauraine, E. (2004). HER-2 overexpression is an independent marker of poor prognosis of advanced primary ovarian carcinoma: A multicenter study of the GINECO group. *Annals of Oncology*, 15(1), 104–112. <https://doi.org/10.1093/annonc/mdh021>

Cario, M., Pain, C., Kaulanjan-Checkmodine, P., Masia, D., Delia, G., Casoli, V., Costet, P., Goussot, J.-F., Guyonnet-Duperat, V., Bibeyran, A., Ezzedine, K., Reymermier, C., Andre-Frei, V., & Taieb, A. (2020). Epidermal keratin 5 expression and distribution is under dermal influence. *Pigment Cell &*



Melanoma Research, 33(3), 435–445. <https://doi.org/10.1111/PCMR.12844>

Chang, J.-W., Kuo, W.-H., Lin, C.-M., Chen, W.-L., Chan, S.-H., Meng, •, Chiu, F., Chang, • I-Shou, Jiang, S.-S., Fang-, •, Tsai, Y., Chen, C.-H., Huang, P.-H., Chang, K.-J., Lin, K.-T., Lin, S.-C., Wang, M.-Y., Uen, Y.-H., Tu, C.-W., ... Wang, • Lu-Hai. (2018). Wild-type p53 upregulates an early onset breast cancer-associated gene GAS7 to suppress metastasis via GAS7-CYFIP1-mediated signaling pathway. *Oncogene*, 37, 4137–4150. <https://doi.org/10.1038/s41388-018-0253-9>

Chen, Dong, Dai, F., Chen, Z., Wang, S., Cheng, X., Sheng, Q., Lin, J., & Chen, W. (2016). Dimethoxy curcumin induces apoptosis by suppressing survivin and inhibits invasion by enhancing E-Cadherin in colon cancer cells. *Medical Science Monitor*, 22, 3215–3222. <https://doi.org/10.12659/MSM.900802>

Chen, Dongmei, Xu, J., & Zhang, Q. (2018). Detection of survivin expression in bladder cancer and renal cell carcinoma using specific monoclonal antibodies. *Oncology Reports*, 39(6), 2817–2828. <https://doi.org/10.3892/or.2018.6359>

Chen, X., Duan, N., Zhang, C., & Zhang, W. (2016). Survivin and Tumorigenesis: Molecular Mechanisms and Therapeutic Strategies. *Journal of Cancer*, 7(3), 314–323. <https://doi.org/10.7150/jca.13332>

Cheng, S. L., Liu, R. H., Sheu, J. N., Chen, S. T., Sinchaikul, S., & Tsay, G. J. (2007). Toxicogenomics of A375 human malignant melanoma cells treated with arbutin. *Journal of Biomedical Science*, 14(1), 87–105. <https://doi.org/10.1007/s11373-006-9130-6>

Coldwell, M. J., Mitchell, S. A., Stoneley, M., MacFarlane, M., & Willis, A. E. (2000a). Initiation of Apaf-1 translation by internal ribosome entry. *Oncogene*, 19(7), 899–905. <https://doi.org/10.1038/SJ.ONC.1203407>

Coldwell, M. J., Mitchell, S. A., Stoneley, M., MacFarlane, M., & Willis, A. E. (2000b). Initiation of Apaf-1 translation by internal ribosome entry. *Oncogene* 2000 19:7, 19(7), 899–905. <https://doi.org/10.1038/sj.onc.1203407>

Collett, G. P., & Campbell, F. C. (2006). Overexpression of p65/RelA potentiates curcumin-induced apoptosis in HCT116 human colon cancer cells. *Carcinogenesis*, 27(6), 1285–1291. <https://doi.org/10.1093/carcin/bgi368>

Cui, N., Hu, M., Khalil, R. A., Mol, P., Transl, B., & Author, S. (2017). Biochemical and Biological Attributes of Matrix Metalloproteinases HHS Public Access Author manuscript. *Prog Mol Biol Transl Sci*, 147(617), 1–73. <https://doi.org/10.1016/bs.pmbts.2017.02.005>

D'Angelo, S., Martino, E., Ilisso, C. P., Bagarolo, M. L., Porcelli, M., & Cacciapuoti, G. (2017). Pro-oxidant and pro-apoptotic activity of polyphenol extract from Annurca apple and its underlying mechanisms in human breast cancer cells. *International Journal of Oncology*, 51(3), 939–948. <https://doi.org/10.3892/ijo.2017.4088>



- Deng, X. H., Song, H. Y., Zhou, Y. F., Yuan, G. Y., & Zheng, F. J. (2013). Effects of quercetin on the proliferation of breast cancer cells and expression of survivin in vitro. *Experimental and Therapeutic Medicine*, 6(5), 1155–1158. <https://doi.org/10.3892/etm.2013.1285>
- Dibden, A., Offman, J., Duffy, S. W., & Gabe, R. (n.d.). *cancers Worldwide Review and Meta-Analysis of Cohort Studies Measuring the Effect of Mammography Screening Programmes on Incidence-Based Breast Cancer Mortality*. <https://doi.org/10.3390/cancers12040976>
- Duffy, M. J., O'donovan, N., Brennan, D. J., Gallagher, W. M., & Ryan, B. M. (n.d.). *Mini-review Survivin: A promising tumor biomarker*. <https://doi.org/10.1016/j.canlet.2006.12.020>
- Duffy, M. J., Synnott, N. C., & Crown, J. (2018). Mutant p53 in breast cancer: potential as a therapeutic target and biomarker. *Breast Cancer Research and Treatment* 2018 170:2, 170(2), 213–219. <https://doi.org/10.1007/S10549-018-4753-7>
- Estaphan, S., Abdel-Malek, R., Rashed, L., & Mohamed, E. A. (2020). Cimetidine a promising radio-protective agent through modulating Bax/Bcl2 ratio: An in vivo study in male rats. *Journal of Cellular Physiology*, 235(11), 8495–8506. <https://doi.org/10.1002/jcp.29692>
- Fan, G. C. (2012). Role of heat shock proteins in stem cell behavior. In *Progress in Molecular Biology and Translational Science* (1st ed., Vol. 111). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-398459-3.00014-9>
- Feng, Y., Spezia, M., Huang, S., Yuan, C., Zeng, Z., Zhang, L., Ji, X., Liu, W., Huang, B., Luo, W., Liu, B., Lei, Y., Du, S., Vuppalapati, A., Luu, H. H., Haydon, R. C., He, T. C., & Ren, G. (2018). Breast cancer development and progression: Risk factors, cancer stem cells, signaling pathways, genomics, and molecular pathogenesis. In *Genes and Diseases* (Vol. 5, Issue 2, pp. 77–106). Chongqing yi ke da xue, di 2 lin chuang xue yuan Bing du xing gan yan yan jiu suo. <https://doi.org/10.1016/j.gendis.2018.05.001>
- Gao, Y., Wang, Y., Yu, J., & Guo, R. (2022). FGF Exhibits an Important Biological Role on Regulating Cell Proliferation of Breast Cancer When it Transports Into The Cell Nuclei. *Cell Biochemistry and Biophysics*, 80(2), 311–320. <https://doi.org/10.1007/s12013-021-01044-2>
- Ghufran, H., Mehmood, A., Azam, M., Butt, H., Ramzan, A., Yousaf, M. A., Ejaz, A., Tarar, M. N., & Riazuddin, S. (2020). Curcumin preconditioned human adipose derived stem cells co-transplanted with platelet rich plasma improve wound healing in diabetic rats. *Life Sciences*, 257, 118091. <https://doi.org/10.1016/J.LFS.2020.118091>
- Giuliani, C., Bucci, I., & Napolitano, G. (2018). The role of the transcription factor Nuclear Factor-kappa B in thyroid autoimmunity and cancer. *Frontiers in Endocrinology*, 9(AUG), 1–8. <https://doi.org/10.3389/fendo.2018.00471>



Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. CA: A Cancer J for. (2020). <https://doi.org/10.3322/caac.21492>

Goto, T., Fujioka, M., Ishida, M., Kuribayashi, M., Ueshima, K., & Kubo, T. (2010). Noninvasive up-regulation of angiopoietin-2 and fibroblast growth factor-2 in bone marrow by pulsed electromagnetic field therapy. *Journal of Orthopaedic Science: Official Journal of the Japanese Orthopaedic Association*, 15(5), 661–665. <https://doi.org/10.1007/S00776-010-1510-0>

Güllülü, Ö., Hehlisans, S., Rödel, C., Fokas, E., & Rödel, F. (2021). Tumor suppressor protein p53 and inhibitor of apoptosis proteins in colorectal cancer—a promising signaling network for therapeutic interventions. *Cancers*, 13(4), 1–22. <https://doi.org/10.3390/CANCERS13040624>

Haddadi, P., Mahdavi, M., & Rahbarghazi, R. (2020). Down-regulation of Bcl2 and Survivin, and up-regulation of Bax involved in copper (II) phenylthiosemicarbazone complex-induced apoptosis in leukemia stem-like KG1a cells. *Process Biochemistry*, 92, 190–196. <https://doi.org/10.1016/j.procbio.2020.01.010>

Haraguchi, M., Torii, S., Matsuzawa, S.-I., Xie, Z., Kitada, S., Krajewski, S., Yoshida, H., Mak, T. W., & Reed, J. C. (2000). Apoptotic Protease Activating Factor 1 (Apaf-1)-independent Cell Death Suppression by Bcl-2. *J. Exp. Med*, 191(10). <http://www.jem.org/cgi/current/full/191/10/1709>

Haupt, S., Berger, M., Goldberg, Z., & Haupt, Y. (2003). Apoptosis - The p53 network. *Journal of Cell Science*, 116(20), 4077–4085. <https://doi.org/10.1242/jcs.00739>

Hausmann, G., O'reilly, L. A., Van Driel, R., Beaumont, J. G., Strasser, A., Adams, J. M., & Huang, D. C. S. (2000). Pro-apoptotic Apoptosis Protease-activating Factor 1 (Apaf-1) Has a Cytoplasmic Localization Distinct from Bcl-2 or Bcl-x L. *The Journal of Cell Biology*, 149(3), 623–633. <http://www.jcb.org>

Ho Song, M., Jo, Y., Kim, Y.-K., Kook, H., Jeong, D. I., & Jin ParkID, W. (2022). *The TSP-1 domain of the matricellular protein CCN5 is essential for its nuclear localization and anti-fibrotic function.* <https://doi.org/10.1371/journal.pone.0267629>

Huang, Y. H., Chen, M. H., Guo, Q. L., Chen, Z. X., Chen, Q. D., & Wang, X. Z. (2020). Interleukin-10 induces senescence of activated hepatic stellate cells via STAT3-p53 pathway to attenuate liver fibrosis. *Cellular Signalling*, 66(October 2019), 109445. <https://doi.org/10.1016/j.cellsig.2019.109445>

Hwang, B., Song, J. H., Park, S. L., Kim, J. T., Kim, W. J., & Moon, S. K. (2020). Carnosine impedes pdgf-stimulated proliferation and migration of vascular smooth muscle cells in vitro and sprout outgrowth ex vivo. *Nutrients*, 12(9), 1–18. <https://doi.org/10.3390/nu12092697>



- Ibaraki, H., Kanazawa, T., Kurano, T., Oogi, C., Takashima, Y., & Seta, Y. (2019). Anti-RelA siRNA-Encapsulated Flexible Liposome with Tight Junction-Opening Peptide as a Non-invasive Topical Therapeutic for Atopic Dermatitis. *Biological and Pharmaceutical Bulletin*, 42(7), 1216–1225. <https://doi.org/10.1248/bpb.b19-00259>
- Ibrahim, N., & Haluska, F. G. (2009). Molecular pathogenesis of cutaneous melanocytic neoplasms. *Annual Review of Pathology: Mechanisms of Disease*, 4, 551–579. <https://doi.org/10.1146/annurev.pathol.3.121806.151541>
- Imao, T., & Nagata, S. (2013). Apaf-1- and Caspase-8-independent apoptosis. *Cell Death and Differentiation*, 20, 343–352. <https://doi.org/10.1038/cdd.2012.149>
- Isobe, T., Aoyagi, K., Koufugi, K., Shirouzu, K., Kawahara, A., Taira, T., & Kage, M. (2013). Clinicopathological significance of hypoxia-inducible factor-1 alpha (HIF-1 α) expression in gastric cancer. *International Journal of Clinical Oncology*, 18(2), 293–304. <https://doi.org/10.1007/S10147-012-0378-8>
- Jackson, H. W., Fischer, J. R., Zanotelli, V. R. T., Ali, H. R., Mehera, R., Soysal, S. D., Moch, H., Muenst, S., Varga, Z., Weber, W. P., & Bodenmiller, B. (2020). The single-cell pathology landscape of breast cancer Spatially resolved single-cell phenotypes. *Nature*, 578, 615. <https://doi.org/10.1038/s41586-019-1876-x>
- Jemmerson, R., Staskus, K., Higgins, L., Conklin, K., & Kelekar, A. (123 C.E.). Intracellular leucine-rich alpha-2-glycoprotein-1 competes with Apaf-1 for binding cytochrome c in protecting MCF-7 breast cancer cells from apoptosis. *Apoptosis*, 1, 71–82. <https://doi.org/10.1007/s10495-020-01647-9>
- Jha, K., Shukla, M., & Pandey, M. (2012). Survivin expression and targeting in breast cancer. In *Surgical Oncology* (Vol. 21, Issue 2, pp. 125–131). Elsevier. <https://doi.org/10.1016/j.suronc.2011.01.001>
- Jiang, D., Jiang, Y., Long, S., Chen, Z., Li, Y., Mo, G., Bai, L., Hao, X., Yan, Y., Li, L., Han, C., Hu, S., Zhao, H., & Kang, B. (2021). Spermidine at supraphysiological doses induces oxidative stress and granulosa cell apoptosis in mouse ovaries. *Theriogenology*, 168, 25–32.
- Katiyar, V., & Jesus, O. De. (2022). Tumor Treatment Fields In Oncology. *StatPearls*. <https://www.ncbi.nlm.nih.gov/books/NBK576401/>
- Kestendjieva, S., Kyurkchiev, D., Tsvetkova, G., Mehandjiev, T., Dimitrov, A., Nikolov, A., & Kyurkchiev, S. (2008). Characterization of mesenchymal stem cells isolated from the human umbilical cord. *Cell Biology International*, 32(7), 724–732. <https://doi.org/10.1016/J.CELIBI.2008.02.002>
- Kim, E. H., Song, H. S., Yoo, S. H., & Yoon, M. (2016a). Tumor treating fields inhibit glioblastoma cell migration, invasion and angiogenesis. *Oncotarget*, 7(40), 65125–65136. <https://doi.org/10.18632/oncotarget.11372>
- Kim, E. H., Song, H. S., Yoo, S. H., & Yoon, M. (2016b). Tumor treating fields



inhibit glioblastoma cell migration, invasion and angiogenesis. *Oncotarget*, 7(40), 65125–65136. <https://doi.org/10.18632/oncotarget.11372>

Kim, J.-Y., Jo, Y., Oh, H.-K., & Kim, E. H. (2020). Sorafenib increases tumor treating fields-induced cell death in glioblastoma by inhibiting STAT3. *Am J Cancer Res*, 10(10), 3475–3486. www.ajcr.us/

Kontomanolis, E. N., Kalagasicou, S., Pouliiou, S., Anthoulaki, X., Georgiou, N., Papamanolis, V., & Fasoulakis, Z. N. (2018). The Notch Pathway in Breast Cancer Progression. *Scientific World Journal*, 1(1), 1–12. <https://doi.org/10.1155/2018/2415489>

Kwon, K. R., Alam, M. B., Park, J. H., Kim, T. H., & Lee, S. H. (2019). Attenuation of UVB-induced photo-aging by polyphenolic-rich spatholobus suberectus stem extract via modulation of MAPK/AP-1/MMPs signaling in human keratinocytes. *Nutrients*, 11(6). <https://doi.org/10.3390/nu11061341>

Lai, H. (2019). Exposure to Static and Extremely-Low Frequency Electromagnetic Fields and Cellular Free Radicals. *Electromagnetic Biology and Medicine*, 38(4), 231–248. <https://doi.org/10.1080/15368378.2019.1656645>

Lee, D. C., Choi, H., Oh, J.-M., Lee, J., Lee, J., Lee, H. Y., & Kang, J. Y. (2020). *Urban particulate matter regulates tight junction proteins by inducing oxidative stress via the Akt signal pathway in human nasal epithelial cells*. <https://doi.org/10.1016/j.toxlet.2020.07.017>

Liu, Z., Cheng, S., Fu, G., Ji, F., Wang, C., & Cao, M. (2020). Postoperative administration of ketorolac averts morphine-induced angiogenesis and metastasis in triple-negative breast cancer. *Life Sciences*, 251, 117604. <https://doi.org/10.1016/J.LFS.2020.117604>

Luo, L. H., Rao, L., Luo, L. F., Chen, K., Ran, R. Z., & Liu, X. L. (2020). Long non-coding RNA NKILA inhibited angiogenesis of breast cancer through NF- κ B/IL-6 signaling pathway. *Microvascular Research*, 129, 103968. <https://doi.org/10.1016/j.mvr.2019.103968>

Malebari, A. M., Fayne, D., Nathwani, S. M., O'Connell, F., Noorani, S., Twamley, B., O'Boyle, N. M., O'Sullivan, J., Zisterer, D. M., & Meegan, M. J. (2020). β -Lactams with antiproliferative and antiapoptotic activity in breast and chemoresistant colon cancer cells. *European Journal of Medicinal Chemistry*, 189. <https://doi.org/10.1016/j.ejmech.2020.112050>

Malekian, S., Rahmati, M., Sari, S., Kazemimanesh, M., Kheirbakhsh, R., Muhammadnejad, A., & Amanpour, S. (2020). Expression of Diverse Angiogenesis Factor in Different Stages of the 4T1 Tumor as a Mouse Model of Triple-Negative Breast Cancer. *Adv Pharm Bull*, 2020(2), 323–328. <https://doi.org/10.34172/apb.2020.039>

Matkar, P. N., Ariyagunarajah, R., Leong-Poi, H., & Singh, K. K. (2017). Friends Turned Foes: Angiogenic Growth Factors beyond Angiogenesis. *Biomolecules*



2017, Vol. 7, Page 74, 7(4), 74. <https://doi.org/10.3390/BIOM7040074>

Maximov, G. K., & Maximov, K. G. (2008). *Biotechnology & Biotechnological Equipment The Role of p53 Tumor-Suppressor Protein in Apoptosis and Cancerogenesis* REVIEW MB. <https://doi.org/10.1080/13102818.2008.10817532>

McKinney, S. M., Sieniek, M., Godbole, V., Godwin, J., Antropova, N., Ashrafian, H., Back, T., Chesus, M., Corrado, G. C., Darzi, A., Etemadi, M., Garcia-Vicente, F., Gilbert, F. J., Halling-Brown, M., Hassabis, D., Jansen, S., Karthikesalingam, A., Kelly, C. J., King, D., ... Shetty, S. (2020). International evaluation of an AI system for breast cancer screening. *Nature*, 577(7788), 89–94. <https://doi.org/10.1038/s41586-019-1799-6>

Meng, X., Sun, B., & Xiao, Z. (2019). Comparison in transcriptome and cytokine profiles of mesenchymal stem cells from human umbilical cord and cord blood. *Gene*, 696(January), 10–20. <https://doi.org/10.1016/j.gene.2019.02.017>

Messeha, S. S., Zarmouh, N. O., Asiri, A., & Soliman, K. F. A. (2020). Rosmarinic acid-induced apoptosis and cell cycle arrest in triple-negative breast cancer cells. *European Journal of Pharmacology*, 885. <https://doi.org/10.1016/j.ejphar.2020.173419>

Mirochnik, Y., Kwiatek, A., & Volpert, O. (2008). Thrombospondin and Apoptosis: Molecular Mechanisms and Use for Design of Complementation Treatments. *Current Drug Targets*, 9(10), 851–862. <https://doi.org/10.2174/138945008785909347>

Moghtaderi, H., Sepehri, H., & Attari, F. (2017). Combination of arabinogalactan and curcumin induces apoptosis in breast cancer cells in vitro and inhibits tumor growth via overexpression of p53 level in vivo. *Biomedicine and Pharmacotherapy*, 88, 582–594. <https://doi.org/10.1016/j.biopha.2017.01.072>

Moitra, K. (2015). Overcoming Multidrug Resistance in Cancer Stem Cells. *BioMed Research International*, 2015. <https://doi.org/10.1155/2015/635745>

Moll, U. M., & Zaika, A. (n.d.). *Nuclear and mitochondrial apoptotic pathways of p53*.

Mujib, S. A., Alamsyah, F., & Purwo Taruno, W. (2017). Cell Death and Induced p53 Expression in Oral Cancer, HeLa, and Bone Marrow Mesenchyme Cells under the Exposure to Noncontact Electric Fields. *Integr Med Int*, 4, 161–170. <https://doi.org/10.1159/000485186>

Oktay, K., Santaliz-Casiano, A., Patel, M., Marino, N., Maria, A., Storniolo, V., Torun, H., Acar, B., & Madak Erdogan, Z. (2020). A Computational Statistics Approach to Evaluate Blood Biomarkers for Breast Cancer Risk Stratification. *Hormones and Cancer*, 11, 17–33. <https://doi.org/10.1007/s12672-019-00372-3>

Osellame, L. D., Blacker, T. S., & Duchen, M. R. (2012). Cellular and molecular



mechanisms of mitochondrial function. *Best Practice & Research Clinical Endocrinology & Metabolism*, 26(6), 711–723.
<https://doi.org/10.1016/J.BEEM.2012.05.003>

Palomeras, S., Ruiz-Martínez, S., & Puig, T. (2018). *molecules Targeting Breast Cancer Stem Cells to Overcome Treatment Resistance*.
<https://doi.org/10.3390/molecules23092193>

Peng, L., Fu, C., Wang, L., Zhang, Q., Liang, Z., He, C., & Wei, Q. (2021). The Effect of Pulsed Electromagnetic Fields on Angiogenesis. *Bioelectromagnetics*, 42(3), 250–258. <https://doi.org/10.1002/BEM.22330>

Penn, J. W., Grobbelaar, A. O., & Rolfe, K. J. (2012). The role of the TGF-β family in wound healing, burns and scarring: a review. *International Journal of Burns and Trauma*, 2(1), 18–28.
<http://www.ncbi.nlm.nih.gov/pubmed/22928164%0Ahttp://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC3415964>

Petrarca, C. R., Brunetto, A. T., Duval, V., Brondani, A., Carvalho, G. P., & Garicochea, B. (2011). Survivin as a predictive biomarker of complete pathologic response to neoadjuvant chemotherapy in patients with stage II and stage III breast cancer. *Clinical Breast Cancer*, 11(2), 129–134.
<https://doi.org/10.1016/j.clbc.2011.03.002>

Pratiwi, R., Antara, N. Y., Fadliansyah, L. G., Ardiansyah, S. A., Nurhidayat, L., Sholikhah, E. N., Sunarti, S., Widyarini, S., Fadhlurrahman, A. G., Fatmasari, H., Tunjung, W. A. S., Haryana, S. M., Alamsyah, F., & Taruno, W. P. (2019). CCL2 and IL18 expressions may associate with the anti-proliferative effect of noncontact electro capacitive cancer therapy in vivo. *F1000Research*, 8. <https://doi.org/10.12688/F1000RESEARCH.20727.1>

Pratiwi, R., Antara, N. Y., Fadliansyah, L. G., Ardiansyah, S. A., Nurhidayat, L., Sholikhah, E. N., Sunarti, S., Widyarini, S., Fadhlurrahman, A. G., Fatmasari, H., Tunjung, W. A. S., Haryana, S. M., Alamsyah, F., & Taruno, W. P. (2020). CCL2 and IL18 expressions may associate with the anti-proliferative effect of noncontact electro capacitive cancer therapy in vivo. *F1000Research*, 8, 1770. <https://doi.org/10.12688/f1000research.20727.2>

Pu, X., Storr, S. J., Zhang, Y., Rakha, E. A., Green, A. R., Ellis, I. O., & Martin, S. G. (2017). Caspase-3 and caspase-8 expression in breast cancer: caspase-3 is associated with survival. *Apoptosis*, 22(3), 357–368.
<https://doi.org/10.1007/s10495-016-1323-5>

Purawarga Matada, G. S., Dhiwar, P. S., Abbas, N., Singh, E., Ghara, A., Das, A., & Bhargava, S. V. (2021). Molecular docking and molecular dynamic studies: screening of phytochemicals against EGFR, HER2, estrogen and NF-KB receptors for their potential use in breast cancer. *Journal of Biomolecular Structure and Dynamics*. <https://doi.org/10.1080/07391102.2021.1877823>

Rahmani, F., Ferns, G. A., Talebian, S., Nourbakhsh, M., Avan, A., & Shahidsales,



- S. (2020). Role of regulatory miRNAs of the PI3K/AKT signaling pathway in the pathogenesis of breast cancer. In *Gene* (Vol. 737, p. 144459). Elsevier B.V. <https://doi.org/10.1016/j.gene.2020.144459>
- Ren, B., Yee, K. O., Lawler, J., & Khosravi-Far, R. (2006). Regulation of tumor angiogenesis by thrombospondin-1. *Biochimica et Biophysica Acta (BBA) - Reviews on Cancer, 1765*(2), 178–188. <https://doi.org/10.1016/J.BBCAN.2005.11.002>
- Roswall, P., Bocci, M., Bartoschek, M., Li, H., Kristiansen, G., Jansson, S., Lehn, S., Sjölund, J., Reid, S., Larsson, C., Eriksson, P., Anderberg, C., Cortez, E., Saal, L. H., Orsmark-Pietras, C., Cordero, E., Haller, B. K., Häkkinen, J., Burvenich, I. J. G., ... Pietras, K. (2018). Microenvironmental control of breast cancer subtype elicited through paracrine platelet-derived growth factor-CC signaling. *Nature Medicine, 24*(4), 463–473. <https://doi.org/10.1038/nm.4494>
- Roy, S., Sil, A., & Chakraborty, T. (2019). Potentiating apoptosis and modulation of p53, Bcl2, and Bax by a novel chrysin ruthenium complex for effective chemotherapeutic efficacy against breast cancer. *Journal of Cellular Physiology, 234*(4), 4888–4909. <https://doi.org/10.1002/jcp.27287>
- Royston, K. J., Udayakumar, N., Lewis, K., & Tollefsbol, T. O. (2017a). A Novel Combination of Withaferin A and Sulforaphane Inhibits Epigenetic Machinery, Cellular Viability and Induces Apoptosis of Breast Cancer Cells. *International Journal of Molecular Sciences Article*. <https://doi.org/10.3390/ijms18051092>
- Royston, K. J., Udayakumar, N., Lewis, K., & Tollefsbol, T. O. (2017b). A Novel Combination of Withaferin A and Sulforaphane Inhibits Epigenetic Machinery, Cellular Viability and Induces Apoptosis of Breast Cancer Cells. *International Journal of Molecular Sciences Article*. <https://doi.org/10.3390/ijms18051092>
- Ruan, W., Lim, H. H., & Surana, U. (2019). Mapping Mitotic Death: Functional Integration of Mitochondria, Spindle Assembly Checkpoint and Apoptosis. *Frontiers in Cell and Developmental Biology, 6*, 177. <https://doi.org/10.3389/FCELL.2018.00177/BIBTEX>
- Sa, G., & Das, T. (2008). Anti cancer effects of curcumin: Cycle of life and death. *Cell Division, 3*, 1–14. <https://doi.org/10.1186/1747-1028-3-14>
- Saber, S., Youssef, M. E., Sharaf, H., Amin, N. A., El-Shededy, R., Aboutouk, F. H., El-Galeel, Y. A., El-Hefnawy, A., Shabaka, D., Khalifa, A., Saleh, R. A., Osama, D., El-Zoghby, G., & Gobba, N. A. (2021). BBG enhances OLT1177-induced NLRP3 inflammasome inactivation by targeting P2X7R/NLRP3 and MyD88/NF-κB signaling in DSS-induced colitis in rats. *Life Sciences, 270*. <https://doi.org/10.1016/j.lfs.2021.119123>
- Schneider, B. P., & Miller, K. D. (2005). Angiogenesis of breast cancer. In *Journal of Clinical Oncology* (Vol. 23, Issue 8, pp. 1782–1790). American Society of



Clinical Oncology. <https://doi.org/10.1200/JCO.2005.12.017>

Shakeri, R., Kheirollahi, A., & Davoodi, J. (2017). Apaf-1: Regulation and function in cell death. *Biochimie*, 135, 111–125.

<https://doi.org/10.1016/J.BIOCHI.2017.02.001>

Shi, R., Lian, W., Han, S., Cao, C., Jin, Y., Yuan, Y., Zhao, H., & Li, M. (2018). Nanosphere-mediated co-delivery of VEGF-A and PDGF-B genes for accelerating diabetic foot ulcers healing in rats. *Gene Therapy*, 25(6), 425–438. <https://doi.org/10.1038/s41434-018-0027-6>

Shimabukuro-Vornhagen, A., Draube, A., Liebig, T. M., Rothe, A., Kochanek, M., & Von Bergwelt-Baildon, M. S. (2012). The immunosuppressive factors IL-10, TGF- β , and VEGF do not affect the antigen-presenting function of CD40-activated B cells. *Journal of Experimental and Clinical Cancer Research*, 31(1), 1–7. <https://doi.org/10.1186/1756-9966-31-47>

Sofiabadi, M., Zarbaf, R., Abdolahpour, A., Koushki Jahromi, M., Peymani, A., & Khosravi, N. (2020). Effect of exercise training before mating on mRNA expression of breast cancer-related genes in offspring in rats. *Science and Sports*, 35(5), 312.e1–312.e9. <https://doi.org/10.1016/j.scispo.2020.03.004>

Sokol, A. M., Sztolszterer, M. E., Wasilewski, M., Heinz, E., & Chacinska, A. (2014). Mitochondrial protein translocases for survival and wellbeing. *FEBS Letters*, 588(15), 2484–2495. <https://doi.org/10.1016/J.FEBSLET.2014.05.028>

Song, M. H., Jo, Y., Kim, Y. K., Kook, H., Jeong, D., & Park, W. J. (2022). The TSP-1 domain of the matricellular protein CCN5 is essential for its nuclear localization and anti-fibrotic function. *PLOS ONE*, 17(4), e0267629. <https://doi.org/10.1371/JOURNAL.PONE.0267629>

Sun, S., Dong, H., Yan, T., Li, J., Liu, B., Shao, P., Li, J., & Liang, C. (n.d.). *Role of TSP-1 as prognostic marker in various cancers: a systematic review and meta-analysis*. <https://doi.org/10.1186/s12881-020-01073-3>

Swamy, G., Matada, P., Sanjay Dhiwar, P., Abbas, N., Singh, E., Ghara, A., Das, A., Sapna, &, Bhargava, V., & Vyas Bhargava, S. (2021). *Molecular docking and molecular dynamic studies: screening of phytochemicals against EGFR, HER2, estrogen and NF-KB receptors for their potential use in breast cancer*. <https://doi.org/10.1080/07391102.2021.1877823>

Taki, F. A., Abdel-Rahman, A. A., & Zhang, B. (2014). A Comprehensive Approach to Identify Reliable Reference Gene Candidates to Investigate the Link between Alcoholism and Endocrinology in Sprague-Dawley Rats. *PLoS ONE*, 9(5), 94311. <https://doi.org/10.1371/journal.pone.0094311>

Tao, Z. Q., Shi, A., Lu, C., Song, T., Zhang, Z., & Zhao, J. (2015). Breast Cancer: Epidemiology and Etiology. *Cell Biochemistry and Biophysics*, 72(2), 333–338. <https://doi.org/10.1007/s12013-014-0459-6>



- Tao, Z., Shi, A., Lu, C., Song, T., Zhang, Z., & Zhao, J. (2013). Breast Cancer: Epidemiology and Etiology. *Cell Biochemistry and Biophysics*. <https://doi.org/10.1007/s12013-014-0459-6>
- Telli, M. L., & Carlson, R. W. (2009). First-line chemotherapy for metastatic breast cancer. *Clinical Breast Cancer*, 9(SUPPL.2), S66–S72. <https://doi.org/10.3816/CBC.2009.s.007>
- Vyas, D., Laput, G., & Vyas, A. K. (2014). Chemotherapy-enhanced inflammation may lead to the failure of therapy and metastasis. *Oncotargets and Therapy*, 7, 1015–1023. <https://doi.org/10.2147/OTT.S60114>
- Wang, S., Mo, M., Wang, J., Sadia, S., Shi, B., Fu, X., Yu, L., Tredget, E. E., & Wu, Y. (2018). Platelet-derived growth factor receptor beta identifies mesenchymal stem cells with enhanced engraftment to tissue injury and pro-angiogenic property. *Cellular and Molecular Life Sciences*, 75(3), 547–561. <https://doi.org/10.1007/s00018-017-2641-7>
- Weber, M. S., Wojtynek, M., & Medalia, O. (2019). Cellular and Structural Studies of Eukaryotic Cells by Cryo-Electron Tomography. *Cells 2019, Vol. 8, Page 57*, 57(1), 57. <https://doi.org/10.3390/CELLS8010057>
- Wenger, C., Miranda, P. C., Salvador, R., Thielscher, A., Bomzon, Z., Giladi, M., Mrugala, M. M., & Korshoej, A. R. (2018). A Review on Tumor-Treating Fields (TTFields): Clinical Implications Inferred from Computational Modeling. *IEEE Reviews in Biomedical Engineering*, 11, 195–207. <https://doi.org/10.1109/RBME.2017.2765282>
- Williams, C. D., & Markov, M. S. (2009). THERAPEUTIC ELECTROMAGNETIC FIELD EFFECTS ON ANGIOGENESIS DURING TUMOR GROWTH: A PILOT STUDY IN MICE. *Http://Dx.Doi.Org/10.1081/JBC-100108573*, 20(3), 323–329. <https://doi.org/10.1081/JBC-100108573>
- Wise, L. M., Stuart, G. S., Real, N. C., Fleming, S. B., & Mercer, A. A. (2018). VEGF Receptor-2 Activation Mediated by VEGF-E Limits Scar Tissue Formation Following Cutaneous Injury. *Advances in Wound Care*, 7(8), 283–297. <https://doi.org/10.1089/wound.2016.0721>
- Woo, S. H., Kim, B., Kim, S. H., Jung, B. C., Lee, Y., & Kim, Y. S. (2022). Pulsed electromagnetic field potentiates etoposide-induced MCF-7 cell death. *BMB Reports*, 55(3), 148–153. <https://doi.org/10.5483/BMBRep.2022.55.3.119>
- Wu, H., Ma, S., Xiang, M., & Tong, S. (2019). HTA1 promotes transdifferentiation of normal fibroblasts to cancer-associated fibroblasts through activation of the NF- κ B/bFGF signaling pathway in gastric cancer. *Biochemical and Biophysical Research Communications*, 514(3), 933–939. <https://doi.org/10.1016/J.BBRC.2019.05.076>
- Yaghooti, H., Mohammadtaghvaei, N., & Mahboobnia, K. (2019). Effects of



palmitate and astaxanthin on cell viability and proinflammatory characteristics of mesenchymal stem cells. *International Immunopharmacology*, 68(October 2018), 164–170. <https://doi.org/10.1016/j.intimp.2018.12.063>

Yang, M., & Brackenbury, W. J. (2013). Membrane potential and cancer progression. *Frontiers in Physiology*, 4 JUL(July 2013). <https://doi.org/10.3389/fphys.2013.00185>

Yao, Cheng, Lee, D. H., Oh, J. H., Kim, M. K., Kim, K. H., Park, C. H., & Chung, J. H. (2015). Poly(I : C) induces expressions of MMP-1, -2, and -3 through various signaling pathways including IRF3 in human skin fibroblasts. *Journal of Dermatological Science*, 80(1), 54–60. <https://doi.org/10.1016/j.jdermsci.2015.06.017>

Yao, Chunyan, He, F., Liu, L., Zhang, Z., Zhao, C., Qiu, W., Zhao, D., Zhang, J., Xie, M., Gong, Y., Yu, T., Xia, L., Qian, B., & Wang, Y. (2018). Cellular Physiology and Biochemistry Cellular Physiology and Biochemistry Sublytic C5b-9 Induces Glomerular Mesangial Cell Apoptosis Through miR-3546/SOX4/Survivin Axis in Rat Thy-1 Nephritis. *Cell Physiol Biochem*, 49, 1898–1917. <https://doi.org/10.1159/000493652>

Yonemitsu, R., Tokunaga, T., Shukunami, C., Ideo, K., Arimura, H., Karasugi, T., Nakamura, E., Ide, J., Hiraki, Y., & Mizuta, H. (n.d.). *Fibroblast Growth Factor 2 Enhances Tendon-to-Bone Healing in a Rat Rotator Cuff Repair of Chronic Tears*. <https://doi.org/10.1177/0363546519836959>

Yonemitsu, R., Tokunaga, T., Shukunami, C., Ideo, K., Arimura, H., Karasugi, T., Nakamura, E., Ide, J., Hiraki, Y., & Mizuta, H. (2019). Fibroblast Growth Factor 2 Enhances Tendon-to-Bone Healing in a Rat Rotator Cuff Repair of Chronic Tears. *American Journal of Sports Medicine*, 47(7), 1701–1712. <https://doi.org/10.1177/0363546519836959>

Zhang, Y., Wu, J., Jing, H., Huang, G., Sun, Z., & Xu, S. (2019). Long noncoding RNA MEG3 inhibits breast cancer growth via upregulating endoplasmic reticulum stress and activating NF-κB and p53. *Journal of Cellular Biochemistry*, 120(4), 6789–6797. <https://doi.org/10.1002/JCB.27982>

Zhu, X., Shou, Y., Ji, X., Hu, Y., & Wang, H. (2021). S-adenosylmethionine decarboxylase 1 and its related spermidine synthesis mediate PM2.5 exposure-induced neuronal apoptosis. *Ecotoxicology and Environmental Safety*, 224.