



## DAFTAR PUSTAKA

- Agrios G.N. 2005. *Plant Pathology*. 5th Ed. Elsevier Academic Press, California
- Aidawati, N. 2000. Penularan virus kerupuk tembakau dengan *Bemisia tabaci* Gennadius (Hemiptera: Aleyrodidae). Tesis. Institut Pertanian Bogor. Bogor.
- Allard RW. 1960. *Principles of Plant Breeding*. New York: J Wiley & Sons. 485 hal.
- Al-Ani, R.A., M.A.Adhab, K.A.H.Ismail. 2001. Eggplant blister mottled virus (EBMV): A possible new potyvirus characterized from Iraq. *Journal of General and Molecular Virology* 3(3): 049-052.
- Antignus, Y. 2007. The Management of *Tomato yellow leaf curl virus* in Greenhouse and The Open Filed, A Strategy of Manipulation. *Tomato Yellow Leaf Curl Virus*. 3:263-278
- Ardi, Wisnu P. 2016. Kutu Kebul (*Bemisia tabaci* Genn). <http://balithi.litbang.pertanian.go.id/berita-354-info-penelitian-kutu-kebul-bemisia-tabaci-genn.html>.
- Aubriot, X., Sandra K, Jaime P. 2019. Eggplant (*Solanum melongena L.*): Taxonomy and Relationships. Springer Nature Switzerland . [https://doi.org/10.1007/978-3-319-99208-2\\_2](https://doi.org/10.1007/978-3-319-99208-2_2)
- Badan Pusat Statistik. 2014. Produksi Sayuran Di Indonesia. <[www.bps.go.id](http://www.bps.go.id)>. Diakses tanggal 2 Oktober 2019.
- Berlinger MJ. 1986. Host plant resistance to *bemisia tabaci*. *Agric Ecosystems Environ*.17:69-82.
- Bisaro, D.M. 1994. Recombination in Geminivirus: Mechanisms for maintaining genome size and generating genome diversity. In Homologous recombination and gene silencing in plants (ed J. Paszkowski), Kluwer, Dordrecht.
- Boss L. 1994. Pengantar virology tumbuhan. Diterjemahkan oleh Triharso. Gajah Mada Univ. Press. 206 P.
- Boss L. 1994. Pengantar virology tumbuhan. Diterjemahkan oleh Triharso. Gajah Mada Univ. Press. 206 P.
- Byrne, N.D. & St Bellows, N. 1991. Whitefly biology. Annu. Rev. entomol. 36:431-57.
- Choudhary, B. and Gaur, K. 2009. The Development and Regulation of Bt Brinjal in India. The International Service for the Acquisition of Agri-biotech Applications (ISAAA).



- De Barro, P.J., S.S. Liu, Boykin, L.M, and A.B. Dinsdale. 2011. *Bemisia tabaci*: A statement of Species Status. Annu. Rev. Entomol 6: 1-19.
- Dombrovsky, A., M. Pearlsman, O. Lachman, Y. Antignus. 2009. Characterization of a new strain of eggplant mottled crinkle virus (EMCV) infecting eggplants in Israel. *Phytoparasitica* 37(5): 477-483
- Dolores, LM 1996. Management of pepper viruses. in AVNET-II. *Final Workshop Proc.AVRDC*, Tainan, Taiwan, pp. 334-42.
- Duriat AS. 1996. Cabai merah : komoditas prospek dan andalan. Di dalam: Duriat AS, Widjaja A, Hadisooeganda W, Soetiarto TA, Prabaningrum L. editor. Teknologi Produksi Cabe Merah. Lembang : Balai Penelitian Tanaman Sayuran.
- Fauquet,C.M. & J. Stanley. 2003. Geminivirus classification and nomenclature: progress and problems. *Ann.appl.Biol* 142: 165-189.
- Gaswanto, R., M. Syukur., B.S. Purwoko, dan S.H. Hidayat. 2015. Metode penularan massal untuk uji penapisan ketahanan cabai mutan terhadap *Begomovirus*. *J. Hort.* 25(3): 246-256.
- Ghanim, M., & Czosnek, H. 2000. *Tomato yellow leaf curl Geminivirus (TYLCV-Is)* is transmitted among whiteflies (*Bemisia tabaci*) in a sex-related manner. *Journal of Virology*. 74 (10): 4738-45.
- Ghanim, M., & Czosnek, H. 2001. Rate of *Tomato yellow leaf curl virus* translocation in the circulative transmission pathway of its vector, the whitefly *Bemisia tabaci*. *Phytopathology*. 91 (2): 188-96.
- Ghanim, M. 2014. a review of the mechanisms and components that determine the transmission efficiency of *Tomato yellow leaf curl virus* (Geminiviridae; Begomovirus) by its whitefly vector. (Abstrak). *Virus Research*. 186: 47-54.
- Green, S.K., Tsai,W.S., Shih, S.L., Rezaian, M.A., Duangsong, U. 2003. Molecular Characterization of aNew *Begomovirus* associated with Tomato yellow leaf curl and eggplant yellow mosaic diseases in Thailand. *Plant Dis* 8(4): 446.
- Greenleaf, W.H. 1986. Pepper breeding, In: Breeding vegetable crops. AVI Pub. Co. inc,Connecticut.
- Gunaeni, N., W. Setiawati, R. Murtiningsih, dan T. Rubiati. 2008. Penyakit Virus Kuning dan Vektornya Serta Cara Pengendaliannya Pada Tanaman Sayuran. Balai Penelitian Tanaman Sayuran Pusat Penelitian dan Pengembangan Hortikultura Badan Penelitian dan Pengembangan Pertanian. Prima Tani Balitsa, Bandung.



- Green SK, Tsai WS, Shih SL. 2003. Molecular characterization of a new *Begomovirus* associated with *Tomato yellow leaf curl* and *Eggplant yellow mosaic* diseases in Thailand. *PlantDis.* 87(4):446. DOI: <http://dx.doi.org/10.1094/PDIS.2003.87.5.598A>
- Hasyim, A., W. Setiawati, dan Liferdi, L. 2016. Kutu Kebul *Bemisia tabaci* Gennadius (Hemiptera: Aleyrodidae) Penyebar Penyakit Virus Mosaik Kuning pada Tanaman Terung. Balitsa No.12:50-54. <http://hortikultura.litbang.pertanian.go.id/IPTEK/2016/9.%20Ahsol%20Kutu.pdf>. Diakses 16 Januari 2020
- Herison C, Rustikawati, Sudarsono. 2007. Aktivitas Peroksidase, Skor ELISA dan Respon Ketahanan 29 Genotipe Cabai Merah terhadap Infeksi *Cucumber mozaicvirus* (CMV). *Akta Agrosia*. 10(1):1-13.
- Hidayat S.H., E.S. Rusli, dan N. Aidawati. 1999. Penggunaan primer universal dalam polymerase chain reaction untuk mendeteksi virus gemini pada cabe. Di dalam: Prosiding Seminar Ilmiah dan Kongres Nasional PFI XV; Purwokerto, 6-18 September 1999. Hlm 355-359.
- Hill, D.S. 1987. Agricultural Insect Pest of Tropics and their Control. Cambridge UniversityPress. Cambridge, United Kingdom.
- Huang Z., S.X. Ren, P.D. Musa. 2008. Effect of temperature on development, survival, longevity, and fecundity of *Bemisia tabaci* Gennadius (Homoptera: Aleyrodidae) predator, *Axinoscymnus cardilobus* (Coleoptera: Coccinellidae). *BiologicalControl* 46: 209-21.
- Hull, R. 2002. Matthews Plant Virology. Academic Press, San Diego.
- Hunter, WB., Hiebert, E., Webb, S.E., Tsai.J.H., & Polston, J.E. 1998. Location of Geminiviruses in the whitefly *Bemisia tabaci* (Homoptera: Aleyrodidae). *Plant Disease*. 82:1147-1151.
- Johns MA et al. 1997. Gene pool classification of common bean landraces from Chile based on RAPD and morphological data. *Crop Sci.* 37:605-613.
- Kessmann, H., T. Staub, C. Hofmann, T. Maetzke, J. Herzog, E. Ward, S. Uknnes and J.Ryals. 1994. Induction of systemic acquired disease resistance in plants by chemicals. *Annu. Rev. Phytopathol.* 32 : 439-459.
- Kintasari, T., D.W.N. Septariani, S. Sulandari, S.H. Hidayat. 2013. Temuan penyakit baru Tomato yellow leaf curl Kanchanaburi virus penyebab penyakit Mosaik Kuning pada tanaman terung di Jawa. *Jurnal Fitopatologi Indonesia* 9(4): 127-131.



- Manwan, S.W., A. Nasaruddin, Melina. 2014. Populasi *Bemisia tabaci* genn. Pada lima varietas cabai. J.Sains &Teknologi 14(3): 285-29
- Mathews, R.E.F. 1992. Fundamentals of plant virology. Academic Press Inc. San Diego.403 p.
- Naranjo, S.E., and P.C. Ellsworth. 2005. Mortality dinamics and population regulation in *Bemisia tabaci*. Entomologia Experimentalis et Applicata 116:93-108.
- Niks RE, Lindhout WH. 2000. Breeding for Resistance against Disease and Pest. Laboratory of Plant Breeding. Wageningen University. Netherlands.
- Paddidam, M., R.N. Beachy, C.M. Fauquet. 1995. Tomato leaf curl geminivirus from India has a bipartite genome and coat protein is not essential for infectivity. J. Gen Virol76(1): 25-35.
- Plant Health Australia & Nursery and Garden Industry Australia. 2010. Threat specific contingency plan: whitefly transmitted viruses (internet). Industry Biosecurity Plan for The Nursery & Garden Industry. <http://www.planhealthaustralia.com.au/>. (Desember 2019).
- Polston, J.E., Bradenton, P.K. Anderson. 1997. The emergenceof whitefly-transmitted geminiviruses in tomato in western Hemisphere. J. Plant Dis. 81: 1358-136
- Prahasta. 2009. *Agribisnis Terong*. CV. Pustaka Grafika. Bandung.
- Pratap D, kashikar AR, Mukherjee SK. 2011. Molecular characterization and infectivity of a *Tomato leaf curl New Delhi virus* variant associated with newly emerging yellow mosaic disease of eggplant in India. Virol J. 8(1):305. DOI: <http://dx.doi.org/10.1186/1743-422X-8-305>.
- Regniere, J., J. Powell, B. Bentz, V. Nealis. 2012. Effect of temperature on development, survival, and reproduction of insects: Experimental design, data analysis and modelling. Journal of Insect Physiology 58:634-647.
- Rojas, M.R., R.L. Gilbertson, D.R. Russell, D.P. Maxwell. 1993. Use of Degenerate Primers In The Polymerase Chain Reaction To Detect Whitefly-Transmitted Geminiviruses. Plant Dis. 77(4): 340-346.
- Rotino, G.L., E. Perri, N. Acciarri, F. Sunseril, S. Arpaia. 1997. Development of eggplant varietal resistance to insects and diseases via plant breeding. Adv. Hort. Sci., 11(1997): 193-20.
- Rukmana, R. 1994. Bertanam Terung. Kanisius, Yogyakarta. Rukmana, R 1997. *Bercocok Tanam Terong*. Kanisius. Yokyakarta.



- Rusli E.S., Hidayat, S.H., Seseno, R., Tjahjono, B. 1999. Virus gemini pada cabai: variasi gejala dan studi cara penularan. Buletin Hama dan Penyakit Tumbuhan. 11(1):26-31.
- Santoso, T.J., S.H. Hidayat, A.S. Duriat, M. Herman, & Sudarsono. 2008. Identify and sequence diversity of *Begomovirus* associated with yellow leaf curl disease of tomato in Indonesia. Microbiology 2(1): 1-7.
- Salati R, Nahkla MK, Rojas MR, Guzman P, Jaques J, Douglas DP, Gilberston RL 2002. Tomato yellow leaf curl virus in the Dominican Republic: Characterization of infectious clone, virus monitoring, in whiteflies, and identification or reservoir host. *Phytopatol* 92 :487-496
- Septaiani, D.N., S.H. Hidayat, & E. Nurhayati. 2014. Identifikasi penyebab penyakit daunkeriting pada tanaman mentimun. J.HPT Tropika 14(1): 80-86.
- Setiawati, W., B.K. Udiarto dan N. Gunaeni. 2007. Preferensi beberapa varietas tomat dan pola investasi kutu kebul serta pengaruhnya terhadap intensitas serangan virus kuning. J. Hort. 17(4): 374-386.
- Setiawati, W., B.K. Udiarto dan T.A. Soetiarno. 2008. Pengaruh varietas dan system tanam cabai merah terhadap penekanan populasi hama kutu kebul. J. Hort. 18(1):55-61
- Soetasad, A.A., & S. Muryanti. 1999. Budidaya Terung Lokal dan Terung Jepang. Penebar Swadaya, Jakarta.
- Sudiono. 2001. Deteksi dan identifikasi virus gemini pada tanaman tomat. Institute Pertanian Bogor, Bogor. Tesis.
- Sulandari, S., R. Suseno, S.H Hidayat, J. Harjosudarmo, & Sosromarsono. 2001. Deteksi virus gemini pada cabai di daerah istimewa Yogyakarta. Prosiding Kongres dan Seminar Nasional Perhimpunan Fitopatologi Indonesia XVI, 23-24 Agustus 2001,Bogor.
- Sulandari, S., R. Suseno, S.H Hidayat, J. Harjosudarmo, & Sosromarsono. 2004. Pembuatan antiserum dan kajian serologi virus penyebab penyakit daun keritingkuning cabai. Jurnal Perlindungan Tanaman Indonesia 10(1):42-52.
- Sulandari, S., R. Suseno, S.H Hidayat, J. Harjosudarmo, & Sosromarsono. 2006. Deteksi dan kajian kisaran inang virus penyebab penyakit daun keriting kuning cabai. Hayati. 1 (13):1-6.
- Sulandari, S., R. Suseno, S.H Hidayat, J. Harjosudarmo, & Sosromarsono. 2007. Inoculation of *Pepper yellow leaf curl virus* on various plants and detection of the virus in its insect vector *Bemisia tabaci* Genn. (Hemiptera: Aleyrodidae).



Proceedings of The Third Conference on Plant Pathology, Yogyakarta,  
Indonesia 20-24 August 2007. 140-143

- Sunarjono. H. 2013. Bertanam 30 jenis sayuran. Penebar Swadaya, Jakarta.
- Trisno, J., S.H. Hidayat, Jamsari, T.Habzar, I. Manti. 2010. Identifikasi molekular *Begomovirus* penyebab penyakit keriting pada tanaman cabai (*Capsicum annum*)di Sumatera Barat. Jurnal Natur Indonesia. 13(1): 41-46.
- Utami, R., H. Purnomo, & Purwatiningsih. 2014. Keanekaragaman hayati serangga parasitoid kutu kebul (*Bemisia tabaci* Genn) dank utu daun (*Aphid* spp.) pada tanaman kedelai. Jurnal Ilmu Dasar 15(2): 81-89
- Wei, G., JW. Kloepper, and S. Tuzun. 1996. Induced systemic resistance to cucumber diseases and increased plant growth by plant growth-promoting rhizobacteria under field conditions. Phytopathology 86 : 221-224Yuwono, T. 2006. Teori dan Aplikasi Polymerase Chain Reaction: Panduan Eksperiment PCR untuk Memecahkan Masalah Biologi Terkini. Percetakan Andi, Yogyakarta.