

DAFTAR PUSTAKA

- Agustina, S. (2005). Proses Aktivasi Ulang Arang Aktif Bekas Adsorpsi Gliserin Dengan Metode Pemanasan. *Bulletin Penelitian*, 27(1), 10–18.
- Agustina, S., Aidha, N. N., & Oktarina, E. (2019). Effect of maltodextrin concentration on the characteristic of phycocyanin powder as a functional food. *AIP Conference Proceedings*, 2175. <https://doi.org/10.1063/1.5134614>
- Aït-Aissa, A., Gerliani, N., Orlova, T., Sadeghi-Tabatabai, B., & Aïder, M. (2020). Development of a Process for Color Improvement of Low-Grade Dark Maple Syrup by Adsorption on Activated Carbon. *ACS Omega*, 5(33), 21084–21093. <https://doi.org/10.1021/acsomega.0c02717>
- Akimoto, S., Yokono, M., Hamada, F., Teshigahara, A., Aikawa, S., & Kondo, A. (2012). Adaptation of light-harvesting systems of *Arthrospira platensis* to light conditions, probed by time-resolved fluorescence spectroscopy. *Biochimica et Biophysica Acta - Bioenergetics*, 1817(8), 1483–1489. <https://doi.org/10.1016/j.bbabi.2012.01.006>
- Alamilla-Beltrán, L., Chanona-Pérez, J. J., Jiménez-Aparicio, A. R., & Gutiérrez-Lopez, G. F. (2005). Description of morphological changes of particles along spray drying. *Journal of Food Engineering*, 67(1–2), 179–184. <https://doi.org/10.1016/j.jfoodeng.2004.05.063>
- Allen, T. (1981). *Particle Size Measurement* (B. Scarlett, Ed.; 3rd ed.). Chapman & Hall.
- Amarante, M. C. A. de, Braga, A. R. C., Sala, L., Moraes, C. C., & Kalil, S. J. (2020). Design strategies for C-phycocyanin purification: Process influence on purity grade. *Separation and Purification Technology*, 252(July), 117453. <https://doi.org/10.1016/j.seppur.2020.117453>
- Amarante, M. C. A. de, Corrêa Júnior, L. C. S., Sala, L., & Kalil, S. J. (2020). Analytical grade C-phycocyanin obtained by a single-step purification process. *Process Biochemistry*, 90(April 2019), 215–222. <https://doi.org/10.1016/j.procbio.2019.11.020>
- Anandharamakrishnan, C., & Ishwarya, S. P. (2015). *Spray drying techniques for food ingredient encapsulation* (1st ed.). John Wiley & Sons, Ltd.
- AOAC. (2007). *Official Methods of Analysis* (17th ed.). Association of Official Analytical Chemists.

- Ashaolu, T. J., Samborska, K., Lee, C. C., Tomas, M., Capanoglu, E., Tarhan, Ö., Taze, B., & Jafari, S. M. (2021). Phycocyanin, a super functional ingredient from algae; properties, purification characterization, and applications. In *International Journal of Biological Macromolecules* (Vol. 193, pp. 2320–2331). Elsevier B.V. <https://doi.org/10.1016/j.ijbiomac.2021.11.064>
- Balti, R., Zayoud, N., Hubert, F., Beaulieu, L., & Massé, A. (2021). Fractionation of *Arthrospira platensis* (Spirulina) water soluble proteins by membrane diafiltration. *Separation and Purification Technology*, 256(June 2020). <https://doi.org/10.1016/j.seppur.2020.117756>
- Bastías-Montes, J. M., Choque-Chávez, M. C., Alarcón-Enos, J., Quevedo-León, R., Muñoz-Fariña, O., & Vidal-San-martín, C. (2019). Effect of spray drying at 150, 160, and 170 °c on the physical and chemical properties of maqui extract (*Aristotelia chilensis* (Molina) Stuntz). *Chilean Journal of Agricultural Research*, 79(1), 144–152. <https://doi.org/10.4067/S0718-58392019000100144>
- Becker, W. (2004). Microalgae in Human and Animal Nutrition. In A. Richmond (Ed.), *Handbook of Microalgal Culture: Biotechnology and Applied Phycology* (1st ed., pp. 312–351). Blackwell Publishing Ltd.
- Bermejo, R. (2014). Phycocyanins. In N. K. Sharma, A. K. Rai, & L. J. Stal (Eds.), *Cyanobacteria: An Economic Perspective* (1st ed., pp. 209–225). Wiley Blackwell.
- Bradley, Jr. R. L. (1998). Moisture and Total Solid Analysis. In S. S. Nielsen (Ed.), *Food Analysis* (2nd ed., pp. 119–139). Springer.
- Breberina, L. M., Zlatović, M. v., Nikolić, M. R., & Stojanović, S. (2019). Computational Analysis of Non-covalent Interactions in Phycocyanin Subunit Interfaces. *Molecular Informatics*, 38(11–12). <https://doi.org/10.1002/minf.201800145>
- Brião, V. B., Sbeghen, A. L., Colla, L. M., Castoldi, V., Seguenka, B., Schmidt, G. de O., & Costa, J. A. V. (2020). Is downstream ultrafiltration enough for production of food-grade phycocyanin from *Arthrospira platensis*? *Journal of Applied Phycology*, 32(2), 1129–1140. <https://doi.org/10.1007/s10811-019-02006-1>
- Bruschi, M. L., Cardoso, M. L. C., Lucchesi, M. B., & Gremião, M. P. D. (2003). Gelatin microparticles containing propolis obtained by spray-drying technique: preparation and characterization. *International Journal of*

Pharmaceutics, 264(1–2), 45–55. [https://doi.org/10.1016/S0378-5173\(03\)00386-7](https://doi.org/10.1016/S0378-5173(03)00386-7)

Burgain, J., Gaiani, C., Linder, M., & Scher, J. (2011). Encapsulation of probiotic living cells: From laboratory scale to industrial applications. In *Journal of Food Engineering* (Vol. 104, Issue 4, pp. 467–483). <https://doi.org/10.1016/j.jfoodeng.2010.12.031>

Burgess, D. J., Zhao, Z., Hickey, A. J., Byrn, S. R., Grant, D. J. W., Hauck, W. W., University, T. J., Etzler, F. M., Ding, J. Y., Wong, B. J., Duffy, E., & Etzler, F. (2004). Particle Size Analysis: AAPS Workshop Report, Cosponsored by the Food and Drug Administration and the United States Pharmacopeia. *The AAPS Journal*, 6(3), 20. <http://www.aapsj.org>

Cai, Y. Z., & Corke, H. (2000). Production and Properties of Spray-dried Amaranthus Betacyanin Pigments. In *1248 JOURNAL OF FOOD SCIENCE* (Vol. 65, Issue 6).

Caliskan, G., & Nur Dirim, S. (2013). The effects of the different drying conditions and the amounts of maltodextrin addition during spray drying of sumac extract. *Food and Bioprocess Processing*, 91(4), 539–548. <https://doi.org/10.1016/j.fbp.2013.06.004>

Cevallos Toledo, R. B., Aragón-Tobar, C. F., Gámez, S., & de la Torre, E. (2020). Reactivation Process of Activated Carbons: Effect on the Mechanical and Adsorptive Properties. *Molecules (Basel, Switzerland)*, 25(7). <https://doi.org/10.3390/MOLECULES25071681>

Chaiklahan, R., Chirasuwan, N., Loha, V., Tia, S., & Bunnag, B. (2018). Stepwise extraction of high-value chemicals from Arthrospira (Spirulina) and an economic feasibility study. *Biotechnology Reports*, 20, e00280. <https://doi.org/10.1016/j.btre.2018.e00280>

Chaneva, G., Furnadzhieva, S., Minkova, K., & Lukavsky, J. (2007). Effect of light and temperature on the cyanobacterium Arthronema africanum - A prospective phycobiliprotein-producing strain. *Journal of Applied Phycology*, 19(5), 537–544. <https://doi.org/10.1007/s10811-007-9167-6>

Chen, F. P., Liu, L. L., & Tang, C. H. (2020). Spray-drying microencapsulation of curcumin nanocomplexes with soy protein isolate: Encapsulation, water dispersion, bioaccessibility and bioactivities of curcumin. *Food Hydrocolloids*, 105. <https://doi.org/10.1016/j.foodhyd.2020.105821>

- Cheng, W. P., Chen, P. H., Yu, R. F., & Ho, W. N. (2016). Treating ammonium-rich wastewater with sludge from water treatment plant to produce ammonium alum. *Sustainable Environment Research*, 26(2), 63–69. <https://doi.org/10.1016/j.serj.2015.11.002>
- Chew, K. W., Chia, S. R., Krishnamoorthy, R., Tao, Y., Chu, D. T., & Show, P. L. (2019). Liquid biphasic flotation for the purification of C-phycoerythrin from *Spirulina platensis* microalga. *Bioresource Technology*, 288(April). <https://doi.org/10.1016/j.biortech.2019.121519>
- Chia, S. R., Chew, K. W., Leong, H. Y., Manickam, S., Show, P. L., & Nguyen, T. H. P. (2020). Sonoprocessing-assisted solvent extraction for the recovery of pigment-protein complex from *Spirulina platensis*. *Chemical Engineering Journal*, 398(May), 125613. <https://doi.org/10.1016/j.cej.2020.125613>
- Chng, Y. V. G., Chang, L. S., & Pui, L. P. (2020). Effects of maltodextrin concentration and inlet temperature on the physicochemical properties of spray-dried kuini powder. *Asia-Pacific Journal of Molecular Biology and Biotechnology*, 28(4), 117–131. <https://doi.org/10.35118/apjmbb.2020.028.4.10>
- Choopani, A., Poorsoltan, M., Fazilati, M., Latifi, A. M., & Salavati, H. (2016). Spirulina: A Source of Gamma-linoleic Acid and Its Applications. *Journal of Applied Biotechnology Reports Review Article Journal of Applied Biotechnology Reports*, 3(4), 483–488.
- CIE. (1986). *Colorimetry* (2nd ed.). The International Commission on Illumination (CIE).
- Comunian, T. A., Monterrey-Quintero, E. S., Thomazini, M., Balieiro, J. C. C., Piccone, P., Pittia, P., & Favaro-Trindade, C. S. (2011). Assessment of production efficiency, physicochemical properties and storage stability of spray-dried chlorophyllide, a natural food colourant, using gum Arabic, maltodextrin and soy protein isolate-based carrier systems. *International Journal of Food Science and Technology*, 46(6), 1259–1265. <https://doi.org/10.1111/j.1365-2621.2011.02617.x>
- Correia, R., Grace, M. H., Esposito, D., & Lila, M. A. (2017). Wild blueberry polyphenol-protein food ingredients produced by three drying methods: Comparative physico-chemical properties, phytochemical content, and stability during storage. *Food Chemistry*, 235, 76–85. <https://doi.org/10.1016/j.foodchem.2017.05.042>

- Costa, J. A. V., Freitas, B. C. B., Rosa, G. M., Moraes, L., Morais, M. G., & Mitchell, B. G. (2019). Operational and economic aspects of Spirulina-based biorefinery. *Bioresource Technology*, 292(June), 121946. <https://doi.org/10.1016/j.biortech.2019.121946>
- da Silva Carvalho, A. G., da Costa Machado, M. T., da Silva, V. M., Sartoratto, A., Rodrigues, R. A. F., & Hubinger, M. D. (2016). Physical properties and morphology of spray dried microparticles containing anthocyanins of jussara (*Euterpe edulis Martius*) extract. *Powder Technology*, 294, 421–428. <https://doi.org/10.1016/j.powtec.2016.03.007>
- da Silva Figueira, F., Moraes, C. C., & Kalil, S. J. (2018). C-phycocyanin purification: Multiple processes for different applications. *Brazilian Journal of Chemical Engineering*, 35(3), 1117–1128. <https://doi.org/10.1590/0104-6632.20180353s20170160>
- da Silva, J. C., & Lombardi, A. T. (2020). Chlorophylls in Microalgae: Occurrence, Distribution, and Biosynthesis. In E. Jacob-Lopes, M. I. Queiroz, & Q. L. Zepka (Eds.), *Pigments from Microalgae Handbook* (pp. 1–18). Springer. <https://doi.org/https://doi.org/10.1007/978-3-030-50971-2>
- Damodaran, S. (2017). Amino Acids, Peptides, and Proteins. In S. Damodaran & K. L. Parkin (Eds.), *Fennema's Food Chemistry* (5th ed., pp. 235–356). CRC Press.
- Danaei, M., Dehghankhold, M., Ataei, S., Hasanzadeh Davarani, F., Javanmard, R., Dokhani, A., Khorasani, S., & Mozafari, M. R. (2018). Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. In *Pharmaceutics* (Vol. 10, Issue 2). MDPI AG. <https://doi.org/10.3390/pharmaceutics10020057>
- de Boer, F. Y., Imhof, A., & Velikov, K. P. (2019). Encapsulation of colorants by natural polymers for food applications. In *Coloration Technology* (Vol. 135, Issue 3, pp. 183–194). Blackwell Publishing Ltd. <https://doi.org/10.1111/cote.12393>
- de Souza, V. B., Thomazini, M., Balieiro, J. C. de C., & Fávaro-Trindade, C. S. (2015). Effect of spray drying on the physicochemical properties and color stability of the powdered pigment obtained from vinification byproducts of the Bordo grape (*Vitis labrusca*). *Food and Bioproducts Processing*, 93, 39–50. <https://doi.org/10.1016/j.fbp.2013.11.001>

- Deniz, I., Ozen, M. O., & Yesil-Celiktas, O. (2016). Supercritical fluid extraction of phycocyanin and investigation of cytotoxicity on human lung cancer cells. *Journal of Supercritical Fluids*, 108, 13–18. <https://doi.org/10.1016/j.supflu.2015.10.015>
- Devi, A. C., Tavanandi, H. A., Govindaraju, K., & Raghavarao, K. S. M. S. (2020). An effective method for extraction of high purity phycocyanins (C-PC and A-PC) from dry biomass of *Arthrospira maxima*. *Journal of Applied Phycology*, 32(2), 1141–1151. <https://doi.org/10.1007/s10811-019-02033-y>
- Dewi, E. N., Kurniasih, R. A., Purnamayanti, L., & Journal, P. (2018). Physical Properties of Spirulina Phycocyanin Microencapsulated with Maltodextrin and Carrageenan. *Philippine Journal*, 147(2), 201–207.
- Diez, B., & Ininbergs, K. (2014). Ecological importance of cyanobacteria. In N. K. Sharma, A. K. Rai, & L. J. Stal (Eds.), *Cyanobacteria: An Economic Perspective* (1st ed., pp. 43–63). Wiley Blackwell.
- Dodds, J., des Mines, E., Albi, & France. (2013). Techniques to analyse particle size of food powders. In B. Bhandari, N. Bansal, M. Zhang, & P. Schuck (Eds.), *Handbook of food powders: Processes and properties* (pp. 309–338). Woodhead Publishing.
- Du, J., Ge, Z. Z., Xu, Z., Zou, B., Zhang, Y., & Li, C. M. (2014). Comparison of the Efficiency of Five Different Drying Carriers on the Spray Drying of Persimmon Pulp Powders. *Drying Technology*, 32(10), 1157–1166. <https://doi.org/10.1080/07373937.2014.886259>
- Dumitraşcu, L., Stănciuc, N., & Aprodu, I. (2021). Encapsulation of anthocyanins from cornelian cherry fruits using heated or non-heated soy proteins. *Foods*, 10(6). <https://doi.org/10.3390/foods10061342>
- Efstathiou, T., Feuarent, C., Méjean, S., & Schuck, P. (2002). The use of carbonyl analysis to follow the main reactions involved in the process of deterioration of dehydrated dairy products: Prediction of most favourable degree of dehydration. *Lait*, 82(4), 423–439. <https://doi.org/10.1051/lait:2002021>
- Eriksen, N. T. (2008). Production of phycocyanin - A pigment with applications in biology, biotechnology, foods and medicine. *Applied Microbiology and Biotechnology*, 80(1), 1–14. <https://doi.org/10.1007/s00253-008-1542-y>
- Faieta, M., Corradini, M. G., di Michele, A., Ludescher, R. D., & Pittia, P. (2020). Effect of Encapsulation Process on Technological Functionality and Stability

of Spirulina Platensis Extract. *Food Biophysics*, 15(1), 50–63.
<https://doi.org/10.1007/s11483-019-09602-1>

Falke, S., & Betzel, C. (2019). Dynamic Light Scattering (DLS): Principles, Perspectives, Applications to Biological Samples. In A. S. Pereira, P. Tavares, & P. Limão-Vieira (Eds.), *Radiation in Bioanalysis: Spectroscopic Techniques and Theoretical Methods* (pp. 173–193). Springer.
https://doi.org/10.1007/978-3-030-28247-9_6

Fang, Z., & Bhandari, B. (2012). Comparing the efficiency of protein and maltodextrin on spray drying of bayberry juice. *Food Research International*, 48(2), 478–483. <https://doi.org/10.1016/j.foodres.2012.05.025>

Fekrat, F., Nami, B., Ghanavati, H., Ghaffari, A., & Shahbazi, M. (2018). Optimization of chitosan/activated charcoal-based purification of Arthrospira platensis phycocyanin using response surface methodology. *Journal of Applied Phycology*, 31(2), 1095–1105.
<https://doi.org/10.1007/s10811-018-1626-8>

Fernández-Rojas, B., Hernández-Juárez, J., & Pedraza-Chaverri, J. (2014). Nutraceutical properties of phycocyanin. *Journal of Functional Foods*, 11(C), 375–392. <https://doi.org/10.1016/j.jff.2014.10.011>

Ferrari, C. C., Germer, S. P. M., & de Aguirre, J. M. (2012). Effects of Spray-Drying Conditions on the Physicochemical Properties of Blackberry Powder. *Drying Technology*, 30(2), 154–163.
<https://doi.org/10.1080/07373937.2011.628429>

Fratelli, C., Burck, M., Amarante, M. C. A., & Braga, A. R. C. (2021). Antioxidant potential of nature's "something blue": Something new in the marriage of biological activity and extraction methods applied to C-phycocyanin. In *Trends in Food Science and Technology* (Vol. 107, pp. 309–323). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2020.10.043>

Fu, N., Xiao, J., Woo, M. W., & Chen, X. D. (2020). *Frontiers in spray drying* (Vol. 1).

Gharsallaoui, A., Roudaut, G., Chambin, O., Voilley, A., & Saurel, R. (2007a). Applications of spray-drying in microencapsulation of food ingredients: An overview. In *Food Research International* (Vol. 40, Issue 9, pp. 1107–1121). <https://doi.org/10.1016/j.foodres.2007.07.004>

Gharsallaoui, A., Roudaut, G., Chambin, O., Voilley, A., & Saurel, R. (2007b). Applications of spray-drying in microencapsulation of food ingredients: An

- overview. *Food Research International*, 40(9), 1107–1121. <https://doi.org/10.1016/J.FOODRES.2007.07.004>
- Gharsallaoui, A., Saurel, R., Chambin, O., & Voilley, A. (2012). Pea (*Pisum sativum*, L.) Protein Isolate Stabilized Emulsions: A Novel System for Microencapsulation of Lipophilic Ingredients by Spray Drying. *Food and Bioprocess Technology*, 5(6), 2211–2221. <https://doi.org/10.1007/s11947-010-0497-z>
- Goëlo, V., Chaumun, M., Gonçalves, A., Estevinho, B. N., & Rocha, F. (2020). Polysaccharide-based delivery systems for curcumin and turmeric powder encapsulation using a spray-drying process. *Powder Technology*, 370, 137–146. <https://doi.org/10.1016/j.powtec.2020.05.016>
- Gorgich, M., Passos, M. L. C., Mata, T. M., Martins, A. A., Saraiva, M. L. M. F. S., & Caetano, N. S. (2020). Enhancing extraction and purification of phycocyanin from *Arthrospira* sp. with lower energy consumption. *Energy Reports*, 6, 312–318. <https://doi.org/10.1016/j.egyr.2020.11.151>
- Görkem ÜÇTUĞ, F., GÜNAYDIN, D., HÜNKAR, B., & ÖNGELEN, C. (2021). Carbon footprints of omnivorous, vegetarian, and vegan diets based on traditional Turkish cuisine. *Sustainable Production and Consumption*, 26, 597–609. <https://doi.org/10.1016/j.spc.2020.12.027>
- Guan, S. (2016). *Liquefaction of Its Residues To Produce Bio-Crude Oil*.
- Guldiken, B., Linke, A., Capanoglu, E., Boyacioglu, D., Kohlus, R., Weiss, J., & Gibis, M. (2019). Formation and characterization of spray dried coated and uncoated liposomes with encapsulated black carrot extract. *Journal of Food Engineering*, 246, 42–50. <https://doi.org/10.1016/j.jfoodeng.2018.10.025>
- Hadiyanto, Suzery, M., Setyawan, D., Majid, D., & Sutanto, H. (2017). Encapsulation of phycocyanin-alginate for high stability and antioxidant activity. *IOP Conference Series: Earth and Environmental Science*, 55(1). <https://doi.org/10.1088/1755-1315/55/1/012030>
- Handscomb, C. S., Kraft, M., & Bayly, A. E. (2009). A new model for the drying of droplets containing suspended solids. *Chemical Engineering Science*, 64(4), 628–637. <https://doi.org/10.1016/J.CES.2008.04.051>
- Harp, B. P., & Barrows, J. N. (2015). US regulation of color additives in foods. In *Colour Additives for Foods and Beverages* (pp. 76–88). Elsevier Ltd. <https://doi.org/10.1016/B978-1-78242-011-8.00004-0>

- Harsito, C., Prabowo, A. R., Prasetyo, S. D., & Arifin, Z. (2021). Enhancement stability and color fastness of natural dye: A review. In *Open Engineering* (Vol. 11, Issue 1, pp. 548–555). De Gruyter Open Ltd. <https://doi.org/10.1515/eng-2021-0055>
- Herrera, A., Boussiba, S., Napoleone', V., & Hohlberg', A. (1989). Recovery of c-phycocyanin from the cyanobacterium *Spirulina maxima*. In *Journal of Applied Phycology* (Vol. 1). Kluwer Academic Publishers.
- Hirano, M., Mori, H., Miura, Y., Matsunaga, N., Nakamura, N., & Matsunaga, T. (1990). γ -linolenic acid production by microalgae. *Applied Biochemistry and Biotechnology* 1990 24:1, 24(1), 183–191. <https://doi.org/10.1007/BF02920244>
- Horszwald, A., Julien, H., & Andlauer, W. (2013). Characterisation of Aronia powders obtained by different drying processes. *Food Chemistry*, 141(3), 2858–2863. <https://doi.org/10.1016/j.foodchem.2013.05.103>
- Hosseini, S. M., Khosravi-Darani, K., & Mozafari, M. R. (2013). Nutritional and medical applications of spirulina microalgae. *Mini Review in Medicinal Chemistry*, 13(8), 1231–1237. <https://doi.org/https://doi.org/10.2174/1389557511313080009>
- Hsieh-Lo, M., Castillo, G., Ochoa-Becerra, M. A., & Mojica, L. (2019). Phycocyanin and phycoerythrin: Strategies to improve production yield and chemical stability. In *Algal Research* (Vol. 42). Elsevier B.V. <https://doi.org/10.1016/j.algal.2019.101600>
- Hu, Q. (2004). Industrial Production of Microalgal Cell-mass and Secondary Products—Major Industrial Species: *Arthrospira* (*Spirulina*) *platensis*. In A. Richmond (Ed.), *Handbook of Microalgal Culture: Biotechnology and Applied Phycology* (1st ed., pp. 264–272). Blackwell Publishing Ltd.
- Idham, Z., Muhamad, I. I., & Sarmidi, M. R. (2010). Degradation kinetics and color stability of spray-dried encapsulated anthocyanins from *Hibiscus sabdariffa* L. *Journal of Food Process Engineering*, 35(4), 522–542. <https://doi.org/10.1111/j.1745-4530.2010.00605.x>
- İlter, I., Akyıl, S., Demirel, Z., Koç, M., Conk-Dalay, M., & Kaymak-Ertekin, F. (2018). Optimization of phycocyanin extraction from *Spirulina platensis* using different techniques. *Journal of Food Composition and Analysis*, 70(April), 78–88. <https://doi.org/10.1016/j.jfca.2018.04.007>

- İlter, I., Koç, M., Demirel, Z., Conk Dalay, M., & Kaymak Ertekin, F. (2021). Improving the stability of phycocyanin by spray dried microencapsulation. *Journal of Food Processing and Preservation*, 45(7). <https://doi.org/10.1111/jfpp.15646>
- Irawati, D., Abdillah, A. A., Pramono, H., & Sulmartiwi, L. (2020). The effect of using different polar solvents on the stability of thermal extraction phycocyanin from *Spirulina platensis*. *IOP Conference Series: Earth and Environmental Science*, 441(1). <https://doi.org/10.1088/1755-1315/441/1/012050>
- Jafari, S. M., & Esfanjani, A. F. (2017). Instrumental analysis and characterization of nanocapsules. In S. M. Jafari (Ed.), *Nanoencapsulation Technologies for the Food and Nutraceutical Industries* (pp. 524–544). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-809436-5.00014-8>
- Kandansamy, K., & Somasundaram, P. D. (2012). Microencapsulation of colors by spray drying-A review. In *International Journal of Food Engineering* (Vol. 8, Issue 2). <https://doi.org/10.1515/1556-3758.2647>
- Kha, T. C., Nguyen, M. H., & Roach, P. D. (2010). Effects of spray drying conditions on the physicochemical and antioxidant properties of the Gac (*Momordica cochinchinensis*) fruit aril powder. *Journal of Food Engineering*, 98(3), 385–392. <https://doi.org/10.1016/j.jfoodeng.2010.01.016>
- Komarek, J. (2014). Modern classification of cyanobacteria. In N. K. Sharma, A. K. Rai, & L. J. Stal (Eds.), *Cyanobacteria: An Economic Perspective* (1st ed., pp. 21–39). Wiley Blackwell.
- Kuddus, M., Singh, P., Thomas, G., & Al-Hazimi, A. (2013). Recent developments in production and biotechnological applications of c-phycocyanin. *BioMed Research International*, 2013. <https://doi.org/10.1155/2013/742859>
- Kurniasih, R. A., Purnamayati, L., Amalia, U., & Dewi, E. N. (2018). Mikroenkapsulasi Fikosianin dalam Maltodekstrin-Alginat: Formulasi dan Karakterisasi. *Agritech*, 38(1), 23. <https://doi.org/10.22146/agritech.16752>
- Lafarga, T. (2019). Effect of microalgal biomass incorporation into foods: Nutritional and sensorial attributes of the end products. *Algal Research*, 41(March), 101566. <https://doi.org/10.1016/j.algal.2019.101566>
- Laokuldilok, T., & Kanha, N. (2016). Microencapsulation of Black Glutinous Rice Anthocyanins Using Maltodextrins Produced from Broken Rice Fraction as

Wall Material by Spray Drying and Freeze Drying. *Journal of Food Processing and Preservation*, 41(1). <https://doi.org/10.1111/jfpp.12877>

- Li, Y., Zhang, Z., Paciulli, M., & Abbaspourrad, A. (2020). Extraction of phycocyanin—A natural blue colorant from dried spirulina biomass: Influence of processing parameters and extraction techniques. *Journal of Food Science*, 85(3), 727–735. <https://doi.org/10.1111/1750-3841.14842>
- Liao, X., Zhang, B., Wang, X., Yan, H., & Zhang, X. (2011). Purification of C-phycocyanin from spirulina platensis by single-step ion-exchange chromatography. *Chromatographia*, 73(3–4), 291–296. <https://doi.org/10.1007/s10337-010-1874-5>
- Liu, F., Chen, Z., & Tang, C. H. (2014). Microencapsulation properties of protein isolates from three selected Phaseolus legumes in comparison with soy protein isolate. *LWT - Food Science and Technology*, 55(1), 74–82. <https://doi.org/10.1016/j.lwt.2013.09.008>
- Machado, L., Carvalho, G., & Pereira, R. N. (2022). Effects of Innovative Processing Methods on Microalgae Cell Wall: Prospects towards Digestibility of Protein-Rich Biomass. *Biomass*, 2(2), 80–102. <https://doi.org/10.3390/biomass2020006>
- Mahdavi, S. A., Jafari, S. M., Assadpoor, E., & Dehnad, D. (2016). Microencapsulation optimization of natural anthocyanins with maltodextrin, gum Arabic and gelatin. *International Journal of Biological Macromolecules*, 85, 379–385. <https://doi.org/10.1016/J.IJBIOMAC.2016.01.011>
- Marzorati, S., Schievano, A., Idà, A., & Verotta, L. (2020). Carotenoids, chlorophylls and phycocyanin from Spirulina: Supercritical CO₂ and water extraction methods for added value products cascade. *Green Chemistry*, 22(1), 187–196. <https://doi.org/10.1039/c9gc03292d>
- Maury, M., Murphy, K., Kumar, S., Shi, L., & Lee, G. (2005). Effects of process variables on the powder yield of spray-dried trehalose on a laboratory spray-dryer. In *European Journal of Pharmaceutics and Biopharmaceutics* (Vol. 59, Issue 3, pp. 565–573). Elsevier. <https://doi.org/10.1016/j.ejpb.2004.10.002>
- Mcclements, D. J. (2015). *Nanoparticle-and Microparticle-Based Delivery Systems: Encapsulation, Protection and Release of Active Compounds*. CRC Press.

- Mestry, A. P., Mujumdar, A. S., & Thorat, B. N. (2011). Optimization of spray drying of an innovative functional food: Fermented mixed juice of carrot and watermelon. *Drying Technology*, 29(10), 1121–1131. <https://doi.org/10.1080/07373937.2011.566968>
- Mishra, P., Mishra, S., & Mahanta, C. L. (2014). Effect of maltodextrin concentration and inlet temperature during spray drying on physicochemical and antioxidant properties of amla (*Embllica officinalis*) juice powder. *Food and Bioproducts Processing*, 92(3), 252–258. <https://doi.org/10.1016/j.fbp.2013.08.003>
- Molina Ortiz, S. E., Mauri, A., Monterrey-Quintero, E. S., Trindade, M. A., Santana, A. S., & Favaro-Trindade, C. S. (2009). Production and properties of casein hydrolysate microencapsulated by spray drying with soybean protein isolate. *LWT*, 42(5), 919–923. <https://doi.org/10.1016/j.lwt.2008.12.004>
- Muzaffar, K., & Kumar, P. (2015). Parameter optimization for spray drying of tamarind pulp using response surface methodology. *Powder Technology*, 279, 179–184. <https://doi.org/10.1016/j.powtec.2015.04.010>
- Muzaffar, K., & Kumar, P. (2017). Spray Drying of Tamarind Pulp: Effect of Process Parameters Using Protein as Carrier Agent. *Journal of Food Processing and Preservation*, 41(2). <https://doi.org/10.1111/jfpp.12781>
- Neves, M. I. L., Strieder, M. M., Prata, A. S., Silva, E. K., & Meireles, M. A. A. (2021). Xylooligosaccharides as an innovative carrier matrix of spray-dried natural blue colorant. *Food Hydrocolloids*, 121. <https://doi.org/10.1016/j.foodhyd.2021.107017>
- Niccolai, A., Chini Zittelli, G., Rodolfi, L., Biondi, N., & Tredici, M. R. (2019). Microalgae of interest as food source: Biochemical composition and digestibility. *Algal Research*, 42. <https://doi.org/10.1016/j.algal.2019.101617>
- Nijdam, J. J., & Langrish, T. A. G. (2006). The effect of surface composition on the functional properties of milk powders. *Journal of Food Engineering*, 77(4), 919–925. <https://doi.org/10.1016/J.JFOODENG.2005.08.020>
- O’Flynn, T. D., Hogan, S. A., Daly, D. F. M., O’Mahony, J. A., & McCarthy, N. A. (2021). Rheological and solubility properties of soy protein isolate. *Molecules*, 26(10). <https://doi.org/10.3390/molecules26103015>

- Ohmori, M., & Ehira, S. (2014). Spirulina: an example of cyanobacteria as nutraceuticals. In N. K. Sharma, A. K. Rai, & L. J. Stal (Eds.), *Cyanobacteria: An Economic Perspective* (1st ed., pp. 103–118). Wiley Blackwell.
- Pan-utai, W., & Iamtham, S. (2019a). Extraction, purification and antioxidant activity of phycobiliprotein from *Arthrospira platensis*. *Process Biochemistry*, 82, 189–198. <https://doi.org/10.1016/j.procbio.2019.04.014>
- Pan-utai, W., & Iamtham, S. (2019b). Physical extraction and extrusion entrapment of C-phycocyanin from *Arthrospira platensis*. *Journal of King Saud University - Science*, 31(4), 1535–1542. <https://doi.org/10.1016/j.jksus.2018.05.026>
- Pan-utai, W., & Iamtham, S. (2020). Enhanced microencapsulation of C-phycocyanin from *Arthrospira* by freeze-drying with different wall materials. *Food Technology and Biotechnology*, 58(4), 423–432. <https://doi.org/10.17113/ftb.58.04.20.6622>
- Papadaki, S., Kyriakopoulou, K., Tzovenis, I., & Krokida, M. (2017). Environmental impact of phycocyanin recovery from *Spirulina platensis* cyanobacterium. *Innovative Food Science and Emerging Technologies*, 44, 217–223. <https://doi.org/10.1016/j.ifset.2017.02.014>
- Patel, A., Mishra, S., Pawar, R., & Ghosh, P. K. (2005). Purification and characterization of C-Phycocyanin from cyanobacterial species of marine and freshwater habitat. *Protein Expression and Purification*, 40(2), 248–255. <https://doi.org/10.1016/j.pep.2004.10.028>
- Patel, A. S., Kar, A., & Mohapatra, D. (2020). Development of microencapsulated anthocyanin-rich powder using soy protein isolate, jackfruit seed starch and an emulsifier (NBRE-15) as encapsulating materials. *Scientific Reports*, 10(1). <https://doi.org/10.1038/s41598-020-67191-3>
- Pereira Souza, A. C., Deyse Gurak, P., & Damasceno Ferreira Marczak, L. (2017). Maltodextrin, pectin and soy protein isolate as carrier agents in the encapsulation of anthocyanins-rich extract from jaboticaba pomace. *Food and Bioprocess Processing*, 102, 186–194. <https://doi.org/10.1016/j.fbp.2016.12.012>
- Pieczykolan, E., & Kurek, M. A. (2019). Use of guar gum, gum arabic, pectin, beta-glucan and inulin for microencapsulation of anthocyanins from chokeberry.

International Journal of Biological Macromolecules, 129, 665–671.
<https://doi.org/10.1016/j.ijbiomac.2019.02.073>

Piñón-Balderrama, C. I., Leyva-Porras, C., Terán-Figueroa, Y., Espinosa-Solís, V., Álvarez-Salas, C., & Saavedra-Leos, M. Z. (2020). Encapsulation of active ingredients in food industry by spray-drying and nano spray-drying technologies. In *Processes* (Vol. 8, Issue 8). MDPI AG.
<https://doi.org/10.3390/PR8080889>

Purnamayati, L., Dewi, E. N., & Kurniasih, R. A. (2018). Phycocyanin stability in microcapsules processed by spray drying method using different inlet temperature. *IOP Conference Series: Earth and Environmental Science*, 116(1). <https://doi.org/10.1088/1755-1315/116/1/012076>

Quan, X., Wang, F., Zhao, Q., Zhao, T., & Xiang, J. (2009). Air stripping of ammonia in a water-sparged aerocyclone reactor. *Journal of Hazardous Materials*, 170(2–3), 983–988.
<https://doi.org/10.1016/j.jhazmat.2009.05.083>

Raja, R., Hemaiswarya, S., Carvalho, I. S., & Ganesan, V. (2014). Therapeutic Applications of Cyanobacteria with Emphasis on Their Economics. In N. K. Sharma, A. K. Rai, & L. J. Stal (Eds.), *Cyanobacteria: An Economic Perspective* (1st ed., pp. 93–102). Wiley Blackwell.

Rascón, M. P., Beristain, C. I., García, H. S., & Salgado, M. A. (2011). Carotenoid retention and storage stability of spray-dried encapsulated paprika oleoresin using gum Arabic and Soy protein isolate as wall materials. *LWT*, 44(2), 549–557. <https://doi.org/10.1016/j.lwt.2010.08.021>

Reddy, C. M., Bhat, V. B., Kiranmai, G., Reddy, M. N., Reddanna, P., & Madyastha, K. M. (2000). Selective inhibition of cyclooxygenase-2 by C-phycocyanin, a biliprotein from *Spirulina platensis*. *Biochemical and Biophysical Research Communications*, 277(3), 599–603.
<https://doi.org/10.1006/bbrc.2000.3725>

Ribeiro, J. S., & Veloso, C. M. (2021). Microencapsulation of natural dyes with biopolymers for application in food: A review. In *Food Hydrocolloids* (Vol. 112). Elsevier B.V. <https://doi.org/10.1016/j.foodhyd.2020.106374>

Richmond, A. E., & Soeder, C. J. (1986). Microalgaculture. *Critical Reviews in Biotechnology*, 4(4), 369–438. <https://doi.org/10.3109/07388558609150801>

Rito-Palomares, M., Nuñez, L., & Amador, D. (2001). Practical application of aqueous two-phase systems for the development of a prototype process for

c-phycoerythrin recovery from *Spirulina maxima*. *Journal of Chemical Technology & Biotechnology*, 76(12), 1273–1280.
<https://doi.org/https://doi.org/10.1002/jctb.507>

Rizzo, R. F., dos Santos, B. do N. C., de Castro, G. F. P. da S., Passos, T. S., Nascimento, M. de A., Guerra, H. D., da Silva, C. G., Dias, D. da S., Domingues, J. R., & de Lima-Araújo, K. G. (2015). Production of phycobiliproteins by *Arthrospira platensis* under different light conditions for application in food products. *Food Science and Technology*, 35(2), 247–252.
<https://doi.org/10.1590/1678-457X.6463>

Rodriguez-Amaya, D. B., & Maldonado, I. R. (2020). Potentials and Challenges in the Production of Microalgal Pigments with Reference to Carotenoids, Chlorophylls, and Phycobiliproteins. In G. A. Ravishankar & A. Ranga Rao (Eds.), *Handbook of Algal Technologies and Phytochemicals, Volume 1: Food, Health and Nutraceutical Applications* (Vol. 1). CRC Press.

Rosenberg, M., & Young, S. L. (1993). Whey Proteins as Microencapsulating Agents. Microencapsulation of Anhydrous Milkfat - Structure Evaluation. *Food Structure*, 12(1), 31–41.

Ruiz-Domínguez, M. C., Jáuregui, M., Medina, E., Jaime, C., & Cerezal, P. (2019). Rapid green extractions of C-phycoerythrin from *arthrospira maxima* for functional applications. *Applied Sciences (Switzerland)*, 9(10), 1–13.
<https://doi.org/10.3390/app9101987>

Saini, D. K., Pabbi, S., & Shukla, P. (2018). Cyanobacterial pigments: Perspectives and biotechnological approaches. *Food and Chemical Toxicology*, 120, 616–624. <https://doi.org/10.1016/j.fct.2018.08.002>

Sanguansri, L., & Ann Augustin, M. (2010). Microencapsulation in Functional Food Product Development. In J. Smith & E. Charter (Eds.), *Functional Food Product Development* (1st ed., pp. 1–23). Wiley Blackwell.
<https://doi.org/10.1002/9781444323351.CH1>

Sankaran, R., Manickam, S., Yap, Y. J., Ling, T. C., Chang, J. S., & Show, P. L. (2018). Extraction of proteins from microalgae using integrated method of sugaring-out assisted liquid biphasic flotation (LBF) and ultrasound. *Ultrasonics Sonochemistry*, 48(January), 231–239.
<https://doi.org/10.1016/j.ultsonch.2018.06.002>

Santhalakshmy, S., Don Bosco, S. J., Francis, S., & Sabeena, M. (2015). Effect of inlet temperature on physicochemical properties of spray-dried jamun fruit

juice powder. *Powder Technology*, 274, 37–43.
<https://doi.org/10.1016/J.POWTEC.2015.01.016>

Sarada, R., Pillai, M. G., & Ravishankar, G. A. (1999). Phycocyanin from *Spirulina* sp: Influence of processing of biomass on phycocyanin yield, analysis of efficacy of extraction methods and stability studies on phycocyanin. *Process Biochemistry*, 34(8), 795–801. [https://doi.org/10.1016/S0032-9592\(98\)00153-8](https://doi.org/10.1016/S0032-9592(98)00153-8)

Scheer, H., & Zhao, K. H. (2008). Biliprotein maturation: The chromophore attachment. In *Molecular Microbiology* (Vol. 68, Issue 2, pp. 263–276). <https://doi.org/10.1111/j.1365-2958.2008.06160.x>

Schmatz, D. A., da Silveira Mastrantonio, D. J., Vieira Costa, J. A., & de Moraes, M. G. (2020). Encapsulation of phycocyanin by electrospraying: A promising approach for the protection of sensitive compounds. *Food and Bioprocess Technology*, 119, 206–215. <https://doi.org/10.1016/j.fbp.2019.07.008>

Schuck, P., Dolivet, A., & Mejean, S. (2004). Lactose Crystallization and Hygroscopicity. *Bulletin International Dairy Federation*, 389(Congrès IDF World Dairy Summit 2003, Bruges , BELGIQUE (09/2003) 2004, no 389 (133 p.)), 10–15. <https://hal.archives-ouvertes.fr/hal-01454435>

Schuck, Pierre., Dolivet, Anne., & Jeantet, Romain. (2012). *Analytical methods for food and dairy powders*. Wiley-Blackwell.

Selvamuthukumar, M., Tranchant, C., & Shi, J. (2020). *Handbook on Spray Drying Applications for Food Industries* (M. Selvamuthukumar, Ed.). CRC Press.

Shrestha, S., Sadiq, M. B., & Anal, A. K. (2018). Culled banana resistant starch-soy protein isolate conjugate based emulsion enriched with astaxanthin to enhance its stability. *International Journal of Biological Macromolecules*, 120, 449–459. <https://doi.org/10.1016/j.ijbiomac.2018.08.066>

Silva, S. C., Ferreira, I. C. F. R., Dias, M. M., & Filomena Barreiro, M. (2020). Microalgae-derived pigments: A 10-year bibliometric review and industry and market trend analysis. In *Molecules* (Vol. 25, Issue 15). MDPI AG. <https://doi.org/10.3390/molecules25153406>

Silveira, S. T., Burkert, J. F. M., Costa, J. A. V., Burkert, C. A. V., & Kalil, S. J. (2007). Optimization of phycocyanin extraction from *Spirulina platensis*

- using factorial design. *Bioresource Technology*, 98(8), 1629–1634. <https://doi.org/10.1016/j.biortech.2006.05.050>
- Sotiroudis, T. G., & Sotiroudis, G. T. (2013). Health aspects of Spirulina (Arthrospira) microalga food supplement. *Journal of the Serbian Chemical Society*, 78(3), 395–405. <https://doi.org/10.2298/JSC121020152S>
- Spínola, M. P., Costa, M. M., & Prates, J. A. M. (2022). Digestive Constraints of Arthrospira platensis in Poultry and Swine Feeding. In *Foods* (Vol. 11, Issue 19). MDPI. <https://doi.org/10.3390/foods11192984>
- Stanic-Vucinic, D., Minic, S., Nikolic, M. R., & Velickovic, T. C. (2018). Spirulina Phycobiliproteins as Food Components and Complements. In E. Jacob-Lopes, L. Q. Zepka, & M. I. Queiroz (Eds.), *Microalgal Biotechnology* (pp. 129–149). IntechOpen. <https://doi.org/10.5772/intechopen.73791>
- Stone, M. T., & Kozlov, M. (2014). Separating proteins with activated carbon. *Langmuir*, 30(27), 8046–8055. <https://doi.org/10.1021/la501005s>
- Takahashi, S., & Seib, P. A. (1988). *Paste and Gel Properties of Prime Corn and Wheat Starches With and Without Native Lipids*.
- Tan, S., Zhong, C., & Langrish, T. (2020). Encapsulation of caffeine in spray-dried micro-eggs for controlled release: The effect of spray-drying (cooking) temperature. *Food Hydrocolloids*, 108, 105979. <https://doi.org/10.1016/J.FOODHYD.2020.105979>
- Tavanandi, H. A., Mittal, R., Chandrasekhar, J., & Raghavarao, K. S. M. S. (2018). Simple and efficient method for extraction of C-Phycocyanin from dry biomass of Arthrospira platensis. *Algal Research*, 31(February), 239–251. <https://doi.org/10.1016/j.algal.2018.02.008>
- Tavanandi, H. A., & Raghavarao, K. S. M. S. (2020). Ultrasound-assisted enzymatic extraction of natural food colorant C-Phycocyanin from dry biomass of Arthrospira platensis. *Lwt*, 118(September 2019), 108802. <https://doi.org/10.1016/j.lwt.2019.108802>
- Tiwari, B. K. (2015). Ultrasound: A clean, green extraction technology. In *TrAC - Trends in Analytical Chemistry* (Vol. 71, pp. 100–109). Elsevier B.V. <https://doi.org/10.1016/j.trac.2015.04.013>
- Tolun, A., Altintas, Z., & Artik, N. (2016). Microencapsulation of grape polyphenols using maltodextrin and gum arabic as two alternative coating

materials: Development and characterization. *Journal of Biotechnology*, 239, 23–33. <https://doi.org/10.1016/J.JBIOTEC.2016.10.001>

Tonon, R. v., Brabet, C., & Hubinger, M. D. (2008). Influence of process conditions on the physicochemical properties of açai (*Euterpe oleracea* Mart.) powder produced by spray drying. *Journal of Food Engineering*, 88(3), 411–418. <https://doi.org/10.1016/j.jfoodeng.2008.02.029>

Tonon, R. v., Brabet, C., & Hubinger, M. D. (2010). Anthocyanin stability and antioxidant activity of spray-dried açai (*Euterpe oleracea* Mart.) juice produced with different carrier agents. *Food Research International*, 43(3), 907–914. <https://doi.org/10.1016/J.FOODRES.2009.12.013>

Tonon, R. v., Brabet, C., Pallet, D., Brat, P., & Hubinger, M. D. (2009). Physicochemical and morphological characterisation of açai (*Euterpe oleracea* Mart.) powder produced with different carrier agents. *International Journal of Food Science & Technology*, 44(10), 1950–1958. <https://doi.org/https://doi.org/10.1111/j.1365-2621.2009.02012.x>

Tonon, R. v., Grosso, C. R. F., & Hubinger, M. D. (2011). Influence of emulsion composition and inlet air temperature on the microencapsulation of flaxseed oil by spray drying. *Food Research International*, 44(1), 282–289. <https://doi.org/10.1016/J.FOODRES.2010.10.018>

Tran, T. T. A., & Nguyen, H. V. H. (2018). Effects of spray-drying temperatures and carriers on physical and antioxidant properties of lemongrass leaf extract powder. *Beverages*, 4(4). <https://doi.org/10.3390/beverages4040084>

Tufano, I., Vecchione, R., & Netti, P. A. (2020). Methods to Scale Down Graphene Oxide Size and Size Implication in Anti-cancer Applications. In *Frontiers in Bioengineering and Biotechnology* (Vol. 8). Frontiers Media S.A. <https://doi.org/10.3389/fbioe.2020.613280>

Umer, H., Nigam, H., Tamboli, A. M., & Sundara, M. N. M. (2011). Microencapsulation: Process, Techniques and Applications. *International Journal of Research in Pharmaceutical and Biomedical Sciences*, 2(2), 474–481.

Vali Aftari, R., Rezaei, K., Mortazavi, A., & Bandani, A. R. (2015). The Optimized Concentration and Purity of Spirulina platensisC-Phycocyanin: A Comparative Study on Microwave-Assisted and Ultrasound-Assisted Extraction Methods. *Journal of Food Processing and Preservation*, 39(6), 3080–3091. <https://doi.org/10.1111/jfpp.12573>

- Vehring, R., Foss, W. R., & Lechuga-Ballesteros, D. (2007). Particle formation in spray drying. *Journal of Aerosol Science*, 38(7), 728–746. <https://doi.org/10.1016/j.jaerosci.2007.04.005>
- Vernès, L., Abert-Vian, M., el Maâtaoui, M., Tao, Y., Bornard, I., & Chemat, F. (2019). Application of ultrasound for green extraction of proteins from spirulina. Mechanism, optimization, modeling, and industrial prospects. *Ultrasonics Sonochemistry*, 54, 48–60. <https://doi.org/10.1016/j.ultsonch.2019.02.016>
- Vernès, L., Granvillain, P., Chemat, F., & Vian, M. (2015). Phycocyanin from *Arthrospira platensis*. Production, Extraction and Analysis. *Current Biotechnology*, 4(4), 481–491. <https://doi.org/10.2174/2211550104666151006002418>
- Vieira, M. v., Pastrana, L. M., & Fuciños, P. (2020). Microalgae Encapsulation Systems for Food, Pharmaceutical and Cosmetics Applications. In *Marine Drugs* (Vol. 18, Issue 12). MDPI. <https://doi.org/10.3390/md18120644>
- Villacrez, J. L., Carriazo, J. G., & Osorio, C. (2014). Microencapsulation of Andes Berry (*Rubus glaucus* Benth.) Aqueous Extract by Spray Drying. *Food and Bioprocess Technology*, 7(5), 1445–1456. <https://doi.org/10.1007/s11947-013-1172-y>
- Vo, T. S., Ngo, D. H., & Kim, S. K. (2015). Nutritional and Pharmaceutical Properties of Microalgal Spirulina. In S.-K. Kim (Ed.), *Handbook of Marine Microalgae: Biotechnology Advances* (1st ed., pp. 299–308). Academic Press. <https://doi.org/10.1016/B978-0-12-800776-1.00019-4>
- Wan, D., Wu, Q., & Kuča, K. (2016). Spirulina. *Nutraceuticals: Efficacy, Safety and Toxicity*, 569–583. <https://doi.org/10.1016/B978-0-12-802147-7.00042-5>
- Wang, W., Liu, Q. J., & Cui, H. (2007). Rapid desalting and protein recovery with phenol after ammonium sulfate fractionation. *ELECTROPHORESIS*, 28(14), 2358–2360. <https://doi.org/10.1002/ELPS.200600743>
- Waterhouse, G. I. N., Sun-Waterhouse, D., Su, G., Zhao, H., & Zhao, M. (2017). Spray-Drying of Antioxidant-Rich Blueberry Waste Extracts; Interplay Between Waste Pretreatments and Spray-Drying Process. *Food and Bioprocess Technology*, 10(6), 1074–1092. <https://doi.org/10.1007/s11947-017-1880-9>

- Wu, H. L., Wang, G. H., Xiang, W. Z., Li, T., & He, H. (2016). Stability and Antioxidant Activity of Food-Grade Phycocyanin Isolated from *Spirulina platensis*. *International Journal of Food Properties*, 19(10), 2349–2362. <https://doi.org/10.1080/10942912.2015.1038564>
- Wu, L. C., Ho, J. A. A., Shieh, M. C., & Lu, I. W. (2005). Antioxidant and antiproliferative activities of spirulina and *Chlorella* water extracts. *Journal of Agricultural and Food Chemistry*, 53(10), 4207–4212. <https://doi.org/10.1021/jf0479517>
- Yousefi, S., Emam-Djomeh, Z., & Mousavi, S. M. (2011). Effect of carrier type and spray drying on the physicochemical properties of powdered and reconstituted pomegranate juice (*Punica Granatum L.*). *Journal of Food Science and Technology*, 48(6), 677–684. <https://doi.org/10.1007/s13197-010-0195-x>
- Yuliani, Y., Riyadi, P. H., Dewi, E. N., Jaswir, I., & Agustini, T. W. (2021). *Ocimum basilicum* (kemangi) intervention on powder and microencapsulated *Spirulina platensis* and its bioactive molecules. *F1000Research*, 10, 485. <https://doi.org/10.12688/f1000research.52394.1>
- Zhang, Y.-M., & Chen, & F. (1999). A simple method for efficient separation and purification of c-phycocyanin and allophycocyanin from *Spirulina platensis*. In *Biotechnology Techniques* (Vol. 13).