



## DAFTAR PUSTAKA

- Adegboye, A. R. A., Fiehn, N. E., Twetman, S., Christensen, L. B., & Heitmann, B. L. (2010). Low calcium intake is related to increased risk of tooth loss in men. *Journal of Nutrition*, 140(10), 1864–1868. <https://doi.org/10.3945/jn.109.117770>
- Adyatmaka, I. (2008). Universitas Indonesia Model Simulator Risiko Karies Gigi. *Disertasi*. 174.
- Agrawal, R., Gautam, N. R., Kumar, P. M., Kadhiresan, R., Saxena, V., & Jain, S. (2015). Assessment of Dental Caries and Periodontal Disease Status among Elderly Residing in Old Age Homes of Madhya Pradesh. *Journal of International Oral Health : JIOH*, 7(8), 57–64. <http://www.ncbi.nlm.nih.gov/pubmed/26464541> <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4588792>
- Amarasena, N., Chrisopoulos, S., Jamieson, L. M., & Luzzi, L. (2021). Oral health of australian adults: Distribution and time trends of dental caries, periodontal disease and tooth loss. *International Journal of Environmental Research and Public Health*, 18(21), 1-14. <https://doi.org/10.3390/ijerph182111539>
- A'yun, Q., Fatmasari, D., & Hendrartini, J. (2015). Perangkat Lunak Prediktor Karies Anak Berdasarkan Faktor Anak, Perilaku Ibu, dan UKGS. *Majalah Kedokteran Gigi Indonesia*, 1 (1), 68. <https://doi.org/10.22146/majkedgiind.8995>
- Badan Pusat Statistik. (2019). Katalog: 4104001. *Statistik Penduduk Lanjut Usia Di Indonesia 2019*, xxvi + 258 halaman.
- Badan Pusat Statistik. (2021). Katalog. *Statistik Penduduk Lanjut Usia 2021* (A. Surya Mustari, B. Santoso, I. Maylasari, & R. Sinang, Ed.; 2019 ed.). Badan Pusat Statistik.
- Barbato, P. R., & Peres, K. G. (2015). Determinantes socioeconômicos contextuais das perdas dentárias em adultos e idosos: Uma revisão sistemática da literatura. *Revista Brasileira de Epidemiologia*, 18(2), 357–371. <https://doi.org/10.1590/1980-5497201500020006>
- Begum, S., Reddy, Vc. S., Kumar, R. V. S. K., Sudhir, K., Srinivasulu, G., & Noushad Ali, S. (2016). Tooth loss prevalence and risk indicators among adult people visiting community health centers in Nellore district, Andhra Pradesh: A cross-sectional study. *Journal of Indian Association of Public Health Dentistry*, 14(4), 413. <https://doi.org/10.4103/2319-5932.195829>
- Bian, T. Y., Zhang, H., Mao, Y. M., Dong, H., Hua, M., & Wang, Y. (2019). Epidemiological investigation and analysis of risk factor of tooth loss in older people aging 65-74 years in Shanghai. *Shanghai Kou Qiang Yi Xue = Shanghai Journal of Stomatology*, 28(6).



Canut, M. (2018). *A prediction model to assign periodontal prognosis based on survival time.*

Chun Han, Lo., Long H, Nguyen., Kana, Wu., Shuji, Ogino., Andrew T, Chen., Edward L, Giovannuci., & Mingyang, Song. (2020). Periodontal Disease, Tooth Loss, and Risk of Serrated Polyps and Conventional Adenomas. *Physiology & Behavior*, 176(5), 139–148. <https://doi.org/10.1158/1940-6207.CAPR-20-0090>.Periodontal

Chalub, L. L. F. H., Borges, C. M., Ferreira, R. C., Haddad, J. P. A., Ferreira e Ferreira, E., & Vargas, A. M. D. (2014). Association between social determinants of health and functional dentition in 35-year-old to 44-year-old Brazilian adults: a population-based analytical study. *Community Dentistry and Oral Epidemiology*, 42(6), 503–516. <https://doi.org/10.1111/cdoe.12112>

Cimões, R., Pinho, R. C. M., Gurgel, B. C. D. V., Borges, S. B., Júnior, E. M., Marcantonio, C. C., Melo, M. A. R. D. C., Piattelli, A., & Shibli, J. A. (2021). Impact of tooth loss due to periodontal disease on the prognosis of rehabilitation. *Brazilian Oral Research*, 35(Supp 2), 1–15. <https://doi.org/10.1590/1807-3107BOR-2021.VOL35.0101>

Cocco, F., Campus, G., Strohmenger, L., Ardizzone, V. C., & Cagetti, M. G. (2018). The burden of tooth loss in Italian elderly population living in nursing homes. *BMC Geriatrics*, 18(1), 1–9. <https://doi.org/10.1186/s12877-018-0760-0>

Dahlan, M. S. (2021). *Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat* (Edisi 6, Cetakan Kesebelas, 2021). Epidemiologi Indonesia.

Dietrich, T., Walter, C., Oluwagbemigun, K., Bergmann, M., Pischeda, T., Pischeda, N., & Boeing, H. (2015). Smoking, smoking cessation, and risk of tooth loss: The EPIC-Potsdam study. *Journal of Dental Research*, 94(10), 1369–1375. <https://doi.org/10.1177/0022034515598961>

Dye, B., Thornton-Evans, G., Li, X., & Iafolla, T. (2015). Dental caries and tooth loss in adults in the United States, 2011–2012. *NCHS Data Brief*, 197, 197. <https://pubmed.ncbi.nlm.nih.gov/25973996/>

Elani, H. W., Batista, A. F. M., Murray Thomson, W., Kawachi, I., & Chiavegatto Filho, A. D. P. (2021). Predictors of tooth loss: A machine learning approach. *PLoS ONE*, 16(6 June). <https://doi.org/10.1371/journal.pone.0252873>

Fagundes, N. C. F., Couto, R. S. D. A., Brandão, A. P. T., Lima, L. A. de O., Bittencourt, L. de O., Souza-Rodrigues, R. D. de, Freire, M. A. M., Maia, L. C., & Lima, R. R. (2020). Association between Tooth Loss and Stroke: A Systematic Review. *Journal of Stroke and Cerebrovascular Diseases*, 29(8), 104873.<https://doi.org/10.1016/J.JSTROKECEREBROVASCULARDIS.2020.104873>



Firly, N. (2019). *Android Application Development for Rookies with Database*. Elex Media Komputindo.

Foiles Sifuentes, A. M., Castaneda-Avila, M. A., & Lapane, K. L. (2020). The relationship of aging, complete tooth loss, and having a dental visit in the last 12 months. *Clinical and Experimental Dental Research*, 6(5), 550–557. <https://doi.org/10.1002/cre2.309>

Gabiec, K., Bagińska, J., Łaguna, W., Rodakowska, E., Kamińska, I., Stachurska, Z., Dubatówka, M., Kondraciuk, M., & Kamiński, K. A. (2022). Factors Associated with Tooth Loss in General Population of Białystok, Poland. *International Journal of Environmental Research and Public Health*, 19(4), 2369. <https://doi.org/10.3390/ijerph19042369>

Gerritsen, A. E., Allen, P. F., Witter, D. J., Bronkhorst, E. M., & Creugers, N. H. J. (2010). Tooth loss and oral health-related quality of life: A systematic review and meta-analysis. *Health and Quality of Life Outcomes*, 8(1), 126. <https://doi.org/10.1186/1477-7525-8-126>

Hamdi, G., & Krisnawati. (2011). Membangun Aplikasi Berbasis Android “Pembelajaran Psikotes .” *Jurnal DASI*, 12(4), 37–41.

Haworth, S., Shungin, D., Kwak, S. Y., Kim, H. Y., West, N. X., Thomas, S. J., Franks, P. W., Timpson, N. J., Shin, M. J., & Johansson, I. (2018). Tooth loss is a complex measure of oral disease: Determinants and methodological considerations. *Community Dentistry and Oral Epidemiology*, 46(6), 555–562. <https://doi.org/10.1111/cdoe.12391>

Heriana, C., Kumalasari, I., Hermansyah, H., Prihastuti, W., & Rustika. (2018). *Epidemiologi* (Wildan, Ed.). PT Refika Aditama. (DOI: 10.33508/refika.vi.e1.2866)

Hsieh, F. Y., Bloch, D. A., & Larsen, M. D. (1998). A simple method of sample size calculation for linear and logistic regression. *Statistics in Medicine*, 17(14), 1623–1634. [https://doi.org/10.1002/\(SICI\)1097-0258\\_17:14<1623::AID-SIM871>3.0.CO;2-S](https://doi.org/10.1002/(SICI)1097-0258_17:14<1623::AID-SIM871>3.0.CO;2-S)

Ishikawa, S., Konta, T., Susa, S., Kitabatake, K., Ishizawa, K., Togashi, H., Tsuya, A., Ueno, Y., Kubota, I., Yamashita, H., Kayama, T., & Iino, M. (2019). Risk factors for tooth loss in community-dwelling Japanese aged 40 years and older: the Yamagata (Takahata) study. *Clinical Oral Investigations*, 23(4), 1753–1760. <https://doi.org/10.1007/s00784-018-2604-x>

Islas-Granillo, H., Borges-Yáñez, A., Medina-Solis, C. E., Lucas-Rincón, S. E., Navarrete-Hernández, J. de J., Villalobos-Rodelo, J. J., Casanova-Rosado, J. F., & Maupomé, G. (2016). Tooth-Loss Experience and Associated Variables among Adult Mexicans 60 Years and Older. *Puerto Rico Health Sciences Journal*, 35(2), 88–92.



- Kato, T., Fujiwara, N., Ogawa, T., & Numabe, Y. (2021). Risk factors for tooth loss with a mean follow-up period of 13.9 years in supportive periodontal therapy patients. *BMC Oral Health*, 21(1). <https://doi.org/10.1186/s12903-021-01573-5>
- Krois, J., Graetz, C., Holtfreter, B., Brinkmann, P., Kocher, T., & Schwendicke, F. (2019). Evaluating Modeling and Validation Strategies for Tooth Loss. *Journal of Dental Research*, 98(10), 1088–1095. <https://doi.org/10.1177/0022034519864889>
- Lemeshow, S., Jr, D. W. H., Klar, J., & Lwanga, S. K. (2000). *Besar Sampel Dalam Penelitian Kesehatan (Terjemahan)*. Gajah Mada Universitas Press.
- Listya, F. F., Mushlihudin, Firdausy, K., & Yudhana, A. (2016). Application Information System Based Health Services Android. *Jurnal Ilmu Teknik Elektro Komputer Dan Informatika (JITEKI)*, 2(1), 37–46.
- Michaud, D. S., Fu, Z., Shi, J., & Chung, M. (2017). Periodontal disease, tooth loss, and cancer risk. *Epidemiologic Reviews*, 39(1), 49–58. <https://doi.org/10.1093/epirev/mxx006>
- Murti, B. (2007). Perlukah menghitung ukuran sampel? *YARSI Medical Journal*, 15(1). <https://doi.org/10.33476/jky.v15i1.1009>
- Natto, Z. S., Aladmawy, M., Alasqah, M., & Papas, A. (2014). Factors contributing to tooth loss among the elderly: A cross sectional study. *Singapore Dental Journal*, 35, 17–22. <https://doi.org/10.1016/j.sdj.2014.11.002>
- Oh, B., Han, D. H., Han, K. T., Liu, X., Ukken, J., Chang, C., Dounis, K., & Yoo, J. W. (2018). Association between residual teeth number in later life and incidence of dementia: A systematic review and meta-analysis. *BMC Geriatrics*, 18(1), 1–9. <https://doi.org/10.1186/s12877-018-0729-z>
- Okamoto, N., Amano, N., Nakamura, T., and Yanagi, M. (2019). Relationship between tooth loss, low masticatory ability, and nutritional indices in the elderly : a cross-sectional study. *BMC Oral Health*. <https://doi.org/10.1186/s12903-019-0778-5>
- Perez, V. (2017). Experience : An Exploratory Study in a Sample of Mexican Adults. *Nigerian Journal of Clinical Practice*, 20(10), 1335–1341.
- Prabowo, I. A., Wijayanto, H., Yudanto, B. W., & Nugroho, S. (2020). *Pemrograman Mobile Berbasis Android*. Lembaga Penelitian dan Pengabdian Kepada Masyarakat Universitas Dian Nuswantoro Semarang.
- Prabowo, M. (2020). *Metodologi Pengembangan Sistem Informasi* (M. K. Erwin Wimar Budyastomo, Ed.). Lembaga Penelitian dan Pengabdian kepada Masyarakat (LP2M) IAIN Salatiga. <https://books.google.co.id/books?id=UI8dEAAAQBAJ&printsec=frontcover&dq=Metodologi+Pengembangan+Sistem+Informasi&hl=id&sa=X&ved=2ahUKEwj6jKPs->



ozvAhV7lEsFHT6mD2kQ6AEwAXoECAIQAg#v=onepage&q=Metodologi Pengembangan Sistem Informasi&f=false

- Preisser, J. S., Moss, K., Finlayson, T. L., Jones, J. A., & Weintraub, J. A. (2022). Prediction Model Development and Validation of 12-Year Incident Edentulism of Older Adults in the United States. *JDR Clinical and Translational Research*. <https://doi.org/10.1177/23800844221112062>
- Pressman, R. S. (2012). *Rekayasa Perangkat Lunak: Pendekatan Praktisi*. Andi Yogyakarta.
- Ranjan, R., Rout, M., Mishra, M., & Kore, S. A. (2019). Tooth loss and dementia: An oro-neural connection. A cross-sectional study. *Journal of Indian Society of Periodontology*, 23(2), 158–162. [https://doi.org/10.4103/JISP.JISP\\_430\\_18](https://doi.org/10.4103/JISP.JISP_430_18)
- Ribeiro, L. S. F. E., dos Santos, J. N., Ramalho, L. M. P., Chaves, S., Figueiredo, A. L., & Cury, P. R. (2015). Risk indicators for tooth loss in Kiriri Adult Indians: a cross-sectional study. *International Dental Journal*, 65(6), 316. <https://doi.org/10.1111>IDJ.12187>
- Riskesdas, K. (2018). Hasil Utama Riset Kesehatan Dasar (RISKESDAS). *Journal of Physics A: Mathematical and Theoretical*, 44(8), 1–200. <https://doi.org/10.1088/1751-8113/44/8/085201>
- Roohafza, H., Afghari, P., Keshteli, A. H., Vali, A., Shirani, M., Adibi, P., & Afshar, H. (2015). The relationship between tooth loss and psychological factors. *Community Dental Health*, 32(1), 16–19. [https://doi.org/10.1922/CDH\\_3396Afshar04](https://doi.org/10.1922/CDH_3396Afshar04)
- Rosa. A.S., & Shalahuddin, M. (2018). *Rekayasa Perangkat Lunak Terstruktur dan Berorientasi Objek*. Informatika Bandung.
- Silva, M. F., Batista, M. J., & da Luz Rosário de Sousa, M. (2019). Risk factors for tooth loss in adults: A population-based prospective cohort study. *PloS One*, 14(7). <https://doi.org/10.1371/JOURNAL.PONE.0219240>
- Sopianah, Y., Murdiastuti, K., Amalia, R., Taftazani, R. Z., & Lestari, A. R. (2022). Factors of Dental Caries, Tooth Mobility, and Periodontal Pockets on the Occupation of Tooth Loss in the Elderly. (A Study in Karikil Village, Mangkubumi District, Tasikmalaya City). *Open Access Macedonian Journal of Medical Sciences*, 10(D), 251–254. <https://doi.org/10.3889/oamjms.2022.9859>
- Suma, S., Naito, M., Wakai, K., Naito, T., Kojima, M., Umemura, O., Yokota, M., Hanada, N., & Kawamura, T. (2018). Tooth loss and pneumonia mortality: A cohort study of Japanese dentists. *PloS One*, 13(4). <https://doi.org/10.1371/JOURNAL.PONE.0195813>
- Syaripudin, ari heryanto boby nugraha. (2018). *Rancang Bangun Aplikasi Sistem Informasi Penyakit Gigi Berbasis Android dengan Metode Waterfall*. 3, 61–67.



- Tiwari, T., Scarbro, S., Bryant, L. L., & Puma, J. (2016). Factors Associated with Tooth Loss in Older Adults in Rural Colorado. *Journal of Community Health*, 41(3), 476–481. <https://doi.org/10.1007/s10900-015-0117-y>
- Tsai, S. J., Lin, M. S., Chiu, W. N., Jane, S. W., Tu, L. T., & Chen, M. Y. (2015). Factors associated with having less than 20 natural teeth in rural adults: A cross-sectional study. *BMC Oral Health*, 15(1), 1–8. <https://doi.org/10.1186/s12903-015-0147-y>
- Wattiheluw, F. H., Rochimah, S., & Faticah, C. (2019). Klasifikasi Kualitas Perangkat Lunak Berdasarkan Iso/Iec 25010 Menggunakan Ahp Dan Fuzzy Mamdani Untuk Situs Web E-Commerce. *JUTI: Jurnal Ilmiah Teknologi Informasi*, 17(1), 73. <https://doi.org/10.12962/j24068535.v17i1.a820>
- World Health Organization. (2022). *Action Plan for Oral Health in South-East Asia 2022-2030*. Regional Officer for South-East Asia
- Yang, S. E., Park, Y. G., Han, K., & Kim, S. Y. (2016). Association between dental pain and tooth loss with health-related quality of life: The Korea national health and nutrition examination survey A population-based cohort study. *Medicine (United States)*, 95(35), 1–6. <https://doi.org/10.1097/MD.0000000000004707>
- Yarmohammadi, R., Mortazavi, H., Rahmani, A., & Rahmani, S. (2015). Tooth Loss Related To Systemic Disease. *International Journal of Medical Reviews*, 2(4), 331–337.