

DAFTAR PUSTAKA

- Adib-Hajbaghery, M., Mousavi, S. N. (2017). The effects of chamomile extract on sleep quality among elderly people: A clinical trial. *Complementary Therapies in Medicine* **35**: 109–114.
- Alara, O., Nour, A., Olalere O. (2018). Ethanolic extraction of bioactive compounds from *Vernonia amygdalina* leaf using response surface methodology as an optimization tool. *Journal of Food Measurement and Characterization* **12**: 1107–1122.
- Alasalvar, H. dan Yildirim, Z. (2021). Ultrasound-assisted extraction of antioxidant phenolic compounds from *Lavandula angustifolia* flowers using natural deep eutectic solvents: An experimental design approach. *Sustainable Chemistry and Pharmacy* **22**: 100492.
- Albuquerque, B.R., Pinela, J., Barros, L., Oliveira, M.B.P.P., Ferreira, I.C.F.R. (2020). Anthocyanin-rich extract of jaboticaba epicarp as a natural colorant: Optimization of heat- and ultrasound-assisted extractions and application in a bakery product. *Food Chemistry* **316**: 126364.
- AOAC. (2016). Guidelines for Standard Method Performance Requirements. <https://www.aoac.org/resources/guidelines-for-standard-method-performance-requirements>. [15 Desember 2022].
- Aourach, M., González-De-peredo, A. V., Vázquez-Espinosa, M., Essalmani, H., Palma, M., Barbero, G.F. (2021). Optimization and comparison of ultrasound and microwave-assisted extraction of phenolic compounds from cotton-lavender (*Santolina chamaecyparissus* L.). *Agronomy* **11**: 84.
- Bas, D. dan Boyaci, I.H. (2007). Modelling and Optimization I: Usability of Response Surface Methodology. *Journal of Food Engineering* **78**: 836-845.
- Benarfa, A., Gourine, N., Hachani, S., Harrat, M., Yousfi, M. (2020). Optimization of ultrasound-assisted extraction of antioxidative phenolic compounds from *Deverra scoparia* Coss. & Durieu (flowers) using response surface methodology. *Journal of Food Processing and Preservation* **44**: 1–10.
- Berger, P.D., Maurer, R.E., Celli, G.B. (2018). Experimental design: With applications in management, engineering, and the sciences: Second edition. Dalam: *Experimental Design: With Applications in Management, Engineering and the Sciences*, hal. 1–639. Springer International Publishing, Cham.
- Boudries, H., Nabet, N., Chougui, N., Souagui, S., Loupassaki, S., Madani, K., Dimitrov, K. (2019). Optimization of ultrasound-assisted extraction of antioxidant phenolics from *Capparis spinosa* flower buds and LC–MS

analysis. *Journal of Food Measurement and Characterization* **13**: 2241–2252

- Brahmi, F., Blando, F., Sellami, R., Mehdi, S., De Bellis, L., Negro, C., Haddadi-Guemghar, H., Madani, K., Makhoul-Boulekbache, L. (2022). Optimization of the conditions for ultrasound-assisted extraction of phenolic compounds from *Opuntia ficus-indica* [L.] Mill. flowers and comparison with conventional procedures. *Industrial Crops and Products* **184**: 114977.
- Carrera, C., Ruiz-Rodríguez, A., Palma, M., & Barroso, C. G. (2012). Ultrasound assisted extraction of phenolic compounds from grapes. *Analytica Chimica Acta* **732**: 100–104.
- Catani, M.V., Rinaldi, F., Tullio, V., Gasperi, V., Savini, I. (2021). Comparative Analysis of Phenolic Composition of Six Commercially Available Chamomile (*Matricaria chamomilla* L.) Extracts: Potential Biological Implications. *Int. J. Mol. Sci.* **22**: 10601.
- Celli, G.B., Ghanem, A., Brooks, M.S.L. (2015). Optimization of ultrasound-assisted extraction of anthocyanins from haskap berries (*Lonicera caerulea* L.) using Response Surface Methodology. *Ultrason. Sonochem* **27**: 449–455.
- Celotti, E., Stante, S., Ferraretto, P., Román, T., Nicolini, G., Natolino, A. (2020). High Power Ultrasound Treatments of Red Young Wines: Effect on Anthocyanins and Phenolic Stability Indices. *Foods* **9**: 1344.
- Chemat, F., Rombaut, N., Sicaire, A.G., Meullemiestre, A., Fabiano-Tixier, A.S., Abert-Vian, M. (2017). Ultrasound assisted extraction of food and natural products. Mechanisms, techniques, combinations, protocols and applications. A review. *Ultrasonics Sonochemistry* **34**: 540–560.
- Chemat, F., Zill-e-Huma, Muhammed, K. (2011). Applications of ultrasound in food technology: processing, preservation and extraction. *Journal Ultrasonic Sonochemistry* **18**: 813-835.
- Cotas, J., Leandro, A., Pacheco, D., Gonçalves, A.M.M., Pereira, L. A. (2020). Comprehensive Review of the Nutraceutical and Therapeutic Applications of Red Seaweeds (Rhodophyta). *Life* **10**: 19.
- Dolatowski Z.J., Stadnik J., Stasiak D. (2007). Applications of ultrasound in food technology. *Acta Sci.Pol. Technol. Aliment* **6**: 88-99
- Espada-Bellido, E., Ferreira-González, M., Carrera, C., Palma, M., Barroso, C.G., Barbero, G.F. (2017). Optimization of the ultrasound-assisted extraction of anthocyanins and total phenolic compounds in mulberry (*Morus nigra*) pulp. *Food Chemistry* **219**: 23–32.
- Fernandez-Barbero, G., Pinedo C., Espada-Bellido, E., Ferreira-González, M., Carrera, C., Palma, M., García-Barroso, C. (2019). Optimization of

ultrasound-assisted extraction of bioactive compounds from jaboticaba (*Myrciaria cauliflora*) fruit through a Box-Behnken experimental design. *Food Science and Technology* **39**: 1018-1029.

- Gandjar, I. G. dan Rohman, A. (2007). *Kimia Farmasi Analisis*, Pustaka Pelajar, Yogyakarta.
- Garcia-Vaquero M., Rajauria G., O'Doherty J.V., Sweeney T. (2017). Polysaccharides from macroalgae: Recent advances, innovative technologies and challenges in extraction and purification. *Food Res Int.* **99**: 1011-1020.
- Garcia-Oliveira, P., Barral, M., Carpena, M., Gullon, P., Fraga-Corral, M., Otero, P. (2021). Traditional plants from Asteraceae family as potential candidates for functional food industry. *Food & Function* **12**: 2850–2873.
- González-de-Peredo, A. V., Vázquez-Espinosa, M., Espada-Bellido, E., Ferreiro-González, M., Carrera, C., Barbero, G. F., & Palma, M. (2021). Development of Optimized Ultrasound-Assisted Extraction Methods for the Recovery of Total Phenolic Compounds and Anthocyanins from Onion Bulbs. *Antioxidants* **10**: 1755.
- Guimaraes, R., Barros, L., Duenas, M., Calhelha, R. C., Carvalho, A. M., Santos-Buelga, C. (2013). Nutrients, phytochemicals and bioactivity of wild Roman chamomile: A comparison between the herb and its preparations. *Food Chemistry* **136**: 718–725.
- Gupta, V., Mittal, P., Bansal, P., Khokra, S. L. Kaushik, D. (2010). Pharmacological potential of *Matricaria recutita* – a review. *Int. J. Pharm. Sci. Drug Res.* **2**: 12–16.
- Gutiérrez-Grijalva, E.P., Ambriz-Pérez, D.L., Leyva-López, N., Castillo-López, R.I., Heredia, J.B. (2016). Bioavailability of dietary phenolic compounds: Review. *Rev. Esp. Nutr. Humana y Diet.* **20**: 140–147.
- Hadaruga N.G., Hadaruga D.I., Tatu C., Gruia A., Costescu C., Lupea A.X. (2009) Multivariate analysis (PCA) in Compositae biocompounds class. *Journal of Agroalimentary Processes and Technologies* **15**: 201-210.
- Harmita, H. (2004). Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya. *Majalah Ilmu Kefarmasian* **1**: 117–135.
- Hemwimol, S., Pavasant, P., Shotipruk, A. (2007). Microwave-assisted extraction of antioxidative anthraquinones from roots of *Morinda citrifolia*. *Sep. Purif. Technol.* **54**: 44–50.
- Herrero, M., Plaza, M., Cifuentes, A., Ibáñez, E. (2012). Extraction Techniques for the Determination of Phenolic Compounds in Food. *Compr. Sampl. Sample Prep.* **4**: 159–180.

- Hossain, M.B., Brunton, N.P., Patras, A., Tiwari, B., O'Donnell, C.P., Martin-Diana, A.B., Barry-Ryan, C. (2012). Optimization of ultrasound assisted extraction of antioxidant compounds from marjoram (*Origanum majorana* L.) using response surface methodology. *Ultrason. Sonochem.* **19**: 582–590.
- Hudiyanti, D., Al-Khafiz, M. F., Anam, K. (2020). Encapsulation of cinnamic acid and galangal extracts in coconut (*Cocos nucifera* L.) liposomes. *J. Phys.: Conf. Ser.* **1442**: 012056.
- ICH. (2005). *ICH Topic Q2 (R1) Validation of Analytical Procedures: Text and Methodology*. Geneva, Switzerland.
- Ignat, I., Volf, I., Popa, V.I., (2011). A critical review of methods for characterisation of polyphenolic compounds in fruits and vegetables. *Food Chem.* **126**: 1821-1835.
- Jiang, Y, Ning, Z, Li, S. (2018). Extraction and purification of isochlorogenic acid C from *Chrysanthemum morifolium* using ionic liquid-based ultrasound-assisted extraction and aqueous two-phase system. *Food Sci Nutr.* **6**: 2113–2122.
- Johnson, Jr. W., Heldreth, B., Bergfeld, W. F., Belsito, D. V., Hill, R. A., Klaassen, C. D., Andersen, F. A. (2017). Safety Assessment of *Anthemis nobilis*–Derived Ingredients as Used in Cosmetics. *International Journal of Toxicology* **36**(1_suppl): 57S–66S.
- Keil, F.J. (2007). Modeling of process intensification. Ultrasonic vs. microwave extraction intensification of active principles from medicinal plants. *AIDIC Conference Series* **9**: 1-8.
- Kim, M.-K., Park, G., Ji, Y., Lee, Y.-G., Choi, M., Go, S.-H., Son, M., Jang, Y.-P. (2022). Design of Experiments-Based Optimization of Flavonoids Extraction from *Daphne genkwa* Flower Buds and Flavonoids Contents at Different Blooming Stages. *Plants.* **11**: 925.
- Kováčik, J., dan Repčák, M. (2008). Accumulation of coumarin-related compounds in leaves of *Matricaria chamomilla* related to sample processing. *Food Chem.* **111**: 755–757.
- Kumari, P., Ujala, Bhargava, B. (2021). Phytochemicals from edible flowers: Opening a new arena for healthy lifestyle. *Journal of Functional Foods* **78**: 104375.
- Li, A.N., Li, S., Li, Y., Xu, D.P., Li, H. Bin. (2016). Optimization of ultrasound-assisted extraction of natural antioxidants from the *Osmanthus fragrans* flower. *Molecules* **21**: 2.
- Liang, Q., Cui, J., Li, H., Liu, J., & Zhao, G. (2013). Florets of Sunflower (*Helianthus annuus* L.): Potential New Sources of Dietary Fiber and Phenolic Acids. *Journal of Agricultural and Food Chemistry* **14**: 3435–3442.

- Manohar, M., Joseph, J., Selvaraj, T., Sivakumar, D. (2013). Application of Box Behnken design to optimize the pare-meters for turning Inconel 718 using coated carbide tools. *International Journal of Scientific & Engineering Research* **4**: 620-642
- Martin, M. dan Guiochon, G. (2005). Effects of high pressure in liquid chromatography. *J. Chromatogr. A* **1090**: 16–38.
- McKay, D.L. dan Blumberg, J.B. (2006). A review of the bioactivity and potential health benefits of chamomile tea (*Matricaria recutita* L.). *Phytother Res.* **20**: 519-30.
- Müller, A. L. H., de Oliveira, J. A., Prestes, O. D., Adaime, M. B., Zanella, R. (2019). Design of experiments and method development. *Solid-Phase Extraction*: 589–608.
- Montgomery, D.C. (2001). *Design and Analysis of Experimental*, John Wiley & Sons Inc, New York.
- Nováková L, Vildová A, Mateus JP, Gonçalves T, Solich P. (2010) Development and application of UHPLC-MS/MS method for the determination of phenolic compounds in chamomile flowers and chamomile tea extracts. *Talanta* **82**: 1271-1280.
- Oktaviyanti, N.D., Setiawan, F., Kartini, K., Azminah, A., Avanti, C., Hayun, H., Mun'im, A. (2022). Development of a Simple and Rapid HPLC-UV Method for Ultrasound-assisted Deep Eutectic Solvent Extraction optimization of Ferulic Acid and Antioxidant Activity from *Ixora javanica* Flowers. *South African Journal of Chemical Engineering* **40**: 165-175.
- Parisi, O.I., Puoci, F., Restuccia, D., Farina, G., Iemma, F., Picci, N. (2013). Polyphenols and Their Formulations: Different Strategies to Overcome the Drawbacks Associated with Their Poor Stability and Bioavailability. *Polyphenols in Human Health and Disease* **1**: 29–45.
- Perincek, O. dan Colak, M. (2013). Use of Experimental Box-Behnken Design for the Estimation of Interactions Between Harmonic Currents Produced by Single Phase Loads. *International Journal of Engineering Research and Applications* **3**: 158-165.
- Petrova, O. E., & Sauer, K. (2017). High-Performance Liquid Chromatography (HPLC)-Based Detection and Quantitation of Cellular c-di-GMP. *Methods Mol Biol.* **1657**: 33–43.
- Petrulová-Poracká, V., Repcák, M., Vilková, M., Imrich, J. (2013). Coumarins of *Matricaria chamomilla* L: Aglycones and Glycosides. *Food Chem.* **141**: 54–59.
- Picó, Y., (2013). Ultrasound-assisted extraction for food and environmental samples. *TrAC - Trends Anal. Chem* **43**: 84-99.

- Raissi, S. dan Farzani, R.E. (2009). Statistical Process Optimization through Multi-Response Surface Methodology. *World Academy of Science Engineering and Technology* **51**: 267-271.
- Rao, T. N. (2018). *Validation of Analytical Methods*. In (Ed.), *Calibration and Validation of Analytical Methods - A Sampling of Current Approaches*. IntechOpen. <https://doi.org/10.5772/intechopen.72087>
- Roby, M. H. H., Sarhan, M. A., Selim, K. A. H., dan Khalel, K. I. (2013). Antioxidant and antimicrobial activities of essential oil and extracts of fennel (*Foeniculum vulgare* L.) and chamomile (*Matricaria chamomilla* L.). *Ind. Crop Prod.* **44**: 437–445.
- Ryu, D. dan Koh, E. (2019). Optimization of Ultrasound-Assisted Extraction of Anthocyanins and Phenolic Compounds from Black Soybeans (*Glycine max* L.). *Food Anal. Methods* **12**: 1382–1389.
- Şahin, S. dan Şamlı, R. (2013). Optimization of olive leaf extract obtained by ultrasound-assisted extraction with response surface methodology. *Ultrason. Sonochem.* **20**: 595–602.
- Salum, M. L., Arroyo Mañez, P., Luque, F. J., dan Erra-Balsells, R. (2015). Combined experimental and computational investigation of the absorption spectra of E- and Z -cinnamic acids in solution: The peculiarity of Z -cinnamics. *Journal of Photochemistry and Photobiology B: Biology* **148**: 128–135.
- Šamec, D., Karalija, E., Šola, I., Vujčić Bok, V., Salopek-Sondi, B. (2021). The Role of Polyphenols in Abiotic Stress Response: The Influence of Molecular Structure. *Plants* **10**: 118.
- Schmitzer, V., Veberic, R., Osterc, G., and Stampar, F. (2010). Color and Phenolic Content Changes during Flower Development in Groundcover Rose. *Journal of the American Society for Horticultural Science* **135**: 195–202.
- Setyaningsih, W., Duros, E., Palma, M., & Barroso, C. G. (2016a). Optimization of the ultrasound-assisted extraction of melatonin from red rice (*Oryza sativa*) grains through a response surface methodology. *Applied Acoustics*, **103**: 129–135.
- Setyaningsih, W., Saputro, I. E., Palma, M., & Barroso, C. G. (2016b). Stability of 40 phenolic compounds during ultrasound-assisted extractions (UAE). *AIP Conference Proceedings* **1755**: 080009-1–080009-7.
- Setyaningsih, W., Saputro, I.E., Carrera, C. A., Palma, M. (2019). Optimisation of an ultrasound-assisted extraction method for the simultaneous determination of phenolics in rice grains. *Food Chemistry* **288**: 221-227.
- Shi, J., Nawaz, H., Pohorly, J., Mittal, G., Kakuda, Y., Jiang, Y. (2005). Extraction of Polyphenolics from Plant Material for Functional Foods—Engineering and Technology. *Food Rev. Int.* **21**: 139–166.

- Shirsath, S. R., Sonawane, S. H., & Gogate, P. R. (2012). Intensification of extraction of natural products using ultrasonic irradiations—A review of current status. *Chemical Engineering and Processing. Process Intensification* **53**: 10–23.
- Singh, Y., Azumder, M.A., Giri, A., Mishra, H.N. (2017). Optimization of ultrasound-assisted extraction of β -carotene from chlorella biomass (MCC7) and its use in fortification of apple jam. *J. Food Process. Eng.* **40**: e12321
- Srivastava, J. K., Shankar, E., Gupta, S. (2010). Chamomile: A herbal medicine of the past with a bright future (review). *Molecular Medicine Reports* **3** (6): 895–901.
- Takahashi, J. A., Rezende, F. A., Moura, M. A., Domingute, L. C., Sande, D. (2020). Edible flowers: Bioactive profile and its potential to be used in food development. *Food Research International* **129**: 108868.
- Van der Sluis, A. A., Dekker, M., van Boekel, M. A. J. S. (2005). Activity and Concentration of Polyphenolic Antioxidants in Apple Juice. 3. Stability during Storage. *Journal of Agricultural and Food Chemistry*, **53**: 1073–1080.
- Vázquez-Espinosa, M., V. González-de-Peredo, A., Espada-Bellido, E., Ferreiro-González, M., Toledo-Domínguez, J.J., Carrera, C., Palma, M., F. Barbero, G. (2019). Ultrasound-Assisted Extraction of Two Types of Antioxidant Compounds (TPC and TA) from Black Chokeberry (*Aronia melanocarpa* L.): Optimization of the Individual and Simultaneous Extraction Methods. *Agronomy* **9**: 456.
- Wang, M., Avula, B., Wang, Y.-H., Zhao, J., Avonto, C., Parcher, J. F. (2014). An integrated approach utilising chemometrics and GC/MS for classification of chamomile flowers, essential oils and commercial products. *Food Chemistry* **152**: 391–398.
- Xiang, Y., Liu, Y., Lee, M.L. (2006). Ultrahigh pressure liquid chromatography using elevated temperature. *J. Chromatogr. A* **1104**: 198–202.
- Zhang, Q.W., Lin, L.G., Ye, W.C. (2018). Techniques for extraction and isolation of natural products: a comprehensive review. *Chin Med* **13**: 20.
- Zulkarnaen, F.M., Setyaningsih, W., Palma, M. (2022). Validation of a Rapid Ultrasound-Assisted Extraction Coupled with Anion Exchange Chromatography Method for the Determination of D-Psicose in Raisin Matrices. *Separations* **9**: 408.