



## DAFTAR PUSTAKA

- Abidin, H. Z., Andreas, H., Gamal, M., Djaja, R., Subarya, C., Hirose, K., Maruyama, Y., Murdohardono, D., & Rajiyowiryono, H. 2005. Monitoring land subsidence of Jakarta (Indonesia) using leveling, GPS survey and InSAR techniques. *International Association of Geodesy Symposia*, 128, 561–566. [https://doi.org/10.1007/3-540-27432-4\\_95](https://doi.org/10.1007/3-540-27432-4_95)
- Abidin, H. Z., Andreas, H., Gumilar, I., Sidiq, T. P., & Fukuda, Y. 2013. On the Roles of Geospatial Information for Risk Assessment of Land Subsidence in Urban Areas of Indonesia. Dalam S. Zlatanova, R. Peters, A. Dilo, & H. Scholten (Ed.), *Lecture Notes in Geoinformation and Cartography*. (hlm. 277–288). Springer-Verlag. [https://doi.org/10.1007/978-3-642-33218-0\\_19](https://doi.org/10.1007/978-3-642-33218-0_19)
- Abidin, H. Z., Andreas, H., Gumilar, I., & Wibowo, I. R. R. 2015. On correlation between urban development, land subsidence and flooding phenomena in Jakarta. *IAHS-AISH Proceedings and Reports*, 370, 15–20. <https://doi.org/10.5194/PIAHS-370-15-2015>
- Agram, P. S., & Simons, M. 2015. A noise model for InSAR time series. *Journal of Geophysical Research: Solid Earth*, 120(4), 2752–2771. <https://doi.org/10.1002/2014JB011271>
- Agustan, Kimata, F., Abidin, H. Z., & Pamitro, Y. E. 2010. Measuring ground deformation of the tropical Volcano, Ibu, using ALOS-PALSAR data. *Remote Sensing Letters*, 1(1), 37–44. <https://doi.org/10.1080/01431160903246717>
- Andreas, H., Abidin, H. Z., Sarsito, D. A., & Pradipta, D. 2019. Determining the initial time of anthropogenic subsidence in urban area of Indonesia. *IOP Conference Series: Earth and Environmental Science*, 389(1). <https://doi.org/10.1088/1755-1315/389/1/012034>
- Andreas, H., Usriyah, Zainal Abidin, H., & Anggreni Sarsito, D. 2017. Tidal inundation (“Rob”) investigation using time series of high resolution satellite image data and from institu measurements along northern coast of Java (Pantura). *IOP Conference Series: Earth and Environmental Science*, 71(1). <https://doi.org/10.1088/1755-1315/71/1/012005>
- Andreas, H., Zainal Abidin, H., Pradipta, D., Anggreni Sarsito, D., & Gumilar, I. 2018. Insight look the subsidence impact to infrastructures in Jakarta and Semarang area; Key for adaptation and mitigation. *MATEC Web of Conferences*, 147(January). <https://doi.org/10.1051/matecconf/201814708001>
- Ao, M., Zhang, L., Shi, X., Liao, M., & Dong, J. 2019. Measurement of the three-dimensional surface deformation of the Jiaju landslide using a surface-parallel flow model. *Remote Sensing Letters*, 10(8), 776–785. <https://doi.org/10.1080/2150704X.2019.1608601>
- Ardha, M., Suhadha, A. G., Julzarika, A., Yulianto, F., Yudhatama, D., & Darwista, R. Z. 2021. Utilization of Sentinel-1 satellite imagery data to support land subsidence analysis in DKI Jakarta, Indonesia. *J. Degrade and Mining Lands Management*, 82), 2585–2591. <https://doi.org/10.15243/jdmlm.2021.082.2585>



Asdak, C., Supian, S., & Subiyanto. 2018. Watershed management strategies for flood mitigation: A case study of Jakarta's flooding. *Weather and Climate Extremes*, 21(August), 117–122. <https://doi.org/10.1016/j.wace.2018.08.002>

Aslan, G., Cakir, Z., Ergintav, S., Lasserre, C., & Renard, F. 2018. Analysis of secular ground motions in istanbul from a long-term InSAR time-series (1992-2017). *Remote Sensing*, 10(3). <https://doi.org/10.3390/rs10030408>

ASPRS. 2014. *Positional Accuracy Standards for Digital Geospatial Data*. <https://doi.org/10.14358/PERS.81.3.A1-A26>

Bekaert, D. P. S., Walters, R. J., Wright, T. J., Hooper, A. J., & Parker, D. J. 2015. Statistical comparison of InSAR tropospheric correction techniques. *Remote Sensing of Environment*, 170, 40–47. <https://doi.org/10.1016/J.RSE.2015.08.035>

Berardino, P., Fornaro, G., Lanari, R., & Sansosti, E. 2002. A new algorithm for surface deformation monitoring based on small baseline differential SAR interferograms. *IEEE Transactions on Geoscience and Remote Sensing*, 40(11), 2375–2383. <https://doi.org/10.1109/TGRS.2002.803792>

Bhattacharya, A., & Mukherjee, K. 2017. Review on InSAR based displacement monitoring of Indian Himalayas: issues, challenges and possible advanced alternatives. *Geocarto International*, 32(3), 298–321. <https://doi.org/10.1080/10106049.2016.1140820>

BMKG. 2021. *Ulasan Guncangan Tanah Akibat Gempa Bumi Mamuju Sulawesi Barat*. <https://www.bmkg.go.id/seismologi-teknik/ulasan-guncangan-tanah.bmkg?p=ulasan-guncangan-tanah-akibat-gempa-mamuju-sulawesi-barat-15-januari-2021&tag=ulasan-guncangan-tanah&lang=ID>

BNPB. 2021. *INDEKS RISIKO BENCANA INDONESIA Tahun 2020* (Yunus, Ridwan). Badan Nasional Penanggulangan Bencana.

Brouwer, W. 2021. *An analysis of the InSAR displacement vector decomposition InSAR fallacies and the strapdown solution* [Delft University of Technology]. <http://repository.tudelft.nl/>.

Brouwer, W. S., & Hanssen, R. F. 2021. An Analysis of Insar Displacement Vector Decomposition Fallacies and the Strap-Down Solution. *International Geoscience and Remote Sensing Symposium (IGARSS)*, 2927–2930. <https://doi.org/10.1109/IGARSS47720.2021.9554216>

Casu, F., Elefante, S., Imperatore, P., Zinno, I., Manunta, M., de Luca, C., & Lanari, R. 2014. SBAS-DInSAR parallel processing for deformation time-series computation. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 7(8), 3285–3296. <https://doi.org/10.1109/JSTARS.2014.2322671>

Casu, F., Manconi, A., Pepe, A., & Lanari, R. 2011. Deformation time-series generation in areas characterized by large displacement dynamics: The SAR amplitude pixel-offset SBAS technique. *IEEE Transactions on Geoscience and Remote Sensing*, 49(7), 2752–2763. <https://doi.org/10.1109/TGRS.2010.2104325>



- Chang, Z., Yu, W., Wang, W., Zhang, J., Liu, X., & Zhu, J. 2017. An approach for accurately retrieving the vertical deformation component from two-track InSAR measurements. *International Journal of Remote Sensing*, 38(6), 1702–1719. <https://doi.org/10.1080/01431161.2017.1285448>
- Cigna, F., Ramírez, R. E., & Tapete, D. 2021. Accuracy of Sentinel-1 PSI and SBAS InSAR Displacement Velocities against GNSS and Geodetic Leveling Monitoring Data. *Remote Sensing*, 13(23), 4800. <https://doi.org/10.3390/RS13234800>
- Cigna, F., & Tapete, D. 2021a. Present-day land subsidence rates, surface faulting hazard and risk in Mexico City with 2014–2020 Sentinel-1 IW InSAR. *Remote Sensing of Environment*, 253, 112161. <https://doi.org/10.1016/J.RSE.2020.112161>
- Cigna, F., & Tapete, D. 2021b. Sentinel-1 Big Data Processing with P-SBAS InSAR in the Geohazards Exploitation Platform: An Experiment on Coastal Land Subsidence and Landslides in Italy. *Remote Sensing*, 13(5), 1–26. <https://doi.org/10.3390/rs13050885>
- Cigna, F., & Tapete, D. 2021c. Monitoring Natural and Anthropogenic Geohazards with SAR Big Data: Successful Experiences Using the Geohazards Exploitation Platform. *2021 IEEE International Geoscience and Remote Sensing Symposium IGARSS*, 1804–1807. <https://doi.org/10.1109/igarss47720.2021.9553836>
- Cigna, F., Tapete, D., Garduño-Monroy, V. H., Muñiz-Jauregui, J. A., García-Hernández, O. H., & Jiménez-Haro, A. 2019. Wide-Area InSAR Survey of Surface Deformation in Urban Areas and Geothermal Fields in the Eastern Trans-Mexican Volcanic Belt, Mexico. *Remote Sensing 2019*, Vol. 11, Page 2341, 11(20), 2341. <https://doi.org/10.3390/RS11202341>
- Cuenca, M. 2013. Improving radar interferometry for monitoring fault-related surface deformation. Dalam *Geodesy 81* (Vol. 81). NCG, Nederlandse Commissie voor Geodesie, Netherlands Geodetic Commission. [http://repository.tudelft.nl/assets/uuid:83aba703-de6f-46cd-9a0a-85af28bf4324/PhD\\_Thesis\\_M\\_Carocuenca.pdf](http://repository.tudelft.nl/assets/uuid:83aba703-de6f-46cd-9a0a-85af28bf4324/PhD_Thesis_M_Carocuenca.pdf)
- Darvishi, M., Schlögel, R., Kofler, C., Cuozzo, G., Rutzinger, M., Zieher, T., Toschi, I., Remondino, F., Mejia-Aguilar, A., Thiebes, B., & Bruzzone, L. 2018. Sentinel-1 and ground-based sensors for continuous monitoring of the Corvara Landslide (South Tyrol, Italy. *Remote Sensing*, 10(11). <https://doi.org/10.3390/rs10111781>
- Dawson, J. H. 2018. *Satellite radar interferometry with application to the observation of surface deformation in Australia* [The Australian National Institute]. <https://doi.org/10.25911/5D5FCC4A3462A>
- de Michele, M., Raucoules, D., de Sigoyer, J., Pubellier, M., & Chamot-Rooke, N. 2010. Three-dimensional surface displacement of the 2008 May 12 Sichuan earthquake (China) derived from Synthetic Aperture Radar: evidence for rupture on a blind thrust. *Geophysical Journal International*, 183(3), 1097–1103. <https://doi.org/10.1111/J.1365-246X.2010.04807.X>
- de Zan, F., & Guarnieri, A. M. 2006. TOPSAR: Terrain observation by progressive scans. *IEEE Transactions on Geoscience and Remote Sensing*, 44(9), 2352–2360. <https://doi.org/10.1109/TGRS.2006.873853>



Doin, M.-P., Lodge, F., Guillaso, S., Jolivet, R., Lasserre, C., Ducret, G., Grandin, R., Pathier, E., & Pinel, V. 2011. Presentation of the Small Baseline NSBAS Processing Chain on a Case Example : The Etan Deformation Monitoring from 2003 to 2010 Using Envisat Data. *Fringe Symposium*. <http://www.openchannelsoftware.com/projects/ROI>

Dudczyk, J., & Kawalec, A. 2014. Optimizing the minimum cost flow algorithm for the phase unwrapping process in SAR radar. *Bulletin of the Polish Academy of Sciences: Technical Sciences*, 62(3), 511–516. <https://doi.org/10.2478/bpasts-2014-0055>

ESA. 2020a. *Sentinel-1 Heritage*. <https://sentinel.esa.int/web/sentinel/missions/sentinel-1/heritage>

ESA. 2020b. *Sentinel-1 mission*. <https://sentinel.esa.int/web/sentinel/missions/sentinel-1>

Fan, H., Wang, L., Wen, B., & Du, S. 2021. A New Model for three-dimensional Deformation Extraction with Single-track InSAR Based on Mining Subsidence Characteristics. *International Journal of Applied Earth Observation and Geoinformation*, 94, 102223. <https://doi.org/10.1016/J.JAG.2020.102223>

Ferretti, A., Fumagalli, A., Novali, F., Prati, C., Rocca, F., & Rucci, A. 2011. A new algorithm for processing interferometric data-stacks: SqueeSAR. *IEEE Transactions on Geoscience and Remote Sensing*, 49(9), 3460–3470. <https://doi.org/10.1109/TGRS.2011.2124465>

Ferretti, A., Prati, C., & Rocca, F. 2001. Permanent scatterers in SAR interferometry. *IEEE Transactions on Geoscience and Remote Sensing*, 39(1), 8–20. <https://doi.org/10.1109/36.898661>

Fialko, Y., Sandwell, D., Simons, M., & Rosen, P. 2005. Three-dimensional deformation caused by the Bam, Iran, earthquake and the origin of shallow slip deficit. *Nature* 2005 435:7040, 435(7040), 295–299. <https://doi.org/10.1038/nature03425>

Fialko, Y., Simons, M., & Agnew, D. 2001. The complete (3-D) surface displacement field in the epicentral area of the 1999 MW7.1 Hector Mine Earthquake, California, from space geodetic observations. *Geophysical Research Letters*, 28(16), 3063–3066. <https://doi.org/10.1029/2001GL013174>

Fuhrmann, T., & Garthwaite, M. C. 2019. Resolving three-dimensional surface motion with InSAR: Constraints from multi-geometry data fusion. *Remote Sensing*, 11(3). <https://doi.org/10.3390/rs11030241>

Fujiwara, S., Nishimura, T., Murakami, M., Nakagawa, H., Tobita, M., & Rosen, P. A. 2000. 2.5-D surface deformation of M6.1 earthquake near Mt Iwate detected by SAR interferometry. *Geophysical Research Letters*, 27(14), 2049–2052. <https://doi.org/10.1029/1999GL011291>

Gabriel, A. K., Goldstein, R. M., & Zebker, H. A. 1989. Mapping small elevation changes over large areas: Differential radar interferometry. *Journal of Geophysical Research: Solid Earth*, 94(B7), 9183–9191. <https://doi.org/10.1029/JB094IB07P09183>

Geng J, Mao S. 2021. Massive GNSS network analysis without baselines: Undifferenced ambiguity resolution. *J. Geophys. Res.* 126(10), e2020JB021558. <https://doi.org/10.1029/2020JB021558>



Geospatial Information Authority of Japan. 2018 The 2018 Hualien (Taiwan) Earthquake: Crustal deformation detected by ALOS-2 data | GSI HOME PAGE. <https://www.gsi.go.jp/cais/topic180209-index-e.html>. Diakses: 4 April 2023

Goldstein, R. M., Zebker, H. A., & Werner, C. L. 1988. Satellite radar interferometry: Two-dimensional phase unwrapping. *Radio Science*, 23(4), 713–720. <https://doi.org/10.1029/RS023I004P00713>

Gray, L. 2011. Using multiple RADARSAT InSAR pairs to estimate a full three-dimensional solution for glacial ice movement. *Geophysical Research Letters*, 38(5). <https://doi.org/10.1029/2010GL046484>

Gudmundsson, S., Gudmundsson, M. T., Bjornsson, H., Sigmundsson, F., Rott, H., & Carstensen, J. M. 2002. Three-dimensional glacier surface motion maps at the Gjaip eruption site, Iceland, inferred from combining InSAR and other ice-displacement data. *Annals of Glaciology*, 34, 315–322. <https://www.cambridge.org/core>,

Guo, L., Li, J., Li, Z. wei, Wu, L. xin, Li, X., Hu, J., Li, H. lin, Li, H. yi, Miao, Z. lang, & Li, Z. qin. 2020. The Surge of the Hispar Glacier, Central Karakoram: SAR 3-D Flow Velocity Time Series and Thickness Changes. *Journal of Geophysical Research: Solid Earth*, 125(7), e2019JB018945. <https://doi.org/10.1029/2019JB018945>

Hakim, W. L., Achmad, A. R., Eom, J., & Lee, C. W. 2020. Land Subsidence Measurement of Jakarta Coastal Area Using Time Series Interferometry with Sentinel-1 SAR Data. *Journal of Coastal Research*, 102(sp1), 75–81. <https://doi.org/10.2112/SI102-010.1>

Hanssen, R. F. 2001. *Radar Interferometry: Data Interpretation and Error Analysis* (1 ed., Vol. 2). Springer Netherlands. <https://doi.org/10.1007/0-306-47633-9>

He, L., Feng, G., Li, Z., Feng, Z., Gao, H., & Wu, X. 2019. Source parameters and slip distribution of the 2018 Mw 7.5 Palu, Indonesia earthquake estimated from space-based geodesy. *Tectonophysics*, 772, 228216. <https://doi.org/10.1016/J.TECTO.2019.228216>

He, P., Wen, Y., Xu, C., & Chen, Y. 2019. Complete three-dimensional near-field surface displacements from imaging geodesy techniques applied to the 2016 Kumamoto earthquake. *Remote Sensing of Environment*, 232, 111321. <https://doi.org/10.1016/J.RSE.2019.111321>

Hong, S. H., Wdowinski, S., Kim, S. W., & Won, J. S. 2010. Multi-temporal monitoring of wetland water levels in the Florida Everglades using interferometric synthetic aperture radar (InSAR). *Remote Sensing of Environment*, 114(11), 2436–2447. <https://doi.org/10.1016/J.RSE.2010.05.019>

Hooper, A., Bekaert, D., Spaans, K., & Arikhan, M. 2012. Recent advances in SAR interferometry time series analysis for measuring crustal deformation. Dalam *Tectonophysics* (Vol. 514–517, hlm. 1–13). Elsevier. <https://doi.org/10.1016/j.tecto.2011.10.013>



Hu, J., Li, Z. W., Ding, X. L., Zhu, J. J., Zhang, L., & Sun, Q. 2014. Resolving three-dimensional surface displacements from InSAR measurements: A review. *Earth-Science Reviews*, 133, 1–17. <https://doi.org/10.1016/J.EARSCIREV.2014.02.005>

Hu, J., Li, Z. W., Zhu, J. J., Ren, X. C., & Ding, X. L. 2010. Inferring three-dimensional surface displacement field by combining SAR interferometric phase and amplitude information of ascending and descending orbits. *Science China Earth Sciences*, 53(4), 550–560. <https://doi.org/10.1007/s11430-010-0023-1>

Hu, J., Liu, J., Li, Z., Zhu, J., Wu, L., Sun, Q., & Wu, W. 2021. Estimating three-dimensional coseismic deformations with the SM-VCE method based on heterogeneous SAR observations: Selection of homogeneous points and analysis of observation combinations. *Remote Sensing of Environment*, 255, 112298. <https://doi.org/10.1016/J.RSE.2021.112298>

Ignatenko, V., Laurila, P., Radius, A., Lamentowski, L., Antropov, O., & Muff, D. 2020. ICEYE Microsatellite SAR Constellation Status Update: Evaluation of First Commercial Imaging Modes. *International Geoscience and Remote Sensing Symposium (IGARSS)*, 3581–3584. <https://doi.org/10.1109/IGARSS39084.2020.9324531>

Isya, N. H., Niemeier, W., & Gerke, M. 2019. 3D estimation of slow ground motion using InSAR and the slope aspect assumption, a case study: the Puncak Pass landslide, Indonesia. *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, IV-2-W5(2/W5), 623–630. <https://doi.org/10.5194/ISPRS-ANNALS-IV-2-W5-623-2019>

Ito, H., Susaki, J., & Anahara, T. 2019. Integrating multi-temporal SAR images and GPS data to monitor three-dimensional land subsidence. *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 4(3/W1), 9–16. <https://doi.org/10.5194/isprs-annals-IV-3-W1-9-2019>

Jo, M. J., Jung, H. S., & Won, J. S. 2017. Measurement of precise three-dimensional volcanic deformations via TerraSAR-X synthetic aperture radar interferometry. *Remote Sensing of Environment*, 192, 228–237. <https://doi.org/10.1016/j.rse.2017.02.022>

Joughin, I. R., Kwok, R., & Fahnestock, M. A. 1998. Interferometric estimation of three-dimensional ice-flow using ascending and descending passes. *IEEE Transactions on Geoscience and Remote Sensing*, 36(1), 25–37. <https://doi.org/10.1109/36.655315>

Jung, H. S., Won, J. S., & Kim, S. W. 2009. An improvement of the performance of multiple-aperture SAR interferometry (MAI). *IEEE Transactions on Geoscience and Remote Sensing*, 47(8), 2859–2869. <https://doi.org/10.1109/TGRS.2009.2016554>

Kadarusman, A., Miyashita, S., Maruyama, S., Parkinson, C. D., & Ishikawa, A. 2004. Petrology, geochemistry and paleogeographic reconstruction of the East Sulawesi Ophiolite, Indonesia. *Tectonophysics*, 392(1–4), 55–83. <https://doi.org/10.1016/j.tecto.2004.04.008>

Katerina Farova, Jelenek, J., Kopackova-Strnadova, V., & Petr Kycl. 2019. Comparing DInSAR and PSI Techniques Employed to Sentinel-1 Data to Monitor Highway Stability,



A Case Study of a Massive Dobkovičky Landslide, Czech Republic.pdf. *Remote Sensing*, 11(1), 2670.

Lanari, R., Mora, O., Manunta, M., Mallorquí, J. J., Berardino, P., & Sansosti, E. 2004. A small-baseline approach for investigating deformations on full-resolution differential SAR interferograms. *IEEE Transactions on Geoscience and Remote Sensing*, 42(7), 1377–1386. <https://doi.org/10.1109/TGRS.2004.828196>

Li, S., Xu, W., & Li, Z. 2022. Review of the SBAS InSAR Time-series algorithms, applications, and challenges. *Geodesy and Geodynamics*, 13(2), 114–126. <https://doi.org/10.1016/j.geog.2021.09.007>

Li, Z., Fielding, E. J., Cross, P., & Preusker, R. 2009. Advanced InSAR atmospheric correction: MERIS/MODIS combination and stacked water vapour models. *International Journal of Remote Sensing*, 30(13), 3343–3363. <https://doi.org/10.1080/01431160802562172>

Li, Z. W., Xu, W. B., Feng, G. C., Hu, J., Wang, C. C., Ding, X. L., & Zhu, J. J. 2012. Correcting atmospheric effects on InSAR with MERIS water vapour data and elevation-dependent interpolation model. *Geophysical Journal International*, 189(2), 898–910. <https://doi.org/10.1111/J.1365-246X.2012.05432.X>

Liu, J., Jiang, W., Feng, G., & Zhu, J. 2022. Complete three-dimensional coseismic displacements due to the 2021 Maduo earthquake in Qinghai Province, China from Sentinel-1 and ALOS-2 SAR images. *Science China Earth Sciences*, 65(4), 687–697. <https://doi.org/10.1007/s11430-021-9868-9>

Liu, X., Zhao, C., Zhang, Q., Yin, Y., Lu, Z., Samsonov, S., Yang, C., Wang, M., & Tomás, R. 2021. Three-dimensional and long-term landslide displacement estimation by fusing C- and L-band SAR observations: A case study in Gongjue County, Tibet, China. *Remote Sensing of Environment*, 267. <https://doi.org/10.1016/j.rse.2021.112745>

Liu, Y., Zhao, C., Zhang, Q., Lu, Z., & Zhang, J. 2019. A constrained small baseline subsets (CSBAS) InSAR technique for multiple subsets. *European Journal of Remote Sensing*, 53(1), 14–26. <https://doi.org/10.1080/22797254.2019.1707715>

Manunta, M., de Luca, C., Zinno, I., Casu, F., Manzo, M., Bonano, M., Fusco, A., Pepe, A., Onorato, G., Berardino, P., de Martino, P., & Lanari, R. 2019. The Parallel SBAS Approach for Sentinel-1 Interferometric Wide Swath Deformation Time-Series Generation: Algorithm Description and Products Quality Assessment. *IEEE Transactions on Geoscience and Remote Sensing*, 57(9), 6229–6281. <https://doi.org/10.1109/TGRS.2019.2904912>

Massonnet, D., & Feigl, K. L. 1998. Radar interferometry and its application to changes in the earth's surface. *Reviews of Geophysics*, 36(4), 441–500. <https://doi.org/10.1029/97RG03139>

Mastro, P., Serio, C., Masiello, G., & Pepe, A. 2020. The Multiple Aperture SAR Interferometry (MAI) Technique for the Detection of Large Ground Displacement Dynamics: An Overview. *Remote Sensing*, 12(7), 1189. <https://doi.org/10.3390/RS12071189>



Atmospheric Delay Obtained by a Numerical Weather Model (NMW). *IEEE Transactions on Geoscience and Remote Sensing*, 53(12), 6710–6717. <https://doi.org/10.1109/TGRS.2015.2446758>

Mehrabi, H., Behzad Voosoghi, Motagh, M., & Hanssen, R. F. 2019. Three-Dimensional Displacement Fields from InSAR through Tikhonov Regularization and Least-Squares Variance Component Estimation. *Journal of Surveying Engineering*, 145(4), 04019011. [https://doi.org/10.1061/\(ASCE\)SU.1943-5428.0000289](https://doi.org/10.1061/(ASCE)SU.1943-5428.0000289)

Moreira, A., Krieger, G., Hajnsek, I., Papathanassiou, K., Younis, M., Lopez-Dekker, P., Huber, S., Villano, M., Pardini, M., Eineder, M., de Zan, F., & Parizzi, A. 2015. Tandem-L: A Highly Innovative Bistatic SAR Mission for Global Observation of Dynamic Processes on the Earth's Surface. *IEEE Geoscience and Remote Sensing Magazine*, 3(2), 8–23. <https://doi.org/10.1109/MGRS.2015.2437353>

Morishita, Y., & Hanssen, R. F. 2015. Temporal decorrelation in L-, C-, and X-band satellite radar interferometry for pasture on drained peat soils. *IEEE Transactions on Geoscience and Remote Sensing*, 53(2), 1096–1104. <https://doi.org/10.1109/TGRS.2014.2333814>

Morishita, Y., & Kobayashi, T. 2022. Three-dimensional deformation and its uncertainty derived by integrating multiple SAR data analysis methods. *Earth, Planets and Space*, 74, 16. <https://doi.org/10.1186/s40623-022-01571-z>

Ng, A. H. M., Ge, L., Li, X., Abidin, H. Z., Andreas, H., & Zhang, K. 2012. Mapping land subsidence in Jakarta, Indonesia using persistent scatterer interferometry (PSI) technique with ALOS PALSAR. *International Journal of Applied Earth Observation and Geoinformation*, 18(1), 232–242. <https://doi.org/10.1016/j.jag.2012.01.018>

Panuntun, H. 2021a. 2.5-D Surface Deformation due to the 24 January 2020 Elazig, Turkey Earthquake Estimated by Multiple Sentinel-1 InSAR Data. *Proceedings - 2021 7th Asia-Pacific Conference on Synthetic Aperture Radar, APSAR 2021*. <https://doi.org/10.1109/APSAR52370.2021.9688500>

Panuntun, H. 2021b. Geodetic slip model of the November 26, 2019 Albania earthquake estimated from Sentinel-1 TOPS interferometry. *Tectonophysics*, 807, 228814. <https://doi.org/10.1016/J.TECTO.2021.228814>

Parizzi, A., Brcic, R., & de Zan, F. 2021. InSAR Performance for Large-Scale Deformation Measurement. *IEEE Transactions on Geoscience and Remote Sensing*, 59(10), 8510–8520. <https://doi.org/10.1109/TGRS.2020.3039006>

Pepe, A., & Calò, F. 2017. A Review of Interferometric Synthetic Aperture RADAR (InSAR) Multi-Track Approaches for the Retrieval of Earth's Surface Displacements. *Applied Sciences*, 7(12), 1264. <https://doi.org/10.3390/APP7121264>

Pepe, A., Euillades, L. D., Manunta, M., & Lanari, R. 2011. New advances of the extended minimum cost flow phase unwrapping algorithm for SBAS-DInSAR analysis at full spatial resolution. *IEEE Transactions on Geoscience and Remote Sensing*, 49(10 PART 2), 4062–4079. <https://doi.org/10.1109/TGRS.2011.2135371>



Pepe, A., Solaro, G., Calò, F., & Dema, C. 2016. A Minimum Acceleration Approach for the Retrieval of Multiplatform InSAR Deformation Time Series. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 9(8), 3883–3898. <https://doi.org/10.1109/JSTARS.2016.2577878>

Perissin, D., & Wang, T. 2011. Time-Series InSAR Applications Over Urban Areas in China. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 4(1), 92–100. <https://doi.org/10.1109/JSTARS.2010.2046883>

Raucoules, D., de Michele, M., Malet, J. P., & Ulrich, P. 2013. Time-variable 3D ground displacements from high-resolution synthetic aperture radar (SAR). application to La Valette landslide (South French Alps). *Remote Sensing of Environment*, 139, 198–204. <https://doi.org/10.1016/j.rse.2013.08.006>

Razi, P., Sumantyo, J. T. S., Perissin, D., Kuze, H., Chua, M. Y., & Panggabean, G. F. 2018. 3D land mapping and land deformation monitoring using persistent scatterer interferometry (PSI) ALOS PALSAR: Validated by Geodetic GPS and UAV. *IEEE Access*, 6(c), 12395–12404. <https://doi.org/10.1109/ACCESS.2018.2804899>

Ren, K., Yao, X., Li, R., Zhou, Z., Yao, C., & Jiang, S. 2022. 3D displacement and deformation mechanism of deep-seated gravitational slope deformation revealed by InSAR: a case study in Wudongde Reservoir, Jinsha River. *Landslides*, 19(9), 2159–2175. <https://doi.org/10.1007/S10346-022-01905-8/FIGURES/15>

Ren, T., Gong, W., Gao, L., Zhao, F., & Cheng, Z. 2022. An Interpretation Approach of Ascending–Descending SAR Data for Landslide Identification. *Remote Sensing*, 14, 1–22.

Rosen, P. A., Hensley, S., & Jougin, I. R. 2000. Synthetic aperture radar interferometry. *Proceedings of the IEEE*, 88(3), 333–380. <https://doi.org/10.1109/5.838084>

Rosen, P., Hensley, S., Shaffer, S., Edelstein, W., Kim, Y., Kumar, R., Misra, T., Bhan, R., Satish, R., & Sagi, R. 2016. An update on the NASA-ISRO dual-frequency DBF SAR (NISAR) mission. *International Geoscience and Remote Sensing Symposium (IGARSS)*, 2016-November, 2106–2108. <https://doi.org/10.1109/IGARSS.2016.7729543>

Rousseeuw, P. J., & Leroy, A. M. 1987. *Robust Regression and Outlier Detection*. John Wiley & Sons, Inc. <https://doi.org/10.1002/0471725382>

Samsonov, S. 2019. Three-dimensional deformation time series of glacier motion from multiple-aperture DInSAR observation. *Journal of Geodesy*, 93(12), 2651–2660. <https://doi.org/10.1007/S00190-019-01325-Y/FIGURES/6>

Samsonov, S., Dille, A., Dewitte, O., Kervyn, F., & d’Oreye, N. 2020. Satellite interferometry for mapping surface deformation time series in one, two and three dimensions: A new method illustrated on a slow-moving landslide. *Engineering Geology*, 266, 105471. <https://doi.org/10.1016/J.ENGEO.2019.105471>

Samsonov, S., & d’Oreye, N. 2012. Multidimensional time-series analysis of ground deformation from multiple InSAR data sets applied to Virunga Volcanic Province. *Geophysical Journal International*, 191(3), 1095–1108. <https://doi.org/10.1111/J.1365-246X.2012.05669.X>



Samsonov, S. v., & d'Oreye, N. 2017. Multidimensional Small Baseline Subset (MSBAS) for Two-Dimensional Deformation Analysis: Case Study Mexico City. *Canadian Journal of Remote Sensing*, 43(4), 318–329. <https://doi.org/10.1080/07038992.2017.1344926>

Siswowidjoyo, S., Sudarsono, U., & Wirakusumah, A. D. 1997. The threat of hazards in the Semeru volcano region in East Java, Indonesia. *Journal of Asian Earth Sciences*, 15(2–3), 185–194. [https://doi.org/10.1016/S0743-9547\(97\)00007-X](https://doi.org/10.1016/S0743-9547(97)00007-X)

Solikhin, A., Thouret, J. C., Gupta, A., Harris, A. J. L., & Liew, S. C. 2012. Geology, tectonics, and the 2002–2003 eruption of the Semeru volcano, Indonesia: Interpreted from high-spatial resolution satellite imagery. *Geomorphology*, 138(1), 364–379. <https://doi.org/10.1016/J.GEOMORPH.2011.10.001>

Suhadha, A. G., Julzarika, A., Ardha, M., & Chusnayah, F. 2021. Monitoring Vertical Deformations of the Coastal City of Palu after Earthquake 2018 Using Parallel-SBAS. *Proceedings - 2021 7th Asia-Pacific Conference on Synthetic Aperture Radar, APSAR 2021*. <https://doi.org/10.1109/APSAR52370.2021.9688380>

Takeuchi, S., & Oguro, Y. 2003. A comparative study of coherence patterns in C-band and L-band interferometric SAR from tropical rain forest areas. *Advances in Space Research*, 32(11), 2305–2310. [https://doi.org/10.1016/S0273-1177\(03\)90558-8](https://doi.org/10.1016/S0273-1177(03)90558-8)

Téllez-Quiñones, A., Salazar-Garibay, A., Valdiviezo-Navarro, J. C., Hernandez-Lopez, F. J., & Silván-Cárdenas, J. L. 2020. DIInSAR method applied to dual-pair interferograms with Sentinel-1 data: a study case on inconsistent unwrapping outputs. *International Journal of Remote Sensing*, 41(12), 4662–4681. <https://doi.org/10.1080/01431161.2020.1727056>

Thouret, J. C., Lavigne, F., Suwa, H., Sukatja, B., & Surono. 2007. Volcanic hazards at Mount Semeru, East Java (Indonesia), with emphasis on lahars. *Bulletin of Volcanology*, 70(2), 221–244. <https://doi.org/10.1007/S00445-007-0133-6/FIGURES/11>

TRE-ALTAMIRA. 2023. *InSAR Interferometric Synthetic Aperture Radar - TRE ALTAMIRA*. <https://site.tre-altamira.com/insar/>

Ullo, S. L., Addabbo, P., Martire, D. di, Sica, S., Fiscante, N., Cicala, L., & Angelino, C. V. 2019. Application of DIInSAR Technique to High Coherence Sentinel-1 Images for Dam Monitoring and Result Validation Through in Situ Measurements. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 12(3), 875–890. <https://doi.org/10.1109/JSTARS.2019.2896989>

UN-SPIDER. 2020. *Data Application of the Month: Land Deformation Mapping Using DIInSAR | UN-SPIDER Knowledge Portal*. <https://www.un-spider.org/links-and-resources/data-sources/daotm-land-deformation>

Velotto, D., Bentes, C., Tings, B., & Lehner, S. 2016. First Comparison of Sentinel-1 and TerraSAR-X Data in the Framework of Maritime Targets Detection: South Italy Case. *IEEE Journal of Oceanic Engineering*, 41(4), 993–1006. <https://doi.org/10.1109/JOE.2016.2520216>

Wang, H., Ge, L., Xu, C., & Du, Z. 2007. 3-D coseismic displacement field of the 2005 Kashmir earthquake inferred from satellite radar imagery. *Earth, Planets and Space*, 59(5), 343–349. <https://doi.org/10.1186/BF03352694/METRICS>



- Wang, J., Wang, C., Xie, C., Zhang, H., Tang, Y., Zhang, Z., & Shen, C. 2020. Monitoring of large-scale landslides in Zongling, Guizhou, China, with improved distributed scatterer interferometric SAR time series methods. *Landslides*, 17(8), 1777–1795. <https://doi.org/10.1007/s10346-020-01407-5>
- Wang, Q., Yu, W., Xu, B., & Wei, G. 2019. Assessing the Use of GACOS Products for SBAS-InSAR Deformation Monitoring: A Case in Southern California. *Sensors*, 19(18), 3894. <https://doi.org/10.3390/S19183894>
- Wang, Q., Zhao, Q., Ding, J., Fedotov, A. A., Badenko, V., Liu, M., & Pepe, A. 2020. Investigation of the ground displacement in Saint Petersburg, Russia, using multiple-track differential synthetic aperture radar interferometry. *International Journal of Applied Earth Observation and Geoinformation*, 87, 102050. <https://doi.org/10.1016/J.JAG.2020.102050>
- Wang, X., Liu, G., Yu, B., Dai, K., Zhang, R., Chen, Q., & Li, Z. 2014. 3D coseismic deformations and source parameters of the 2010 Yushu earthquake (China) inferred from DInSAR and multiple-aperture InSAR measurements. *Remote Sensing of Environment*, 152, 174–189. <https://doi.org/10.1016/J.RSE.2014.06.014>
- Wang, Y., Zhao, J., Li, Z., Zhang, M., Wang, Y., Liu, J., Yang, J., & Yang, Z. 2021. Retrieving and Verifying Three-Dimensional Surface Motion Displacement of Mountain Glacier from Sentinel-1 Imagery Using Optimized Method. *Water*, 13(13), 1793. <https://doi.org/10.3390/W13131793>
- Wegmüller, U., Werner, C., Frey, O., Magnard, C., & Strozzi, T. 2018. Reformulating the Split-Spectrum Method to Facilitate the Estimation and Compensation of the Ionospheric Phase in SAR Interferograms. *Procedia Computer Science*, 138, 318–325. <https://doi.org/10.1016/J.PROCS.2018.10.045>
- Zebker, H. A., Rosen, P. A., & Hensley, S. 1997. Atmospheric effects in interferometric synthetic aperture radar surface deformation and topographic maps. *Journal of Geophysical Research*, 102(B4). <https://doi.org/10.1029/96JB03804>
- Zhang, L., Ding, X., & Lu, Z. 2015. Ground deformation mapping by fusion of multi-temporal interferometric synthetic aperture radar images: a review. Dalam *International Journal of Image and Data Fusion* (Vol. 6, Nomor 4, hlm. 289–313). Taylor and Francis Ltd. <https://doi.org/10.1080/19479832.2015.1068874>
- Zheng, M., Deng, K., Fan, H., & Du, S. 2018. Monitoring and Analysis of Surface Deformation in Mining Area Based on InSAR and GRACE. *Remote Sensing*, 10(9), 1392. <https://doi.org/10.3390/RS10091392>
- Zheng, W., Hu, J., Liu, J., Sun, Q., Li, Z., Zhu, J., & Wu, L. 2021. Mapping Complete Three-Dimensional Ice Velocities by Integrating Multi-Baseline and Multi-Aperture InSAR Measurements: A Case Study of the Grove Mountains Area, East Antarctic. *Remote Sensing*, 13(4), 643. <https://doi.org/10.3390/RS13040643>