

DAFTAR PUSTAKA

- Aksornkoe, S. 1993. *Ecology and management of Mangrove*. The IUCN Wetlands Programme. Bangkok. Thailand.
- Alikodra HS. 1990. Studi ekologi bekantan (*Nasalis larvatus*) di Hutan Lindung Bukit Soeharto Kalimantan Timur. Laporan penelitian kerjasama Depdikbud dan JICA.
- Alikodra HS. 1997. Populasi dan perilaku bekantan (*Nasalis larvatus*) di Samboja Koala Kalimantan Timur. *Media Konservasi* 5: 62-67.
- Alikodra HS. 2002. Pengelolaan Satwa liar Jilid 1. Yayasan Penerbit Fakultas Kehutanan IPB. Bogor.
- Altmann J (1974). Observational study of behaviour of sampling: sampling methods. *Behaviour* 49: 227-267
- Atmoko, T. 2012. Pemanfaatan Ruang oleh Bekantan (*Nasalis larvatus* Wurm) pada Habitat Terisolasi di Kuala Samboja, Kalimantan Timur [Tesis]. Bogor: Program Pascasarjana, Institut Pertanian Bogor.
- Austin, M. (2007). Species Distribution Models and Ecological Theory: A Critical Assessment and some Possible New Approaches. *Ecological Modelling*. 200(1-2), 1–19
- Ball, I.R., Possingham, H. P., & Watts, M. 2009. Marxan and Relatives: Software for spatial conservation prioritization. In *spatial conservation prioritization: Quantitative methods and computational tools*. Pp.185-195. Oxford: Oxford University Press.

- Bennett, E. L. 1983. The Banded Langur: Ecology of a Colobinae in West Malaysian Rain Forest. .D. Dissertation, Cambridge University, Cambridge.
- Bennett, E. L. and A. C. Sebastian. 1988. Social organization and ecology of proboscis monkeys (*Nasalis larvatus*) in mixed coastal forest in Sarawak. Int. J. of Primatol. 9 (3) : 233-255.
- Bernard, H., Matsuda, I., Hanya, G. et al. 2011. Characteristics of Night Sleeping Trees of Proboscis Monkeys (*Nasalis larvatus*) in Sabah, Malaysia. Int J Primatol 32: 259–267. <https://doi.org/10.1007/s10764-010-9465-8>
- Bismark M. 1980. Populasi dan tingkah lakubekantan (*Nasalis larvatus*) di Suaka Margasatwa Tanjung Puting, Kalimantan Tengah. Laporan No. 357 Lembaga Penelitian Hutan Bogor, Desember 1980. 51p.
- Bismark M. 1986. Habitat dan tingkah lakubekantan (*Nasalis larvatus*) di Taman Nasional Kutai, Kalimantan Timur. Fakultas Pasca Sarjana IPB. Bogor.
- Bismark M. 1987. Sosioekologi bekantan (*Nasalis Larvatus*) di Taman Nasional Kutai, Kalimantan Timur. *Rimba Indonesia* 21(2-4): 24-35.
- Bismark M. 1994. Ekologi makan dan perilaku bekantan (*Nasalis larvatus* Wurmb, 1781) di Hutan Bakau Taman Nasional Kutai, Kalimantan Timur [Desertasi]. Bogor: Program Pascasarjana, Institut Pertanian Bogor.
- Bismark M. 1995. Analisis populasi bekantan (*Nasalis larvatus*). *Rimba Indonesia* XXX(3): 14-23.
- Bismark M, Iskandar S. 2002. Kajian total populasi dan struktur sosial bekantan (*Nasalis larvatus*) di Taman Nasional Kutai, Kalimantan Timur. Bul. Pen. Hut. 631: 17-29.

Bismark, M. 2009. Biologi dan konservasi bekantan (*Nasalis larvatus*). Pusat

Penelitian dan Pengembangan Hutan dan Konservasi Alam, Bogor.

Boonratana, R. 2000. Ranging behavior of Proboscis monkey (*Nasalis larvatus*) in The

Lower Kinabatangan, Northern Borneo. International Journal of Primatology

21(3):497-518.

Boonratana R. 2013. Fragmentation and its Significance on the Conservation of

Proboscis Monkey (*Nasalis larvatus*) in the Lower Kinabatangan, Sabah

(North Borneo). In: Marsh L., Chapman C. (eds) Primates in Fragments.

Developments in Primatology: Progress and Prospects. Springer, New

York, NY. https://doi.org/10.1007/978-1-4614-8839-2_31

Brodie, J.F., Brockleman, W.Y., 2009. Bed site selection of red muntjac

(*Muntiacus muntjak*) and sambar (*Rusa unicolor*) in a tropical seasonal

forest. Ecological Research 24: 1251-1256

Buskirk, S.W., Powell, R.A., 1994. Habitat ecology of fishers and American

martens. In: Buskirk, S.W., Harestad, A.S., Raael, M.G., Powell, R.A.

(Eds), Martens, Sables, and Fisher: Biology and Conservation. Cornell

University Press, New York, pp. 283-296

Chivers, D.J. 1974. The siamang in Malaya: a field study of a primate in tropical

rain forest. Contrib. Primat. (4) : 1-335.

Chivers DJ. 1980. Malayan Forest Primates. New York. Plenum Press.

Church, D. C. 1974. Effect of stress on nutritional physiology, p. 663-683. In:

Digestive physiology and Nutrition of Ruminants (Church, D. C., G. E. Smith,

J. P. Fontenot and A. T. Ralston eds.). Albany Printing Co., Oregon.

- Clutton-Brock, T.H., 1975. Ranging behavior of red colobus (*Colobus badius* terosceles), in the Gombe Nation Park. *Animal Behaviour* 23: 706-722
- Clutton-Brock, T. H. 1977. Some aspects of intraspecific variation in feeding and ranging behaviour in primates, p. 539-556. *In: Primate Ecology* (T.H. Clutton-Brock *ed.*). Academic Press, London.
- Edris,I. dan Soeseno, 1987. *Silvika*. Yayasan Pembinaan Fakultas Kehutanan Universitas Gadjah Mada, Yogyakarta.
- Elith, J., Graham, C.H., Anderson, R.P. *et al.* 2006. Novel methods improve prediction of species' distributions from occurrence data. *Ecography* 29: 129–151.
- Fachrul, M.F. (2012). *Metode Sampling Bioekologi*. Jakarta: Bumi Aksara
- Fagen, R. 1988. Population Effects of Habitat Change: A Quantitative Assessment. *Journal of Wildlife Management*. 52: 41-6.
- Feilen, K.L. and Marshall, A.J. 2014. *Sleeping site*selection by proboscis monkey (*Nasalis larvatus*) in west kalimantan, Indonesia. *American Journal of Primatology* 76: 1127-1139
- Fischhoff,I.R., Sudaresan,S.R., Cordingley,J., Rubenstein,D.I., 2007. Habitat use and movement of plains zebra (*Equus burchelli*) in response to predation danger from lion. *Behavioral Ecology* 18: 725-729
- Fleagle, J. G. 1980. Locomotion and posture p. 191-207. *In: Malayan Forest Primates* (D.J. Chivers, *ed.*) Plenum Press, New York.
- Franklin, J. 2009. *Mapping Species Distributions: Spatial Inference and Prediction*. New York, United States of America: Cambridge University Press.
- Freeland, W. J. 1976. Pathogens and the evolution of primate sociality. *Biotropica*

8 (I) : 12-24.

Galdikas, B. M. F. 1985. Crocodile predation on proboscis monkey in Borneo.

Primates 26 (4): 495-496

Giri,C., Ochieng,E., Tieszen,L.L., Zhu,Z., Singh,A., Loveland, T., Masek, J.,

Duke,N., 2011. *Status and distribution of mangrove forest of world using
earth observation satellite data*. Glob. Ecol. Biogeogr. 20: 154-159

Guisan, A., Zimmermann, N. 2000. Predictive habitat distribution models in ecology.

Ecological Modelling 135, pp. 147–186.

Gurmaya, J. K. 1986. Ecology and behaviour of *Presbytis thomasi* in Northern

Sumatra. Primates 27 (2):151-172.

Iskandar, E. 2006. Habitat dan populasi owa jawa (*Hylobates moloch*) di TN

Gunung Salak Jawa Barat, Disertasi IPB.

Johnson, C.J., Nielsen, S.E., Merrill, E.H., McDonald, T.E., Boyce, M.S. 2006.

Resource Selection Function Based on Use-Availability Data:Theoretical
Motivation and Evaluation Methods. Journal Wildlife Management 70:
347-357.

Jolly, A. 1972. The evolution of primate behavior. Mac-Millan Publishing Co., Inc.

New York.

Kern, J.A. 1964. Observation on the habit of the proboscis monkey, *Nasalis*

larvatus (Wurmb), made in the Brunei Bay area. Borneo Zoologica 49: 183-
192

Koenig,A., 2000. *Competitive regimes in forest-dwelling Hanuman langur females*

(*Semnopithecus entellus*). Behavioral Ecology and Sociobiology 48: 93-109

- Kusmana, C. 1997. Metode Survey Vegetasi. Institut Pertanian Bogor. Bogor.
- Ludwig, J.A., J.F. Reynolds. 1988. Statistik Ecology : A primer on Methods and Computing. John Wiley & Sons Inc.
- Laksono, PM., Djohan, TS., Sumijati, AS., Suhardi, Irham, Supriyanto, A., Mulki, GZ., Anatasari, E., Chatarina, Kusuma, P., Sonjaya, JA., Rianty, A., Ruddy Gustave, R., Rinto, Utama, AN. 2014. Hutan Mangrove Batu Ampar: Keniscayaan Ppengelolaan Kolaboratif. Policy Brief.
- MacKinnon, J. R. and K. S. MacKinnon. 1980. Niche differentiation in primate community, p. 167-190. *In*: Malayan Forest Primates (D.J. Chivers *ed.*). Plenum Press, New York.
- Mah, Y. L. and F. P. G. Aldrich-Blake. 1980. Ranging behaviour of *Macaca fascicularis* (Raffles) in two different habitats in Peninsula Malaya, p.353-365. *In*: *Proced. Tropical Ecology & Development* (J. R. Furtado *ed.*). The International Society of Tropical Ecology. Kuala Lumpur.
- Matsuda, I., A. Tuuga, H. Bernard, J. Sugau, & G. Hanya. 2013. Leaf selection by two Bornean Colobine Monkeys in relation to plant chemistry and abundance. *Scientific Report* 3(1873)doi:10.1038/srep01873
- Matsuda, I., Tuuga, I., Bernard, H., 2011. Riverine refuging by proboscis monkeys (*Nasalis larvatus*) and sympatric primates: Implications for adaptive benefits of riverine habitat. *Mammalian Biology* 76: 165-171
- Matsuda, I., A. Tuuga, & S. Higashi. 2009. Ranging behavior of proboscis monkey in a riverine forest with special reference to ranging in inland forest. *International Journal of Primatology* 30:313-325.
- Manel, S., Ceri Williams, H. & Ormerod, SJ, 2001. Evaluating presence-absence

models in ecology: The need to account for prevalence. *Journal of Applied Ecology* 38 (5): 921-931.

McNelly, J.A., K.R. Miller, W.V. Reid, R.A. Miltermeiner and T.B. Werner. 1990.

Coserving the world's biological diversity, IUCN, Gland. Switzerland.

Megantara, E. R. 1989. Ecology, behaviour and sociality of *Presbytis femoralis* in the Central Sumatra. *Comparative Primatology Monographs* No. 2.

Menard, S. 2001. *Applied Logistic Regression Analysis*. Sage University Papers Series on Quantitative Application in the Social Sciences, 07-106. Thousand Oaks, CA: Sage.

Mike Allen (11 April 2017). *The SAGE Encyclopedia of Communication Research Methods*. SAGE Publications. p. 518. ISBN 978-1-4833-8142-8.

Miyoshi, K., Higashi, S., 2005. Home range and habitat use by the sable Martez zibellina brachyuran in Japanese cool-temperate mixed forest. *Ecological Research* 20:95-101

Montheith and M. H. Unsworth. 1991. *Principles of environmental ysics*. Second edition. Edward Arnold, London.

Morrison, M.L., Block, W.M., Strickland, M.D., Kendall, W.L. 2001. *Wildlife Study Design*. Springer-Verlag. New York Inc.

Mudappa, D., 2006. Day-bed choice by the brown palm civet (*Paradoxurus jerdoni*) in Western Ghats, India. *Mammalian Biology* 71: 238-243

Mueller-Dombois, D. dan H. Ellenberg. 1974. *Aims and Methods of Vegetation Ecology*. John Wiley & Sons. New York.

Napier J R and Napier. 1985. *The natural History of The Primates*. The MIT

press.Cambrige,Massachusetts.158:12-14,158.

Odum E.P. 1971. Fundamentals of Ecology. Sounders. Toronto

[Pemerintah RI]. 2015. Penetapan dua puluh lima satwa terancam punah prioritas untuk ditingkatkan populasinya sebesar 10% pada tahun 2015-2019.

Keputusan direktur Jenderal Konservasi Sumber Daya Alam dan Ekosistem Nomor SK. 180/IV-KKH/2015 tanggal 30 Juni 2015.

illips, S. J., Anderson, R. P., Schapire, R. E. 2006. Maximum entropy modeling of species geograic distributions. Ecological modelling 190: 231-259.

Porter,W.F. dan Church, K.E. 1987. Effects of Environmental Pattern on Habitat Preference Analysis. Journal of Wildlife Management. 51: 681-5.

Rajanathan, R. and E. L. Bennett. 1990. Notes on the sosial behaviour of wild proboscis monkeys (*Nasalis larvatus*). Malayan Nature Journal 44 : 35-44.

Roosmalen, M. G. G. Van. 1980. Habitat preferences, diet, feeding strategy and social organization of black spider monkey (*Ateles paniscus* Linnaeus, 1758) in Surinam. .D. Diss. Lanbowhogeschool. Wageningen.

Ruhyat, Y. 1983. Socioecological study of *Presbytis aygula* in West Java. Primates, 24 (3) : 394-359.

Salter, R. E., N. A. Mackenzie, N. Nightingale, K.M. Aken, and P. Chai. 1985. Habitat use, ranging behaviour and food habits of proboscis monkey *Nasalis larvatus* (Van Wurmb) in Sarawak. Primates 26 (4): 436-451.

SoendjotoMA.2005.Adaptasi bekantan (*Nasalis larvatus*)terhadaphutan karet:studikasusdiKabupaten Tabalong,Kalimantan Selatan[Disertasi]. Bogor:PascaSarjana,InstitutPertanianBogor.

- Soendjoto, M.A., H.S. Alikodra, M. Bismark, dan H. Setijanto. 2006. Aktivitas harian bekantan (*Nasalis larvatus* Wurmb) di hutan karet Kabupaten Tabalong, Kalimantan Selatan. *Biota* 11(2):101-109.
- Soendjoto, M.A., H.S. Alikodra, M. Bismark, dan H. Setijanto. 2005. Vegetasi tepi-baruh pada habitat bekantan (*Nasalis larvatus*) di hutan karet Kabupaten Tabalong, Kalimantan Selatan. *Biodiversitas* 6(1):40-44.
- Spalding, M., Kainuma, M., Collins, L., 2010. *World Atlas of Mangrove*. Taylor and Francis, Hoboken.
- Spurr, S.H. and B.V. Barnes. 1980. *Forest Ecology*. 3rd ed. New York: John Willey and Sons.
- Supriatna, J. dan Edy H. W. 2000. *Panduan Lapangan Primata Indonesia*. Yayasan Obor Indonesia. Jakarta.
- Teng, L., Liu, Z., Song, Y. L., Zeng, Z., 2004. Forage and bed sites characteristics of Indian muntjac (*Muntiacus muntjak*) in Hainan Island, China. *Ecological Research* 19: 675-681
- Van Schaik, C.P., van Ameragon, A., van Noordwijk, M.A., 1996. Riverine refuging by wild Sumatran long-tailed macaques. In: Fa, J.A., Lindburg, D.G. (Eds), *Evolution and Ecology of Macaque Societies*. Cambridge University Press, Cambridge, pp. 160-181
- Weins T.S, Dale B.C, Boyce M.S, Kershaw G.P. 2008. Three Way K-Fold Cross-Validation of Resource Selection Functions. *Ecological Modeling* 212: 244-255.
- Whitten, A. J. 1982. Diet and feeding behaviour of kloss gibbon on Siberut Island,

Indonesia. Folia Primatol. 37: 177-208.

Wilson, C.C. and W.L. Wilson. 1975. The influence of selective logging on primates
and some other animals in East Kalimantan. Folia Primatol 23: 245-275

Yeager, C.P. 1989. Feeding ecology of the proboscis monkey (*Nasalis larvatus*).
International Journal of Primatology 10(6): 497-530.

Yeager, C. P. 1991. Proboscis monkey (*Nasalis larvatus*) social organization: Inter
group patterns of association. Am. J. of Primatology 23: 73-86.

Yeager, C. P. 1991. Possible anti predator behaviour associated with river crossing
by proboscis monkey (*Nasalis larvatus*). Am. J. of Primatology 24: 61-66.

Yeager, C. P. and T. K. Blondal. 1992. Conservation status of proboscis monkey
(*Nasalis larvatus*) at Tanjung Puting Taman Nasional, Kalimantan Tengah,
Indonesia. Forest Biology and Conservation in Borneo. Center for Borneo
Studies Publication 2: 220-22