

DAFTAR PUSTAKA

- Alencar, D.B.D., F.C.T.D. Carvalho, R.H. Reboucas, D.R.D. Santos, K.M.D.S.P. Cavalcante, R.L.D. Lima, B.M. Baracho, R.M. Bezerra, F.A. Viana, R.H.S.D.F. Vieira, A.H. Sampaio, O.V.D. Sousa, and S.S. Sampaio. Bioactive extract of red seaweed *Pterocladia capillacea* and *Osmundaria obtusiloba* (Floridophyceae: Rhodophyta) with antioxidant and bacterial agglutination potential. *Asian Pacific Journal of Tropical Medicine*. 9(4): 372-279.
- Amaranggana, L. & N. Wathoni. 2017. Manfaat alga merah (Rhodophyta) sebagai sumber obat dari bahan alam. *Majalah Farmasetika*. 2(1): 16-19.
- Anggadiredja, J.T., A. Zatnika, H. Purwoto and Istini. 2011. Seaweed. Penebar Swadaya, Jakarta.
- Bamaniya, P.K., N.H. Joshi, A. Tiwari, and S. Shaji. 2022. Seaweed-classification, source and uses. *Agri-India Today*. 2(5): 54-57.
- Borja, A., A. Fontan, I. Muxika. 2013. Interaction between climate variables and human pressures upon a macroalgae population: implications for management. *Ocean Coast Magagement*. 76: 85-96.
- Bottalico, A. f.C.I. Delle, M. Fanelli. 2008. Growth and reproductive phenology of *Pterocladia capillacea* (Rhodophyta: Gelidiales) from the Southern Adriatic Sea. *Bot Mar*. 51: 124-131.
- Cleary, D.F.R., A.R.M. Polona, W. Renema, B.W. Hoeksema, P.G. Rachello-Dolmen, R.G. Moolenbeek, A. Budiyo, Yahmantoro, Y. Tuti, Giyanto, S.G.A. Draisma, W.F. Prud'homme van Reine, R. Hariyanto, A. Gittenberger, M.S. Rikoh, and N.J. de Voogd. 2016. Variation in the Composition of Corals, Fises, Sponges, echinoderms, ascidians, molluscs, foraminifera, and macroalgae across a pronounced in-to-offshore environmental gradient in the Jakarta Bay-Thousand Island Coral Reef Complex. *Marine Pollution Bulletin*. 1102: 701-717.
- Coppejans, E., A. Prathep, F. Leliaert, K. Lewmanomont, and O.D. Clerck. 2010. Seaweeds of Mu Ko Tha Lae Tai (SE Thailand), Methodologies and field guide to the dominant species. *Biodiversity Research and Training (BRT) Book Series*, Songkhla.
- Chung, I.C., R.L. Hwang, S.H. Lin, T.M. Wu, J.Y. Wu, S.W. Su, C.S. Chen, and T.M. Lee. 2007. Nutrients, temperature, and salinity as primary factors influencing the temporal dynamics of macroalgal abundances and assemblage structure on a Reef of Du- Lang Bay in Taitung in Souteastern Taiwan. *Bot Stud*. 48:419-433.
- Dahuri, R., J. Rais, S.P Ginting, & M.J. Sitepu. 2001. *Pengelolaan Sumberdaya Wilayah Pesisir dan Lautan Secara Terpadu*. PT. Pradnya Paramita, Jakarta.
- De Clerck, O., K.A. Bogaert, and F. Leliaert. Diversity and evolution of algae: primary endosymbiosis. *Advances in Botanical Research*. 64: 55-86.

- Friedlander, M. 2008. Advances in cultivation of Gelidiales. *J Appl Phycol.* 10. 229-236.
- Grover, J.P. and N. Mar. 2008. Phosphorus-dependent growth kinetics of 11 species of freshwater algae phosphorus-dependent growth kinetics of 11 species of freshwater algae. *Limnology.* 34(2): 341-348.
- Guiry, M.D. & Guiry, G.M. *AlgaeBase: world-wide electronic publication*; National University of Ireland: Galway, Ireland, 2021; Available online: <http://www.algaebase.org> (diakses pada 14 September 2022).
- Hadisusanto, S. S.C. Dewi, A. Milianda, R. Haryatfrehni, and I.Z.R. Sari. 2015. Macroalgal abundance in intertidal zone of Sarangan Beach, Gunungkidul, DIY. *KnE Life Sciences.* 2: 518-521.
- Han, Q. & Liu, D. 2014. Temporal and spatial variations in the distribution of macroalgal communities along the Yantai Coast, China. *Chinese Journal of Oceanology and Limnology.* 32 (3): 595-607.
- Harun, M. R.I. Montolalu and I.K. Suwetja. 2013. Characteristics of chemical physics carraggenan of seaweed *Kappaphycus alvarezii* at different harvest ages in Tihemngi Village Water, North Gorontalo District. *Jurnal Media Teknologi Hasil perikanan.* 1: 7-11.
- Hutabarat & Evans. 2001. *Pengantar Oseanografi.* Universitas Indonesia, Jakarta.
- Iha, C., M. Jamas, S.M.P.B. Guimarães, M.T. Fujii, D.W. Freshwater & M.C. Oliveira. 2017. *Pterocladia* (Gelidiales, Rhodophyta) species of Brazil including morphological studies of *Pterocladia media* and a reassessment of *Pterocladia taylorii*. *Phycologia*, 56(6): 624-637.
- Kasanah, N., Setyadi, Triyanto, dan T.I. Trialfianty. 2019. *Rumput laut Indonesia: keanekaragaman rumput laut di Gunung Kidul Yogyakarta.* UGM Press, Yogyakarta.
- Kasim, M., M.R. Jamil, and N. Irawati. 2017. Occurrence of macro-epiphyte on *Euchema spinosum* cultivated on floating cages. *AACL Bioflux.* 10(3): 633-639.
- Kim, H.G., O.D. Kim, & H.J. Son. 1997. Physicochemical and rheological properties of agar by physical treatment. *Korean J Food Nutr.* 10: 228-233.
- Kobayashi, M. and D. Fujita. 2014. Can thallus color of red algae be used as an environmental indicator in shallow waters. *Journal of Applied Phycology.* 26: 1123-1131.
- Krebs, C.J. 1999. *Ecological Methodology.* Second Edition. Addison Wesley Longman, Inc., New York.
- Kumar, M., A.J. Bijoy, R.S. Baghel, C.R.K. Reddy, and B. Jha. 2012. Selenium and spermine alleviate cadmium induced toxicity in the red seaweed *Gracilaria dura* by regulating antioxidants and DNA methylation. *Plant Physiology and Biochemistry.* 51: 129-138.

- Lalli, C.M. and T.R. Parsons. 1997. Biological Oceanography: An Introduction. Butterworth-Heinemann, Vancouver.
- Liu, X., J. Wen, W. Chen, and H. Du. 2019. Physiological effects of nitrogen deficiency and recovery on the Macroalga *Gracilariopsis lemaneiformis* (Rhodophyta). Journal of Phycology. 55(4): 830-839.
- McDermid, K.J., R.P. Kittle III, A. Veillet, S. Plouviez, L. Muehlstein, and G.H. Balazs. 2020. Identification of gastrointestinal microbiota in Hawaiian Green Turtles (*Chelonia mydas*). Evolutionary Bioinformatics. 16: 1-18.
- Megawati, C., M. Yusuf, & L. Maslukah. 2014. Sebaran kualitas perairan ditinjau dari zat hara, oksigen terlarut, dan pH di Perairan Selat Bali Bagian Selatan. Jurnal Oseanografi. 3 (2): 142-150.
- Mouga, T. and I.B. Fernandes. 2022. The red seaweed giant *Gelidium* (*Gelidium corneum*) for new bio-based materials in a circular economy framework. Earth. 3: 788-813.
- Mujiyanto, A.R. Syam, D. Wijaya and S.E. Purnamaningtyas. 2020. Sustainability water quality parameters for seaweed culture at muara gembong coastal area, Bekasi District. Ecological intensification: a new paragon for sustainable aquaculture. IOP Conf. Series: Earth and Environmental Science. 521 (012012): 1-13.
- Neto, A.I. 2000. Ecology and dynamics of two intertidal algal communities on the littoral of the island of sao miguel (Azores). Hydrobiologia. 432: 135-147.
- Nishinari, K. and Y. Fang. 2017. relation between structure and rheological/thermal properties of agar. a mini-review on the effect of alkali treatment and the role of agarpectin. Food Structure. 13: 24-34.
- Nybakken, J.W. 2002. Biologi Laut Suatu Pendekatan Ekologi. PT. Gramedia, Jakarta.
- Paiva, L., E. Lima, A.I. Neto, M. Marcone, and J. Baptista. 2016. Health-promoting ingredients from four selected azorean macroalgae. Food Research International. 8: 432-438.
- Paiva, L., E. Lima, A.I. Neto, M. Marcone, and J. Baptista. 2017. Nutritional and functional bioactivity value of selected azorean macroalgae: *Ulva compressa*, *Ulva rigida*, *Gelidium microdon*, and *Pterocladia capillacea*. Journal of Food Science. 82(7): 1757-1764.
- Patarra, R.F., C. Lha, L. Pereira and A.I. Neto. 2020. Concise review of the species *Pterocladia capillacea* (S.G. Gmelin) Santelices & Hommersand. Journal of Applied Phycology. 32: 787-808.
- Pereira, D.T., C. Simioni, E.P. Filipin, F. Bouvie, F. Ramlov, M. Maraschin, Z.L. Bouzon, and E.C. Schmidt. 2017. Effects of salinity on the physiology of the red macroalga, *Acanthophora spicifera* (Rhodophyta, Ceramiales). Acta Botanica Brasilica. 31(4): 555-565.
- Pimentel, F.B., R.C. Alves, F. Rodrigues, and M.B.P.P. Oliveira. macroalgae-derived ingredients for cosmetic industry- an update. Cosmetics. 5(2): 1-18.

- Porse, H. and Rudolph, B. 2017. The seaweed hydrocolloid industry: 2016 updates, requirements, and outlook. *J Appl Phycol.* 29: 2187–2200.
- Potapoca, M., J.F. Coles, E.M.P. Giddings, and H. Zappia. 2005. A comparison of the influences of urbanization in contrasting environmental settings on stream benthic algal assemblages. *Ameircan Fisheries Society Symposium.* 41: 333-359.
- Pramesti, R., A.B. Susanto, A.S. Wilis, A. Ridlo, Subagiyo, Y. Oktaviaris. 2016. Struktur komunitas dan anatomi rumput laut di Perairan Teluk Awur, Jepara dan Pantai Krakal, Yogyakarta. *Jurnal Kelautan Tropis.* 19(2): 81-94.
- Prathep, A., B. Wichachucherd, and P. Thongroy. 2007. Spatial and temporal variation in density and thallus morphology of *Turbinaria ornata* in Thailand. *Aquatic Botany.* 86: 132-138.
- Raikainen, M., R. Samson, and B. Yang. 2021. Global production of macroalgae and uses as food, dietary supplements and food additives. *GRASS.* 3(4): 1-20.
- Schmidt, É.C., Felix, M.R.d.L., Kreusch, M.G. 2016. Profiles of carotenoids and amino acids and total phenolic compounds of the red alga *Pterocladia capillacea* exposed to cadmium and different salinities. *J Appl Phycol.* 28: 1955–1963.
- Roleda, M.Y. and C.L. Hurd. 2019. Seaweed nutrient physiology: application of concepts to aquaculture and bioremediation. *Phycologia.* 58(5): 552-562.
- Sangil, C., G.M. Martins, J.C. Hernández, F. Alves, A.I. Neto, C. Ribeiro, K. León-Cisneros, J.C. Clode, E.R. Alquicira, J.C. Mendoza, I. Titley, F. Wallenstein, R.P. Couto & M. Kaufmann. 2018. Shallow subtidal macroalgae in the north-eastern atlantic archipelagos (macaronesian region): a spatial approach to community structure. *European Journal of Phycology.* 53(1): 83-98.
- Santelices, B and M. Hoomersand. 1997. *Pterocladia*, a new genus in the gelidiaceae (Gelidiales, Rhodophyta), *Phycologia.* 36(2): 114-119.
- Schober, P., C. Boer, and L.A. Schwarte. 2018. Correlation coefficients: appropriate use and interpretation. *Anesthesia & Analgesia.* 126(5): 1763-1768.
- Farrell, A.P. 2011. *Encycolpedia of Fish Physiology.* Elsevier, Amsterdam.
- Seo, Y.B., Y.W. Lee, C.H. Lee, and H.C. You. 2010. Red algae and their papaermaking. *Bioresource Technology.* 101: 2549-2553.
- Shuheng Y., Xulei W. and Guangce W. 2022. *Pterocladia xiae* sp. nov. (Gelidiales, Rhodophyta), a new species from Southern China. *Phycologia.* 61(2): 166-174.
- Suhana, M.P. 2018. Karakteristik sebaran menegak dan melintang suhu dan salinitas Perairan Selatan Jawa. *Jurnal Dinamika Maritim* 6(2): 9-11.
- Susana, T. 2009. Tingkat keasaman (ph) dan oksigen terlarut sebagai indikator kualitas perairan Sekitar Muara Sungai Cisadane. *Jurnal Teknologi Lingkungan.* 5 (2) :33-39.

- Surni, W. 2014. Pertumbuhan rumput laut (*Eucheuma cottonii*) pada kedalaman air laut yang berbeda di Dusun Kotania Desa Eti Kecamatan Seram Barat kabupaten Seram Bagian Barat. Biopendix. 1(1): 95-104.
- Tuwo, A., Rizkaauliana, M.F. Samawi, R. Aprianto, J. Trenati. 2020. feasibility study of seaweed farming *Kappaphycus alvarezii* in Sub-District North Pulau Laut and Sub-District east Pulau Laut Kota Baru Regency, South Borneo, Indonesia. IOP Conference Series: Earth and Environmental Science. 564: 1-12.