

DAFTAR PUSTAKA

- Agustini, T. W., Ma'ruf, W. F., Widayat, Suzery, M., & Hadiyanto. (2016). Application of *Spirulina platensis* on ice cream and soft cheese with respect to their nutritional and sensory perspectives. *Jurnal Teknologi*, 78(4–2), 245–251.
- Ak, B., Avsaroglu, E., Isik, O., Izyurt, G., & Kafkas, E. (2016). Nutritional and Physicochemical characteristics of bread enriched with microalgae *spirulina platensis*. *Journal of Engineering Research and Application*, 6(12), 30–38.
- Akhtar, M. J., Jacquot, M., Arab-Tehrany, E., Gaïani, C., Linder, M., & Desobry, S. (2010). Control of salmon oil photo-oxidation during storage in hpmc packaging film: Influence of film colour. *Food Chemistry*, 120(2), 395–401. <https://doi.org/10.1016/j.foodchem.2009.10.010>
- Akoh, C. C. (Ed.). (2017). Crystallization Behavior of Fats: Effects of Processing Conditions. In *Food Lipids* (0 ed., pp. 345–366). CRC Press. <https://doi.org/10.1201/9781315151854-20>
- Ali, S. K., & Saleh, A. M. (2012). *Spirulina – An Overview*. *International Journal of Pharmacy and Pharmaceutical Sciences*, 4(3), 9–15.
- Allen, J. C., & Hamilton, R. J. (1994). *Rancidity in Foods* (3rd ed). Blackie academic and professional.
- Aluç, Y. (2022). Carotenoid Composition and Investigation of the Antioxidant Activity of *Phormidium* Sp. *Marine Science and Technology Bulletin*. <https://doi.org/10.33714/masteb.1106896>
- Ambrozova, J., Misurcova, L., Vicha, R., Machu, L., Samek, D., Baron, M., Mlcek, J., Sochor, J., & Jurikova, T. (2014). influence of extractive solvents on lipid and fatty acids content of edible freshwater algal and seaweed products, the green microalga *chlorella kessleri* and the cyanobacterium *spirulina platensis*. *Molecules*, 19(2), 2344–2360. <https://doi.org/10.3390/molecules19022344>
- AOCS. (2017). *p-Anisidine value: AOCS Official Method Cd 18–90*. AOCS Press (second printing).
- Apak, R., Gorinstein, S., Böhm, V., Schaich, K. M., Özyürek, M., & Güçlü, K. (2013). Methods of measurement and evaluation of natural antioxidant capacity/activity (IUPAC Technical Report). *Pure and Applied Chemistry*, 85(5), 957–998. <https://doi.org/10.1351/PAC-REP-12-07-15>

- Aschida, C. J., Adhitiyawarman, & Destiarti, L. (2014). enkapsulasi dan uji stabilitas pigmen karotenoid dari buah tomat yang tersalut carboxy methyl cellulose (CMC). *Jurnal Kimia Khatulistiwa*, 3(2), 44–49.
- Ayu, D. F., Aminah, S., & Diharmi, A. (2021). Photo-oxidation stability of mayonnaise from striped catfish and red palm mixture oil. *IOP Conference Series: Earth and Environmental Science*, 757(1), 012052. <https://doi.org/10.1088/1755-1315/757/1/012052>
- Bailey, A. E., & Shahidi, F. (2005). *Bailey's Industrial Oil & Fat Products: Edited by Fereidoon Shahidi* (6th ed). John Wiley & Sons.
- Barkallah, M., Dammak, M., Louati, I., Hentati, F., Hadrich, B., Mechichi, T., Ayadi, M. A., Fendri, I., Attia, H., & Abdelkafi, S. (2017). Effect of *Spirulina platensis* Fortification On Physicochemical, Textural, Antioxidant And Sensory Properties Of Yogurt During Fermentation And Storage. *LWT*, 84, 323–330. <https://doi.org/10.1016/j.lwt.2017.05.071>
- Belitz, H.-D., Grosch, W., & Schieberle, P. (2009). *Food chemistry* (4th rev. and extended ed). Springer.
- Black, H. S. (2002). Pro-Oxidant And Anti-Oxidant Mechanism S Of BHT And B-Carotene In Photocarcinogenesis. *Frontiers in Bioscience*, 7(4), d1044-1055. <https://doi.org/10.2741/A830>
- Bradley, D. G., & Min, D. B. (1992). Singlet Oxygen Oxidation of Foods. *Critical Reviews in Food Science and Nutrition*, 31(3), 211–236. <https://doi.org/10.1080/10408399209527570>
- Budilarto, E. S., & Kamal-Eldin, A. (2015). The supramolecular chemistry of lipid oxidation and antioxidation in bulk oils. *European Journal of Lipid Science and Technology: EJLST*, 117(8), 1095–1137. <https://doi.org/10.1002/ejlt.201400200>
- Calder, P. C. (2013). Omega-3 polyunsaturated fatty acids and inflammatory processes: Nutrition or pharmacology? *British Journal of Clinical Pharmacology*, 75(3), 645–662. <https://doi.org/10.1111/j.1365-2125.2012.04374.x>
- Camejo, D., Jiménez, A., Alarcón, J. J., Torres, W., Gómez, J. M., & Sevilla, F. (2006). Changes in photosynthetic parameters and antioxidant activities following heat-shock treatment in tomato plants. *Functional Plant Biology*, 33(2), 177. <https://doi.org/10.1071/FP05067>
- Carvajal, A. K., Mozuraityte, R., Standal, I. B., Storror, I., & Aursand, M. (2014). Antioxidants in Fish Oil Production for Improved Quality. *Journal of the*

American Oil Chemists' Society, 91(9), 1611–1621.
<https://doi.org/10.1007/s11746-014-2508-0>

Choe, E., & Min, D. B. (2006). Mechanisms and factors for edible oil oxidation. *Comprehensive Reviews in Food Science and Food Safety*, 5(4), 169–186.
<https://doi.org/10.1111/j.1541-4337.2006.00009.x>

Coulter, T. P. (2009). *Food: The Chemistry of Its Components* (5th ed). Royal Society of Chemistry.

Dey, S., & Rathod, V. K. (2013). Ultrasound assisted extraction of β -carotene from *Spirulina platensis*. *Ultrasonics Sonochemistry*, 20(1), 271–276.
<https://doi.org/10.1016/j.ultsonch.2012.05.010>

Domínguez, R., Pateiro, M., Gagaoua, M., Barba, F. J., Zhang, W., & Lorenzo, J. M. (2019). A comprehensive review on lipid oxidation in meat and meat products. *Antioxidants*, 8(10), 429. <https://doi.org/10.3390/antiox8100429>

Embuscado, M. E. (2015). Spices and herbs: Natural sources of antioxidants – a mini review. *Journal of Functional Foods*, 18, 811–819.
<https://doi.org/10.1016/j.jff.2015.03.005>

Endo, Y., Usuki, R., & Kaneda, T. (1985). Antioxidant effects of chlorophyll and pheophytin on the autoxidation of oils in the dark. I. Comparison of the inhibitory effects. *Journal of the American Oil Chemists' Society*, 62(9), 1375–1378. <https://doi.org/10.1007/BF02545962>

Fahrurroziy, W. (2022). *Pengaruh Fotooksidasi Selama Penyimpanan terhadap Karakteristik Minuman Jeli yang Difortifikasi Nanokapsul Karotenoid Arthrospira Platensis* [Skripsi]. Universitas Gadjah Mada.

Frankel, E. N. (2012). Photooxidation of Unsaturated Fats. In *Lipid Oxidation* (pp. 51–66). Elsevier. <https://doi.org/10.1533/9780857097927.51>

Garvín, A., Ibarz, R., & Ibarz, A. (2021). Photodegradation in Foods. In *Innovative Food Processing Technologies* (pp. 345–367). Elsevier.
<https://doi.org/10.1016/B978-0-08-100596-5.22950-8>

Golmakani, M.-T., Moosavi-Nasab, M., Keramat, M., & Mohammadi, M.-A. (2018). *Arthrospira platensis* extract as a natural antioxidant for improving oxidative stability of common kilka (*clupeonella cultriventris caspia*) oil. *Turkish Journal of Fisheries and Aquatic Sciences*, 18(11).
https://doi.org/10.4194/1303-2712-v18_11_08

- Gong, M., & Bassi, A. (2016). Carotenoids from microalgae: A review of recent developments. *Biotechnology Advances*, 34(8), 1396–1412. <https://doi.org/10.1016/j.biotechadv.2016.10.005>
- Gordon, M. H. (2001). Measuring Antioxidant Activity. In *Antioxidants in Food* (pp. 71–84). Elsevier. <https://doi.org/10.1016/9781855736160.1.71>
- Goulson, M. J., & Warthesen, J. J. (1999). Stability and antioxidant activity of beta carotene in conventional and high oleic canola oil. *Journal of Food Science*, 64(6), 996–999. <https://doi.org/10.1111/j.1365-2621.1999.tb12267.x>
- Grossman, A. R., Lohr, M., & Im, C. S. (2004). *Chlamydomonas reinhardtii* in the Landscape of Pigments. *Annual Review of Genetics*, 38(1), 119–173. <https://doi.org/10.1146/annurev.genet.38.072902.092328>
- Guleria, S., Tikku, A. K., Koul, A., Gupta, S., Singh, G., & Razdan, V. K. (2013). Antioxidant and antimicrobial properties of the essential oil and extracts of *Zanthoxylum alatum* grown in north-western Himalaya. *TheScientificWorldJournal*, 2013, 790580. <https://doi.org/10.1155/2013/790580>
- Haila, K., Hopia, A., & Heinonen, M. (2000). Effects of β -carotene and retinal on the formation of methyl linoleate hydroperoxides. *European Journal of Lipid Science and Technology: EJLST*, 102(1), 31–36.
- Halliwell, B. (2007). Biochemistry of oxidative stress. *Biochemical Society Transactions*, 35(5), 1147–1150. <https://doi.org/10.1042/BST0351147>
- Henrikson, R. (2010). *Spirulina world food: How this micro algae can transform your health and our planet* (Updated and rev). Ronore Enterprises, Inc.
- Hrycay, E. G., & Bandiera, S. M. (2015). Involvement of Cytochrome P450 in Reactive Oxygen Species Formation and Cancer. In *Advances in Pharmacology* (Vol. 74, pp. 35–84). Elsevier. <https://doi.org/10.1016/bs.apha.2015.03.003>
- Hu, M., Jacobsen, C., & American Oil Chemists' Society (Eds.). (2016). *Oxidative Stability and Shelf Life of Foods Containing Oils and Fats*. Elsevier/AP, Academic Press is an imprint of Elsevier ; AOCS Press.
- Indrasena, W. M., & Barrow, C. J. (2010). Oxidation and Stability of Food-Grade Fish Oil: Role of Antioxidants. In C. Alasalvar, F. Shahidi, K. Miyashita, & U. Wanasundara (Eds.), *Handbook of Seafood Quality, Safety and Health Applications* (pp. 317–334). Wiley-Blackwell. <https://doi.org/10.1002/9781444325546.ch26>

- Ismail, A., Bannenberg, G., Rice, H. B., Schutt, E., & MacKay, D. (2016). Oxidation in EPA- and DHA-rich oils: An overview. *Lipid Technology*, 28(3–4), 55–59. <https://doi.org/10.1002/lite.201600013>
- Jackowski, S. A., Alvi, A. Z., Mirajkar, A., Imani, Z., Gamalevych, Y., Shaikh, N. A., & Jackowski, G. (2015). Oxidation levels of North American over-the-counter n-3 (omega-3) supplements and the influence of supplement formulation and delivery form on evaluating oxidative safety. *Journal of Nutritional Science*, 4, e30. <https://doi.org/10.1017/jns.2015.21>
- Jung, C. H. G., Braune, S., Waldeck, P., Küpper, J.-H., Petrick, I., & Jung, F. (2021). Morphology and Growth of *Arthrospira platensis* during Cultivation in a flat-type bioreactor. *Life*, 11(6), 536. <https://doi.org/10.3390/life11060536>
- Kim, S. H., Kim, M. S., Lee, B. Y., & Lee, P. C. (2016). Generation of structurally novel short carotenoids and study of their biological activity. *Scientific Reports*, 6(1), 21987. <https://doi.org/10.1038/srep21987>
- Kiokias, S., & Gordon, M. H. (2004). Antioxidant Properties of carotenoids in vitro and in vivo. *Food Reviews International*, 20(2), 99–121. <https://doi.org/10.1081/FRI-120037155>
- Kobayashi, M., & Sakamoto, Y. (1999). Singlet oxygen quenching ability of astaxanthin esters from the green alga *Haematococcus pluvialis*. *Biotechnology Letters*, 21(4), 265–269. <https://doi.org/10.1023/A:1005445927433>
- Kulas, E., Olsen, E., & Ackmen, R. (2002). Effect of α -, γ -, and δ -tocopherol on the distribution of volatile secondary oxidation products in fish oil. *European Journal of Lipid Science and Technology: EJLST*, 104(8), 520–529. [http://dx.doi.org/10.1002/1438-9312\(200208\)104:8%3C520::AID-EJLT520%3E3.0.CO;2-H](http://dx.doi.org/10.1002/1438-9312(200208)104:8%3C520::AID-EJLT520%3E3.0.CO;2-H)
- Kumar, A., Ramamoorthy, D., Verma, D. K., Kumar, A., Kumar, N., Kanak, K. R., Marwein, B. M., & Mohan, K. (2022). Antioxidant and phytonutrient activities of *Spirulina platensis*. *Energy Nexus*, 6, 100070. <https://doi.org/10.1016/j.nexus.2022.100070>
- Lanigan, R. S. (2002). Final Report on the Safety Assessment of BHT. *International Journal of Toxicology*, 21(2_suppl), 19–94. <https://doi.org/10.1080/10915810290096513>
- Lee, C. Y., Nanah, C. N., Held, R. A., Clark, A. R., Huynh, U. G. T., Maraskine, M. C., Uzarski, R. L., McCracken, J., & Sharma, A. (2015). Effect of

electron donating groups on polyphenol-based antioxidant dendrimers. *Biochimie*, 111, 125–134. <https://doi.org/10.1016/j.biochi.2015.02.001>

Lee, S. H., & Min, D. B. (1990). Effects, quenching mechanisms, and kinetics of carotenoids in chlorophyll-sensitized photooxidation of soybean oil. *Journal of Agricultural and Food Chemistry*, 38(8), 1630–1634. <https://doi.org/10.1021/jf00098a002>

Leonardis, A. D., & Macciola, V. (2003). Effectiveness of caffeic acid as an antioxidant for cod liver oil: Caffeic acid and cod liver oil oxidation. *International Journal of Food Science & Technology*, 38(4), 475–480. <https://doi.org/10.1046/j.1365-2621.2003.00707.x>

Li, Y., Ghasemi Naghdi, F., Garg, S., Adarme-Vega, T., Thurecht, K. J., Ghafor, W., Tannock, S., & Schenk, P. M. (2014). A comparative study: The impact of different lipid extraction methods on current microalgal lipid research. *Microbial Cell Factories*, 13(1), 14. <https://doi.org/10.1186/1475-2859-13-14>

Liang, R., Liu, Y., Fu, L.-M., Ai, X.-C., Zhang, J.-P., & Skibsted, L. H. (2012). Antioxidants and physical integrity of lipid bilayers under oxidative stress. *Journal of Agricultural and Food Chemistry*, 60(41), 10331–10336. <https://doi.org/10.1021/jf3030979>

Liu, Y., Zhang, C., Cui, B., Wang, M., Fu, H., & Wang, Y. (2021). Carotenoid-enriched oil preparation and stability analysis during storage: Influence of oils' chain length and fatty acid saturation. *LWT*, 151, 112163. <https://doi.org/10.1016/j.lwt.2021.112163>

Maulina, I. D. (2011). *Uji Stabilitas Fisik dan Antioksidan Sediaan Krim yang Mengandung Ekstrak Wortel (Daucus carota L.)*. Universitas Indonesia.

Mazinani, S., Fadaei, V., & Khosravi-Darani, K. (2016). Impact of *spirulina platensis* on physicochemical properties and viability of *lactobacillus acidophilus* of probiotic uf feta cheese: microalgal incorporation probiotic uf feta cheese. *Journal of Food Processing and Preservation*, 40(6), 1318–1324. <https://doi.org/10.1111/jfpp.12717>

McClements, D. J., Decker, E., & Elias, R. J. (Eds.). (2010). *Oxidation in Foods and Beverages and Antioxidant Applications*. Woodhead Pub.

Medina-Meza, I. G., Barnaba, C., & Barbosa-Cánovas, G. V. (2014). Effects of high pressure processing on lipid oxidation: A review. *Innovative Food Science & Emerging Technologies*, 22, 1–10. <https://doi.org/10.1016/j.ifset.2013.10.012>

- Meira, M., Quintella, C. M., Tanajura, A. dos S., da Silva, H. R. G., Fernando, J. D. S., da Costa Neto, P. R., Pepe, I. M., Santos, M. A., & Nascimento, L. L. (2011). Determination of the oxidation stability of biodiesel and oils by spectrofluorimetry and multivariate calibration. *Talanta*, 85(1), 430–434. <https://doi.org/10.1016/j.talanta.2011.04.002>
- Min, D. B., & Boff, J. M. (2002). Chemistry and Reaction of Singlet Oxygen in Foods. *Comprehensive Reviews in Food Science and Food Safety*, 1(2), 58–72. <https://doi.org/10.1111/j.1541-4337.2002.tb00007.x>
- Moffat, C. F., & McGill, A. S. (1993). Variability of the composition of fish oils: Significance for the diet. *Proceedings of the Nutrition Society*, 52(3), 441–456. <https://doi.org/10.1079/PNS19930085>
- Mozuraityte, R., Kristinova, V., Standal, I. B., Carvajal, A. K., & Aursand, M. (2016). Oxidative Stability and Shelf Life of Fish Oil. In *Oxidative Stability and Shelf Life of Foods Containing Oils and Fats* (pp. 209–231). Elsevier. <https://doi.org/10.1016/B978-1-63067-056-6.00005-7>
- Musakhanian, J., Rodier, J.-D., & Dave, M. (2022). Oxidative stability in lipid formulations: a review of the mechanisms, drivers, and inhibitors of oxidation. *AAPS PharmSciTech*, 23(5), 151. <https://doi.org/10.1208/s12249-022-02282-0>
- Musser, A. J., Maiuri, M., Brida, D., Cerullo, G., Friend, R. H., & Clark, J. (2015). The nature of singlet exciton fission in carotenoid aggregates. *Journal of the American Chemical Society*, 137(15), 5130–5139. <https://doi.org/10.1021/jacs.5b01130>
- Navarro-García, G., Gámez-Meza, N., Medina-Juárez, L. A., Ortega-García, J., Cota-Quinones, E., & Ramirez-Suarez, J. C. (2017). Natural antioxidants in the stability of ray liver oil. *Ciência Rural*, 47(1). <https://doi.org/10.1590/0103-8478cr20160240>
- Nichols, P. D. (2012). Fish Oil Sources. In *Long-Chain Omega-3 Specialty Oils* (pp. 23–42). Elsevier. <https://doi.org/10.1533/9780857097897.23>
- Olsen, E., Vogt, G., Saarem, K., Greibrokk, T., & Nilsson, A. (2005). Autoxidation of cod liver oil with tocopherol and ascorbyl palmitate. *Journal of the American Oil Chemists' Society*, 82(2), 97–103. <https://doi.org/10.1007/s11746-005-1049-6>
- Ouchi, A., Aizawa, K., Iwasaki, Y., Inakuma, T., Terao, J., Nagaoka, S., & Mukai, K. (2010). Kinetic study of the quenching reaction of singlet oxygen by carotenoids and food extracts in solution. development of a Singlet Oxygen

- Absorption Capacity (SOAC) Assay Method. *Journal of Agricultural and Food Chemistry*, 58(18), 9967–9978. <https://doi.org/10.1021/jf101947a>
- Pahlevi, Y. W., Estiasih, T., & Saparianti, E. (2008). Mikroenkapsulasi ekstrak karotenoid dari spora kapang oncom merah (*Neurospora* sp.) dengan bahan penyalut berbasis protein menggunakan metode pengeringan semprot. *Jurnal Teknologi Pertanian*, 9(1), 31–39.
- Phung, A. S., Bannenberg, G., Vigor, C., Reversat, G., Oger, C., Roumain, M., Galano, J.-M., Durand, T., Muccioli, G. G., Ismail, A., & Wang, S. C. (2020). Chemical compositional changes in over-oxidized fish oils. *foods (Basel, Switzerland)*, 9(10), 1501. <https://doi.org/10.3390/foods9101501>
- Pimpa, B., Kanjanasopa, D., & Boonlam, S. (2009). Effect of Addition of Antioxidants on the Oxidative Stability of Refined Bleached and Deodorized Palm Olein. *Agriculture and Natural Resources*, 43(2), 370–377.
- Pryor, W. A. (1976). *Free Radicals in Biology*. Academic Press.
- Psomiadou, E., & Tsimidou, M. (2002). Stability of virgin olive oil. 2. Photo-oxidation studies. *Journal of Agricultural and Food Chemistry*, 50(4), 722–727. <https://doi.org/10.1021/jf010847u>
- Pullen, J., & Saeed, K. (2012). An overview of biodiesel oxidation stability. *Renewable and Sustainable Energy Reviews*, 16(8), 5924–5950. <https://doi.org/10.1016/j.rser.2012.06.024>
- Rao, A., & Rao, L. (2007). Carotenoids and human health. *Pharmacological Research*, 55(3), 207–216. <https://doi.org/10.1016/j.phrs.2007.01.012>
- Rawls, H. R., & Van Santen, P. J. (1970). A possible role for singlet oxygen in the initiation of fatty acid autoxidation. *Journal of the American Oil Chemists Society*, 47(4), 121–125. <https://doi.org/10.1007/BF02640400>
- Ribeiro, D., Freitas, M., Silva, A. M. S., Carvalho, F., & Fernandes, E. (2018). Antioxidant and pro-oxidant activities of carotenoids and their oxidation products. *Food and Chemical Toxicology*, 120, 681–699. <https://doi.org/10.1016/j.fct.2018.07.060>
- Riyanto, R. (2014). Produk Oksidasi Kolesterol (Cholesterol Oxidation Product/OCP) pada Produk Perikanan. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 1(1), 15. <https://doi.org/10.15578/squalen.v1i1.73>
- Roby, M. H. H., Sarhan, M. A., Selim, K. A.-H., & Khalel, K. I. (2013). Evaluation of antioxidant activity, total phenols and phenolic compounds in thyme

(*Thymus vulgaris* L.), sage (*Salvia officinalis* L.), and marjoram (*Origanum majorana* L.) extracts. *Industrial Crops and Products*, 43, 827–831. <https://doi.org/10.1016/j.indcrop.2012.08.029>

Rontani, J.-F., & Belt, S. T. (2020). Photo- and autoxidation of unsaturated algal lipids in the marine environment: An overview of processes, their potential tracers, and limitations. *Organic Geochemistry*, 139, 103941. <https://doi.org/10.1016/j.orggeochem.2019.103941>

Rosanita, E. N. (2014). *Mikroenkapsulasi Betakaroten *S. platensis* dengan Enkapsulan Maltodekstrin dan Konsentrat Whey Protein*. Universitas Gadjah Mada.

Rukmini, A., & Raharjo, S. (2010). Pattern of peroxide value changes in Virgin Coconut Oil (VCO) due to photo-oxidation sensitized by chlorophyll. *Journal of the American Oil Chemists' Society*, 87(12), 1407–1412. <https://doi.org/10.1007/s11746-010-1641-7>

Rukmini, A., Raharjo, S., Hastuti, P., & Supriyadi. (2011). *quality deterioration in commercial virgin coconut oil due to photooxidation and autooxidation*. 31(4), 281–288.

Safafar, H., van Wagenen, J., Møller, P., & Jacobsen, C. (2015). Carotenoids, phenolic compounds and tocopherols contribute to the antioxidative properties of some microalgae species grown on industrial wastewater. *Marine Drugs*, 13(12), 7339–7356. <https://doi.org/10.3390/md13127069>

Sakamoto, A., Saotome, M., Iguchi, K., & Maekawa, Y. (2019). Marine-derived omega-3 polyunsaturated fatty acids and heart failure: current understanding for basic to clinical relevance. *International Journal of Molecular Sciences*, 20(16), 4025. <https://doi.org/10.3390/ijms20164025>

Sandmann, G. (2019). Antioxidant protection from uv- and light-stress related to carotenoid structures. *Antioxidants*, 8(7), 219. <https://doi.org/10.3390/antiox8070219>

Sang, W., & Jin, Z. T. (2004). Lipid oxidation of fish liver oil as affected by light, antioxidants and temperature. *Journal of Food Processing and Preservation*, 28(1), 1–10. <https://doi.org/10.1111/j.1745-4549.2004.tb00533.x>

Santos, R. D., Shetty, K., & da Silva Miglioranza, L. H. (2014). Oxidative stability of butter with added phenolics from Lamiaceae herbs and *in vitro* evaluation of potential cytotoxicity of rosemary (*Rosmarinus officinalis* L.) extract. *International Journal of Food Science & Technology*, 49(3), 768–775. <https://doi.org/10.1111/ijfs.12364>

- Sasso, S., Pohnert, G., Lohr, M., Mittag, M., & Hertweck, C. (2012). Microalgae in the postgenomic era: A blooming reservoir for new natural products. *FEMS Microbiology Reviews*, 36(4), 761–785. <https://doi.org/10.1111/j.1574-6976.2011.00304.x>
- Seghiri, R., Kharbach, M., & Essamri, A. (2019). Functional Composition, Nutritional Properties, and Biological Activities of Moroccan *Spirulina* Microalga. *Journal of Food Quality*, 2019, 1–11. <https://doi.org/10.1155/2019/3707219>
- Seyidoglu, N., Inan, S., & Aydin, C. (2017). A Prominent Superfood: *Spirulina platensis*. In N. Shiomi & V. Waisundara (Eds.), *Superfood and Functional Food—The Development of Superfoods and Their Roles as Medicine*. InTech. <https://doi.org/10.5772/66118>
- Shahidi, F., & Zhong, Y. (2010). Lipid oxidation and improving the oxidative stability. *Chemical Society Reviews*, 39(11), 4067. <https://doi.org/10.1039/b922183m>
- Shahidi, F., & Zhong, Y. (2015). Measurement of antioxidant activity. *Journal of Functional Foods*, 18, 757–781. <https://doi.org/10.1016/j.jff.2015.01.047>
- Shantha, N. C., & Decker, E. A. (1994). Rapid, sensitive, iron-based spectrophotometric methods for determination of peroxide values of food lipids. *Journal of AOAC INTERNATIONAL*, 77(2), 421–424. <https://doi.org/10.1093/jaoac/77.2.421>
- Simopoulos, A. P. (1986). Summary of the conference on the health effects of polyunsaturated fatty acids in seafoods. *The Journal of Nutrition*, 116(12), 2350–2354. <https://doi.org/10.1093/jn/116.12.2350>
- Siziya, I. N., Hwang, C. Y., & Seo, M.-J. (2022). Antioxidant potential and capacity of microorganism-sourced C30 carotenoids—A Review. *Antioxidants*, 11(10), 1963. <https://doi.org/10.3390/antiox11101963>
- Spínola, M. P., Costa, M. M., & Prates, J. A. M. (2022). Digestive constraints of *arthrospira platensis* in poultry and swine feeding. *Foods*, 11(19), 2984. <https://doi.org/10.3390/foods11192984>
- Tamura, H., & Ishikita, H. (2020). Quenching of singlet oxygen by carotenoids via ultrafast superexchange dynamics. *The Journal of Physical Chemistry A*, 124(25), 5081–5088. <https://doi.org/10.1021/acs.jpca.0c02228>
- Tang, Y. C., & Chen, B. H. (2000). Pigment change of freeze-dried carotenoid powder during storage. *Food Chemistry*, 69(1), 11–17. [https://doi.org/10.1016/S0308-8146\(99\)00216-2](https://doi.org/10.1016/S0308-8146(99)00216-2)

- Tapiero, H., Townsend, D. M., & Tew, K. D. (2004). The role of carotenoids in the prevention of human pathologies. *Biomedicine & Pharmacotherapy = Biomedecine & Pharmacotherapie*, 58(2), 100–110. <https://doi.org/10.1016/j.biopha.2003.12.006>
- Tengku-Rozaina, T. M., & Birch, E. J. (2013). Physicochemical characterisation and oxidative stability of refined hoki oil, unrefined hoki oil and unrefined tuna oil. *International Journal of Food Science & Technology*, n/a-n/a. <https://doi.org/10.1111/ijfs.12222>
- Tounekti, T., & Munné-Bosch, S. (2012). Enhanced phenolic diterpenes antioxidant levels through non-transgenic approaches. *Critical Reviews in Plant Sciences*, 31(6), 505–519. <https://doi.org/10.1080/07352689.2012.696457>
- Usydus, Z., Polak-Juszczak, L., Dobrzański, Z., & Malesa-Ciećwierz, M. (2007). Study on the nutritive value of raw fish oils. *Pol. J. Food Nutr. Sci.*, 57(4C), 593–596.
- Velikova, V., Pinelli, P., Pasqualini, S., Reale, L., Ferranti, F., & Loreto, F. (2005). Isoprene decreases the concentration of nitric oxide in leaves exposed to elevated ozone. *New Phytologist*, 166(2), 419–426. <https://doi.org/10.1111/j.1469-8137.2005.01409.x>
- Viljanen, K., Sundberg, S., Ohshima, T., & Heinonen, M. (2002). Carotenoids as antioxidants to prevent photooxidation. *European Journal of Lipid Science and Technology*, 104(6), 353–359. [https://doi.org/10.1002/1438-9312\(200206\)104:6<353::AID-EJLT353>3.0.CO;2-5](https://doi.org/10.1002/1438-9312(200206)104:6<353::AID-EJLT353>3.0.CO;2-5)
- Wahyu, A. P., & Yanuar, E. K. (2010). Optimasi Proses Ekstraksi Pigmen Karotenoid dari *Spirulina Platensis*. *Universitas Dipenogoro*.
- Warner, K., & Frankel, E. N. (1987). Effects of β -carotene on light stability of soybean oil. *Journal of the American Oil Chemists' Society*, 64(2), 213–218. <https://doi.org/10.1007/BF02542004>
- Warner, K., & Michael Eskin, N. (1995). *Methods to Access Quality and Stability of Oils and Fat-Containing Foods*. AOCS Publishing. <https://doi.org/10.1201/9781439831984>
- Wollina, U., Voicu, C., Gianfaldoni, S., Lotti, T., França, K., & Tchernev, G. (2018). *Arthrospira Platensis*—Potential in dermatology and beyond. *Open Access Macedonian Journal of Medical Sciences*, 6(1), 176–180. <https://doi.org/10.3889/oamjms.2018.033>

- Ye, L., Harris, E., Ritter, J., & Budge, S. (2020). *Flavors' decreasing contribution to p-anisidine value over shelf life may invalidate the GOED Recommended protocol for flavored fish oils* [Data set]. Authorea, Inc. <https://doi.org/10.22541/au.158742099.91557106>
- Yin, F., Sun, X., Zheng, W., Luo, X., Zhang, Y., Yin, L., Jia, Q., & Fu, Y. (2021). Screening of highly effective mixed natural antioxidants to improve the oxidative stability of microalgal DHA-rich oil. *RSC Advances*, 11(9), 4991–4999. <https://doi.org/10.1039/D0RA10312H>
- Young, A. J., & Lowe, G. M. (2001). Antioxidant and prooxidant properties of carotenoids. *Archives of Biochemistry and Biophysics*, 385(1), 20–27. <https://doi.org/10.1006/abbi.2000.2149>
- Zhang, P., & Omaye, S. T. (2001). Antioxidant and prooxidant roles for β -carotene, α -tocopherol and ascorbic acid in human lung cells. *Toxicology in Vitro*, 15(1), 13–24. [https://doi.org/10.1016/S0887-2333\(00\)00054-0](https://doi.org/10.1016/S0887-2333(00)00054-0)
- Zhang, Y., Liu, Y., & Lv, Q. (2016). DFT study on the quenching mechanism of singlet oxygen by lycopene. *RSC Advances*, 6(100), 98498–98505. <https://doi.org/10.1039/C6RA19639J>
- Zheng, S., & Chen, T. C. (2016). Fish, Fish Oil, and Liver Cancer. In *Fish and Fish Oil in Health and Disease Prevention* (pp. 249–262). Elsevier. <https://doi.org/10.1016/B978-0-12-802844-5.00023-3>
- Zouari, N., Abid, M., Fakhfakh, N., Ayadi, M. A., Zorgui, L., Ayadi, M., & Attia, H. (2011). Blue-green algae (*Arthrospira platensis*) as an ingredient in pasta: Free radical scavenging activity, sensory and cooking characteristics evaluation. *International Journal of Food Sciences and Nutrition*, 62(8), 811–813. <https://doi.org/10.3109/09637486.2011.582461>
- Zuta, P. C., Simpson, B. K., Zhao, X., & Leclerc, L. (2007). The effect of α -tocopherol on the oxidation of mackerel oil. *Food Chemistry*, 100(2), 800–807. <https://doi.org/10.1016/j.foodchem.2005.11.003>