

DAFTAR PUSTAKA

- Akifah N., Subaer, Muris, (2017) "Pengaruh penambahan Nano TiO₂ terhadap sifat mekanik dan karakteristik Mikro Komposit Geopolimer sebagai material self-Cleaning". *Jurnal Sains dan Pendidikan Fisika*. 13 (1) : 282-286.
- Alnamel H.A. and Thedan A.S., (2020) "Evaluation of titanium di oxide Nano-fillers incorporation on mechanical properties of heat cured acrylic resin", *Medico Legal Update*, 20(1), pp.292297. Doi : 10.37506/v20/i1/2020/mlu/194340286.
- Alrahlah A., Foud H., Hashem M., Niazy A.A., Al Badah A., (2018) "Titanium Oxide (TiO₂) polymethylmethacrylate (PMMA) denture base nanocomposites", Mechanical, viscoelastic and antibacterial behavior, *Materials*, 11(7). doi: 10.3390/ma11071096.
- Amano Daichi, Takayuki Ueda, Sugiyama T., Takemoto S., Oda Y., Sakurai K., 2010, "Improved Brushing Durability of Titanium Dioxide Coating on Polymethylmethacrylate Substrate by Prior Treatment with Acryloxypropyl Trimethoxysilane-Based Agent for Denture Application.", *Dent. Mater. J.*, 29 (1): 97-103.
- Amy L. Leber, Carey-Ann D. Burnham., 2016 "Clinical Microbiology Procedures Handbook, Multi Volume, 5th Edition.", Leber (Editor), Burnham (Editor).
- Aprilita N.H., Kartini I., Ratnaningtyas S.H., 2008 "Self-Cleaning Glass Based On Acid-Treated TiO₂ Films With Palmitic Acid As Model Pollutant". *Indo. J. Chem.*, 8 (2), 200-206.

- Arundhina, T., 2012. “Aktivitas Ekstrak Etanol Daun Alamanda (*Allamanda Cathartica* L.) Sebagai Antijamur Terhadap *Candida Albicans* Dan *Pityrosporum Ovale* Secara In Vitro.” *Jurnal Ilmu Farmasi* : 1–15.
- Babić Mirela and Mirsada Hukić, 2010. “*Candida Albicans* Andon-*Albicans* Species as Etiological Agent of Vaginitis in Pregnant and Non-Pregnant Women.” *Bosnian Journal of Basic Medical Sciences* 10 (1): 89–97.
- Beatty M.W., Mahanna G.K., Dick, K., Jia, W., 1995, “Color Changes in Dry Pigmented Maxillofacial Elastomer Resulting from Ultraviolet Light Exposure”, *J. Prosthet Dent.*, 74(5): 493-8.
- Beatty M.W., Mahanna G.K., Jia W., 1999, “Ultraviolet Radiation-Induced Color Shifts Occuring In Oil-Pigmented Maxillofacial Elastomers”, *J. Prosthet Dent*, 82 (4): 441-6.
- Beydoun A.R., Low G. and McEvoy S., 1999. “Role of nanoparticles in photocatalysis”. *J. Nanopart. Res.*, 1: 439 – 458.
- Bilmeyer F. A., 1994 “Textbook of Polymer Science, 2nded.”, John Willey & Sons Ltd., New York, 199.
- Bintari Niwayan Desi, dkk. 2019. “Screening *Candida Albicans* Penyebab Kandidiasis Oral dan Edukasi Oral Hygiene Kepada Lansia”. *Jurnal Pengabdian Masyarakat Stikes Wira Medika Bali*.
- Borup B. and Weissenbach K., (2010) ‘Silane Coupling Agents’, *Functional Fillers for Plastics*, pp. 61–90. doi:10.1002/9783527629848.ch4.

- Brecht L.E., 2007, "Craniofacial and maxillofacial prosthetics". In: Thorne CH (eds.) *Grabb and Smith's Plastic Surgery*. 6th edn. Philadelphia: Lippincott Williams & Wilkins; 2007: 350 –7.
- Brooks G.F., C. K. (2007). "Medical Microbiology. 24th ed". McGraw Hill.
- Cadenaro M., (2019) "The role of polymerization in adhesive dentistry", *Dental Materials*, 35(1), pp. e1–e22. doi:10.1016/j.dental.2018.11.012.
- Castonguay, M., J. T. Koberstein, Ze Zhang, nG. Laroche, 2001, "Synthesis, Physicochemical and Surface Characteristics of Polyurethanes dalam Biomedical Applications of polyurethanes," <http://www.google.com>, 1 –18.
- Cavallo D., Tranfo G., Ursini C.L., Fresegna A.M., Ciervo A Maiello R., Paci E., Pignini D., Gherardi M., Gatto M.P, Buresti G., Lavicoli S., 2018. "Biomarkers of early genotoxicity and oxidative stress for occupational risk assessment of exposure to styrene the fiberglass reinforced plastic industry". *Toxicology Letters*, Biomonitoring for chemical risk assessment.
- Cazan C., Enesca A. and Andronic L., 2021 "Synergic effect of tio₂ filler on the mechanical properties of polymer nanocomposites", *Polymers*, 13(12), pp. 1–24. doi:10.3390/polym13122017.and control 298, 53-59.
- Chang Ting –Ling, Garret N., Roumanas E., Beumer III, J., 2005, "Treatment Satisfaction with Facial Prostheses." *J. Prosthet Dent.*, 94(3): 275-80.
- Charpentier P.A., Burgess K., Wang L., Chowdhury R.R., Lotus A.F., and Moula G., 2012, "Nano TiO₂/polyurethane composites for antibacterial and self-cleaning coatings". *IOP Publishing, Nanotechnology* 23: 1-9.

Chen Y.F. L. C., 2003, "The effect of calcination temperature on the crystallinity of TiO₂ nanopowders". *Journal of Crystal Growth*, 363-370.

Cho M., Chung H., Choi W. and Yoon J., 2004. "Linear correlation between inactivation of E. coli and OH radical concentration in TiO₂ photocatalytic disinfection". *Water Res*, 38: 1069-1077.

Danu S., Sunarni A., Darsono, (2008) "Pengaruh penstabil ultra violet pada sifat lapisan materi III", 2008,312-318.

Darvell B.W., 2018. "Polymers, in: Materials Science for Dentistry". Elsevier, pp. 70-91.

Djunaedy Y.M.I., Wahyuningtyas E., Saleh S., 2012 "Protosa Maksilofasial kerangka logam kombinasi bahan Termoplastik pada Defek Kelas II Aramany pasca Hemimaxillectomy", *M. Kedokteran Gigi*; ; 19 (1):89-92.

Douglas R.D., 1997, "Precision of In Vivo Colorimetric Assessments of Teeth," *J. Prosthet Dent.*, 77(5):464-70.

Eleni P.N., Katsavou I., Krokida M.K., Polyzois G.L., 2008, "Color Stability of Facial Silicone Prosthetic Elastomers After Artificial Weathering", *J. Dent Res.*, 5(2):71-9.

Elshereksi N.W., 2015 "Aspects of Titanate Coupling Agents and their Application in Dental Polymer Composites" A Review, *Advanced Materials Research*, 1134, pp.,96102.doi:10.4028/.

www.scientific.net/amr.1134.96.

Elwell M. J., A. J. Ryan H. J., M. Grunbauer, dan H. C. Van Lieshout, 1997, "Polymer Structure Development During Reactive Processing: In Situ Studies of a Cellular, Multiphase Block Copolymer in Polymeric Foam Science and Technology", *American Chemical Society*, Washington DC, 143–164.

Emperor Aquatic Inc., 2010, "The Science of UV Light", available at: <http://www.uvcomparison.com/emperor-aquatics-aqua-ultraviolet.php>, download on : 01/11/2011.

Ergun G., Nagas I.C., 2007, "Color Stability of Silicone or Acrylic Denture Liners: An In Vitro Investigation", *Eur J Dent.*, 1(3):144-51.

Erkan S. Y. Wang and C. Y. Wang, 2008. "Effect of UV treatment on antioxidant capacity, antioxidant enzyme activity and Decay. Postharvest Biology and Technology," vol. 48, no. 2, pp. 163–171.

Francis R., 2014, "Polymer grafted inorganic nanoparticles, preparation, properties, and applications: A review", *Polymer Reviews*, 54(2), pp. 268–347. doi:10.1080/15583724.2013.870573.

Fujishima A, R. T. 2000, "Titanium dioxide photocatalysis". *J Photochemistry and Photobiology*, 1-21.

Gad S.E., 2014, "Polymer", *Encyclopedia of Toxicology: Third Edition*, 3, pp. 1045–1050. doi:10.1016/B978-0-12-386454-3.00912-X.

Gary J.J., Smith C.T., 2001, "Pigments and Their Application in Maxillofacial Elastomers: A Literature Review D", *J.Prosthet Dent.*, 80(2): 204-8.

Gonzales J.B., 1998, "Polyurethane elastomers for facial prostheses," *The Journal Of Prosthetic Dentistry*. 39: 179-187.

Gunlazuardi J., Tjahjanto R. T., 2001, "Preparasi Lapisan Tipis TiO₂ sebagai Fotokatalis: Keterkaitan antara Ketebalan dan Aktivitas Fotokatalisis." *Makara Jurnal Penelitian Universitas Indonesia*. Vol. 5 (2): 81-91.

Haghighi F, Mohamadi SR, Hosseinkhani S, Shidpour R., 2013, "Antifungal activity of TiO₂ nanoparticles and EDTA on *Candida albicans* biofilms." *J. Infect Epidemiol Med* 2013; 1(1): 33-8.

Harini P., Mohamed K., dan Padmanabhan T.V., 2014, "Effect of Titanium Dioxide Nanoparticles on the Flexural Strength of Polymethylmethacrylate: An in vitro study," *Indian J Dent Res*, 25(4): 459-463.

Hassan M., 2019, "Thermoset polymethacrylate-based materials for dental applications, Materials for Biomedical Engineering: Thermoset and Thermoplastic Polymers". *Elsevier Inc*. doi:10.1016/B978-0-12-816874-5.00008-6.

Hatakeyama H., 2005. "Thermal And Mechanical Properties Of Polyurethane-Based Geocomposites Derived From Lignin And Molasses.Composites" Part A : *Applied Science And Manufacturing*. 36 : 698-704.

Haug S.P., Andres C.J., Moore B.K., 1999, "Color Stability and Colorant Effect on Maxillofacial Elastomers" : Part III-Weathering Effect on Color, *J. Prosthet Dent.*, 81(4): 431-8.

- Himawan C, 1998, “Rehabilitasi Pasca Bedah Kelainan Maksilofasial dengan Obturator Secara Terintegrasi untuk Mengembalikan Fungsi Stomatognati,” *Fakultas Kedokteran Gigi, Universitas Indonesia*, 42 halaman.
- Juwita A., Widaningsih Prabowo B.P., 2018 “Perbedaan Kekuatan Impak Pada Bahan Resin Akrilik Self Cured dengan Penambahan Zirconium Dioxide (ZrO₂) Nanopartikel”, *Denta. J. Ked G.* Vol.12 No.1 Feb 2018: 51-59.
- Kadek Sri Jayanti, Ni and I. Nyoman Jirna, 2018, “Isolasi Candida Albicans Dari Swab Mukosa Mulut Penderita Diabetes Melitus Tipe 2.” *Jurnal Teknologi Laboratorium* 7 (1): 1.
- Komariah, Ridhawati S., 2012. “Kolonisasi Candida Dalam Rongga Mulut.” *Majalah Kedokteran FK UKI XXVIII*(1).
- Liu P., Liu H., Liu G., Yao K., Wenying L., 2012, “Preparation of TiO₂ Nanotubes Coated on Polyurethane and Study of Their Photocatalytic Activity.” *Applied Surface Science* (Elsevier) 258, 9593-9598.
- Maness P. C., 1999, “Bactericidal activity of photocatalytic TiO₂ reaction: Toward an understanding of its killing mechanism”, *Applied and Environmental Microbiology*, 65 (9), pp. 4094–4098.
- Mahajan H., Gupta K., 2012 “Maxillofacial Prosthetic Materials” : A Literature Review. *Journal of Orofacial Research*, 2 (2): 87-90.
- Makihara Eri, Shin-ichi Masumi, Masahiro Arita, Toshihiro Takeuchi, Toshihiro Kawano, Shuichiro Howashi, Yukio Tsubaki, 2007, “Denture Plaque Control on Titanium Dioxide Coated Acrylic Resin Plates”, *The Journal of The Kyushu Dental Society*, 61: 82-86.

- Matinlinna J.P., Lung C.Y.K., and Tsoi J.K.H., 2018 “Silane adhesion mechanism in dental applications and surface treatments: A review”, *Dental Materials*, 34 (1), pp. 13–28. doi:10.1016/j.dental.2017.09.002.
- Moafi H.F., Shojaee A.F., Zanjanchi M.A., 2011 ” Photocatalytic self cleansing of nano-sized titanium dioxide”, *Int.J.Polym.Mater.*, Vol 60, no 88. PP 591-602
- Mori, Kazunari, 2015, “Color and Glass Evaluation of Titanium Dioxide Coating for Acrylic Resin Denture Base”. *J Prosthodont Res*, 59 (4), 249-253
- Mustafa N.S., 2016, “Reviewing of General Polymer Types, Properties and Application in Medical Field”, *International Journal of Science and Research (IJSR)*, 5(8), pp. 212–221. doi:10.21275/art2016772.
- Mustikasari D., Supriyanto A., Suryana R., “ Karakteristik lapisan TiO₂ metode spray, dalam Dye-sensitized solar cells”. *Journal teori dan aplikasi fisika.*, Vol 01, No 02, 2013, p 105-111.
- Munandar F., Amalia H., Kusuma, Wahyuningtyas E., 2011, “Protesa Maksilofasial dengan Hollow Bulb untuk Rehabilitasi Pasca Hemimaxillectomy Klas IV Aramany”. *Majalah Kedokteran Gigi Indonesia* [Vol 18, No 1.](#)
- Naimah S., Ermawati R., 2011, “Efek fotokatalisis Nano TiO₂ terhadap mekanisme Antimikroba E.Coli dan Salmonella.” *Jurnal Riset Industri*, Vol V no 2. 113-120.
- Nallaswamy D. 2003, “Textbook of Prosthodontics”. New Delhi: *Jaypee Brother Medical Publisers Ltd.* : 714.

- Niazi, Zahid B.M.M.D., Salzberg C., Andrew MD., 1996, “ Candida albicans Infection of Bilateral Polyurethane-coated silicone Gel Breast Implants”., *Annals of Plastic Surgery*., Vol 37 issue 1, p 91-93
- Nicholson, J. W., 1997, “Polyurethanes, dalam The Chemistry of Polymers”, *2nded., The Royal Society of Chemistry*, Cambridge, 19, 71.
- Odian G., 2001, “Principles of Polymerization”. *A Wiley-Interscience publication, John-Wiley and Sons, New York*: iv + 812 hlm.
- Onasis, Syafrinani, 2015, “Rehabilitasi Prostetik pada Pasien Pasca Hemimaksilektomi dengan Menggunakan Obturator untuk Meningkatkan Kualitas Hidup”: *Laporan Kasus, Fakultas Kedokteran Gigi, Universitas Sumatra Utara, Medan*, 108 halaman.
- Palupi E. 2006. “Degradasi Methylene Blue Dengan Metode Fotokatalisis Dan Fotoelektrokatalisis Menggunakan Film TiO₂”. *Departemen Fisika FMIPA IPB*, Bogor.
- Pessoa R.S., V.P. dos Santos S.B., Cardoso A.C.O.C., Doria F.R., Figueira B.V.M. Rodrigues G.E., Testoni M.A., Fraga, F.R. Marciano, A.O. Lobo, H.S. Maciel, 2017, “ TiO₂ coatings via atomic layer deposition on polyurethane and polydimethylsiloxane substrates: Properties and effects on C. albicans growth and inactivation process”. *Applied Surface Science: J.apsusc.* .05.254.
- Petchwattana N., 2017, “Modification of poly(lactic acid) by blending with poly(methyl methacrylate-co-ethyl acrylate) for extrusion blow molding application”, *Journal of Engineering Science and Technology*, 12(10), pp. 2766–2777.

Phillips R.W., Margetis P.M., Urban J.J., Leonard F., 1991, "Materials for The Fabrication for The Maxillofacial Prosthesis," In: Chalian, V.A., Drane, J.B., Standish, S.M., (eds.), *Maxillofacial Prosthetics: Multidisciplinary Practice.*, Baltimore: The Williams and Wilkins Co, h. 89-107.

Philipp Jung, Clara E., Mischo, Gubesh Gunaratnam, Christian Spengler , Sören L. Becker, Bernhard Hube, Karin Jacobs, Markus Bischoff, "Candida albicans adhesion to central venous catheters: Impact of blood plasma-driven germ tube formation and pathogen-derived adhesins". *VIRULENCE*. 2020, Vol 11, No: 1453-1465.

Pradana F.W., Ismiyati T., IndrastutiM., 2013, "Pengaruh Penggunaan Bahan Proteksi Ultraviolet Absorber, Tabir Surya dan Kombinasinya Terhadap Perubahan Warna Silikon Rtv sebagai bahan Protesa maksilofasial ekstraoral" . *J.Ked Gi*, Vol. 4, No. 2, : 163-168.

Putranti D.T., Fadilla A., "Titanium Dioxida Addition to Heat Polymerized Acrylic Resin Denture Base Effect On Staphylococcus Aureus and Candida Albican". *Journal of Indonesia Dental Asociation*. 2018 1 (1) 21-27

Polyzois G.L., Tarantili P.A., Frangou M.J., Andreopoulos A.G., 2000, "Physical Properties of a Silicone Prosthetic Elastomer Stored in Simulated Skin Secretions", *J. Prosthet Dent.*, 83(5):572-7

Powers J.M., Sakaguchi R.L., 2006, "Craig's Restorative Dental Materials," 12th ed., Mosby, St. Louis, p. 28-30, 79, 117, 153, 190-8, 201.

Reich C.J., Christ R., 1999, Ultraviolet Light Absorbing Silicone Composition, US. Patent, 4.868.251.

- Ren D. 2012. "Wood/Adhesive Interactions And The Phase Morphology Of Moisture-Cure Polyurethane Wood Adhesives". *International Journal Of Adhesion & Adhesives*. 34 : 55-61.
- Rincon A.G. and Pulgarin C., 2003. " Photocatalytic inactivation of E. coli: effect of (continuous-intermittent) light intensity and of (suspended-fixed) TiO₂ concentration". *Appl. Catal. B: Environ.*, 44: 263-284.
- Rochmadi, Permono A., 2018, "Mengenal Polimer dan Polimerisasi". *Gadjah Mada University Press*, Yogyakarta.
- Rodriguez C.P., Adelstein D.J., "Head and neck cancer". Cleveland Clinic [Internet]. 2010 [cited 2017 Jul19]. Available from: <http://www.clevelandclinic.meded.com/medicalpubs/diseasemanagement/hematology-oncology/head-and-neck-cancer/>.
- Rohaeti E., 2005, "Kajian tentang sintesis poliuretan dan karakterisasinya", *Prosiding Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA, FMIPA UNY*, Yogyakarta, K1 –K9.
- Sadu R.B., Chen D.H., KucknoorA.S., Guo Z., Gomes A.J., 2014, " Silver Doped TiO₂/Polyurethane nanocomposites for Antibacterial Textile coating. " *Bio Nani Sci*. 4:136-148.
- Sari L., Astuti, 2013, " Pengaruh Nanopartikel TiO₂ Pada Resin Sebagai Material Transparan Anti UV dan Self Cleaning". *Jurnal Fisika Unpad*. Vol2 (1). 20-25.
- Shirkavand S., Moslehifard E., 2014, " Effect of TiO₂ Nanoparticles on Tensile Strength of Dental Acrylic Resin", *J. Dent. Res. Dent. Clin. Dent Prospects*, 8: 197-203.

Shokoohi S., Arefazar A., and Khosrokhavar R., 2008, "Silane coupling agents in polymerbased reinforced composites: A review", *Journal of Reinforced Plastics and Composites*, 27(5), pp. 473–485. doi:10.1177/0731684407081391.

Srinivasan C. and Somasundaram N., 2003, "Bactericidal and detoxification of irradiated semiconductor catalyst TiO₂." *Curr. Sci.*, 85 (10):1431-1438.

Stefanović I.S., Dostanić J., Lončarević D., Radović D.V., Ostojić S., Marković S., Pergal M.V., 2019, "Preparation and characterization of poly(urethane-siloxane)/titanium-dioxide nanocomposites". , *University of Belgrade, Njegoševa 12, 11000 Belgrade, (ICTM). Hem. Ind.* 73 (1) 13-24.

Stevens, Malcolm P., 2001, "Kimia Polimer (terjemahan)". Jakarta: Pradnya Paramita.

Su C., Hong B.Y., Tseng C.M., 2004, "Sol-gel Preparation and Photocatalysis of Titanium Dioxide. Catalysis Today ", *Material Science*. 96, 119-126.

Sutrisno H., Ariswan, Purwaningsih D., 2016, "Aktifitas Antibakteri TiO₂ - Anatase Terdapat vanadium dan Terdapat Kromium". *Jurnal Penelitian kimia*. (12)(2). Hal 112-127.

Stefanovic I.S., Dostanic J., Loncarevic D., Vasiljevic D., Ostojik S., Markovic S., Pergal M.V., 2019, "Preparation and characterization of polyurethane-siloxane/titanium-dioxide nanokomposit". *Institute of Chemistry, Technology and Metallurgy (ICTM), University of Belgrade.* 73 (1) 13-24.

- Sodagar, 2016 “Antimicrobial Properties of Poly (Methyl Methacrylate) Acrylic Resins Incorporated with Silicon Dioxide and Titanium Dioxide Nanoparticles on Cariogenic Bacteria.” *Journal of Orthodontic Science* 5 (1): 7.
- Song R., Jiao X., Lin L., 2011, “Improvement of mechanical and antimicrobial properties of denture base resin by nano-titanium dioxide and nano-silicon dioxide particles”. *Pigment & Resin Technology*. ; 40(6): 393-8.
- Tandra E, Wahyuningtyas E, Sugiatno E., 2018, “The effect of nanoparticles TiO₂ on the flexural strength of acrylic resin denture plate”. *Padjadjaran J of Dentistry* 2018; 30 (1) : 35-40.
- Tanveer Waqas., 2019, “Biomaterials for Maxillofacial Prosthetic Rehabilitation”. *Advanced Dental Biomaterials*. Pages: 615-641.
- Tay G. S., 2011, “Polyurethane Composites Derived From Glycerol And Molasses Polyols Filled With Oil Palm Empty Fruit Bunches”. *Studies By TG And DMA. Thermochemica Acta*. 525 : 190-196.
- Tran N.H., Scarbecz M., Gary J.J., 2004, “In Vitro Evaluation of Color Change in Maxillofacial Elastomer Through The Use of An Ultraviolet Light Absorber and Hindered”, *J.Prosthet Dent.*, 91 (5) : 483-9.
- Tripton D.A., Lewis J.W., 2008, “Effect of A Hindered Amine Light stabilizer and A UV Light Absorber Used in Maxillofacial Elastomers”. *J.Prosthet Dent.*, 100 (3) : 220-31.
- Tsuji H., Fukuda N., 2005, “Physical properties and Hydrolysis TiO₂ Composites” *Journal Of Applied Polymer Science.*, 96 (1) : 190-199.

Uchimaru M., Sakai T., Moroi R., Shiota S., Shibata Y., Deguchi M., Sakai H., Yamashita Y., Terada Y., 2011, “Antimicrobial and Antifungal Effects of Tissue Conditioners Containing a Photocatalyst”, *Dent Mater J*, 30 (5): 691-699.

Urban, Dieter & Koichi Takamura (editor). 2002, “ Polymer Dispersions and Their Industrial Applications”. Jerman: Willey-VCH.

Vila T., 2020, “Oral Candidiasis : A Disease of Opportunity”. *Journal of Fungi* (Basel, Switzerland), 6 (1), pp. 15.

Wahyuningtyas E., Fei I., 2010, “Protosa Maksilofasial dengan Hollow Bulb Paska Hemimaxillectomy pada Kasus Kehilangan Seluruh Gigi Rahang Atas”. *Majalah Kedokteran Gigi Indonesia*, Vol 17, N 1, pp. 43- 48 .

WHO, 1997. “Solar and Ultraviolet Radiation”. International Agency for Research.

Woods G., 1987, “The ICI Polyurethanes Book”, John Wiley and Sons, New York.

Wijanarko O.B., Wahyuningtyas E., Saleh S., 2012, “Pembuatan protosa Maksilofasial Hidung dengan Retensi Magnet”. *Majalah Kedokteran Gigi* : 19 (2) : 154-157.

Yulika D., Kusumandari., Suryana R., 2014, “ Pelapisan TiO₂ di atas FTO dengan tehnik Slip Casting dan Spin Coating untuk aplikasi DSSC”. *Jurnal Fisika Indonesia* no 53, vol XVIII, 66-69.

Yuniarti Elvan. 2019, “Studi Komputasi Sifat Elektronik Dan Sifat Optik Fotoelektroda Titanium Dioksida (TiO₂) Pada Fasa Anatase Dan Rutile.” Al Fiziya: *Journal of Materials Science, Geophysics, Instrumentation and Theoretical Physics* 2 (1): 40–48.

Z .B. Niazi, C. A. Salzberg, M Montecalvo, 1996, “Candida albicans infection of bilateral polyurethane-coated silicone gel breast implants”. *Ann. plast Surg.* 37; 91-93.