



DAFTAR PUSTAKA

- Abd-Elbary, N.A., M.F.M. Eissa, M.M.A. Youssef. 2012. Reproduction of the rice root nematode, *Hirschmanniella oryzae* on some field crops and common weeds. *Nematol Medit.* 40:83–86.
- Aidah, S.N. 2020. Ensiklopedi Jagung: Filosofi, Deskripsi, Manfaat, Budidaya, dan Peluang Bisnisnya. Karya Bakti Makmur Indonesia, Yogyakarta.
- Aini, N. 2013. Teknologi Fermentasi pada Tepung Jagung. Graha Ilmu, Yogyakarta.
- Avry. 2010. Serangan hama dan tingkat kerusakan daun akibat hama defoliator pada tegakan jabon (*Anthcephalus cadamba* Miq). *Jurnal Penelitian dan Konservasi Alam*. Balai Penelitian Hutan Penghasil Serat Kuok Riau 4(4): 451–458
- Badan Karantina Pertanian. 2010. Pedoman Diagnosis OPTK Golongan Nematoda. Kementerian Pertanian, Jakarta.
- Beesa, A., A. Sasnarukkit, K. Jindapunnapat, F. Tivet, S. Bellafiore, and B. Chinnasri. 2021. Species characterization and population dynamics of *Hirschmanniella mucronata* in lowland rice fields managed under conservation agriculture in Cambodia. *Journal of the Saudi Society of Agricultural Sciences* 20(3):137-14.
- Bell, C. A., C. J. Lilley, J. McCarthy, H.J. Atkinson, and P.E. Urwin. 2019. Plant-parasitic nematodes respond to root exudate signals with host-specific gene expression patterns. *PLoS Pathog* 15(2):1-19.
- Bowen, K. L., A. K. Hagan, H. L. Campbell, and S. Nightengale. 2008. Effect of southern root-knot nematode (*Meloidogyne incognita* race 3) on corn yields in Alabama Plant Health Progress 9:1: 1-9.
- BPS Jawa Tengah. 2022. Luas Panen Jagung dan Kedelai Menurut Kabupaten/Kota di Provinsi Jawa Tengah (Hektar), 2013-2021. <https://jateng.bps.go.id/indicator/53/1765/1/luas-panen-jagung-dan-kedelai-menurut-kabupaten-kota-di-provinsi-jawa-tengah.html>. Diakses tanggal 20 Desember 2022.
- BPS Klaten. 2020. Luas Daerah dan Jumlah Pulau Menurut Kecamatan di Kabupaten Klaten, 2019. <https://klatenkab.bps.go.id/statictable/2020/04/09/459/luas-daerah-dan-jumlah-pulau-menurut-kecamatan-di-kabupaten-klaten-2019.html>. Diakses tanggal 20 Desember 2022.
- BPS Klaten. 2021. Luas Panen, Rata – rata Produksi, Produksi Jagung dan Kedelai Menurut Kecamatan di Kabupaten Klaten. <https://klatenkab.bps.go.id/statictable/2015/09/17/150/luas-panen-rata-rata-produksi-produksi-jagung-dan-kedele-menurut-kecamatan-di-kabupaten-klaten-tahun-2015.html>. Diakses tanggal 20 Desember 2022.
- BPS Kabupaten Klaten¹. 2022. Kecamatan Kalikotes dalam Angka 2022. BPS Klaten, Klaten.



BPS Kabupaten Klaten². 2022. Kecamatan Kalikotes dalam Angka 2021. BPS Klaten, Klaten.

Bridge, J., R.A. Plowright, and D. Peng. 2005. Nematodes Parasites of Rice. In: M. Luc, R.A. Sikora and J.Bridge. Plant Parasitic Nematodes in Subtropical and Tropical Agriculture Second Edition. CABI Publishing, Cambridge, p: 87-130.

Castillo, P. and N. Vovlas. 2007. *Pratylenchus* (Nematoda: Pratylenchidae): Diagnosis, Biology, Pathogenicity and Management. Koninklijke Brill NV, Leiden.

Chowdhury, I.A. 2020. Plant-parasitic nematodes on corn (*zea mays* l.) and soybean (*Glycine max* l.) in North Dakota. Departement of Plant Pathology. North Dakota State University of Agriculture and Applied Science. Dissertation.

Chowdhury, I.A., Yan, G., and Friskop, A. 2020. Occurrence of vermiform plant-parasitic nematodes in North Dakota corn fields and impact of environmental and soil factors. Can. J. Plant Pathol. 42:429-444.

Crop Protection Network. 2020. Corn Disease Loss Calculator. <https://loss.cropprotectionnetwork.org/crops/corn-diseases>. Diakses tanggal 16 Januari 2023.

Crow, W.T., 2017. Spiral nematode *Helicotylenchus* spp. (Nematoda: Tylenchida: Hoplolaimidae). EDIS 7(5):4-4.

Dickson, D.W. and D.D Waele. 2005. Nematode Parasites of Peanut. In: M. Luc, R.A. Sikora and J.Bridge. Plant Parasitic Nematodes in Subtropical and Tropical Agriculture Second Edition. CABI Publishing, Cambridge, p: 393-436.

Fahmi, A., Syamsudin, S.N.H. Utami., dan B. Radjagukguk. 2009. Peran pemupukan fosfor dalam pertumbuhan tanaman jagung (*Zea mays* l.) di tanah regosol dan latosol. Berita Biologi 9(6): 745-750.

Gowen, S.R., P. Queneherve and R. Fogain. 2005. Nematode Parasites of Bananas and Plantains. In: M. Luc, R.A. Sikora and J.Bridge. Plant Parasitic Nematodes in Subtropical and Tropical Agriculture Second Edition. CABI Publishing, Cambridge, p: 611-643.

Gurning, L. F. P., R.A.T, Nuraini, dan Suryono. 2020. Kelimpahan fitoplankton penyebab *harmful algal bloom* di perairan Desa Bedono, Demak. Journal of Marine Research 9(3): 251-260.

Habib, Akbar. 2013. Analisis Faktor-faktor yang Mempengaruhi Produksi Jagung. Agrium 18(1): 79-87.

Han, J., A.L. Colgrove, N.D. Bowman, N.E. Schroeder, and N.M. Kleczewski1. 2021. A survey of plant-parasitic nematodes in Illinois corn fields, 2018 and 2020. Plant Health Progress 22:560–564.

Hunt, D.J, M. Luc, and R.H. Manzilla-Lopez. 2005. Identification, Morphology, and Biology of Plant Parasitic Nematodes In: M. Luc, R.A. Sikora and J.Bridge. Plant



Parasitic Nematodes in Subtropical and Tropical Agriculture Second Edition.
CABI Publishing, Cambridge, p: 11-52.

Jaffuel, G., P. Mäder, R. Blanco-Perez, X. Chiriboga, A. Fliessbach, and T. C. J. Turlings, and R. Campos-Herrera. 2016. Prevalence and activity of entomopathogenic nematodes and their antagonists in soils that are subject to different agricultural practices. *Agriculture, Ecosystems, and Environment* 230: 329–340.

Janssen, T., G. Karssen., V. Orlando, S.A. Subbotin, and W. Bert. 2017. Molecular characterization and species delimiting of plant parasitic nematodes of the genus *Pratylenchus* from the penetrans group (Nematoda: Pratylenchidae). *Mol. Phylogenet. Evol.* 117:30-48.

Lawrence, E.G. and E.I. Zehr. 1978. Improvement of the techniques for determining populations of *Macroposthonia xenoplax* in dry soil. *American Physical Society* 68: 1102-1105.

Leksono, A.S. 2011. Keanekaragaman Hayati: Teori dan Aplikasi. UB Press, Malang.

Lilley, C. J., H. J. Atkinson, and P. E. Urwin. 2005. Molecular aspects of cyst nematodes. *Mol. Plant Pathol.* 6:577-588.

Loy, D.D., and E.L. Lundy. 2019. Chapter 23 - Nutritional Properties and Feeding Value of Corn and Its Coproducts. In: S.O. Serna-Saldivar. *Corn Chemistry and Technology* (Third Edition). AACC International Press, Washington, DC.

Luc, M., R.A. Sikora, J. Bridge. 2005. Plant Parasitic Nematode in Subtropical and Tropical Agriculture. CABI Publishing, Cambridge.

Maguran, A.E. 1958. Ecological Diversity and Its Measurement. Princeton University Press, New Jersey.

Mai, W.F., Lyon H.H., and T.H. Kruk. 1960. Pictorial Key to Genera of Plant Parasitic Nematodes. Newyork State College of Agriculture, Ithaca.

Malossini, U., G. D'Errico, M. Varner, F.P. D'Errico, and O. Soppelsa. 2011. The vertical and horizontal distribution of *Mesocriconema xenoplax* (Raski, 1952) in the Trentino vineyards (Northern Italy). *Redia* 94: 153-157.

McDonald, A.H and J.M. Nicol. 2005. Nematode Parasites of Cereals. In: M. Luc, R.A. Sikora and J.Bridge. *Plant Parasitic Nematodes in Subtropical and Tropical Agriculture* Second Edition. CABI Publishing, Cambridge, p: 131-191.

Mirsam, H., 2018. Inventarisasi nematoda parasit tumbuhan yang bersasosiasi dengan tanaman wortel asal Jawa Barat dan Sulawesi Selatan. Prosiding seminar nasional 4(1):273-282

Mirsam, H., A. Muis, N. Nonci, and M. Azrai. 2020. Density analysis of plant-parasitic nematodes associated with corn crop in South Sulawesi. *Earth and Environmental Science* 484: 1-7.



Mueller, D. S., K.A. Wise, A.J. Sisson, T.W. Allen, G.C. Bergstrom. 2020. Corn yield loss estimates due to diseases in the United States and Ontario, Canada, from 2016 to 2019. *Plant Health Prog.* 21: 238-247.

Mulyadi. 2009. *Nematologi Pertanian*. Gadjah Mada University Press, Yogyakarta.

Munawar, M., P. Thomas O., T. Zhongling, H. Timothy, H. Rebecca, and Z. Jingwu. 2018. Description and distribution of three criconematid Nematodes from Hangzhou, Zhejiang Province, China. *Journal of Nematology* 2(50): 187-206.

Niswati, A., S. Yusnaini, dan M.A.S. Arif. 2008. Populasi mikroba pelarut fosfat dan P-tersedia pada rizosfir beberapa umur dan jarak dari pusat perakaran jagung (*Zea mays L.*). *Jurnal Tanah Trop.* 13(2): 123-130.

Nurjayadi, M.Y., A. Munif, dan G. Suastika. 2015. Identifikasi nematoda puru akar, *Meloidogyne graminicola*, pada tanaman padi di Jawa Barat. *Jurnal Fitopatologi Indonesia* 11(4): 113-120.

Odendaal, M. 2018. Ring nematode (Cricconemoides xenoplax), distribution, characterization, and culture methods. Departement of Agrisciences. Stellenbosch University. Master Thesis.

Odum. EP.1993. *Dasar-dasar Ekologi Edisi Ketiga Pengantar Ekologi*. CV. Remadja, Bandung.

Phani, V., T. N. Shivakumara, K. G. Davies, and U. Rao U. 2017. *Meloidogyne incognita* fatty acid- and retinol-binding protein (Mi-FAR-1) affects nematode infection of plant roots and the attachment of *Pasteuria penetrans* endospores. *Frontiers in Microbiology* 8(2122): 1-13

Rashidifard, M., H. Fourie, M.S. Daneel, and M. Marais. 2019. Morphological and morphometrical identification of *Meloidogyne* populations from various crop production areas in South Africa with emphasis on *M. enterolobii*. *Zootaxa* 4658 (2): 251–274.

Ratna W.A. dan Robet A. 2009. Kandungan Gizi dan komposisi asam amino beberapa varietas jagung. *Jurnal Penelitian Pertanian Terapan Politeknik Negeri Lampung Unit Penelitian dan Pengabdian Kepada Masyarakat* 9(2): 61-66.

Rukmana, Rahmat. 2011. *Usahatani Jagung*. Kanisius, Yogyakarta.

Schoper, J.B., R.J. Lambert, and B.L. Vasilas. 1987. Pollen viability, pollen shedding, and combining ability for tassel heat tolerance in maize. *Crop Science* 27:27-31.

Shi, Q. Q., X. Shi, W. W. Song, C. Liang, F. M. Duan, and H. H. Zhao. 2020. First Report of Southern Root-Knot Nematode (*Meloidogyne incognita*) on Maize in Shandong Province of China. *Plant Disease* 104(10): 2739-2739.

Shokoohi, E., J. Abolafia, P.W. Mashela and N. Divsalar. 2019. New data on known species of *Hirschmanniella* and *Pratylenchus* (Rhabditida, Pratylenchidae) from Iran and South Africa. *Journal of Nematology* 41(51): 1-26.



- Simon, A.C.M., H. D. Lopez-Nicora, L. E. Lindsey, T.L. Niblack, and P.A. Paul. 2018. Incidence, Population Density, and Spatial Heterogeneity of Plant-Parasitic Nematodes in Corn Fields in Ohio. *Plant Disease* 102(12):2453-2464.
- Simon, A.C.M., H.D. Lopez-Nicora, T.L. Niblack, E.A. Dayton, D. Tomashefski, and P.A. Paul. 2018. Cropping practices and soil properties associated with plant-parasitic nematodes in Corn Fields Ohio. *Plant Disease* 102: 2519-2530.
- Subekti, N.A., R.E. Syafruddin, dan S. Sunarti. 2007. Morfologi tanaman dan fase pertumbuhan jagung. *Jagung, Teknik Produksi dan Pengembangan* 16-28.
- Swibawa, I. G., Evizal, R., Aini, F. K., Susilo, F. X., Hairiah, K., dan Suprayogo, D. 2009. Penurunan keragaman pohon dan nematoda akibat alih guna hutan menjadi lahan pertanian memacu munculnya masalah nematoda. Prosiding Konservasi Flora Indonesia dalam Mengatasi Dampak Pemanasan Global. LIPI. Kebun Raya ‘Eka Karya’ Bali. 14 Juli 2009.
- Teillet, A., K. Dybal, B.R. Kerry, A.J. Miller, R.H.C. Curtis and P. Hedden. 2013. Transcriptional changes of the root-knot nematode *Meloidogyne incognita* in response to *Arabidopsis thaliana* root signals. *Plos One* 8(4):1-11
- Tiwari. S., J.D. Eisenback, and R.R. Youngman. 2019. Root-knot nematode in Field corn. *Virginia Cooperative Extension* 444(107): 1-3.
- Tylka, G. L., A. J. Sisson, L. C. Jesse, J. Kennicker, and C. C Marett. 2011. Testing for plant-parasitic nematodes that feed on corn in Iowa 2000-2010. *Plant Health Progress* 12:1-10.
- Ullah, I., M. Ali., & A. Farooqi. 2010. Chemical and nutritional properties of some maize (*Zea mays* L.) varieties grown in NWFP, Pakistan. *Pakistan Journal of Nutrition* 9(11): 1113-1117.
- Untung, K. 2006. *Pengantar Pengelolaan Hama Terpadu* (Edisi Kedua). Gadjah Mada University Press, Yogyakarta.
- Warnock, N. D., L. Wilson, J.V. Canet-Perez, T. Fleming, C.C. Fleming, A.G. Maule, and J.J. Dalzell. 2016. Exogenous RNA interference exposes contrasting roles for sugar exudation in hostfinding by plant pathogens. *Int. J. Parasitol.* 46: 473-477.
- Whitehead, A.G. and Hemming, A.K. 1965. Comparison of quantitative method of extracting small vermiform nematodes from soil. *Annu. Appl. Biol.* 55: 25-38.
- Win, P.P., P. P Kyi, Z.T.Z Maung, and D.D. Waele. 2013. Population dynamics of *Meloidogyne graminicola* and *Hirschmanniella oryzae* in a double rice-cropping sequence in the lowlands of Myanmar. *Nematology* 15: 795-807.
- Wulandari, D.R., Sudana, I.M, dan Singarsa, I.D.P. 2019. Tingkat Fekunditas Nematoda (*Meloidogyne* spp.) pada Beberapa Tanaman yang Tergolong Familia Solanaceae. *Jurnal Agroekoteknologi Tropika* 8(4): 468-477.
- Wouts, W.M. 2006. Criconematina (Nematoda: Tylenchida). *Fauna of New Zealand* 55: 1-228.



UNIVERSITAS
GADJAH MADA

Keanekaragaman dan Kelimpahan Nematoda Parasit Tanaman pada Sentra Tanaman Jagung di

Kabupaten

Klaten

OKTAVIA NUR KASANAH, Dr. Ir. Siwi Indarti, M.P.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Xia, Y., J. Li, P. Hao, K. Wang, B. Lei, H. Li, and Y. Li. 2022. Discovery of root-lesion nematode (*Pratylenchus scribneri*) on corn in Hainan Province of China. Plant Disease 106(7): 1999.

Xia, Y.H., Y.K. Liu, P.H.Hao, H.X. Yuan, K. Wang, H.L. Li, and Y. Li. 2021. Molecular and morphological characterization of the root-lesion nematode, *Pratylenchus neglectus*, on corn from Henan Province of China. Helminthogia 58(4): 385-393.

Youssef, M. M. A., & M.F.M. Eissa. 2014. The rice root nematode, *Hirschmanniella oryzae*, its identification, economic importance, and control measures in Egypt: a review. Archives of Phytopathology and Plant Protection 47(19): 2340–2351.

Yulianti T. 2013. Pengendalian Hayati Nematoda Puru Akar *Meloidogyne* spp. Balai Penelitian Tanaman Pemanis dan Serat, Malang.