

DAFTAR PUSTAKA

- Abed, S.M., Ali, A.H., Noman, A., and Bakry, A.M., 2016. Inulin as Prebiotics and its Applications in Food Industry and Human Health; A Review. *International Journal of Agriculture Innovations and Research*, 5(1): 2319–1473.
- Anonim, 2018. *Product Specification of FC01*. Mojokerto: PT Lautan Natural Krimerindo.
- Anonim, 2023. Informasi Nilai Gizi Swallow Globe Brand Tepung Agar-Agar [online]. *Bukalapak*. Available from: <https://www.bukalapak.com/p/food/makanan/wqtwzl-jual-swallow-globe-brand-tepung-agar-agar-12-x-7gr> [Accessed 15 Apr 2023].
- Ashwell, M., 2004. Concepts of Functional Food. *Nutrition & Food Science*, 34(1): 47–47.
- Azhar, M., 2009. Inulin sebagai prebiotik. *Sainstek*, 12(1): 1–8.
- Bishehsari, F., Engen, P.A., Preite, N.Z., Tuncil, Y.E., Naqib, A., Shaikh, M., Rossi, M., Wilber, S., Green, S.J., Hamaker, B.R., Khazaie, K., Voigt, R.M., Forsyth, C.B., and Keshavarzian, A., 2018. Dietary Fiber Treatment Corrects the Composition of Gut Microbiota, Promotes SCFA Production, and Suppresses Colon Carcinogenesis. *Genes*, 9(2): 102.
- Chang, L., Ding, Y., Wang, Y., Song, Z., Li, F., He, X., and Zhang, H., 2022. Effects of Different Oligosaccharides on Growth Performance and Intestinal Function in Broilers. *Frontiers in Veterinary Science*, 9(April): 1–12.
- Chen, G., Li, Y., Li, X., Zhou, D., Wang, Y., Wen, X., Wang, C., Liu, X., Feng, Y., Li, B., and Li, N., 2021. Functional foods and intestinal homeostasis: The perspective of in vivo evidence. *Trends in Food Science & Technology*, 111: 475–482.
- Chen, H.J., Dai, F.J., Chang, C.R., Lau, Y.Q., Chew, B.S., and Chau, C.F., 2019. Impact of dietary ingredients on the interpretation of various fecal parameters in rats fed inulin. *Journal of Food and Drug Analysis*, 27(4): 869–875.
- Dhingra, D., Michael, M., Rajput, H., and Patil, R.T., 2012. Dietary fibre in foods: A review. *Journal of Food Science and Technology*, 49(3): 255–266.
- Djari, P., 2008. Pengaruh Pemberian Antioksidan Likopen, Karoten dan Vitamin C dalam Melawan Sinar UV. In: *Artikel Penelitian Bagian Biokimia UMM*. Malang: UMM Press.
- Eastwood, M.A., 1992. The physiological effect of dietary fiber: An update. *Annual Review of Nutrition*, 12(10): 19–35.
- Ewald, N., 2016. *Analysis of short chain fatty acids in faecal samples: Development and validation of a new method*. Uppsala: Swedish University of Agricultural Sciences, Department of Food Science.
- Federer, W., 1963. *Experimental Theory and Application*.

- FiberCreme™, 2017. FAQ - FiberCreme [online]. Available from: <https://fibercreme.com/faq/> [Accessed 3 Jan 2023].
- Fotschki, B., Juškiewicz, J., Sójka, M., Jurgoński, A., Zduńczyk, Z., Combet, E., and McPhee, D.J., 2015. Ellagitannins and flavan-3-ols from raspberry pomace modulate caecal fermentation processes and plasma lipid parameters in rats. *Molecules*, 20(12): 22848–22862.
- Fu, J., Zheng, Y., Gao, Y., and Xu, W., 2022. Dietary Fiber Intake and Gut Microbiota in Human Health. *Microorganisms*, 10(12): 1–18.
- Gerschenson, L.N., Rojas, A.M., and Fissore, E.N., 2022. Carbohydrates. *Nutraceutical and Functional Food Components*, 49–126.
- Gibson, G.R., Hutkins, R., Sanders, M.E., Prescott, S.L., Reimer, R.A., Salminen, S.J., Scott, K., Stanton, C., Swanson, K.S., Cani, P.D., Verbeke, K., and Reid, G., 2017. Expert consensus document: The International Scientific Association for Probiotics and Prebiotics (ISAPP) consensus statement on the definition and scope of prebiotics. *Nature reviews. Gastroenterology & hepatology*, 14(8): 491–502.
- Harmayani, E., Kumalasari, I.D., and Marsono, Y., 2011. *Effect of arrowroot (Maranta arundinacea L.) diet on the selected bacterial population and chemical properties of caecal digesta of Sprague Dawley rats*. International Research Journal of Microbiology (IRJM).
- Hasibuan, F.E.B. and Kolondam, B.J., 2017. NTERAKSI ANTARA MIKROBIOTA USUS DAN SISTEM KEKEBALAN TUBUH MANUSIA. *Jurnal Ilmiah Sains*, 17(1).
- Holmes, Z.C., Villa, M.M., Durand, H.K., Jiang, S., Dallow, E.P., Petrone, B.L., Silverman, J.D., Lin, P.H., and David, L.A., 2022. Microbiota responses to different prebiotics are conserved within individuals and associated with habitual fiber intake. *Microbiome*, 10(1): 1–16.
- Horwitz, W. and Latimer, G.W., 2005. *Official Method of Analysis of AOAC INTERNATIONAL*. AOAC. Gaithersburg: AOAC International.
- Hussein, L.A., 2022. Novel prebiotics and next-generation probiotics: opportunities and challenges. *Functional Foods and Nutraceuticals in Metabolic and Non-Communicable Diseases*, 431–457.
- Ibrahim, O.O., 2018. Functional oligosaccharides: Chemicals structure, manufacturing, health benefits, applications and regulations. *Journal of Food Chemistry and Nanotechnology*, 4(4): 65–76.
- Kaneko, T., Kohmoto, T., Kikuchi, H., and Shiota, M., 2014. Effects of Isomaltooligosaccharides with Different Degrees of Polymerization on Human Fecal Bifidobacteria. *Biotechnology, and Biochemistry*, 58: 2288–2290.
- Kementerian Kesehatan RI, 2007. *Riset Kesehatan Dasar (Riskesdas) 2007*. Jakarta: Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan.
- Kementerian Kesehatan RI, 2013. *Riset Kesehatan Dasar (Riskesdas) 2013*.

- Jakarta: Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan.
- Kementerian Kesehatan RI, 2018. *Laporan Nasional Riset Kesehatan Dasar (Riskesdas) 2018*. Jakarta: Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan.
- Ketabi, A., Dieleman, L.A., and Gänzle, M.G., 2011. Influence of isomalto-oligosaccharides on intestinal microbiota in rats. *Journal of Applied Microbiology*, 110(5): 1297–1306.
- Kumalasari, I.D., Nishi, K., Harmayani, E., Raharjo, S., and Sugahara, T., 2014. Immunomodulatory activity of Bengkoang (*Pachyrhizus erosus*) fiber extract in vitro and in vivo. *Cytotechnology*, 66(1): 75–85.
- Lee, Y.Y., Erdogan, A., and Rao, S.S.C., 2014. How to assess regional and whole gut transit time with wireless motility capsule. *Journal of Neurogastroenterology and Motility*, 20(2): 265–270.
- Marsono, Y., Putri, R.G., and Arianti, E.D., 2020. The Effects of Replacement of Dietary Fiber with FiberCreme™ on Lowering Serum Glucose and Improvement of Lipid Profile in Hypercholesterolemia-Diabetic Rats and Its Mechanism. *Pakistan Journal of Nutrition*, 19(4): 204–211.
- Marsono, Y., Triwitono, P., Arianti, E.D., Gunawan, H., and Indrawanto, R., 2020. Pengaruh Bubur Pisang Isomaltosa-oligosakarida dan Fibercreme terhadap Kadar Glukosa dan Lipida Darah serta Profil Digesta Tikus Diabetes. *agriTECH*, 40(3): 190.
- Martin-Gallausiaux, C., Marinelli, L., Blottière, H.M., Larraufie, P., and Lapaque, N., 2021. Conference on diet and digestive disease symposium 2: Sensing and signalling of the gut environment: Scfa: Mechanisms and functional importance in the gut. *Proceedings of the Nutrition Society*, 80(1): 37–49.
- Martirosyan, D.M. and Singh, J., 2015. A new definition of functional food by FFC: What makes a new definition unique? *Functional Foods in Health and Disease*, 5(6): 209–223.
- Merrill, A.L. and Watt, B.K., 1973. *Energy Value of Foods : Basis dan Derivation*. Washington D.C.: U.S. Government Printing Office.
- Michelle, D. Lo and Indrawanto, R., 2022. Effects of isomalto-oligosaccharide, inulin, and polydextrose on the development of sugar-free pineapple jam. *IOP Conference Series: Earth and Environmental Science*, 1114(1).
- do Nascimento, R. de P. and Marostica Junior, M.R., 2021. Emerging Prebiotics: Nutritional and Technological Considerations. *Probiotics and Prebiotics in Foods: Challenges, Innovations, and Advances*, 13–46.
- Nielsen, T.S., Lærke, H.N., Theil, P.K., Sørensen, J.F., Saarinen, M., Forssten, S., and Bach Knudsen, K.E., 2014. Diets high in resistant starch and arabinoxylan modulate digestion processes and SCFA pool size in the large intestine and faecal microbial composition in pigs. *The British journal of nutrition*, 112(11): 1837–1849.
- Nurhidajah, N., Astuti, M., Sardjono, and Murdiati, A., 2017. Profil Antioksidan

- Darah Tikus Diabetes dengan Asupan Beras Merah yang Diperkaya Kappa-Karagenan dan Ekstrak Antosianin. *Agritech: Jurnal Fakultas Teknologi Pertanian UGM*, 37(1): 81–87.
- P3FNI, 2019. Apa itu Pangan Fungsional? [online]. *Perhimpunan Penggiat Pangan Fungsional dan Nutrasetikal Indonesia*. Available from: <https://p3fni.org/apa-itu-pangan-fungsional/> [Accessed 1 Mar 2023].
- Paget, G.E. and Barnes, J.M., 1969. Evaluation of Drug Activities. In: D.R. Lawrence and A.L. Bacharach, eds. *Pharmacometrics*. New York: Academic Press.
- Patel, B. and Patel, M., 2013. Isomaltooligosaccharide: a Prebiotic Compound Beneficial for Health. *CIBTech Journal of Microbiology ISSN*, 2(2): 2319–386710.
- Pietrzak, B., Tomela, K., Olejnik-Schmidt, A., Mackiewicz, A., and Schmidt, M., 2020. Secretory IgA in Intestinal Mucosal Secretions as an Adaptive Barrier against Microbial Cells. *International Journal of Molecular Sciences*, 21(23): 1–15.
- Praznik, W., Loeppert, R., Viernstein, H., Haslberger, A.G., and Unger, F.M., 2015. Dietary fiber and prebiotics. *Polysaccharides: Bioactivity and Biotechnology*, 891–925.
- Putri, M.E., 2020. Hubungan Indeks Massa Tubuh dengan Kadar sIgA (Immunoglobulin A Saliva). Universitas Hasanuddin, Makassar.
- Putri, R.G., Marsono, Y., and Triwitono, P., 2018. PENGARUH ISOMALTO-OLIGOSAKARIDA DAN FIBERCREME SEBAGAI PENGANTI SUKROSA TERHADAP SIFAT SENSORIS DAN FISIK SERTA PERBAIKAN PROFIL LIPID PADA TIKUS HIPERKOLESTEROL. Universitas Gadjah Mada.
- Putri, R.G., Triwitono, P., and Marsono, Y., 2020. Formulasi dan Karakteristik Bubur Kacang Merah (*Phaseolus vulgaris* L.) Instan dengan Pemanis Sukrosa, Isomalto-oligosakarida dan Fibercreme. *agriTECH*, 40(1): 13.
- Reeves, P.G., Nielsen, F.H., and Fahey, G.C., 1993. AIN-93 purified diets for laboratory rodents: final report of the American Institute of Nutrition ad hoc writing committee on the reformulation of the AIN-76A rodent diet. *The Journal of nutrition*, 123(11): 1939–1951.
- Roberfroid, M.B., 1999. Caloric Value of Inulin and Oligofructose. *The Journal of Nutrition*, 129(7): 1436S-1437S.
- Salgado, J.M., Giovanni, A., Oliveira, C. de, Mansi, D.N., and Carlos M Donado-Pestana, Candido Ricardo Bastos, F.K.M., 2010. The role of black rice (*Oryza sativa* L.) in the control of hypercholesterolemia in rats. *J Med Food*, 13(6).
- Saman, P., Chaiongkarn, A., Moonmangmee, S., and Artjariyasripong, S., 2012. Prebiotic isomalto-oligosaccharide production from economic crops of Thailand. *KKU Res. J*, 17(5): 794–799.

- Santoso, A., 2011. Serat Pangan (Dietary Fiber) dan Manfaatnya bagi Kesehatan. *Magistra*, 75.
- Schneeman, B.O., 1999. Nutritional and Health Benefits of Inulin and Oligofructose Fiber, Inulin and Oligofructose: Similarities and Differences 1. *J. Nutr*, 129(December 2018): 1424–1427.
- Sivixay, S., Bai, G., Tsuruta, T., and Nishino, N., 2021. Cecum microbiota in rats fed soy, milk, meat, fish, and egg proteins with prebiotic oligosaccharides. *AIMS Microbiology*, 7(1): 1–12.
- Sorndech, W., Nakorn, K.N., Tongta, S., and Blennow, A., 2018. Isomalto-oligosaccharides: Recent insights in production technology and their use for food and medical applications. *LWT*, 95: 135–142.
- Sousa-Pereira, P. de and Woof, J.M., 2019. IgA: Structure, Function, and Developability. *Antibodies 2019, Vol. 8, Page 57*, 8(4): 57.
- Subhan, F.B., Hashemi, Z., Archundia Herrera, M.C., Turner, K., Windeler, S., Gänzle, M.G., and Chan, C.B., 2020. Ingestion of isomalto-oligosaccharides stimulates insulin and incretin hormone secretion in healthy adults. *Journal of Functional Foods*, 65.
- Susanto, D.A., Setyoko, A.T., Herjanto, S., and Prasetyo, A.E., 2019. Pengembangan Standar Nasional Indonesia (Sni) Pangan Fungsional Untuk Mengurangi Resiko Obesitas. *Jurnal Standardisasi*, 21(1): 31.
- Trumbo, P., Schlicker, S., Yates, A.A., and Poos, M., 2002. Dietary reference intakes for energy, carbohydrate, fiber, fat, fatty acids, cholesterol, protein and amino acids. *Journal of the American Dietetic Association*, 102(11): 1621–1630.
- Valdes, A.M., Walter, J., Segal, E., and Spector, T.D., 2018. Role of the gut microbiota in nutrition and health. *BMJ (Online)*, 361: 36–44.
- Verma, A.K. and Banerjee, R., 2010. Dietary fibre as functional ingredient in meat products: A novel approach for healthy living - A review. *Journal of Food Science and Technology*, 47(3): 247–257.
- Vinelli, V., Biscotti, P., Martini, D., Del Bo', C., Marino, M., Meroño, T., Nikoloudaki, O., Calabrese, F.M., Turrone, S., Taverniti, V., Caballero, A.U., Andrés-Lacueva, C., Porrini, M., Gobetti, M., De Angelis, M., Brigidi, P., Pinart, M., Nimptsch, K., Guglielmetti, S., and Riso, P., 2022. Effects of Dietary Fibers on Short-Chain Fatty Acids and Gut Microbiota Composition in Healthy Adults: A Systematic Review. *Nutrients*, 14(13): 1–26.
- Wang, X.X., Song, P.X., Wu, H., Xue, J.X., Zhong, X., and Zhang, L.Y., 2016. Effects of Graded Levels of Isomaltooligosaccharides on the Performance, Immune Function and Intestinal Status of Weaned Pigs. *Asian-Australasian Journal of Animal Sciences*, 29(2): 250.
- Wangko, W.S., 2020. Aspek Fisiologi Short Chain Fatty Acid (SCFA). *Medical Scope Journal*, 2(1): 26–35.
- Wu, Y., Pan, L., Shang, Q.H., Ma, X.K., Long, S.F., Xu, Y.T., and Piao, X.S.,

2017. Effects of isomalto-oligosaccharides as potential prebiotics on performance, immune function and gut microbiota in weaned pigs. *Animal Feed Science and Technology*, 230: 126–135.
- Xiong, R.G., Zhou, D.D., Wu, S.X., Huang, S.Y., Saimaiti, A., Yang, Z.J., Shang, A., Zhao, C.N., Gan, R.Y., and Li, H. Bin, 2022. Health Benefits and Side Effects of Short-Chain Fatty Acids. *Foods*, 11(18).
- Yegin, S., Kopec, A., Kitts, D.D., and Zawistowski, J., 2020. *Dietary fiber: a functional food ingredient with physiological benefits*. Dietary Sugar, Salt and Fat in Human Health. INC.
- Zhao, M., Chen, S., Ji, X., Shen, X., You, J., Liang, X., Yin, H., and Zhao, L., 2021. Current innovations in nutraceuticals and functional foods for intervention of non-alcoholic fatty liver disease. *Pharmacological research*, 166.