

DAFTAR PUSTAKA

- Adrian, Syaiful, A. Z., Ridwan, & Hermawati., 2020. Sakarifikasi Pati Ubi Jalar Putih Menjadi Gula Dekstrosa Secara Enzimatis. *Saintis*, 1(1), 1–12.
- Alcazar-Alay, S. C. & Meireles, M. A. A., 2015. Physicochemical Properties, Modifications and Applications of Starches from Different Botanical Sources. *Food Science and Technology*, 35(2), pp. 215- 236.
- Amin, N. A., 2013. Pengaruh suhu fosforilasi terhadap sifat fisikokimia pati tapioka termodifikasi. *Skripsi. Fakultas Pertanian, Universitas Hasanuddin, Makassar*.
- Ao, Z., Simsek, S., Zhang, G., Venkatachalam, M., Reuhs, B. L., & Hamaker, B. R., 2007. Starch with a slow digestion property produced by altering its chain length, branch density, and crystalline structure. *Journal of Agricultural and Food Chemistry*, 55(11), 4540–4547. <https://doi.org/10.1021/jf063123x>
- Apriyantono, A., D. Fardiaz, N.L. Puspitasari, Sedarnawati, dan S. Budijanto., 1998. *Petunjuk Laboratorium Analisis Pangan*. PAU Pangan dan Gizi-IPB. Bogor.
- Ariandi., 2016. Pengenalan enzim amilase (*alpha-amylase*) dan reaksi enzimatisnya menghidrolisis amilosa pati menjadi glukosa. *Jurnal Dinamika*, 7(1), 274–282.
- Ariansyah, F., Laga, A. and Mahendradatta, M., 2011. Studi Ekstraksi Pati Berdasarkan Ketinggian Batang Pohon Kelapa Sawit (*Elaeis guineensis*). *Jurnal*, pp.1-3.
- Ariyantoro, A. R., Yulviatun, A., Affandi, D. R., & Septiarani, A., 2022. The Effect of Moisture Content and Time of Heat Moisture Treatment (HMT) on The Properties of Jack Bean (*Canavalia ensiformis*) Starch. *IOP Conference Series: Earth and Environmental Science*, 1018(1). <https://doi.org/10.1088/1755-1315/1018/1/012028>
- Ashary, Santi Silfiana., 2010. Studi Keragaman Ganyong (*Canna edulis* Ker.) di Wilayah eks-Karesidenan Surakarta Berdasarkan Ciri Morfologi dan Pola Pita Isozim. *Skripsi. Fakultas Matematika Dan Ilmu Pengetahuan Alam. Universitas Sebelas Maret Surakarta*.
- Ayuningtyas, L.P., Syska, K. and Yuliasari, H., 2021. Karakterisasi Pati Kimpul (*Xanthosoma sagittifolium*) dengan Modifikasi Heat Moisture Treatment. *Scientific Timeline*, 1(1), pp.20-26.
- Benavent-Gil, Y., & Rosell, C. M., 2017. Comparison of porous starches obtained from different enzyme types and levels. *Carbohydrate Polymers*, 157, 533–540. <https://doi.org/10.1016/j.carbpol.2016.10.047>
- Benavent-Gil, Y., 2018. Enzymatic modification of starches to improve their technological and functional properties. *Thesis. Universitas València, Spanyol*.
- Cáceres, N. C., Suarez Mahecha, H., de Francisco, A., Vásquez Mejia, S. M., & Diaz Moreno, C., 2021. Physicochemical, thermal, microstructural and paste properties comparison of four achira (*Canna edulis* sp.) starch ecotypes. *International Journal of Gastronomy and Food Science*, 25(July). <https://doi.org/10.1016/j.ijgfs.2021.100380>

- Chang, P. R., Yu, J., & Ma, X., 2011. Preparation of porous starch and its use as a structure-directing agent for production of porous zinc oxide. *Carbohydrate Polymers*, 83(2), 1016–1019. <https://doi.org/10.1016/J.CARPOL.2010.08.076>
- Chansri, R., Puttanlek, C., Rungsadthong, V. dan Uttapap, D. (2005). Characteristics of clear noodles prepared from edible canna starches. *Journal of Food Science* 70(5): 337-342.
- Chen, J., Wang, Y., Liu, J., & Xu, X., 2020. Preparation, characterization, physicochemical property and potential application of porous starch: A review. *International Journal of Biological Macromolecules*, 148, 1169–1181. <https://doi.org/10.1016/j.ijbiomac.2020.02.055>
- Chen, Y., Dai, G., & Gao, Q., 2020. Preparation and properties of granular cold-water-soluble porous starch. *International Journal of Biological Macromolecules*, 144, 656–662. <https://doi.org/10.1016/j.ijbiomac.2019.12.060>
- Cordeiro, C.A.M., Martins, M.L.L. and Luciano, A.B., 2002. Production and properties of alpha-amylase from thermophilic *Bacillus sp.* *Brazilian Journal of Microbiology*, 33, pp.57-61.
- Daud, A., Suriati, S. and Nuzulyanti, N., 2019. Kajian Penerapan Faktor yang Mempengaruhi Akurasi Penentuan Kadar Air Metode Thermogravimetri. *Lutjanus*, 24(2), pp.11-16.
- Damayanti, E (2002). Karakterisasi sifat fisikokimia tepung dan pati ganyong (*Canna edulis* Kerr.) varietas local. *Skripsi*. Fakultas Teknologi Pertanian. Institut Pertanian Bogor. Bogor
- Dome, K., Podgorbunskikh, E., Bychkov, A., & Lomovsky, O. 2020. Changes in the crystallinity degree of starch having different types of crystal structure after mechanical pretreatment. *Polymers*, 12(3), 641.
- Dura, A., & Rosell, C. M., 2016. Physico-chemical properties of corn starch modified with cyclodextrin glycosyltransferase. *International Journal of Biological Macromolecules*, 87, 466–472. <https://doi.org/10.1016/j.ijbiomac.2016.03.012>
- Ega, L. & Lopulalan, C.G.C., 2015. Modifikasi Pati Sagu Dengan Metode Heat Moisture Treatment. *Agritekno: Jurnal Teknologi Pertanian*, 4(2), pp.33-40.
- Gabriel, A. A., Solikhah, A. F., Rahmawati, A. Y., Taradipa, Y. S., & Maulida, E. T. 2021. Potentials of Edible Canna (*Canna edulis* Kerr.) Starch for Bioplastic: A Review. *Industria: Jurnal Teknologi dan Manajemen Agroindustri*, 10(2), 182-191.
- Gao, F., Li, D., Bi, C.H., Mao, Z.H. and Adhikari, B., 2014. Preparation and characterization of starch crosslinked with sodium trimetaphosphate and hydrolyzed by enzymes. *Carbohydrate polymers*, 103, pp.310-318.
- Garcia-Diaz, S., Hernandez-Jaimes, C., Escalona-Buendia, H. B., Bello-Perez, L. A., Vernon-Carter, E. J., & Alvarez-Ramirez, J., 2016. Effects of CaCO₃ treatment on the morphology, crystallinity, rheology and hydrolysis of gelatinized maize starch dispersions. *Food Chemistry*, 207, 139–147. <https://doi.org/10.1016/j.foodchem.2016.03.095>
- Guo, L., Li, J., Gui, Y., Zhu, Y., Yu, B., Tan, C., Fang, Y., & Cui, B., 2020. Porous

- starches modified with double enzymes: Structure and adsorption properties. *International Journal of Biological Macromolecules*, 164, 1758–1765. <https://doi.org/10.1016/j.ijbiomac.2020.07.323>
- Guo, L., Yuan, Y., Li, J., Tan, C., Janaswamy, S., Lu, L., Fang, Y., & Cui, B., 2021. Comparison of functional properties of porous starches produced with different enzyme combinations. *International Journal of Biological Macromolecules*, 174, 110–119. <https://doi.org/10.1016/j.ijbiomac.2021.01.165>
- Han, X., Wen, H., Luo, Y., Yang, J., Xiao, W., Ji, X., & Xie, J., 2021. Effects of alfa-amylase and glucoamylase on the characterization and function of maize porous starches. *Food Hydrocolloids*, 116 (February), 106661. <https://doi.org/10.1016/j.foodhyd.2021.106661>
- Haryadi, 1993. Dasar-Dasar dan Pemanfaatan Ilmu dan Teknologi Pati. *Agritech*, 13(3), pp. 37-42.
- Harmayani, E., Murdiati, A., Griyaningsih., 2011. Karakterisasi Pati Ganyong (*Canna edulis*) dan Pemanfaatannya sebagai Bahan Pembuatan Cookies dan Cendol. *Agritech: Jurnal Teknologi Pertanian UGM*, 31(4), 297–304.
- Hasanah, F. and Hasrini, R.F., 2018. Pemanfaatan Ganyong (*Canna edulis* Kerr.) sebagai Bahan Baku Sohun dan Analisis Kualitasnya. *Journal of Agro-Based Industri*, 35(2), pp.99-105.
- Herawati, H., 2011. Potensi Pengembangan Produk Pati Tahan Cerna Sebagai Pangan Fungsional. *Jurnal Litbang Pertanian*, 30(1), pp. 31-39.
- Hongbo, T., Qian, Z., Yanping, L., & Xiaojun, L., 2022. Phthalate debranched *Canna edulis* Ker starch with high degree of substitution: preparation, characterization and property. *Polymer Bulletin*, 79(11), 9485–9501. <https://doi.org/10.1007/s00289-021-03941-1>
- Hu, X., Guo, B., Liu, B., Yan, X., Chen, J., Luo, S., Liu, Y., Wang, H., Yang, R., Zhong, Y., dan Wu, J., 2018. Modification of potato starch by using superheated steam. *Carbohydrate Polymers Journal*. 198. 375–384
- Huda, T. and Yulitaningtyas, T.K., 2018. Kajian penyerapan methylene blue menggunakan selulosa dari alang-alang. *Indonesian Journal of Chemical Analysis (IJCA)*, 1(01), pp.9-19.
- Irana, M., 2018. Pengaruh Perlakuan Microwave Terhadap Sifat Fisikokimia Dan Fungsional Pati Cocoyam (*Xanthosoma sagittifolium*). *Skripsi: Unika Soegijapranata Semarang*.
- Jiang, S., Yu, Z., Hu, H., Lv, J., Wang, H., & Jiang, S., 2017. Adsorption of procyanidins onto chitosan-modified porous rice starch. *LWT*, 84, 10–17. <https://doi.org/10.1016/J.LWT.2017.05.047>
- Jung, Y. S., Lee, B. H., & Yoo, S. H., 2017. Physical structure and absorption properties of tailor-made porous starch granules produced by selected amylolytic enzymes. *PLoS ONE*, 12(7), 1–14. <https://doi.org/10.1371/journal.pone.0181372>
- Keeratiburana, T., Hansen, A. R., Soontaranon, S., Blennow, A., & Tongta, S., 2020. Porous high amylose rice starch modified by amyloglucosidase and maltogenic alfa-amylase. *Carbohydrate Polymers*, 230(November 2019), 115611. <https://doi.org/10.1016/j.carbpol.2019.115611>

- Koswara, S., 2009. Teknologi modifikasi pati. *Teknol. Pangan*, pp.1-32.
- Lacerda, L. D., Leite, D. C., & da Silveira, N. P., 2019. Relationships between enzymatic hydrolysis conditions and properties of rice porous starches. *Journal of Cereal Science*, 89(August), 102819. <https://doi.org/10.1016/j.jcs.2019.102819>
- Lacerda, L. D., Leite, D. C., Soares, R. M. D., & da Silveira, N. P., 2018. Effects of alfa-Amylase, Amyloglucosidase, and Their Mixture on Hierarchical Porosity of Rice Starch. *Starch/Staerke*, 70(11-12), 1-23. <https://doi.org/10.1002/star.201800008>
- Latip, D. N., Samsudin, H., Utra, U., & Alias, A. K., 2020. Modification methods toward the production of porous starch: a review. *Critical Reviews in Food Science and Nutrition*, 0(0), 1-22. <https://doi.org/10.1080/10408398.2020.1789064>
- Lestari, P., Richana, N. and Rosmimik, R., 2011. Karakterisasi dan Studi Stabilisasi alfa amilase *Bacillus licheniformis* TVII.6 Menggunakan Bahan Aditif. *Berita Biologi*, 10(5), pp.581-588.
- Liu, L., Shen, W., Zhang, W., Li, F., & Zhu, Z., 2018. Porous Starch and Its Applications. *Functional Starch and Applications in Food*, 91-117. https://doi.org/10.1007/978-981-13-1077-5_4
- Majzoobi, M., Hedayati, S., & Farahnaky, A. 2015. Functional properties of microporous wheat starch produced by alfa-amylase and sonication. *Food Bioscience*, 11, 79-84. <https://doi.org/10.1016/j.fbio.2015.05.001>
- Matsubara, T., Ammar, Y. Ben, Anindyawati, T., Yamamoto, S., Ito, K., Iizuka, M., & Minamiura, N., 2004. Degradation of raw starch granules by alfa-amylase purified from culture of *Aspergillus awamori* KT-11. *Journal of Biochemistry and Molecular Biology*, 37(4), 422-428.
- Nandiyanto, A.B.D., Oktiani, R. and Ragadhita, R., 2019. How to read and interpret FTIR spectroscopy of organic material. *Indonesian Journal of Science and Technology*, 4(1), pp.97-118.
- Nawaz, H., Waheed, R., Nawaz, M., & Shahwar, D. 2020. Physical and chemical modifications in starch structure and reactivity. *Chemical properties of starch*, 9, 13-35.
- Nazarian-Firouzabadi, F., & Visser, R. G. 2017. Potato starch synthases: functions and relationships. *Biochemistry and Biophysics Reports*, 10, 7-16.
- Nguyen, D. M. D., & Pham, T. T., 2020. The Morphological Characteristics and Physical Properties of Porous Corn Starch Hydrolyzed by Mixture of a-Amylase and Glucoamylase. *Proceedings of 2020 5th International Conference on Green Technology and Sustainable Development, GTSD 2020*, 247-252. <https://doi.org/10.1109/GTSD50082.2020.9303165>
- Nurhayati, N., 2019. Modifikasi Pati Secara Asetilasi dan Aplikasinya Pada Pembentukan Film. *Jurnal Agrotek Ummat*, 6(2), pp.100-200.
- Nurjanah, A. E., 2018. Analisa Kuantitatif Kandungan Glukosa pada Tepung Ganyong dan Pati Ganyong Sebagai Makanan Alternative Diet Bagi Penderita Diabetes (Studi Di Desa Manduro Kecamatan Kabuh Kabupaten Jombang). 1-5. *Skripsi: Stikes Insan Cendekis Medika Jombang*.
- Nurmiati, Raharja, S. and Suryadarma, P., 2020. Peningkatan Sifat Fungsional Pati

- Sagu (*Metroxylon* sp.) Melalui Penambahan Isolat Protein Kedelai dan Transglutaminase. *Jurnal Teknologi Industri Pertanian*, 30(2).
- Park, S., Baker, J.O., Himmel, M.E., Parilla, P.A. and Johnson, D.K., 2010. Cellulose crystallinity index: measurement techniques and their impact on interpreting cellulase performance. *Biotechnology for biofuels*, 3(1), pp.1-10.
- Parwiyanti, P., Pratama, F., Wijaya, A., Malahayati, N., & Lidasari, E., 2016. Sifat Fisik Pati Ganyong (*Canna edulis* Kerr.) Termodifikasi dan Penambahan Gum Xanthan untuk Rerotian. *Agritech Journal*. 36(3), 335–343.
- Pasaribu, D. W., 2016. Pembuatan Bioetanol dari Pati Biji Durian dengan Hidrolisis Enzim Amilase dan Fermentasi Menggunakan *Zymomonas mobilis*. *Skripsi: Universitas Atma Jaya Yogyakarta*.
- Pramasari, D. A., Sondari, D., Adi, D. S., Widyaningrum, B. A., Fajar, A., Putri, R., & Putri, E. H., 2020. Karakteristik Pati Berpori Mikro dari Tapioka Hasil Perlakuan Amilase Sebagai Agen Penjerapan Minyak. *Jurnal Teknologi & Industri Hasil Pertanian*, 25(2), 71-80.
- Purwitasari, L., Purnami, M., Pranoto, Y., & Dhiantika, L., 2023. Characterization of porous starch from edible canna (*Canna edulis* Kerr.) produced by enzymatic hydrolysis using thermostable alfa-amylase. *Food Chemistry Advances*, 2 (November 2022), 100152. <https://doi.org/10.1016/j.focha.2022.100152>
- Puspasari, F., Nurachman, Z., Noer, A. S., Radjasa, O. K., Van Der Maarel, M. J. E. C., & Natalia, D., 2011. Characteristics of raw starch degrading alfa - amylase from *Bacillus aquimaris* MKSC 6.2 associated with soft coral *Sinularia* sp. *Starch/Staerke*, 63(8), 461–467.
- Putra, G.G., Wartini, N.M. and Anggreni, A.D., 2010. Karakterisasi enzim polifenol oksidase biji kakao (*Theobroma cacao* Linn.). *Agritech*, 30(3).
- Rocha, T.D.S., Carneiro, A.P.D.A. and Franco, C.M.L., 2010. Effect of enzymatic hydrolysis on some physicochemical properties of root and tuber granular starches. *Food Science and Technology*, 30, pp.544-551.
- Sakinah, A. R. & Insan, S. K., 2018. Isolasi, Karakterisasi Sifat Fisikokimia dan Aplikasi Pati Jagung dalam Bidang Farmasetik. *Farmaka*, 16(2), pp. 430-442.
- Santoso, B., Pratama, F., Hamzah, B., & Pambayun, R. 2015. Karakteristik Fisik dan Kimia Pati Ganyong dan Gadung Termodifikasi Metode Ikatan Silang. *Agritech*, 35(3), 273-279.
- Slivinski, C.T., Machado, A.V.L., Iulek, J., Ayub, R.A. and Almeida, M.M.D., 2011. Biochemical characterisation of a glucoamylase from *Aspergillus niger* produced by solid-state fermentation. *Brazilian Archives of Biology and Technology*, 54, pp.559-568.
- Soeka, Y. S. 2015. Kemampuan *Bacillus licheniformis* dalam menghasilkan enzim alfa amilase. 1, 1162–1166. <https://doi.org/10.13057/psnmmbi/m010534>
- Syamsir, E., Hariyadi, P., Fardiaz, D. and Kusnandar, F., 2020. Karakterisasi tapioka dari lima varietas ubi kayu (*Manihot utilisima* Crantz) asal Lampung. *Jurnal agroteknologi*, 5(01), pp.93-105.
- Triwitono, P., Marsono, Y., Murdiati, A. and Marseno, D.W., 2017. Isolasi dan karakterisasi sifat pati kacang hijau (*Vigna radiata* L.) beberapa varietas lokal Indonesia. *Agritech*, 37(2), pp.192-198.

- Visvanathan, R., Qader, M., Jayathilake, C., Jayawardana, B. C., Liyanage, R., & Sivakanesan, R. 2020. Critical review on conventional spectroscopic α -amylase activity detection methods: merits, demerits, and future prospects. *Journal of the Science of Food and Agriculture*, 100(7), 2836-2847.
- Wang, H., Lv, J., Jiang, S., Niu, B., Pang, M., & Jiang, S., 2016. Preparation and characterization of porous corn starch and its adsorption toward grape seed proanthocyanidins. *Starch/Stärke*, 68(11-12), 1254-1263. <https://doi.org/10.1002/star.201600009>
- Wang, S. & Copeland, L., 2012. New insights into loss of swelling power and pasting profiles of acid hydrolyzed starch granules. *Starch-Stärke*, 64(7), pp.538-544.
- Wang, Y.F., Shao, J.J., Wang, Z.L. and Lu, Z.X., 2012. Study of allicin microcapsules in β -cyclodextrin and porous starch mixture. *Food Research International*, 49(2), pp.641-647.
- Winarno, F. G., 1997. *Kimia Pangan dan Gizi*. Jakarta: Gramedia.
- Windarsih, A., Irnawati & A. Rohman., 2020. Application of FTIR-ATR spectroscopy and chemometrics for the detection and quantification of lard oil in bovine milk fat. *Food Research*, 4(5), 1732-1738. [https://doi.org/10.26656/fr.2017.4\(5\).087](https://doi.org/10.26656/fr.2017.4(5).087)
- Yang, C. H., Y. C. Huang, C. Y. Chen, and C. Y. Wen. 2010. Expression of *Thermobifida fusca* thermostable raw starch digesting α -amylase in *Pichia pastoris* and its application in raw sago starch hydrolysis. *Journal of Industrial Microbiology & Biotechnology* 37 (4):401-6.
- Zhang, B., Cui, D., Liu, M., Gong, H., Huang, Y., & Han, F., 2012. Corn porous starch: Preparation, characterization and adsorption property. *International Journal of Biological Macromolecules*, 50(1), 250-256. <https://doi.org/10.1016/j.ijbiomac.2011.11.002>
- Zhang, C., Qiu, M., Wang, T., Luo, L., Xu, W., Wu, J., Zhao, F., Liu, K., Zhang, Y., & Wang, X., 2021. Preparation, structure characterization, and specific gut microbiota properties related to anti-hyperlipidemic action of type 3 resistant starch from *Canna edulis*. *Food Chemistry*, 351(11), 129340.
- Zhang, J., Wang, Z. W., & Yang, J. A., 2010. Physicochemical properties of *Canna edulis* ker starch on heat-moisture treatment. *International Journal of Food Properties*, 13(6), 1266-1279. <https://doi.org/10.1080/10942910903061828>
- Zhao, A. Q., Yu, L., Yang, M., Wang, C. J., Wang, M. M., & Bai, X., 2018. Effects of the combination of freeze-thawing and enzymatic hydrolysis on the microstructure and physicochemical properties of porous corn starch. *Food Hydrocolloids*, 83, 465-472. <https://doi.org/10.1016/j.foodhyd.2018.04.041>
- Zhy Ying, B., Kamilah, H., Karim, A.A. and Utra, U., 2020. Effects of heat-moisture and alkali treatment on the enzymatic hydrolysis of porous sago (Metroxylon sago) starch. *Journal of Food Processing and Preservation*, 44(5), p. e14419.
- Żyłańczyk-Duda, E., Brzezińska-Rodak, M., Klimek-Ochab, M., & Duda, M. (2016). Biochemistryknowledge to practical applications-examples. *Basic Biochemistry*, December 2017, 1-36.