



DAFTAR PUSTAKA

- Anonim, 2023a. <https://siccadania.com/products/microparticulation> (Diakses pada 13 Januari 2023 pukul 09.25)
- Anonim, 2023b. <https://www.weberscientific.com/phosphate-buffers-here-s-what-you-need-to-know#:~:text=Phosphate%20buffers%20are%20widely%20used,those%20of%20the%20human%20body>. (Diakses pada 3 Maret 2023 pukul 10.00)
- Anonim, 2023c. <https://pacificpectin.com/technical-information/#:~:text=For%20most%20fruits%2C%20the%20pH,will%20change%20your%20final%20pH.&text=Fully%20hydrating%20HM%20pectins%20is%20necessary%20to%20ensure%20proper%20gel%20strength>. (Diakses pada 4 April 2023 pukul 13.54)
- Abbas, S., Hayat, K., Karangwa, E., Bashari, M., Zhang, X. M. (2013) An overview of ultrasound-assisted food-grade nanoemulsions. *Food Engineering Review*. 2013 (5) : 139-157. DOI:10.1007/s12393-013-9066-3.
- Arriaga, T. V., (2011). Controlled and tailored denaturation and aggregation of whey proteins. *Disertasi*. Portugal : Universidae Tecnica de Lisboa.
- Association of Official Analytical Chemists. (2006). *Official Methods of Analysis*. 18th Ed. United State : AOAC International.
- Ayman, N., Abd-Elghany, M & Hegazy, A & Basuny, A. (2020). Using of red palm oil as milk fat healthy replacer in ice milk. *Al-Azhar Journal of Agricultural Research*. 45 : 8-22. DOI :10.21608/ajar.2020.126614.
- Ayustaningworno, F. (2012). Proses Pengolahan dan Aplikasi Minyak Sawit Merah pada Industri Pangan. *Vitasphere*. 2 : 1-11. ISSN : 2085-7683.
- Azad, M. A. K., Ali, M. A., Akter, M. S., Rahman, M. J., Ahmed, M. (2014). Isolation and Characterization of Pectin Extracted from Lemon Pomace during Ripening. *Journal of Food and Nutrition Sciences*. Vol. 2 (2) : 30-35. DOI: 10.11648/j.jfns.20140202.12.
- Bajpai, P. (2018). Colloid and Surface Chemistry. Biermann's Handbook of Pulp and Paper, 381–400. DOI : <https://doi.org/10.1016/B978-012097362-0/50025-X>
- Banerjee, J., Vijayaraghavan, R., Arora, A., MacFarlane, D. R., & Patti, A. F. (2016). Lemon Juice Based Extraction of Pectin from Mango Peels:



Waste to Wealth by Sustainable Approaches. *American Chemistry Society. Sustainable Chemistry & Engineering*, 4 (11) : 5915–5920. DOI : 10.1021/acssuschemeng.6b01342.

Bi, C., Wang, P., Sun, D., Yan, Z., Liu, Y., Huang, Z., & Gao, F. (2020). Effect of high-pressure homogenization on gelling and rheological properties of soybean protein isolate emulsion gel. *Journal of Food Engineering*. 277 (1) : 109923 DOI : 10.1016/j.jfoodeng.2020.109923.

Caballero, B., Finglas, P.M., Toldrá, F. (2016). *Encyclopedia of Food and Health*. England : Elsevier.

Chen, Y., Jiang, S., Chen, Q., Liu, Q., & Kong, B. (2019). Antioxidant activities and emulsifying properties of porcine plasma protein hydrolysates modified by oxidized tannic acid and oxidized chlorogenic acid. *Process Biochemistry*. 79 : 105–113

Chung, C., Degner, B., & McClements, D. J. (2014). Development of reduced-calorie foods : Microparticulated whey proteins as fat mimetics in semi-solid food emulsions. *Food Research International*. 56 : 136–145

Comert, F., Malanowski, A. J., Azarikia, F., & Dubin, P. L. (2016). Coacervation and precipitation in polysaccharide–protein systems. *Soft Matter*. 12 (18) : 4154–4161.

Constenla, D dan Jorge EL. (2014). Kinetic model of pectin demethylation. *Latin American Applied Research* 33 : 91-96

Cox, D. L., Nelson, M. M. (2013). *Lehninger Principles of Biochemistry*. New York : W.H. Freeman. (143)

Dauqan, E., Halimah, Abdullah, A., Mohd-Kasim, Z. (2011). Effect of Different Vegetable Oils (Red Palm Olein, Palm Olein, Corn Oil and Coconut Oil) on Lipid Profile in Rat. *Food and Nutrition Sciences*. 2 : 253-258. DOI : 10.4236/fns.2011.24036.

De Leonardis, A., Macciola, V., Iacovino, S. (2020). Delivery Systems for Hydroxytyrosol Supplementation : State of the Art. *Colloids and Interfaces*. 4 : 25. DOI : 10.3390/colloids4020025.

Dewandari, K., Sofwan, G., Tjahyono, H. (2019). Effect of Pengemulsi Variation on The Stability of Carotene Nanoemulsion. *IOP Conference Series: Earth and Environmental Science*. DOI : 10.1088/1755-1315/309/1/012046.

Dissanayake, M. dan Vasiljevic, T. (2009). Functional properties of whey proteins affected by heat treatment and hydrodynamic high-pressure shearing.



Journal of Dairy Science, Volume 92 (4) : 1387-1397.
<https://doi.org/10.3168/jds.2008-1791>.

Dissanayake, M., Liyanaarachchi, S., Vasiljevic, T. (2012). Functional properties of whey proteins microparticulated at low pH. *Journal of Dairy Science*. 95 (4) : 1667–1679. DOI : <https://doi.org/10.3168/jds.2011-4823>

Donhowe, E.G. and Kong, F. (2014). β-carotene: digestion, microencapsulation, and in vitro bioavailability. *Food Bioprocess Technology*. 7 : 338-354. DOI : <https://doi.org/10.1016/j.lwt.2013.12.037>.

El-Hadad, N. N. M., Youssef, M. M., El-aal, M. H. A., dan Abou-Gharbia, H. H. (2011). Utilisation of Red Palm Olein in Formulating Functional Chocolate Spread. *Food Chemistry*. 124 : 285-290. DOI : [10.1016/j.foodchem.2010.06.034](https://doi.org/10.1016/j.foodchem.2010.06.034)

Evans, M., Ratcliffe, I., & Williams, P. (2013). Emulsion stabilisation using polysaccharide–protein complexes. *Current Opinion in Colloid & Interface Science*. 18 : 272–282. DOI : <https://doi.org/10.1016/j.cocis.2013.04.004>.

Fu, D., Deng, S., McClements, D.J., Zhou, L., Zou, L., Yi, J., Liu, C., Liu, W. (2019). Encapsulation of β-carotene in wheat gluten nanoparticle-xanthan gum-stabilized Pickering emulsions: Enhancement of carotenoid stability and bioaccessibility. *Food Hydrocolloids*. 89 : 80–89. DOI : <https://doi.org/10.1016/j.foodhyd.2018.10.032>

Gentile, L. (2020). Protein-polysaccharide interactions and aggregates in food formulations. *Current Opinion in Colloid & Interface Science*. 48:18-27. DOI : <https://doi.org/10.1016/j.cocis.2020.03.002>

Goulding, D. A., Fox, P. F., O'Mahony, J. A., (2020). Chapter 2 - Milk proteins: An overview. United States : Academic Press.

Harahap, I. S., Wahyuningsih, P., & Amri, Y. (2020). Analisa Kandungan Beta Karoten pada CPO (Crude Palm Oil) di Pusat Penelitian Kelapa Sawit (PPKS) Medan menggunakan Spektrofotometri UV-Vis. *QUIMICA: Jurnal Kimia Sains dan Terapan*, 2 (1) : 9–13. DOI : [10.33059/jq.v2i1.2616](https://doi.org/10.33059/jq.v2i1.2616)

Hoegger, P., Majcherczyk, A., Dwivedi, R., Svobodová, K., Kilaru, S., Kües, U. (2007). Enzymes in Wood Degradation. *Wood production, wood technology, and biotechnological impacts*. 383-432. Germany : Universitätsverlag Göttingen.



- Hou, X.-F., Chen, Y., & Liu, Y. (2015). Enzyme-responsive protein/polysaccharide supramolecular nanoparticles. *Soft Matter*. 11 (12) : 2488–2493. DOI : 10.1039/C4SM02896A
- imLab, (2017). *A Guide to Moisture Content Analysis*. Belgium : inLab.
- Ipsen, R. (2017). Microparticulated whey proteins for improving dairy product texture. *International Dairy Journal*. 67 : 73–79. DOI : <https://doi.org/10.1016/j.idairyj.2016.08.009>
- Jenkins, P., Snowden, M. (1996). Depletion Flocculation in Colloidal Dispersions. *Advances in Colloid and Interface Science*. 68 : 57-96. DOI : 10.1016/S0001-8686(96)90046-9.
- Jeong, B., Kim, S. W., Bae, Y. H., (2012). Thermosensitive sol-gel reversible hydrogels. *Advanced Drug Delivery Reviews*. 64 : 154-162. DOI : <https://doi.org/10.1016/j.addr.2012.09.012>
- Kayitmazer A. B. (2017). Thermodynamics of complex coacervation. *Advances in colloid and interface science*. 239 : 169–177. DOI : <https://doi.org/10.1016/j.cis.2016.07.006>
- Komaiko, J.; McClements, D. J. (2014). Optimization of isothermal lowenergy nanoemulsion formation: hydrocarbon oil, non-ionic surfactant, and water systems. *Journal of Colloid Interface Science*. 425 : 59-66. DOI : 10.1016/j.jcis.2014.03.035.
- Kotchabhakdi dan Vardhanabhuti, (2020). Formation of heated whey protein isolate-pectin complexes at pH greater than the isoelectric point with improved emulsification properties. *Journal of Dairy Science*. 103 : 6820–6829. DOI : 10.3168/jds.2019-17745.
- Krzeminski, A., Prell, K. A., Busch-Stockfisch, M., Weiss, J., & Hinrichs, J. (2014). Whey protein-pectin complexes as new texturising elements in fat-reduced yoghurt systems. *International Dairy Journal*, 36 (2) : 118–127. DOI : 10.1016/j.idairyj.2014.01.018.
- Lam, R. S. H. dan Nickerson, M. T. (2015). The effect of pH and temperature pre-treatments on the physicochemical and emulsifying properties of whey protein isolate. *LWT - Food Science and Technology*. 60 (1) : 427-434. DOI : <https://doi.org/10.1016/j.lwt.2014.07.031>.
- Le, X. T., Rioux, L. E., & Turgeon, S. L. (2017). Formation and functional properties of protein-polysaccharide electrostatic hydrogels in comparison to protein or polysaccharide hydrogels. *Advances in colloid and interface science*. 239 : 127–135. DOI:10.1016/j.cis.2016.04.006.



- Lee W.J., Tan, C.P., Sulaiman, R., Smith Jr., R.L., dan Chong, G.H. (2018). Microencapsulation of red palm oil as an oil-in-water emulsion with supercritical carbon dioxide solution-enhanced dispersion. *Journal of Food Engineering.* 222 : 100-109. DOI:10.1016/j.jfoodeng.2017.11.011.
- Li, A., Gong, T., Hou, Y., Yang, X., Guo, Y. (2020a) Alginate-stabilized thixotropic emulsion gels and their applications in fabrication of low-fat mayonnaise alternatives, *International Journal of Biological Macromolecules.* 146 : 821–831. DOI :10.1016/j.ijbiomac.2019.10.050.
- Li, S., Zhang, B., Li, C., Fu, X., Huang, Q. (2020b). Pickering emulsion gel stabilized by octenylsuccinate quinoa starch granule as lutein carrier: role of the gel network. *Food Chemistry.* Vol. 305. <https://doi.org/10.1016/j.foodchem.2019.125476>.
- Li, K., & Zhong, Q. (2016). Aggregation and gelation properties of preheated whey protein and pectin mixtures at pH 1.0-4.0. *Food Hydrocolloids.* 60 : 11-20. <https://doi.org/10.1016/j.foodhyd.2016.03.009>.
- Lu, Y., Mao, L., Hou, Z., Miao, S., & Gao, Y. (2019). Development of Emulsion Gels for the Delivery of Functional Food Ingredients: from Structure to Functionality. *Food Engineering Reviews,* 11, 245 - 258. DOI:10.1007/s12393-019-09194-z.
- Mantovani, R. A., Cavallieri, Â. L. F., & Cunha, R. L. (2016). Gelation of oil-in-water emulsions stabilized by whey protein. *Journal of Food Engineering.* 175 : 108–116. DOI:10.1016/j.jfoodeng.2015.12.011.
- Mao, L., Wang, D., Liu, F., Gao, Y. (2016). Emulsion Design for the Delivery of β-Carotene in Complex Food Systems. *Critical Reviews in Food Science and Nutrition.* 58 (5) : page. DOI : <https://doi.org/10.1080/10408398.2016.1223599>
- McClements, D.J dan Rao, J. (2011). Food-grade nanoemulsions: formulation, fabrication, properties, performance, biological fate, and potential toxicity. *Critical Reviews in Food Science and Nutrition* 51: 285- 330. DOI : 10.1080/10408398.2011.559558.
- McSweeney, P. L. H., Fox, P. F.(2013). *Advanced Dairy Chemistry.* Boston : Springer.
- Megahed, H., El-Kashif, E., Shash, A.Y., Essam, M. A., (2019). Effect of holding time, thickness and heat treatment on microstructure and mechanical properties of compacted graphite cast iron. *Journal of Materials*



Research and Technology. 8 (1) : 1188-1196. DOI : <https://doi.org/10.1016/j.jmrt.2018.07.021>.

Mir, S. A., Manickavasagan, A., Shah, M. A. (2022). Plant Extracts: Applications in the Food Industry. United States : Academic Press.

Mohan, K., Makebe, C. W., Jayamurthy, P., & Nisha, P. (2022). Red palm oil Pickering emulsion with pectin yields improved in vitro beta carotene bioaccessibility and oil stability: Physicochemical characterization and shelf stability studies. *Journal of Food Processing and Preservation*. DOI:10.1016/j.foodhyd.2013.07.025.

Moschakis, T., Biliaderis, C. (2017). Biopolymer-based coacervates: Structures, functionality and applications in food products. *Current Opinion in Colloid & Interface Science*. 28. DOI : 10.1016/j.cocis.2017.03.006.

Mudgil, D. (2017). Chapter 3 - The Interaction Between Insoluble and Soluble Fiber, dalam Samaan, R. A., 2017. *Dietary Fiber for the Prevention of Cardiovascular Disease*. United States : Academic Press.

Munialo, C., Linden, E., Ako, K., Nieuwland, M., As, H., Jongh, H. (2015). The effect of polysaccharides on the ability of *whey protein* gels to either store or dissipate energy upon mechanical deformation. *Food Hydrocolloids*. 52 : 707–720. DOI : 10.1016/j.foodhyd.2015.08.013.

Nagendran, B., Unnithan, U.R., Choo, Y. M., and Sundram, K., 2000. Characteristics of Red Palm Oil, α -Carotene and Vitamin E-Rich Refined Oil For Food Uses. *Food and Nutrition Bulletin*. 21 (2) : 189-194. DOI : 10.1177/156482650002100213.

Ngouémazong, E. D., Christiaens, S., Shpigelman, A., Van Loey A. M., Hendrickx, M. E. (2015) The emulsifying and emulsion-stabilizing properties of pectin : A review. *Comprehensive Reviews in Food Science and Food Safety*. 14: 705–718. <https://doi.org/10.1111/1541-4337.12160>.

Nicoletti Telis, V. R. (2018). O/W Emulsions Stabilized by Interactions Between Proteins and Polysaccharides. *Encyclopedia of Food Chemistry*. United State : Academic Press.

Nova, S. 2018. Gambaran Sikap Ibu tentang Vitamin A terhadap Pemberian Vitamin A pada Balita Usia 12-59 Bulan di Puskesmas Senapelan Pekanbaru Tahun 2017. *Jurnal Ilmu Kebidanan (Journal of Midwifery Sciences) Al-Insyirah Midwifery*. Vol. 7 (2) : 29-33. <https://jurnal.stikes-alinsyirah.ac.id/kebidanan/article/view/71> (Diakses pada 23 Oktober 2022)



- Pardede, E. 2013. Tinjauan Komposisi Kimia Buah dan Sayur : Peranan sebagai Nutrisi dan Kaitannya dengan Teknologi Pengawetan dan Pengolahan. *Journal VISI*. Vol 21 (3). Medan: Universitas HKBP Nommensen.
- Poyato, C., Astiasarán, I., Barriuso, B., Ansorena, D., (2015). A new polyunsaturated gelled emulsion as replacer of pork back-fat in burger patties: Effect on lipid composition, oxidative stability and sensory acceptability, *LWT - Food Science and Technology*. 62 (2) : 1069-1075. DOI : <https://doi.org/10.1016/j.lwt.2015.02.004>
- Priyatadarsini, K. I., Maity, D. K., Naik, G. H., Kumar, M. S., Unnikrishnan, M. K., Satav, J. G., & Mohan, H. (2003). Role of phenolic O-H and methylene hydrogen on the free radical reactions and antioxidant activity of curcumin. *Free Radical Biology and Medicine*, 35 (5) : 475–484. DOI : [https://doi.org/10.1016/S0891-5849\(03\)00325-3](https://doi.org/10.1016/S0891-5849(03)00325-3).
- Puppo, M. C., & Añón, M. C. (1998). Effect of pH and Protein Concentration on Rheological Behavior of Acidic Soybean Protein Gels. *Journal of Agricultural and Food Chemistry*. 46 (8) : 3039–3046. DOI : <https://doi.org/10.1021/jf971092n>
- Purnama, K.O., Setyaningsih, D., Hambali, E., Taniwiryo, D. (2020). Processing, Characteristics, and Potential Application of Red Palm Oil - a review. *International Journal of Oil Palm*, Vol. 3, No. 2 : 40-55. DOI:10.35876/ijop.v3i2.47.
- Robiyansyah, Zuidar, A. S., Hidayati, S. (2020). Pemanfaatan Minyak Sawit Merah dalam Pembuatan Biskuit Kacang Kaya Beta Karoten. *Skripsi*. Lampung : Universitas Lampung.
- Rodriguez-Amaya, D. B. (2015). *Food carotenoids: chemistry, biology and technology*. United Kingdom : Wiley Blackwell.
- Rodzik A, Pomastowski P, Sagandykova GN, Buszewski B. (2020). Interactions of Whey Proteins with Metal Ions. *International Journal of Molecular Sciences*. 21 (6) : 2156 . DOI : 10.3390/ijms21062156.
- Ryan KN, Zhong QX, Foegeding EA. (2013). Use of whey protein soluble aggregates for thermal stability. A hypothesis paper. *Journal of Food Science*. 78 (8) : R1105–15. DOI : 10.1111/1750-3841.12207.
- Sánchez-Obando, J.-D., Cabrera-Trujillo, M.-A., Olivares-Tenorio, M.-L., & Klotz-Ceberio, B. (2019). Use of optimized microparticulated whey protein in the process of reduced-fat spread and petit-suisse cheeses. *Lebensmittel-Wissenschaft und-Technologie*. 120 (3) : 108933. DOI : 10.1016/j.lwt.2019.108933.



- Sathasivam, T., Muniyandy, S., Chuah, L., Janarthanan, P., (2018). Encapsulation of red palm oil in carboxymethyl sago cellulose beads by emulsification and vibration technology : Physicochemical characterization and in vitro digestion. *Journal of Food Engineering*. Vol. 231. DOI : 10.1016/j.jfoodeng.2018.03.008
- Schalbart, P., Kawaji, M. (2013). Comparison of paraffin nanoemulsions prepared by low-energy emulsification method for latent heat storage. *International Journal of Thermal Sciences*. 67 : 113-119. DOI : 10.1016/j.ijthermalsci.2012.12.007.
- Shankaranarayanan, J., Arunkanth, K., Dinesh, K. C., (2018). Beta Carotene-Therapeutic Potential and Strategies to Enhance Its Bioavailability. *Nutrition and Food science International Journal*. 7 : 1-7. DOI : 10.19080/NFSIJ.2018.07.555716.
- Shi, D., Li, C., Stone, A.K., Guldiken, B. and Nickerson, M.T. (2021). Recent Developments in Processing, Functionality, and Food Applications of Microparticulated Proteins. *Food Reviews International*. pp.1-24. DOI:10.1080/87559129.2021.1933515.
- Solans, C.; Sole, I. (2012) Nano-emulsions: formation by low-energy methods. *Current Opinion in Colloid & Interface Science*. 17 (5) : 246–254. DOI : 10.1016/j.cocis.2012.07.003.
- Sun, C., Liu, R., Liang, B., Wu, T., Sui, W., Zhang, W. (2018). Microparticulated whey protein-pectin complex: A texture-controllable gel for low-fat mayonnaise, *Food Research International*. Vol. 108 : 151-160. DOI : 10.1016/j.foodres.2018.01.036.
- Usmiati, S., Djumali, M., Erliza, N., Nur, R., dan Endang, P. (2016). Produksi pektin bermetoksil rendah dari kulit jeruk nipis (*Citrus aurantifolia* Swingle) secara spontan menggunakan pelarut amonium oksalat dan asam. *Jurnal Penelitian Pascapanen Pertanian*, 13 (3) : 125-135. DOI : 10.21082/jpasca.v13n3.2016.125-135.
- Vanitha, T., dan Khan, M. (2019). *Role of Pectin in Food Processing and Food Packaging. Pectins - Extraction, Purification, Characterization and Applications*. London : IntechOpen.
- Weber, D. and Grune, T. (2012). The contribution of β -carotene to vitamin A supply of humans. *Molecular Nutrition & Food Research*. 56: 251–258. DOI : 10.1002/mnfr.201100230.
- Weigel, F., Weiss, J., Decker, E. A., & McClements, D. J. (2018). Lutein-enriched emulsion-based delivery systems: Influence of pengemulsis and



antioxidants on physical and chemical stability. *Food Chemistry*. 242 : 395–403. DOI : <https://doi.org/10.1016/j.foodchem.2017.09.060>.

Wijaya, W., Sun, Q., Vermeir, L., Dewettinck, K., Patel, A. R., & Van der Meeren, P. (2019). pH and protein to polysaccharide ratio control the structural properties and viscoelastic network of HIPE-templated biopolymeric oleogels. *Food Structure-Netherlands*. 21 : 100-112 DOI : 10.1016/j.foostr.2019.100112.

Wijaya, W., Turan, S., Setiowati, A.D., Dewettinck, K., Patel, A. R., & Van der Meeren, P. (2020). Effect of low-methoxy pectin on interfacial and emulsion stabilizing properties of heated *whey protein* isolate (WPI) aggregates. *Food Structure*. Vol. 26. DOI : 10.1016/j.foostr.2020.100159.

Wijayanti, H., Bansal, N., Deeth, H. (2014). Stability of *Whey Proteins* during Thermal Processing: A Review. *Comprehensive Reviews in Food Science and Food Safety* 13 (6) : 1235-1251. DOI : <https://doi.org/10.1111/1541-4337.12105>.

Wuestenberg, T. (2015). *Cellulose and Cellulose Derivatives in The Food Industry: Fundamentals and Applications*. Germany : Wiley-VCH.

Xie Y, Liu R, Zhang C, Liu D, Han J. (2020). Structural Characteristics and Emulsifying Properties of Soy Protein Isolate Glycated with Galacto-Oligosaccharides under High-Pressure Homogenization. *Foods*. Vol. 11(21) : 3505. <https://DOI.org/10.3390/foods11213505>.

Xu, D., Wang, X., Jiang, J., Yuan, F., Gao, Y., (2012). Impact of *whey protein*-beet pectin conjugation on the physicochemical stability of b-carotene emulsions. *Food Hydrocolloids*. 28 : 258–260. DOI : 10.1016/j.foodhyd.2012.01.002.

Yang, J. S., Mu, T. H., Ma, M. M. (2018). Extraction, structure, and emulsifying properties of pectin from potato pulp. *Food Chemistry*, 244, 197–205. DOI : <https://doi.org/10.1016/j.foodchem.2017.10.059>.

Ye, H., Chen, T., Huang, M., Ren, G., Lei, Q., Fang, W., Xie, H. (2021). Exploration of the Microstructure and Rheological Properties of Sodium Alginate-Pectin-Whey Protein Isolate Stabilized B-Carotene Emulsions: To Improve Stability and Achieve Gastrointestinal Sustained Release. *Foods*. 10 (9) : 1991. DOI : <https://doi.org/10.3390/foods10091991>.



- Yi, J., Huang, H., Liu, Y., Lu, Y., Fan, Y., Zhang, Y. (2020). Fabrication of curcumin-loaded pea protein-pectin ternary complex for the stabilization and delivery of β -carotene emulsions, *Food Chemistry* : Vol. 313. DOI : 10.1016/j.foodchem.2019.126118.
- Zhang, R., Belwal, T., Li, L., Lin, X., Xu, Y., Luo, Z. (2020). Recent advances in polysaccharides stabilized emulsions for encapsulation and delivery of bioactive food ingredients : A review. *Carbohydrate Polymers*. 242 (2) : 116388. DOI : <https://doi.org/10.1016/j.carbpol.2020.116388>.
- Zhang, S. dan Vardhanabhuti, B. (2014). Acid-induced gelation properties of heated *whey protein*-pectin soluble complex (Part II): Effect of charge density of pectin. *Food Hydrocolloids*. 39 : 95–103. DOI : 10.1016/j.foodhyd.2013.12.020.
- Zhang, X., Chen, X., Gong, Y., Li, Z., Guo, Y., Yu, D., Pan, M. (2021). Emulsion gels stabilized by soybean protein isolate and pectin: Effects of high intensity ultrasound on the gel properties, stability and β -carotene digestive characteristics. *Ultrasonics Sonochemistry* : Vol. 79. DOI : 10.1016/j.ultsonch.2021.105756.
- Zhong, M., Xie, F., Zhang, S., Sun, Y., Qi, B., dan Li, Y. (2020). Preparation and digestive characteristics of a novel soybean lipophilic protein-hydroxypropyl methylcellulose-calcium chloride thermosensitive emulsion gel. *Food Hydrocolloids*. Vol. 106. DOI : <https://doi.org/10.1016/j.foodhyd.2020.105891>.
- Zhu, C., Zhang, H., Huang, G., Xiao, J. (2020). *Whey protein* isolate—*low methoxyl pectin* coacervates as a high internal phase Pickering emulsion stabilizer. *Journal of Dispersion Science and Technology*. 42 : 1-12. 10.1080/01932691.2020.1724801.