

DAFTAR PUSTAKA

- Ahmed, W., Philip, P.S., Tariq, S. and Khan, G., 2014. Epstein-Barr virus-encoded small RNAs (EBERs) are present in fractions related to exosomes released by EBV-transformed cells. *PloS one*, 9(6), p.e99163.
- Broyde, A., Boycov, O., Strenov, Y., Okon, E., Shpilberg, O. and Bairey, O., 2009. Role and prognostic significance of the Ki-67 index in non-Hodgkin's lymphoma. *American journal of hematology*, 84(6), pp.338-343.
- Castillo, J.J., Sinclair, N., Beltrán, B.E., Song, M.K., Ilic, I., Leppa, S., Nurmi, H., Seki, R., Uccella, S., Li, J.M. and Treaba, D.O., 2013. Similar outcomes in Asian and Western patients with diffuse large B-cell lymphoma treated with R-CHOP. *Leukemia Research*, 37(4), pp.386-391.
- Castillo, J.J., Beltran, B.E., Miranda, R.N., Young, K.H., Chavez, J.C. and Sotomayor, E.M., 2018. *EBV-positive diffuse large B-cell lymphoma, not otherwise specified: 2018 update on diagnosis, risk-stratification and management*.
- Chabay, P., 2021. Advances in the pathogenesis of EBV-associated diffuse large B cell lymphoma. *Cancers*, 13(11), p.2717.
- Chen, Y., Han, T., Iqbal, J., Irons, R., Chan, W.C., Zhu, X. and Fu, K., 2010. Diffuse large B-cell lymphoma in Chinese patients: immunophenotypic and cytogenetic analyses of 124 cases. *American journal of clinical pathology*, 133(2), pp.305-313.
- Chen, D.B., 2019. EBV positive DLBCL, NOS. *Atlas of Genetics and Cytogenetics in Oncology and Haematology*.
- Chong, Y., Kim, T.E., Cho, U., Jin, M.S., Yim, K., Thakur, N., Kim, J.O., Cho, I. and Park, G., 2021. Comparison of Ki-67 Labeling Index Patterns of Diffuse Large B-Cell Lymphomas and Burkitt Lymphomas Using Image Analysis: A Multicenter Study. *Diagnostics*, 11(2), p.343.
- Cooper, G., 2000. *Tumor Suppressor Genes*. [online] Ncbi.nlm.nih.gov. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK9894/>
- Drajat, A., 2017. EFEK KANDUNGAN SERAT PADA BERAS ANALOG TERHADAP EKSPRESI GLUT4 OTOT RANGKA TIKUS WISTAR MODEL DIABETES.
- Elhendawy, H.A., Ibrahiem, A.T., Elmahdi, H.S. and Omar, A.M., 2020. Prognostic Significance of BCL2 Protein in Diffuse Large Cell Lymphoma of Head and

Neck; Relation to Response to Chemotherapy. *Open Journal of Pathology*, 10(02), p.76.

El-Esawy, B.H., Alghamdy, A.N. and El Askary, A., 2015. Clinicopathologic Correlation of Ki67 Proliferative Indices among WHO subtypes of Non-Hodgkin's Lymphoma & it's prognostic Significance. *Res J Medicine & Med Sci*, 10(1), pp.1-6.

Evans, M., Aster, J., Miranda, R. and Medeiros, L., 2021. *High grade B cell lymphoma, NOS*. [online] Pathologyoutlines.com. Available from: <https://www.pathologyoutlines.com/topic/lymphomahighgradebcell.html>

Evens, A.M. and Blum, K.A. eds., 2015. *Non-Hodgkin lymphoma: pathology, imaging, and current therapy* (Vol. 165). Springer.

Felton-Edkins, Z.A., Kondrashov, A., Karali, D., Fairley, J.A., Dawson, C.W., Arrand, J.R., Young, L.S. and White, R.J., 2006. Epstein-Barr virus induces cellular transcription factors to allow active expression of EBER genes by RNA polymerase III. *Journal of Biological Chemistry*, 281(45), pp.33871-33880.

Frappier, L., 2015. Contributions of Epstein–Barr nuclear antigen 1 (EBNA1) to cell immortalization and survival. *Viruses*, 4(9), pp.1537-1547.

Frappier, L., 2012. The epstein-barr virus ebna1 protein. *Scientifica*, 2012.

Gandhi, S., M Kallab, A. and J Hernandez-Ilizaliturri, F., 2020. *What is the pathophysiology of diffuse large B-cell lymphoma (DLBCL)?*. [online] Medscape.com. Available from: <https://www.medscape.com/answers/202969-188102/what-is-the-pathophysiology-of-diffuse-large-b-cell-lymphoma-dlbcl>.

Gouveia, G.R., Siqueira, S.A.C. and Pereira, J., 2012. Pathophysiology and molecular aspects of diffuse large B-cell lymphoma. *Revista Brasileira de Hematologia e Hemoterapia*, 34, pp.447-451.

Haryanto, R., 2014. *Perbedaan Tingkat Ekspresi Lmp-1 Dan Ebna-1 Virus Epstein-Barr Antara High Grade Dan Low Grade Karsinoma Kolorektal* (Doctoral dissertation, UNS (Sebelas Maret University)).

Hassan, U., Mushtaq, S., Mamoon, N., Asghar, A.H. and Ishtiaq, S., 2012. Prognostic sub-grouping of diffuse large B-cell lymphomas into germinal centre and post germinal centre groups by immunohistochemistry after 6 cycles of chemotherapy. *Asian Pacific Journal of Cancer Prevention*, 13(4), pp.1341-1347.

- Hayati, A. and Harahap, A.S., 2019. Mutasi MYC, BCL2, dan BCL6 pada Triple-hit Lymphoma. *Pratista Patologi*, 6(1), pp.23-33.
- He, X., Chen, Z., Fu, T., Jin, X., Yu, T., Liang, Y., Zhao, X. and Huang, L., 2014. Ki-67 is a valuable prognostic predictor of lymphoma but its utility varies in lymphoma subtypes: evidence from a systematic meta-analysis. *BMC cancer*, 14(1), pp.1-13.
- Hermendy, B.E. and Pawarti, D.R., 2017. Peran Transforming Growth Factor Beta (TGF-B) pada Rinitis Alergi. *Jurnal THT-KL* 10 (1): 27, 36.
- Hong, J.Y., Yoon, D.H., Suh, C., Huh, J., Do, I.G., Sohn, I., Jo, J., Jung, S.H., Hong, M.E., Yoon, H. and Ko, Y.H., 2015. EBV-positive diffuse large B-cell lymphoma in young adults: is this a distinct disease entity?. *Annals of Oncology*, 26(3), pp.548-555.
- Indrawati, Irianiwati dan Harijadi, 2006. Ekspresi EBNA-1 pada diffuse large B cell lymphoma serta Small lymphocytic lymphoma tipe nodal dan ektranodal. *Berkala Ilmu Kedokteran*, 38(2006).
- Inwald, E.C., Klinkhammer-Schalke, M., Hofstädter, F., Zeman, F., Koller, M., Gerstenhauer, M. and Ortmann, O., 2013. Ki-67 is a prognostic parameter in breast cancer patients: results of a large population-based cohort of a cancer registry. *Breast cancer research and treatment*, 139(2), pp.539-552.
- Ioachim, H.L. and Medeiros, L.J. eds., 2009. *Ioachim's lymph node pathology*. Lippincott Williams & Wilkins.
- Isabella, K., 2018. Ki-67 sebagai Parameter Prognosis pada Limfoma Non Hodgkin. Denpasar: Universitas Udayana.
- Ishtiaq, S., Hassan, U., Mushtaq, S. and Akhtar, N., 2013. Determination of frequency of Epstein-Barr virus in non-Hodgkin lymphomas using EBV latent membrane protein 1 (EBV-LMP1) immunohistochemical staining. *Asian Pacific Journal of Cancer Prevention*, 14(6), pp.3963-3967.
- Jamil, A. and Mukkamalla, S.K.R., 2021. Lymphoma. In *StatPearls [Internet]*. StatPearls Publishing. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK560826/>
- Jaiswal, P.K., Goel, A. and Mittal, R.D., 2015. Survivin: A molecular biomarker in cancer. *The Indian journal of medical research*, 141(4), p.389.
- Kanas, G., Ge, W., Quek, R.G., Keeven, K., Nersesyan, K. and Arnason, J.E., 2022. Epidemiology of diffuse large B-cell lymphoma (DLBCL) and follicular

- lymphoma (FL) in the United States and Western Europe: population-level projections for 2020–2025. *Leukemia & Lymphoma*, 63(1), pp.54-63.
- Klanova, M. and Klener, P., 2020. BCL-2 proteins in pathogenesis and therapy of B-cell non-Hodgkin lymphomas. *Cancers*, 12(4), p.938.
- Krisdiantari, N., 2018. Pengaruh Kemoterapi Fase Induksi terhadap Malondialdehid sebagai Biomarker Stres Oksidatif pada Leukemia Limfoblastik Akut (Tesis). Makassar: Universitas Hasanuddin.
- Kristanto, F. H., 2011. Frekuensi ekspresi protein Ki-67 pada limfoma non hodkin ektranodul primer kepala dan leher (Skripsi). Yogyakarta: UGM.
- Kulaberoglu, Y., Malik, Y., Borland, G., Selman, C., Alic, N. and Tullet, J.M., 2021. Rna polymerase III, ageing and longevity. *Frontiers in Genetics*, 12, p.705122.
- Leight, E.R. and Sugden, B., 2001. The cis-acting family of repeats can inhibit as well as stimulate establishment of an oriP replicon. *Journal of virology*, 75(22), pp.10709-10720.
- Li, L.T., Jiang, G., Chen, Q. and Zheng, J.N., 2015. Ki67 is a promising molecular target in the diagnosis of cancer. *Molecular medicine reports*, 11(3), pp.1566-1572.
- Li, S., Young, K.H. and Medeiros, L.J., 2018. Diffuse large B-cell lymphoma. *Pathology*, 50(1), pp.74-87.
- Lu, J., Murakami, M., Verma, S.C., Cai, Q., Haldar, S., Kaul, R., Wasik, M.A., Middeldorp, J. and Robertson, E.S., 2011. Epstein–Barr Virus nuclear antigen 1 (EBNA1) confers resistance to apoptosis in EBV-positive B-lymphoma cells through up-regulation of survivin. *Virology*, 410(1), pp.64-75.
- Mátyási, B., Farkas, Z., Kopper, L., Sebestyén, A., Boissan, M., Mehta, A. and Takács-Vellai, K., 2020. The function of NM23-H1/NME1 and its homologs in major processes linked to metastasis. *Pathology & Oncology Research*, 26, pp.49-61.
- Machfudzoh, R., 2012. Ekspresi P53 dan Ki 67 pada diffuse large b cell lymphoma tipe nodal dan ektranodal (Tesis). Yogyakarta: UGM.
- Martelli, M., Ferreri, A.J., Agostinelli, C., Di Rocco, A., Pfreundschuh, M. and Pileri, S.A., 2013. Diffuse large B-cell lymphoma. Critical reviews in oncology/hematology, 87(2), pp.146-171.

- Matheson, T.D. and Kaufman, P.D., 2017. The p150N domain of chromatin assembly factor-1 regulates Ki-67 accumulation on the mitotic perichromosomal layer. *Molecular Biology of the Cell*, 28(1), pp.21-29.
- Medeiros, L. and Miranda, R., 2018. *Diagnostic Pathology: Lymph nodes and extranodal lymphomas*. 2nd ed. Philadelphia: ELSEVIER.
- Messick, T.E., Smith, G.R., Soldan, S.S., McDonnell, M.E., Deakyne, J.S., Malecka, K.A., Tolvinski, L., van den Heuvel, A.P.J., Gu, B.W., Cassel, J.A. and Tran, D.H., 2019. Structure-based design of small-molecule inhibitors of EBNA1 DNA binding blocks Epstein-Barr virus latent infection and tumor growth. *Science translational medicine*, 11(482), p.eaau5612.
- Nogai, H., Dörken, B. and Lenz, G., 2011. Pathogenesis of non-Hodgkin's lymphoma. *Journal of Clinical Oncology*, 29(14), pp.1803-1811.
- Ok, C.Y., Ye, Q., Li, L., Manyam, G.C., Deng, L., Goswami, R.R., Wang, X., Montes-Moreno, S., Visco, C., Tzankov, A. and Dybkaer, K., 2015. Age cutoff for Epstein-Barr virus-positive diffuse large B-cell lymphoma—is it necessary?. *Oncotarget*, 6(16), p.13933.
- Owen, T.J., O'Neil, J.D., Dawson, C.W., Hu, C., Chen, X., Yao, Y., Wood, V.H., Mitchell, L.E., White, R.J., Young, L.S. and Arrand, J.R., 2010. Epstein-Barr virus-encoded EBNA1 enhances RNA polymerase III-dependent EBER expression through induction of EBER-associated cellular transcription factors. *Molecular cancer*, 9(1), pp.1-16.
- Patel, P. and J Hernandez-Ilizaliturri, F., 2022. *Non-Hodgkin Lymphoma Guidelines: Classification, Diagnosis, Staging*. [online] Emedicine.medscape.com. Available from: <https://emedicine.medscape.com/article/2500022-overview>
- Padala, S.A. & Kallam, A., 2022. Diffuse large B cell lymphoma. In *StatPearls [Internet]*. StatPearls Publishing. Available from: <https://pubmed.ncbi.nlm.nih.gov/32491728/>
- Perincheri, S. and Siddon, A., 2021. *EBV+ DLBCL*. [online] Pathologyoutlines.com. Available from: <https://www.pathologyoutlines.com/topic/lymphomadiffuseEBV.html>
- Prabowo, I., Zuliyanto, A., Setiamika, M., Sudrajad, H., Anggraini, A.H., Budiani, D.R., Cornain, S. and Nasar, M., 2019. THE RELATION OF EBNA-1 AND EGFR EXPRESSION SCREENING FROM ADVANCED STAGE UNDIFFERENTIATED NASOPHARYNGEAL

CANCER. *INTERNATIONAL JOURNAL OF NASOPHARYNGEAL CARCINOMA*, 1(02), pp.55-60.

- Purwanto, I., Kurnianda, J., Hutajulu, S.H., Widayati, K. and Rizki, M., 2006. Epstein-Barr nuclear antigen-1 (EBNA-1) in diffuse large B-cell lymphoma and its relationship to the bcl-2 protein. *Acta Med Indones*, 38, pp.77-80.
- Reksodiputro, A.H., 2015. Multicentre epidemiology and survival study of B cell non Hodgkin lymphoma patients in Indonesia. *J Blood Disorders Transf*, 6(2), pp.1-5.
- Ryan, J.L., Fan, H., Glaser, S.L., Schichman, S.A., Raab-Traub, N. and Gulley, M.L., 2004. Epstein-Barr virus quantitation by real-time PCR targeting multiple gene segments: a novel approach to screen for the virus in paraffin-embedded tissue and plasma. *The Journal of Molecular Diagnostics*, 6(4), pp.378-385.
- Sapkota, S. & Shaikh, H., 2020. Non-Hodgkin Lymphoma. *StatPearls [Internet]*. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK559328/>
- Scholzen, T. and Gerdes, J., 2000. The Ki-67 protein: from the known and the unknown. *Journal of cellular physiology*, 182(3), pp.311-322.
- Shibusawa, M., Kidoguchi, K. and Tanimoto, T., 2021. Epstein-Barr Virus-Positive Diffuse Large B Cell Lymphoma. *Exon Publications*, pp.27-46.
- Shimoyama, Y., Asano, N., Kojima, M., Morishima, S., Yamamoto, K., Oyama, T., Kinoshita, T. and Nakamura, S., 2009. Age-related EBV-associated B-cell lymphoproliferative disorders: diagnostic approach to a newly recognized clinicopathological entity. *Pathology international*, 59(12), pp.835-843.
- Sivachandran, N., Sarkari, F. and Frappier, L., 2008. Epstein-Barr nuclear antigen 1 contributes to nasopharyngeal carcinoma through disruption of PML nuclear bodies. *PLoS pathogens*, 4(10), p.e1000170.
- Smith, D.W. and Sugden, B., 2013. Potential cellular functions of Epstein-Barr nuclear antigen 1 (EBNA1) of Epstein-Barr virus. *Viruses*, 5(1), pp.226-240.
- Snak, Y., 2017. Determination of immunophenotypic differentiation profiles, apoptosis and proliferation status in Indonesian diffuse large b-cell lymphoma patients (Tesis). Yogyakarta: UGM.
- Sobecki, M., Mrouj, K., Camasses, A., Parisi, N., Nicolas, E., Llères, D., Gerbe, F., Prieto, S., Krasinska, L., David, A. and Eguren, M., 2016. The cell proliferation antigen Ki-67 organises heterochromatin. *elife*, 5, p.e13722.

- Sun, X., 2017. *Ki-67 Regulates Cell Cycle Progression and Heterochromatin Organization*.
- Sun, X. and Kaufman, P.D., 2018. Ki-67: more than a proliferation marker. *Chromosoma*, 127(2), pp.175-186.
- Swesis, I.A.C., Suega, K. and Rena, N.M.R.A., 2016. KAITAN FAKTOR USIA DAN JENIS KELAMIN TERHADAP KEJADIAN LIMFOMA NON HODGKIN DI RUMAH SAKIT SANGLAH TAHUN 2014.
- Tao, Q., Robertson, K.D., Manns, A., Hildesheim, A. and Ambinder, R.F., 1998. The Epstein-Barr virus major latent promoter Qp is constitutively active, hypomethylated, and methylation sensitive. *Journal of virology*, 72(9), pp.7075-7083.
- Tumwine, L.K., Orem, J., Kerchan, P., Byarugaba, W. and Pileri, S.A., 2010. EBV, HHV8 and HIV in B cell non Hodgkin lymphoma in Kampala, Uganda. *Infectious agents and cancer*, 5(1), pp.1-7.
- Turowski, T.W. and Tollervey, D., 2016. Transcription by RNA polymerase III: insights into mechanism and regulation. *Biochemical Society Transactions*, 44(5), pp.1367-1375.
- Widayati, W. T., 2017. Deteksi epstein-barr virus nuclear antigen 1 (EBNA1) dan latent membrane protein 1 (LMP1) pada pasien diffuse large b-cell lymphoma (Tesis). Yogyakarta: UGM.
- Winoto, Jessica. 2020. Ekspresi CD30 pada pasien Diffuse Large B-cell Lymphoma di RSUP Dr. Kariadi Semarang. *Jurnal Kedokteran RAFLESIA*. 6. 19-29. 10.33369/juke.v6i1.11072.
- World Health Organization (WHO), 2020. GLOBOCAN Report 2020. Available from: <https://www.uicc.org/news/globocan-2020-new-global-cancer-data>
- Yeganeh, M. and Hernandez, N., 2020. RNA polymerase III transcription as a disease factor. *Genes & development*, 34(13-14), pp.865-882.
- Yıldırım, M., Kaya, V., Demirpençe, Ö. and Paydaş, S., 2015. The role of gender in patients with diffuse large B cell lymphoma treated with rituximab-containing regimens: a meta-analysis. *Archives of Medical Science*, 11(4), pp.708-714.
- Yodi. 2016. Hubungan prevalensi subtype molekuler ABC/GCB dengan karakteristik klinis pasien diffuse large b-cell lymphoma di RSUP Sardjito tahun 2012-2014 (Skripsi). Yogyakarta: UGM.



- Young, L.S. and Murray, P.G., 2003. Epstein–Barr virus and oncogenesis: from latent genes to tumours. *Oncogene*, 22(33), pp.5108-5121.
- Yulianti, H. and Hernowo, B.S., 2015. Hubungan antara imunoekspresi Ki-67 dan risiko agresivitas tumor pada gastrointestinal stromal tumor. *Majalah Kedokteran Bandung*, 47(4), pp.231-236.
- Yunani, R., 2016. Kajian peran gen p53 dalam tumorigenesis. *VITEK: Bidang Kedokteran Hewan*, 6.