

DAFTAR PUSTAKA

- Adanir, H., Baş, B., Pakoz, B., Günay, S., Hakan, C., & Muge, U., 2021. Endoscopic Findings of Gastro-Esophageal Reflux Disease in Elderly and Younger Age Groups, *Frontiers in Medicine*, 8(606205). doi: 10.3389/FMED.2021.606205.
- Ahwazi, H. H., & Abdijadid, S., 2021. *Chlordiazepoxide*. StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK547659/>
- Badan Pusat Statistik, 2010. *Penduduk Menurut Kelompok Umur dan Jenis Kelamin, Indonesia 2010*. [daring] Tersedia di: <<https://sensus.bps.go.id/topik/tabular/sp2010/4/84301/0>> [Diakses 25 September 2021]
- Badan Pusat Statistik, 2020. *Jumlah Penduduk Menurut Wilayah, Kelompok Umur, dan Jenis Kelamin, Indonesia 2020*. [daring] Tersedia di: <<https://sensus.bps.go.id/topik/tabular/sp2020/86/175748/0>> [Diakses 25 September 2021]
- Bajbouj, M., Becker, V., Phillip, V., Wilhelm, D., Schmid, R. M., & Meining, A., 2009. High-dose esomeprazole for treatment of symptomatic refractory gastroesophageal reflux disease -A prospective pH-metry/impedance-controlled study. *Digestion*, 80(2), hal. 112–118. doi: 10.1159/000221146.
- Bayupurnama, P., 2020. Pathophysiologi of Dyspepsia and Other Complaints from The Upper Gastrointestinal Disorder. *Kuliah*. Fakultas Kedokteran, Kesehatan Masyarakat, dan Keperawatan UGM.
- Biswas, M., Singh, K. N. M., Shetty, Y. C., Koli, P. G., Ingawale, S., & Bhatia, S. J., 2019. Prescription pattern & adverse drug reactions of prokinetics. *The Indian Journal of Medical Research*, 149(6), hal. 748. doi: 10.4103/IJMR.IJMR_1039_17.
- Calabrese, C., Fabbri, A., & Di Febo, G., 2007. Long-term management of GERD in the elderly with pantoprazole. *Clinical Interventions in Aging*, 2(1), hal. 85–92. doi: 10.2147/ciia.2007.2.1.85.
- Chait, M. M., 2010. Gastroesophageal reflux disease : Important considerations for the older patients. *World J Gastrointest Endosc*, 2(12), hal. 388–396. doi: 10.4253/wjge.v2.i12.388.
- Channa, S. M., Chandio B., Soomro, A. A., Lakho, S., Ali, Z., Soomro, Z. A., & Shaukat, F., 2019. Depression and Anxiety in Patients with Gastroesophageal Reflux Disorder With and Without Chest Pain. *Cureus*, 11(11). doi: 10.7759/cureus.6103.
- Charles, S., & Carstensen, L., 2010. Social and Emotion. *Annual review of Psychology*, 61, hal. 383–409. doi: 10.1146/annurev.psych.093008.100448.Social.

- Choi, J. M., Yang, J. I., Kang, S. J., Han, Y. M., Lee, J., Lee, C., Chung, S. J., Yoon, D. H., & Park, B., 2018. Association between anxiety and depression and gastroesophageal reflux disease: Results from a large cross-sectional study. *Journal of Neurogastroenterology and Motility*, 24(4), pp. 593–602. doi: 10.5056/jnm18069.
- Clarrett, D. M., & Hachem, C., 2018. Gastroesophageal reflux disease (GERD). *Missouri Medicine*, 115(3), hal. 214–18. doi: 10.1097/mcg.0b013e31815ea27b.
- Dhillon, R. J. S., & Hasni, S., 2017. Pathogenesis and Management of Sarcopenia. *Clin Geriatr Med*, 33(1), hal. 17–26. doi: 10.1016/j.cger.2016.08.002.
- El Rouby, N., Lima, J. J., & Johnson, J. A., 2018. Proton pump inhibitors: from CYP2C19 pharmacogenetics to precision medicine. *Expert Opinion on Drug Metabolism and Toxicology*. Taylor & Francis, 14(4), hal. 447–460. doi: 10.1080/17425255.2018.1461835.
- Etemadi, A., Gandomkar, A., Freedman, N. D., Moghadami, M., Fattahi, M. R., Poustchi, H., Islami, F., Boffetta, P., Dawsey, S. M., Abnet, C. C., & Malekzadeh, R., 2017. The association between waterpipe smoking and gastroesophageal reflux disease, *International Journal of Epidemiology*, 46(6), hal. 1968–1977. doi: 10.1093/IJE/DYX158.
- Fillit, H. M., Rockwood, K., & Young, J., 2017. *Brocklehurst's Textbook of Geriatric Medicine and Gerontology*. 8 ed. Philadelphia: Elsevier, Inc.
- Graham, D. Y., & Tansel, A., 2018. Interchangeable Use of Proton Pump Inhibitors Based on Relative Potency. *Clinical gastroenterology and hepatology*, 16(6), hal. 800. doi: 10.1016/J.CGH.2017.09.033.
- Gunes, S., Hekim, G. N. T., Arslan, M. A., & Asci, R., 2016. Effects of aging on the male reproductive system. *Journal of assisted reproduction and genetics*, 33(4), hal. 441–54. doi: 10.1007/s10815-016-0663-y.
- Haastrup, P. F., Jarbøl, D. E., Thompson, W., Hansen, J. M., Søndergaard, J., & Rasmussen, S., 2021. When does proton pump inhibitor treatment become long term? A scoping review. *BMJ Open Gastro*, 8, hal. 563. doi: 10.1136/bmjgast-2020-000563.
- Halter, J. B., Ouslander, J. G., Studenski, S., High, K. P., Asthana, S., Ritchie, C. S., & Supiano, M. A., 2017. *Hazzard's Geriatric Medicine and Gerontology*. 7 ed. New York: McGraw-Hill Education Medical.
- Indonesia. *Peraturan Menteri Kesehatan RI Nomor 25 Tahun 2016 tentang Rencana Aksi Nasional Kesehatan Lanjut Usia Tahun 2016-2019*.
- Jung, D. H., Huh, C. W., Lee, S. K., Park, J. C., Shin, S. K., & Lee, Y. C., 2021. A Systematic Review and Meta-analysis of Randomized Control Trials: Combination Treatment With Proton Pump Inhibitor Plus Prokinetic for Gastroesophageal Reflux Disease. *Journal of Neurogastroenterology and*

- Motility*, 27(2), hal. 165–175.
- Jung, H. K., 2011. Epidemiology of gastroesophageal reflux disease in asia: A systematic review. *Journal of Neurogastroenterology and Motility*, 17(1), hal. 14–27. doi: 10.5056/jnm.2011.17.1.14.
- Kessing, B. F., Smout, A. J. P. M., Bennink, R. J., Kraaijpoel, N., Oors, J. M., & Bredenoord, A. J., 2014. Prucalopride decreases esophageal acid exposure and accelerates gastric emptying in healthy subjects. *Neurogastroenterology & Motility*, 26(8), hal. 1079–1086. doi: 10.1111/NMO.12359.
- Kim, Y. S., Kim, N., & Kim, G. H., 2016. Sex and gender differences in gastroesophageal reflux disease, *Journal of Neurogastroenterology and Motility*, 22(4), hal. 575–588. doi: 10.5056/jnm16138.
- Kusunoki, H., Haruma, K., Manabe, N., Imamura, H., Kamada, T., Shiotani, A., Hata, J., Sugioka, H., Saito, Y., Kato, H., & Tack, J., 2012. Therapeutic efficacy of acotiamide in patients with functional dyspepsia based on enhanced postprandial gastric accommodation and emptying: randomized controlled study evaluation by real-time ultrasonography. *Neurogastroenterology & Motility*, 24(6), hal. 540-e251. doi: 10.1111/J.1365-2982.2012.01897.X.
- Lassalle, M., Le Tri, T., Bardou, M., Biour, M., Kirchgesner, J., Rouby, F., Dumarcet, N., Zureik, M., & Dray-Spira, R., 2020. Use of proton pump inhibitors in adults in France: a nationwide drug utilization study. *European Journal of Clinical Pharmacology*, 76, hal. 449–457. doi: 10.1007/s00228-019-02810-1.
- Liu, Y., Zhu, X., Li, R., Zhang, J., & Zhang, F., 2020. Proton pump inhibitor utilisation and potentially inappropriate prescribing analysis: insights from a single-centred retrospective study. *BMJ*, 10(11). doi: 10.1136/BMJOPEN-2020-040473.
- Lundh, A., & Gøtzsche, P. C., 2008. Recommendations by Cochrane Review Groups for assessment of the risk of bias in studies. *BMC Medical Research Methodology*, 8(1), hal. 1–9. doi: 10.1186/1471-2288-8-22/FIGURES/1.
- MacFarlane, B., 2018. Management of gastroesophageal reflux disease in adults: a pharmacist's perspective. *Integrated Pharmacy Research and Practice*, 7, hal. 41–52. doi: 10.2147/iprp.s142932.
- Ndraha, S., 2011. Combination of PPI with a prokinetic drug in gastroesophageal reflux disease. *Acta medica Indonesiana*, 43(4), 233–236.
- Pan, J., Cen, L., Chen, W., Yu, C., Li, Y., & Shen, Z., 2019. Alcohol consumption and the risk of gastroesophageal reflux disease: A systematic review and meta-analysis. *Alcohol and Alcoholism*, 54(1), hal. 62–69. doi: 10.1093/ALCALC/AGY063.
- Park, D. C., & Yeo, S. G., 2013. Aging. *Korean Journal of Audiology*, 17(2), hal.

39–44. doi: 10.7874/kja.2013.17.2.39.

- Perkumpulan Gastroenterologi Indonesia, 2013. *Revisi Konsensus Nasional Penatalaksanaan Penyakit Refluks Gastroesofageal (Gastroesophageal Reflux Disease/ GERD) di Indonesia*. Jakarta: Perkumpulan Gastroenterologi Indonesia (PGI).
- Puasripun, S., Thinrungronj, N., Pinyopornpanish, K., Kijdamrongthum, P., Leerapun, A., Chitapanarux, T., Thongsawat, S., & Praisontarangkul, O., 2020. Efficacy and safety of clidinium/chlordiazepoxide as an add-on therapy in functional dyspepsia: A randomized, controlled, trial. *Journal of Neurogastroenterology and Motility*, 26(2), hal. 259–266. doi: 10.5056/jnm19186.
- Quigley, E. M. M., 2015. Prokinetics in the Management of Functional Gastrointestinal Disorders. *Current Gastroenterology Reports*, 21(3), hal. 330–336. doi: 10.1007/s11894-017-0593-6.
- Ren, L. H., Chen, W. X., Qian, L. J., Li, S., Gu, M., & Shi, R. H., 2014. Addition of prokinetics to PPI therapy in gastroesophageal reflux disease: A meta-analysis. *World Journal of Gastroenterology*, 20(9), hal. 2412–2419. doi: 10.3748/WJG.V20.I9.2412.
- Ross, L., Jennings, P., & Williams, B., 2017. Psychosocial support issues affecting older patients: A cross-sectional paramedic perspective. *Inquiry*, 54. doi: 10.1177/0046958017731963.
- Rückert-Eheberg, I. M., Nolde, M., Ahn, N., Tauscher, M., Gerlach, R., Güntner, F., Günter, A., Meisinger, C., Linseisen, J., Amann, U., & Baumeister, S. E., 2022. Who gets prescriptions for proton pump inhibitors and why? A drug-utilization study with claims data in Bavaria, Germany, 2010–2018. *European journal of clinical pharmacology*, 78(4), hal. 657–667. doi: 10.1007/S00228-021-03257-Z.
- Sakata, Y., Tominaga, K., Kato, M., Takeda, H., Shimoyama, Y., Takeuchi, T., Iwakiri, R., Furuta, K., Sakurai, K., Odaka, T., Kusunoki, H., Nagahara, A., Iwakiri, K., Furuta, T., Murakami, K., Miwa, H., Kinoshita, Y., Haruma, K., Takahashi, S., Watanabe, S., Higuchi, K., Fujimoto, K., Kusano, M., Arakawa, T., & G-PRIDE study group. 2014. Clinical characteristics of elderly patients with proton pump inhibitor-refractory non-erosive reflux disease from the G-PRIDE study who responded to rikkunshito. *BMC gastroenterology*, 14(116). doi: 10.1186/1471-230X-14-116.
- Savarino, E., Bredenoord, A. J., Fox, M., Pandolfino, J. E., Roman, S., & Gyawali, C. P., 2017. Expert consensus document: Advances in the physiological assessment and diagnosis of GERD. *Nat Rev Gastroenterol Hepatol*, 14(11), hal. 665–676. doi: 10.1038/nrgastro.2017.130.
- Sevrita, I. E., 2019., *Gambaran Faktor Penyebab Risiko Jatuh pada Lansia di Balai Pelayanan Sosial Tresna Werdha Yogyakarta Unit Budi Luhur*

Kasongan Bantul. *Diploma thesis*. Poltekkes Kemenkes Yogyakarta.

Sinclair, A. J., Morley, J. E., & Vellas, B., 2012. *Pathy's Priciples and Practice of Geriatric Medicine*. 5 ed. Wiley-Blackwell.

Smythe, A., Bird, N. C., Troy, G. P., Ackroyd, R., & Johnson, A. G., 2003. Does the addition of a prokinetic to proton pump inhibitor therapy help reduce duodenogastro-oesophageal reflux in patients with Barrett's oesophagus?. *European Journal of Gastroenterology and Hepatology*, 15(3), hal. 305–312. doi: 10.1097/00042737-200303000-00014.

Timiras, P. S., 2007. *Physiological Basis of Aging and Geriatrics*. 4 ed. New York: Informa Healthcare USA, Inc.

Tack, J., Zerbib, F., Blondeau, K., des Varannes, S. B., Piessevaux, H., Borovicka, J., Mion, F., Fox, M., Bredenoord, A. J., Louis, H., Dedrie, S., Hoppenbrouwers, M., Meulemans, A., Rykx, A., Thielemans, L., & Ruth, M., 2015. Randomized clinical trial: effect of the 5-HT4 receptor agonist revexepride on reflux parameters in patients with persistent reflux symptoms despite PPI treatment. *Neurogastroenterol Motil*, 27(2), hal. 258–268. doi: 10.1111/NMO.12484.

Takeuchi, T., Takahashi, Y., Kawaguchi, S., Ota, K., Harada, S., Kojima, Y., Sakamoto, H., Kuramoto, T., Kojima, K., Sanomura, M., Hoshimoto, M., Higashino, T., Itabashi, T., Takada, K., Sakaguchi, M., Tominaga, K., Kusano, M., & Higuchi, K., 2018. Therapy of gastroesophageal reflux disease and functional dyspepsia overlaps with symptoms after usual-dose proton pump inhibitor: Acotiamide plus usual-dose proton pump inhibitor versus double-dose proton pump inhibitor. *Journal of Gastroenterology and Hepatology*, 33(3), pp. 623–630. doi: 10.1111/jgh.13970.

Vakil, N., Van Zanten, S. V., Kahrilas, P., Dent, J., & Jones, R., 2006. The Montreal definition and classification of gastroesophageal reflux disease: A global evidence-based consensus. *American Journal of Gastroenterology*, 101(8), hal. 1900–20. doi: 10.1111/j.1572-0241.2006.00630.x.

WHO, 2021. *Ageing*. [daring] Tersedia di: < https://www.who.int/health-topics/ageing#tab=tab_1 > [Diakses 5 Februari 2022]

Xiao, Y., Zhang, S., Dai, N., Fei, G., Goh, K. L., Chun, H. J., Sheu, B. S., Chong, C. F., Funao, N., Zhou, W., & Chen, M., 2020. Phase III, randomised, double-blind, multicentre study to evaluate the efficacy and safety of vonoprazan compared with lansoprazole in Asian patients with erosive oesophagitis. *Gut*, 69(2), hal. 224–230. doi: 10.1136/gutjnl-2019-318365.

Yamaji, Y., Isomura, Y., Yoshida, S., Yamada, A., Hirata, Y., & Koike, K., 2014. Randomized controlled trial comparing the efficacy of mosapride plus omeprazole combination therapy to omeprazole monotherapy in gastroesophageal reflux disease. *Journal of Digestive Diseases*, 15(9), hal. 469–476. doi: 10.1111/1751-2980.12167.

- Yamashita, H., Okada, A., Naora, K., Hongoh, M., Kinoshita, Y., 2019. Adding Acotiamide to Gastric Acid Inhibitors Is Effective for Treating Refractory Symptoms in Patients with Non-erosive Reflux Disease. *Digestive Diseases and Sciences*, 64(3), hal. 823–831. doi: 10.1007/s10620-018-5377-9.
- Yu, S. Y., Lee, B., McGuire, T. M., Lee, H. J., & Hollingworth, S. A., 2020. Consumption of medicines used for gastric acid-related disorders in Australia and South Korea: a cross-country comparison. *European Journal of Clinical Pharmacology*, 76(4), hal. 547–555. doi: 10.1007/S00228-019-02798-8/FIGURES/3.
- Zhang, M. Hou, Z. K., Huang, Z. B., Chen, X. L., & Liu, F. B., 2021. Dietary and lifestyle factors related to gastroesophageal reflux disease: A systematic review, *Therapeutics and Clinical Risk Management*, 17, hal. 305–323. doi: 10.2147/TCRM.S296680.