

## DAFTAR PUSTAKA

- Adinugroho, W. C., Suryadiputra, I. N., Saharjo, B. hero, & Siboro, L. (2005). *Panduan Pengendalian Kebakaran Hutan dan Lahan Gambut*. Wetlands International – Indonesia Programme dan Wildlife Habitat Canada. <https://doi.org/10.26623/jic.v3i1.862>
- Adugna, T., Xu, W., & Fan, J. (2022). Comparison of Random Forest and Support Vector Machine Classifiers for Regional Land Cover Mapping Using Coarse Resolution FY-3C Images. *Remote Sensing*, 14(3), 1–22. <https://doi.org/10.3390/rs14030574>
- Aguswan, Y. (2019). Pola Degradasi Dan Deforestasi Di Kesatuan Hidrologis Gambut (KHG) Provinsi Kalimantan Tengah Tahun 2016-2017 (Degradation and .... *Jurnal Hutan Tropika*, XIV(2), 89–98. <https://e-journal.upr.ac.id/index.php/JHT/article/view/1151>
- Ahmad, A. (2017). *Mengenal Artificial Intelligence, Machine Learning, Neural Network, dan Deep Learning*.
- Amani, M., Mahdavi, S., Afshar, M., Brisco, B., Huang, W., Mirzadeh, S. M. J., White, L., Banks, S., Montgomery, J., & Hopkinson, C. (2019). Canadian wetland inventory using Google Earth Engine: The first map and preliminary results. *Remote Sensing*, 11(7), 1–20. <https://doi.org/10.3390/RS11070842>
- Badan Informasi Geospasial. (2014). Peraturan Kepala Badan Informasi Geospasial Nomor 3 Tahun 2014 Tentang Pedoman Teknis Pengumpulan Dan Pengolahan Data Geospasial Mangrove. *Big*, 47.
- BMKG. (2022). *Prakiraan Musim Hujan di Indonesia (2022/2023)*. BMKG.
- BPS. (2022). *Provinsi Kalimantan Tengah Dalam Angka*.
- Breiman, L. (2001). Random Forests. In *Machine Learning* (hal. 5–32). [https://doi.org/10.1007/978-3-030-62008-0\\_35](https://doi.org/10.1007/978-3-030-62008-0_35)
- BSN. (2014). SNI 7645-1:2014 Klasifikasi penutup lahan - Bagian 1 : Skala kecil dan menengah. *Sni*, 7645–1, 1–51. <https://kupdf.net/downloadFile/59edda7908bbc53933eb8a1f>
- Butler, D. (2006). The Web-Wide World. *NATURE*, 439(February).
- Chang, C. I., & Ren, H. (2000). An experiment-based quantitative and comparative analysis of target detection and image classification algorithms for hyperspectral imagery. *IEEE Transactions on Geoscience and Remote Sensing*, 38(2 II), 1044–1063. <https://doi.org/10.1109/36.841984>
- Chollet, F. (2018). Deep Learning with Python. In *Manning Shelter Island*. <https://doi.org/10.23919/ICIF.2018.8455530>
- Fikriya, Z. A., Irawan, M. I., & Soetrisno, S. (2017). Implementasi Extreme Learning Machine untuk Pengenalan Objek Citra Digital. *Jurnal Sains dan Seni ITS*, 6(1). <https://doi.org/10.12962/j23373520.v6i1.21754>
- Gaveau, D. L. A., Locatelli, B., Salim, M. A., Yaen, H., Pacheco, P., & Sheil, D. (2018). Rise and fall of forest loss and industrial plantations in borneo (2000–2017). *Conservation Letters*, 12(3), 1–8. <https://doi.org/10.1111/conl.12622>
- Géron, A. (2019). *Hands-On Machine Learning with Scikit-Learn, Keras, and TensorFlow*.
- Gislason, P. O., Benediktsson, J. A., & Sveinsson, J. R. (2006). Random forests for land cover classification. *Pattern Recognition Letters*, 27(4), 294–300. <https://doi.org/10.1016/j.patrec.2005.08.011>
- Google. (2022). *Classifier smileRandomForest*. <https://developers.google.com/earth->

- engine/apidocs/ee-classifier-smilerandomforest
- Hafizt, M., Iswari, M. Y., & Prayudha, B. (2017). *Kajian Metode Klasifikasi Citra Landsat-8 untuk Pemetaan Habitat Bentik di Kepulauan Padaido , Papua*. 2(June 2015), 1–13.
- Hansen, M. C., Potapov, P. V., Moore, R., Hancher, M., Turubanova, S. A., & Tyukavina, A. (2013). *High-Resolution Global Maps of*. 134(November), 850–854.
- Hu, T., Yang, J., Li, X., & Gong, P. (2016). Mapping urban land use by using landsat images and open social data. *Remote Sensing*, 8(2). <https://doi.org/10.3390/rs8020151>
- Irwansayah, Adiwijaya, S., Jati, D. K., Kusumarestu, N., & Meichia. (2018). *Analisis Kebakaran Hutan dan Lahan Akibat Alih Fungsi Lahan di Kabupaten Pulang Pisau. March*. <https://doi.org/10.13140/RG.2.2.21027.20002>
- James B. Campbell, R. H. W. (2011). *Introduciton to Remote Sensing*. 717.
- Jensen, J. R. (2015). *Introductory Digital Image Processing: A Remote Sensing Perspective* (4th Editio). Pearson.
- Ju, Z., Leong Tan, M., Samat, N., & Kiat Chang, C. (2021). Comparison of Landsat 8, Sentinel-2 and spectral indices combinations for Google Earth Engine-based land use mapping in the Johor River Basin, Malaysia. *Malaysian Journal of Society and Space*, 17(3). <https://doi.org/10.17576/geo-2021-1703-03>
- Juniyanti, L., Prasetyo, L. B., Aprianto, D. P., Purnomo, H., & Kartodihardjo, H. (2020). Perubahan Penggunaan dan Tutupan Lahan, Serta Faktor Penyebabnya di Pulau Bengkalis, Provinsi Riau (periode 1990-2019). *Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan (Journal of Natural Resources and Environmental Management)*, 10(3), 419–435. <https://doi.org/10.29244/jpsl.10.3.419-435>
- Khalil, B. (2009). *Analisis Perubahan Penutupan Lahan Di Hutan Adat Kasepuhan Citorek, Taman Nasiona Gunung Halimun Salak*. 1(1), 1–83. <http://repository.ipb.ac.id/handle/123456789/11376>
- KLHK. (2020). *Petunjuk Teknis Penafsiran Citra Resolusi Sedang Untuk Update Data Penutupan Lahan Nasional*. 978–979.
- Kuhn, M., & Johnson, K. (2013). *Applied Predictive Modeling*. Springer.
- Li, M., Zang, S., Zhang, B., Li, S., & Wu, C. (2014). A review of remote sensing image classification techniques: The role of Spatio-contextual information. *European Journal of Remote Sensing*, 47(1), 389–411. <https://doi.org/10.5721/EuJRS20144723>
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2015). Remote Sensing and Image Interpretation. 7th Edition. In *Photogrammetric Engineering & Remote Sensing* (Vol. 81, Nomor 8). <https://doi.org/10.14358/pers.81.8.615>
- Mahdianpari, M., Jafarzadeh, H., Granger, J. E., Mohammadimanesh, F., Brisco, B., Salehi, B., Homayouni, S., & Weng, Q. (2020). A large-scale change monitoring of wetlands using time series Landsat imagery on Google Earth Engine: a case study in Newfoundland. *GIScience and Remote Sensing*, 57(8), 1102–1124. <https://doi.org/10.1080/15481603.2020.1846948>
- Massinai, R., Sudira, P., Mawardi, M., & Darwanto, D. H. (2013). *Strategi Pengembangan Agroindustri Berbasis Sistem Usahatani Terpadu di Wilayah Pasang Surut (Studi Kasus: Kabupaten Pulang Pisau Provinsi Kalimantan Tengah)*. 33(2), 234–243.
- Muchtar, A., & Abdullah, N. (2007). *ANALISIS FAKTOR-FAKTOR YANG MEMPENGARUHI DEBIT SUNGAI MAMASA Analysis of Factors Influencing the River Discharge of Mamasa*. 2(1), 174–187.
- Mustofa, D. (2018). Perbandingan Metode Klasifikasi Berbasis Machine Learning Pada Google Earth Engine Untuk Pemetaan Perubahan Penutup Lahan (Studi Kasus :

- Daerah Aliran Sungai Opak-Oyo). In *Universitas Gadjah Mada*.
- NOAA. (2023). *Past Weather*.
- Pemerintah Kabupaten Pulang Pisau. (2015). *Strategi Pertumbuhan Ekonomi Hijau*.
- Perekonomian, K. K. B. (2010). *Jumlah Dana Alokasi Khusus untuk Infrastruktur Irigasi di Kabupaten Pulang Pisau, Kalimantan Tengah 2003 - 2009*.
- Planet Labs. (2020). *Planet Basemaps Product Specifications*.  
<https://www.planet.com/products/basemap/>
- Pusat Pemanfaatan Penginderaan Jauh LAPAN. (2015). *Pedoman Pengolahan Data Satelit Multispektral Secara Digital Supervised Untuk Klasifikasi*. 1–8.  
[http://pusfatja.lapan.go.id/files/uploads\\_ebook/pedoman/000\\_Buku\\_Pedoman\\_Klasifikasi\\_final.pdf](http://pusfatja.lapan.go.id/files/uploads_ebook/pedoman/000_Buku_Pedoman_Klasifikasi_final.pdf)
- Quinlan, J. R. (1986). Induction of decision trees. *Machine Learning*, 1(1), 81–106.  
<https://doi.org/10.1007/bf00116251>
- Ratmini, N. S. (2012). Karakteristik dan Pengelolaan Lahan Gambut untuk Pengembangan Pertanian. *Jurnal Lahan Suboptimal*, 1(2), 197–206.
- Rego, L. F. G., & Koch, B. (2003). Automatic classification of land cover with high resolution data of the Rio de Janeiro City Brazil. *2nd GRSS/ISPRS Joint Workshop on Remote Sensing and Data Fusion over Urban Areas, URBAN 2003, June 2003*, 172–176. <https://doi.org/10.1109/DFUA.2003.1219981>
- Sabiham, S., & Sukarman. (2012). Pengelolaan lahan gambut untuk pengembangan kelapa sawit di Indonesia. *Jurnal Sumberdaya Lahan*, 6(2), 55–66.
- Sambodo, K. A., Rahayu, M. I., Indriasari, N., & Natsir, M. (2014). Klasifikasi Hutan-Non Hutan Data Alos Palsar Menggunakan Metode Random Forest. *Prosiding Seminar Nasional Penginderaan Jauh 2014*, 120–127.  
[http://sinasinderaja.lapan.go.id/files/sinasja2014/prosiding/bukuprosiding\\_120-127.pdf](http://sinasinderaja.lapan.go.id/files/sinasja2014/prosiding/bukuprosiding_120-127.pdf)
- Sampurno, R., & Thoriq, A. (2016). Klasifikasi Tutupan Lahan Menggunakan Citra Landsat 8 Operational Land Imager (OLI) Di Kabupaten Sumedang. *Jurnal Teknotan*, 10(2), 61–70. <https://doi.org/10.24198/jt.vol10n2.9>
- Sitorus, S. (2016). Perencanaan Penggunaan Lahan. *IPB Press, November*, 1–255.
- Teluguntla, P., Thenkabail, P., Oliphant, A., Xiong, J., Gumma, M. K., Congalton, R. G., Yadav, K., & Huete, A. (2018). A 30-m landsat-derived cropland extent product of Australia and China using random forest machine learning algorithm on Google Earth Engine cloud computing platform. *ISPRS Journal of Photogrammetry and Remote Sensing*, 144(July), 325–340. <https://doi.org/10.1016/j.isprsjprs.2018.07.017>
- USGS. (2015). Landsat - Earth observation satellites. *U.S. Geological Survey, August*, 1–4. <https://pubs.er.usgs.gov/publication/fs20153081>
- Wasef, M., & Ilyas, F. (2011). Merampok Hutan dan Uang Negara. *Indonesia Corruption Watch*.
- Wibowo, A. (2009). Peran Lahan Gambut dalam Perubahan Iklim Global. *Jurnal Tekno Hutan Tanaman*, 2 No.1, 19–28.
- Zulfajri, Danoedoro, P., & Murti, S. H. (2021). Klasifikasi tutupan lahan data Landsat-8 OLI menggunakan metode Random Forest. *Jurnal Penginderaan Jauh Indonesia*, 03(01), 1–7.
- Zulkarnain, Halili, & Diara, L. (2015). Analisis Spasial Perubahan Tutupan Lahan pada Wilayah Pertambangan. *Ecogreen*, 1(2), 11–24.