

BIBLIOGRAPHY

- Abbas M, Moussa M, Akel H. Type I Hypersensitivity Reaction. [Updated 2022 Jul 18]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK560561/>
- Afify, S. M., & Pali-Schöll, I. (2017). Adverse reactions to food: the female dominance - A secondary publication and update. *The World Allergy Organization journal*, 10(1), 43. <https://doi.org/10.1186/s40413-017-0174-z>
- Aggarwal P, Senthilkumaran S. Dust Mite Allergy. [Updated 2022 Aug 8]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK560718/>
- Alonso LL, Armstrong L, Warrington SJ. Shellfish Allergy. [Updated 2022 Sep 26]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK448089/>
- Anyane-Yeboah, A., Wang, W., & Kavitt, R. T. (2018). The Role of Allergy Testing in Eosinophilic Esophagitis. *Gastroenterology & hepatology*, 14(8), 463–469.
- Baiardini, I., Pasquali, M., Braidò, F., Fumagalli, F., Guerra, L., Compalati, E., Braga, M., Lombardi, C., Fassio, O.F., & Canonica, G.W. (2005). A new tool to evaluate the impact of chronic urticaria on quality of life: chronic urticaria quality of life questionnaire (CU-Q2oL). *Allergy*, 60.
- Bains, P., & Dogra, A. (2015). Skin prick test in patients with chronic allergic skin disorders. *Indian journal of dermatology*, 60(2), 159–164. <https://doi.org/10.4103/0019-5154.152513>
- Balp MM, et al. (2018). Prevalence and clinical characteristics of chronic spontaneous urticaria in pediatric patients. *Pediatr Allergy Immunol*. 29(6):630–6
- Bracken, S. J., Abraham, S., & MacLeod, A. S. (2019). Autoimmune Theories of Chronic Spontaneous Urticaria. *Frontiers in immunology*, 10, 627. <https://doi.org/10.3389/fimmu.2019.00627>
- Can, P. K., Fomina, D., & Kocaturk, E. (2022). Chronic inducible urticaria: Clinical presentation, diagnosis, and management. In *Indian Journal of Skin Allergy* (Vol. 1, pp. 2–6). Scientific Scholar. https://doi.org/10.25259/ijsa_12_2021
- Candra Y, Setiawati A, Rengganis I. (2011). Gambaran sensitivitas terhadap alergen makanan. *Makara Kesehatan*. 15(1): 44- 50.
- Chung, B. Y., Um, J. Y., Kang, S. Y., Kim, H. O., & Park, C. W. (2020). Natural History of Chronic Urticaria in Korea. *Annals of dermatology*, 32(1), 38–46. <https://doi.org/10.5021/ad.2020.32.1.38>

- Church MK, et al. (2018). The role and relevance of mast cells in urticaria. *Immunol Rev.* 282(1):232–47.
- Dabija D, Tadi P. Chronic Urticaria. [Updated 2021 Sep 29]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK555910/>
- Darlenski, R., Kazandjieva, J., Zuberbier, T., & Tsankov, N. (2014). Chronic urticaria as a systemic disease. *Clinics in dermatology*, 32(3), 420–423. <https://doi.org/10.1016/j.clindermatol.2013.11.009>
- De Martinis, M., Sirufo, M. M., & Ginaldi, L. (2017). Allergy and Aging: An Old/New Emerging Health Issue. *Aging and disease*, 8(2), 162–175. <https://doi.org/10.14336/AD.2016.0831>
- Dias, G. A., Pires, G. V., Valle, S. O., Dortas, S. D., Júnior, Levy, S., França, A. T., Baiardini, I., & Canonica, W. G. (2016). Impact of chronic urticaria on the quality of life of patients followed up at a university hospital. *Anais brasileiros de dermatologia*, 91(6), 754–759. <https://doi.org/10.1590/abd1806-4841.20165071>
- Ediger, D., Günaydin, F. E., Erbay, M., & Şeker, Ü. (2020). Trends of sensitization to aeroallergens in patients with allergic rhinitis and asthma in the city of Bursa, South Marmara Sea Region of Turkey. *Turkish journal of medical sciences*, 50(2), 330–336. <https://doi.org/10.3906/sag-1908-139>
- Farrokhi, S., Gheybi, M. K., Movahed, A., Tahmasebi, R., Iranpour, D., Fatemi, A., Etemadan, R., Gooya, M., Zandi, S., Ashourinejad, H., Alavizadeh, S., & Khoddami, S. (2015). Common aeroallergens in patients with asthma and allergic rhinitis living in southwestern part of Iran: based on skin prick test reactivity. *Iranian journal of allergy, asthma, and immunology*, 14(2), 133–138.
- Ferrer M. (2009). Epidemiology, healthcare, resources, use and clinical features of different types of urticaria. *J Investig Allergol Clin Immunol.* 19(suppl 2):21-26.
- Fricke J, et al. (2020). Prevalence of chronic urticaria in children and adults across the globe: systematic review with meta-analysis. *Allergy*, 75(2):423–32.
- Ghazanfar, M. N., Kibsgaard, L., Thomsen, S. F., & Vestergaard, C. (2020). Risk of comorbidities in patients diagnosed with chronic urticaria: A nationwide registry-study. *The World Allergy Organization journal*, 13(1), 100097. <https://doi.org/10.1016/j.waojou.2019.100097>
- Godse K. V. (2009). Chronic urticaria and treatment options. *Indian journal of dermatology*, 54(4), 310–312. <https://doi.org/10.4103/0019-5154.57603>
- Heinzerling, L., Mari, A., Bergmann, K. C., Bresciani, M., Burbach, G., Darsow, U., Durham, S., Fokkens, W., Gjomarkaj, M., Haahtela, T., Bom, A. T., Wöhr, S., Maibach, H., & Lockey, R. (2013). The skin prick test - European standards. *Clinical and translational allergy*, 3(1), 3.



Loh, W., & Tang, M. (2018). The Epidemiology of Food Allergy in the Global Context. *International journal of environmental research and public health*, 15(9), 2043. <https://doi.org/10.3390/ijerph15092043>



- Maurer, M., Abuzakouk, M., Bérard, F., Canonica, W., Oude Elberink, H., Giménez-Arnau, A., Grattan, C., Hollis, K., Knulst, A., Lacour, J. P., Lynde, C., Marsland, A., McBride, D., Nakonechna, A., Ortiz de Frutos, J., Proctor, C., Sussman, G., Sweeney, C., Tian, H., Weller, K., ... Balp, M. M. (2017). The burden of chronic spontaneous urticaria is substantial: Real-world evidence from ASSURE-CSU. *Allergy*, 72(12), 2005–2016. <https://doi.org/10.1111/all.13209>
- Maurer, M., & Zuberbier, T. (2007). Undertreatment of rhinitis symptoms in Europe: findings from a cross-sectional questionnaire survey. *Allergy*, 62(9), 1057–1063. <https://doi.org/10.1111/j.1398-9995.2007.01367.x>
- Maurer M, et al. (2011). Unmet clinical needs in chronic spontaneous urticaria. A GA(2)LEN task force report. *Allergy*, 66(3):317–30.
- Murota, H., Kitaba, S., Tani, M., Wataya-Kaneda, M., Azukizawa, H., Tanemura, A., Umegaki, N., Terao, M., Kotobuki, Y., & Katayama, I. (2010). Impact of sedative and non-sedative antihistamines on the impaired productivity and quality of life in patients with pruritic skin diseases. *Allergology international : official journal of the Japanese Society of Allergology*, 59(4), 345–354. <https://doi.org/10.2332/allergolint.10-OA-0182>
- National Clinical Guideline Centre (UK). (2014). Drug Allergy: Diagnosis and Management of Drug Allergy in Adults, Children and Young People. National Institute for Health and Care Excellence (NICE).
- Navarro-Locsin, C. G., & Lim-Jurado, M. (2018). Aeroallergen sensitization and associated comorbid diseases of an adult Filipino population with allergic rhinitis. *Asia Pacific allergy*, 8(3), e25. <https://doi.org/10.5415/apallergy.2018.8.e25>
- Nevis, I. F., Binkley, K., & Kabali, C. (2016). Diagnostic accuracy of skin-prick testing for allergic rhinitis: a systematic review and meta-analysis. *Allergy, Asthma & Clinical Immunology* (Vol. 12, Issue 1). Springer Science and Business Media LLC. <https://doi.org/10.1186/s13223-016-0126-0>
- Nwaru, B. I., Hickstein, L., Panesar, S. S., Roberts, G., Muraro, A., Sheikh, A., & EAACI Food Allergy and Anaphylaxis Guidelines Group (2014). Prevalence of common food allergies in Europe: a systematic review and meta-analysis. *Allergy*, 69(8), 992–1007. <https://doi.org/10.1111/all.12423>
- Olze, H., & Zuberbier, T. (2011). Comorbidities between nose and skin allergy. *Current opinion in allergy and clinical immunology*, 11(5), 457–463. <https://doi.org/10.1097/ACI.0b013e32834a9764>
- Pozderac, I., Lugović-Mihić, L., Artuković, M., Stipić-Marković, A., Kuna, M., & Ferček, I. (2020). Chronic inducible urticaria: classification and prominent features of physical and non-physical types. *Acta dermatovenerologica Alpina, Pannonica, et Adriatica*, 29(3), 141–148.
- Robello, M. S., Bhat, S., & Alapatt, G. F. (2015). A study of skin prick in patients with chronic urticaria. *International Journal of Recent Trends in Science*

and Technology; 5(4): 14-17.

- Rubianti, M. A., & Prakoeswa, C. R. S. (2019). Profil Pasien Dermatitis Kontak Alergi Akibat Kosmetik. *Berkala Ilmu Kesehatan Kulit Dan Kelamin*, 31(1), 35–40. <https://doi.org/10.20473/bikk.V31.1.2019.35-40>
- Sánchez, J., Sánchez, A., & Cardona, R. (2018). Dietary Habits in Patients with Chronic Spontaneous Urticaria: Evaluation of Food as Trigger of Symptoms Exacerbation. In *Dermatology Research and Practice* (Vol. 2018, pp. 1–6). Hindawi Limited. <https://doi.org/10.1155/2018/6703052>
- Schaefer, Paul. (2017). Acute and Chronic Urticaria: Evaluation and Treatment. [online] Available at: <http://www.aafp.org/afp/2017/0601/p717-s.html>.
- Schmetzer O, et al. (2018). IL-24 is a common and specific autoantigen of IgE in patients with chronic spontaneous urticaria. *J Allergy Clin Immunol*, 142(3):876–82.
- Sreejith, A. P. (2020). Skin Prick Test in Chronic Urticaria in a Tertiary Care Centre in South India. *Journal of Medical Science And clinical Research* (Vol. 08, Issue 02). Valley International. <https://doi.org/10.18535/jmscr/v8i2.159>
- The United States Food and Drug Administration. (2021). The Food Allergy Safety, Treatment, Education, and Research (FASTER) Act of 2021. The United States Food and Drug Administration.
- Tjekyan, RM Suryadi. (2007). Prevalensi Urtikaria di Kota Palembang Tahun 2007 (The Prevalence of Urticaria in Palembang 2007). [online] Available at: https://repository.unsri.ac.id/10880/2/jurnal_berkala_%28dr.suryadi%29.pdf
- UK National Health Service. (2019). Allergic Rhinitis - causes. [online] Available at: <<https://www.nhs.uk/conditions/allergic-rhinitis/causes/>> [Accessed 14 April 2022].
- Weller, K., Altrichter, S., Ardelean, E., Krause, K., Magerl, M., Metz, M., Siebenhaar, F., & Maurer, M. (2010). Chronische Urtikaria. Prävalenz, Verlauf, Prognosefaktoren und Folgen [Chronic urticaria. Prevalence, course, prognostic factors and impact]. *Der Hautarzt; Zeitschrift fur Dermatologie, Venerologie, und verwandte Gebiete*, 61(9), 750–757. <https://doi.org/10.1007/s00105-010-1933-8>
- Woodfolk, J. A., Commins, S. P., Schuyler, A. J., Erwin, E. A., & Platts-Mills, T. A. (2015). Allergens, sources, particles, and molecules: Why do we make IgE responses?. *Allergology international : official journal of the Japanese Society of Allergology*, 64(4), 295–303. <https://doi.org/10.1016/j.alit.2015.06.001>
- Zuberbier T, et al. (2010). Epidemiology of urticaria: a representative cross-sectional population survey. *Clin Exp Dermatol*, 35(8):869–73.
- Zuberbier T, Aberer W, Asero R, et al. (2018). The EAACI/ GA(2) LEN/EDF/WAO Guideline for the definition, classification, diagnosis, and



UNIVERSITAS
GADJAH MADA

The Prevalence of Positive Skin Prick Tests and Types of Allergens Detected in Patients with Chronic Urticaria in the Dermatology Outpatient Clinic of RSUP Dr. Sardjito 2017ÃÆ'Â¢Ã¯Â¿Â½Ã¯Â¿Â½2022:

A Descriptive Study

IDA AYU PHILBERTA V, dr. Fajar Waskito, Sp.KK(K), M.Kes.; dr.Ãâ€šÂ Lukman Ade Chandra, M

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

management of urticaria: the 2017 revision and update. *Allergy*, 73(7):1393-1414.