

## REFERENCES

- Acker, DB, Sachs, BP, & Friedman, EA 1986, 'Risk factors for shoulder dystocia in the average-weight infant', *Obstetric & Gynecology*, vol. 67, no. 5, pp. 614-618. DOI: [10.1097/00006250-198605000-00002](https://doi.org/10.1097/00006250-198605000-00002)
- Alorainy IA, Barlas NB, Al-Boukai AA. Pictorial Essay: Infants of diabetic mothers. *Indian J Radiol Imaging*. 2010;20(3):174-181. doi:10.4103/0971-3026.69349
- Ballard, JL, Rosenn, B, Khoury, JC, & Miodovnik, M 1993, 'Diabetic fetal macrosomia: significance of disproportionate growth', *Journal of Pediatrics*, vol. 122, no. 1, pp. 115-119. [https://doi.org/10.1016/S0022-3476\(05\)83503-6](https://doi.org/10.1016/S0022-3476(05)83503-6)
- Biade, DR, Wibowo, T, Wandita, S, Haksari EL, Julia, M 2016. Faltor risiko hiperbilirubinemia pada bayi baru lahir dari ibu diabetes mellitus. *Sari Pediatri*, vol. 10, no. 1, pp. 6-11.
- Bourbon, JR, Farrell, PM 1985, 'Fetal lung development in the diabetic pregnancy', *Pediatric Research* 1985; vol. 19, pp. 253-267. DOI: [10.1203/00006450-198503000-00001](https://doi.org/10.1203/00006450-198503000-00001)
- Banerjee, S, Mimouni, FB, Mehta, R, Llanos, A, Bainbridge, R, Varada, K, & Sheffer, G 2003,'Lower whole blood ionized magnesium concentrations in hypocalcemic infants of gestational diabetic mothers', *Magnesium Research*, vol. 16, no. 2, pp. 127-130.
- Battarbee, AN, Venkatesh, KK, Aliaga, S, & Boggess, KA 2020,'The association of pregestational and gestational diabetes with severe neonatal morbidity and mortality. *Journal of Perinatology*, vol. 40, no. 2, pp. 232-239. DOI: [10.1038/s41372-019-0516-5](https://doi.org/10.1038/s41372-019-0516-5)
- Becerra, JE, Khoury, MJ, Cordero, JF, & Erickson, JD 1990,'Diabetes mellitus during pregnancy and the risks for specific birth defects: a population-based case-control study', *Pediatrics* vol. 85, no. 1, pp. 1-9.
- Billionnet, C, Mitanchez, D, Weill, A, Nizard, J, Alla, F, Hartemann, A, & Jacqueminet, S 2017, 'Gestational diabetes and adverse perinatal outcomes from 716,152 births in France in 2012', *Diabetologia*, vol. 60, no. 4, pp. 636-644 doi: 10.1007/s00125-017-4206-6.
- Buchanan, TA, Kitzmiller, JL 1994, 'Metabolic interactions of diabetes and pregnancy. *Annual Review of Medicine*, vol. 45, pp. 245-260. <https://doi.org/10.1146/annurev.med.45.1.245>
- Cordero, L, Treuer, SH, Landon, MB, & Gabbe, SG 1998,'Management of infants of diabetic mothers', *Archives of Pediatrics and Adolescent Medicine*, vol. 152, no. 3, pp. 152-249. DOI: [10.1001/archpedi.152.3.249](https://doi.org/10.1001/archpedi.152.3.249)



- Correa, A, Gilboa, SM, Besser, LM, Botto, LD, Moore, CA, Hobbs, CA, Cleves, MA, Riehle-Colarusso, TJ, Waller, DK, & Reece, EA 2008, 'Diabetes mellitus and birth defects', *American Journal of Obstetric and Gynecology*, vol. 199, no. 3, pp. 237.e1-9. DOI: [10.1016/j.ajog.2008.06.028](https://doi.org/10.1016/j.ajog.2008.06.028)
- Das, S, Irigoyen, M, Patterson, MB, Salvador, A, & Schutzman, DL 2009, 'Neonatal outcomes of macrosomic births in diabetic and non-diabetic women', *Archives of Disease in Childhood, Fetal and Neonatal*, vol. 94, no. 6, pp. 419-422 DOI: [10.1136/adc.2008.156026](https://doi.org/10.1136/adc.2008.156026)
- Demarini, S, Mimouni, F, Tsang, RC, Khoury, J, & Hetzberg, V 1994, 'Impact of metabolic control of diabetes during pregnancy on neonatal hypocalcemia: a randomized study', *Obstetrics & Gynecology*, vol. 83, no. 6, pp. 918-922. DOI: [10.1097/00006250-199406000-00003](https://doi.org/10.1097/00006250-199406000-00003)
- Ellis, H, Kumar, R, & Kostyrka B 2009, 'Neonatal small left colon syndrome in the offspring of diabetic mothers-an analysis of 105 children', *Journal of Pediatric Surgery*, vol. 44, no. 12, pp. 2343-2346. DOI: [10.1016/j.jpedsurg.2009.07.054](https://doi.org/10.1016/j.jpedsurg.2009.07.054)
- Esakoff, TF, Cheng, YW, Sparks, TN, & Caughey, AB 2009, 'The association between birthweight 4000 g or greater and perinatal outcomes in patients with and without gestational diabetes mellitus', *American Journal of Obstetric and Gynecology*, vol. 200, no. 6, pp. 672.e1. DOI: [10.1016/j.ajog.2009.02.035](https://doi.org/10.1016/j.ajog.2009.02.035)
- Escobar, J, Teramo, K, Stefanovic, V, Andersson, S, Asensi, MA, Arduini, A, Cubells, E, Sastre, J & Vento, M 2013, 'Amniotic fluid oxidative and nitrosative stress biomarkers correlate with fetal chronic hypoxia in diabetic pregnancies', *Neonatology*, vol.103, no.3, pp. 193-198 DOI: [10.1159/000345194](https://doi.org/10.1159/000345194)
- Freitag, JJ, Martin, KJ, Conrades, MB, Bellorin-Font, E, Teitelbaum, S, Klahr, S & Slatopolsky 1979, 'Evidence for skeletal resistance to parathyroid hormone in magnesium deficiency. Studies in isolated perfused bone', *Journal of Clinical Investigation*, vol. 64, no. 5, pp. 1238-1244. DOI: [10.1172/JCI109578](https://doi.org/10.1172/JCI109578)
- Gewolb IH, O'Brien J 1997, 'Surfactant secretion by type II pneumocytes is inhibited by high glucose concentrations', *Experimental Lung Research*, vol. 23, no. 3, pp.245-255. DOI: [10.3109/01902149709087370](https://doi.org/10.3109/01902149709087370)



- Gewolb, IH 1996, 'Effect of high glucose on fetal lung maturation at different times in gestation', *Experimental Lung Research*, vol. 22, no. 2, pp.201-2011. DOI: [10.3109/01902149609050847](https://doi.org/10.3109/01902149609050847)
- Gregory, KD, Henry, OA, Ramicone, E, Chan, LS, & Platt, LD 1998, 'Maternal and infant complications in high and normal weight infants by method of delivery', *Obstetric Gynecology*, vol. 92, no. 4, pp. 507-513 DOI: [10.1016/s0029-7844\(98\)00224-5](https://doi.org/10.1016/s0029-7844(98)00224-5)
- Kalhan, SC, Savin, SM, & Adam, PA 1977, 'Attenuated glucose production rate in newborn infants of insulin-dependent diabetic mothers', *New England Journal of Medicine*, vol. 296, no. 7, pp. 375-376. DOI: [10.1056/NEJM197702172960706](https://doi.org/10.1056/NEJM197702172960706)
- Kapoor, N, Sankaran, S, Hyer, S, & Shehata, H 2007, 'Diabetes in pregnancy: a review of current evidence', *Current Opinion in Obstetrics and Gynecology*, vol.19, no.6, pp. 586-590. DOI: [10.1097/GCO.0b013e3282f20aad](https://doi.org/10.1097/GCO.0b013e3282f20aad)
- Kheir, A. E., Berair, R., Gulfan, I. G., Karrar, M. Z., & Mohammed, Z. A. (2012). Morbidity and mortality amongst infants of diabetic mothers admitted into Soba university hospital, Khartoum, Sudan. *Sudanese journal of paediatrics*, 12(1), 49–55.
- Khoury, MJ, Becerra, JE, Cordero, JF & Erickson, JD 1989, 'Clinical-epidemiologic assessment of pattern of birth defects associated with human teratogens: application to diabetic embryopathy', *Pediatrics*, vol. 84, no. 4, pp. 658-665.
- Ko, JM 2015. Genetic syndrome associated with congenital heart disease. *Korean Circ J*, vol. 45, no. 5, pp. 357-361.
- Kong, L, Nilsson, IAK, Gissler, M, & Lavebratt, C, 2019, 'Associations of Maternal Diabetes and Body Mass Index With Offspring Birth Weight and Prematurity', *JAMA Pediatric* vol. 173, no. 4, pp.371-378. DOI: [10.1001/jamapediatrics.2018.5541](https://doi.org/10.1001/jamapediatrics.2018.5541)
- Kitzmilller, JL 1993, 'Sweet success with diabetes. The development of insulin therapy and glycemic control for pregnancy', *Diabetes Care*, vol.16, no.3, pp107-121.
- Lappas, M, Hiden, U, Desoye, G, Froehlich, J, Mouzon, SH, & Jawerbaum, A 2011, 'The role of oxidative stress in the pathophysiology of gestational diabetes mellitus. *Antioxid Redox Signal*, vol. 15, no. 15, pp.3061-3100. DOI: [10.1089/ars.2010.3765](https://doi.org/10.1089/ars.2010.3765)
- Kuhle, S, Massicotte, P, Chan, A, & Mitchell, L 2004, 'A case series of 72 neonates with renal vein thrombosis. Data from the 1-800-NO-CLOTS Registry', *Thrombosis & Haemostasis*, vol. 92, no. 4, pp. 729-733. doi: 10.1160/TH04-02-0131



- Lepercq, J, Coste, J, Theau, A, Dubois-Laforgue, D, & Timsit, J 2004, 'Factors associated with preterm delivery in women with type 1 diabetes: a cohort study'. *Diabetes Care*, vol. 27, no. 12, pp. 2824–2828 DOI: [10.2337/diacare.27.12.2824](https://doi.org/10.2337/diacare.27.12.2824)
- McFarland, MB, Trylovich, CG, & Langer, O 1998, 'Anthropometric differences in macrosomic infants of diabetic and nondiabetic mothers', *Journal of Maternal Fetal Medicine*, vol. 7, no.6, pp. 292-295 DOI: [10.1002/\(SICI\)1520-6661\(199811/12\)7:6<292::AID-MFM7>3.0.CO;2-A](https://doi.org/10.1002/(SICI)1520-6661(199811/12)7:6<292::AID-MFM7>3.0.CO;2-A)
- Mace, S, Hirschfield, SS, Riggs, T, Fanaroff, AA, Merkatz, IR 1979, 'Echocardiographic abnormalities in infants of diabetic mothers', *Journal of Pediatric*, vol. 95, pp, 1013. DOI: [10.1016/s0022-3476\(79\)80301-7](https://doi.org/10.1016/s0022-3476(79)80301-7)
- Metzger, BE, Lowe, LP, Dyer, AR, Trimble, ER, Chaovarindr, U, Coustan, DR, Hadden, DR, McCance, DR, Hod, M, McIntyre, HD, Oats, JJ, Persson, B, Rogers, MS, Sacks, DA 2008, 'Hyperglycemia and adverse pregnancy outcomes', *New England Journal of Medicine*, vol. 358, pp.1991. DOI: [10.1056/NEJMoa0707943](https://doi.org/10.1056/NEJMoa0707943)
- Metzger, BE, Persson, B, Lowe, LP, Dyer, AR, Cruickshank, JK, Deerochanawong, C, Halliday, HL, Hennis, AJ, Liley, H, Ng, PC, Coustan, DR, Hadden, DR, Hod, M, Oats, JJ, Trimble, ER; HAPO Study Cooperative Research Group 2010, 'Hyperglycemia and adverse pregnancy outcome study: neonatal glycemia', *Pediatrics*, vol. 126:e1545.
- Mimouni, F, Miodovnik, M, Siddiqi, TA, Khoury, J, & Tsang, RC 1988, 'Perinatal asphyxia in infants of insulin- dependent diabetic mothers', *Journal of Pediatric*, vol. 113, no. 2, pp. 345-353. DOI: [10.1016/s0022-3476\(88\)80282-8](https://doi.org/10.1016/s0022-3476(88)80282-8)
- Mitanchez, D, Burguet, A, & Simeoni, U 2014, 'Infants born to mothers with gestational diabetes mellitus: mild neonatal effects, a long-term threat to global health', *Journal of Pediatrics*, vol. 164, no. 3, pp. 445-450 DOI: [10.1016/j.jpeds.2013.10.076](https://doi.org/10.1016/j.jpeds.2013.10.076)
- Mitanchez, D, Zydorczyk, C, Siddeek, B, Boubred, F, Benahmed, M, & Simeoni, U 2015, 'The offspring of the diabetic mother-short- and long-term implications', *Best Practice and Research Clinical Obstetric and Gynaecology*, vol. 29, no. 2, pp.256-269 DOI: [10.1016/j.bpobgyn.2014.08.004](https://doi.org/10.1016/j.bpobgyn.2014.08.004)
- Narchi, H., & Kulaylat, N. (2000). Heart disease in infants of diabetic mothers. *Images in paediatric cardiology*, 2(2), 17–23.



- O W, Omori, K, Emmanouilides, GC, Phelps, DL 1975, 'Placenta to lamb fetus transfusion in utero during acute hypoxia', *American Journal of Obstetric and Gynecology*, vol. 122, no.3, pp. 316-322. DOI: [10.1016/0002-9378\(75\)90176-3](https://doi.org/10.1016/0002-9378(75)90176-3)
- Oyen, N, Diaz, LJ, Leirgul, E, Boyd, HA, Priest, J, Mathiesen, ER, et al, 2016. Prepregnancy diabetes and offspring risk of congenital heart diseases. *Circulation*, vol. 133, pp. 2243-2253.
- Philips, AF, Dubin, JW, Matty, PJ, & Raye, JR 1982, 'Arterial hypoxemia and hyperinsulinemia in the chronically hyperglycemic fetal lamb', *Pediatric Research*, vol.16, no.8, pp. 653-658. DOI: [10.1203/00006450-198208000-00013](https://doi.org/10.1203/00006450-198208000-00013)
- Sarikabadayi, YU, Aydemir, O, Aydemir, C, Uras, N, Oguz, SS, Erdeve, O, & Dilmen, U 2011, 'Umbilical cord oxidative stress in infants of diabetic mothers and its relation to maternal hyperglycemia', *Journal of Pediatric Endocrinology Metabolic*, vol. 24, no. 9, pp. 671-674. DOI: [10.1515/jpem.2011.315](https://doi.org/10.1515/jpem.2011.315)
- Pinter, E, Peyman, JA, Snow, K, Jamieson, JD, & Warshaw, JB 1991, 'Effects of maternal diabetes on fetal rat lung ion transport. Contribution of alveolar and bronchiolar epithelial cells to Na<sup>+</sup>,K(+)-ATPase expression', *Journal of Clinical Investigation*, vol. 87, no. 3, pp. 821-830. DOI: [10.1172/JCI115085](https://doi.org/10.1172/JCI115085)
- Persson, M, Pasupathy, D, Hanson, U, & Norman, M 2011, 'Birth size distribution in 3,705 infants born to mothers with type 1 diabetes: a population-based study', *Diabetes Care* vol. 34, no.5, pp. 1145-1149. DOI: [10.2337/dc10-2406](https://doi.org/10.2337/dc10-2406)
- Persson, M, Fadl, H, Hanson, U, & Pasupathy, D 2013, 'Disproportionate body composition and neonatal outcome in offspring of mothers with and without gestational diabetes mellitus', *Diabetes Care*, vol. 36, no. 11, pp. 3543-3548. DOI: [10.2337/dc13-0899](https://doi.org/10.2337/dc13-0899)
- Peevy, KJ, Landaw, SA & Gross, SJ 1980, 'Hyperbilirubinemia in infants of diabetic mothers', *Pediatrics* vol. 66, no. 3, pp. 417-419.
- Riskin, A, Itzchaki, O, Bader, D, Iofe, A, Toropine, A, Riskin-Mashiah, S 2020, 'Perinatal Outcomes in Infants of Mothers with Diabetes in Pregnancy', *Israel Medicine Association Journal*, vol. 22, no. 9, pp. 569-575
- Robert, MF, Neff, RK, Hubbell, JP, Taeusch, HW, Avery, ME 1976, 'Association between maternal diabetes and the respiratory-distress syndrome in the newborn', *New England of Journal Medicine*, vol. 294, no. 7, pp.357-360. DOI: [10.1056/NEJM197602122940702](https://doi.org/10.1056/NEJM197602122940702)



- Rosenn, B, Miodovnik, M, & Tsang R 1996,'Common clinical manifestations of maternal diabetes in newborn infants: implications for the practicing pediatrician', *Pediatric Annals*, vol. 25, no. 4, pp. 215-222. DOI: [10.3928/0090-4481-19960401-09](https://doi.org/10.3928/0090-4481-19960401-09)
- Rowland TW, Hubbell JP, Nadas AS 1973. Congenital heart disease in infants of diabetic mothers, *the Journal of Pediatrics*, vol. 81, no. 5, pp. 815-820.
- Topcuoglu, S, Karatekin, G, Yavuz, T, Arman, D, Kaya, A, Gursoy, T & Ovali, F 2015,'The relationship between the oxidative stress and the cardiac hypertrophy in infants of diabetic mothers', *Diabetes Research and Clinical Practice*, vol. 109, no.1, pp.104-109. DOI: [10.1016/j.diabres.2015.04.022](https://doi.org/10.1016/j.diabres.2015.04.022)
- Tsang, RC, Strub, R, Brown, DR, Steichen, J, Hartman, C & Chen, IW 1976,'Hypomagnesemia in infants of diabetic mothers: perinatal studies', *Journal of Pediatric*, vol. 89, no. 1, pp. 115-119. DOI: [10.1016/s0022-3476\(76\)80944-4](https://doi.org/10.1016/s0022-3476(76)80944-4)
- Tyrala, EE 1996,'The infant of the diabetic mother', *Obstetric and Gynecologic Clinics of North America*, vol. 23, no.1, pp. 221-241. DOI: [10.1016/s0889-8545\(05\)70253-9](https://doi.org/10.1016/s0889-8545(05)70253-9)
- Ullmo, S, Vial, Y, Di Bernardo, S, Roth-Kleiner, M, Mivelaz, Y, Sekarski, N, Ruiz, J, & Meijboom EJ 2007,'Pathologic ventricular hypertrophy in the offspring of diabetic mothers: a retrospective study', *European Heart Journal*, vol.28, no.11, pp. 1319-1325 DOI: [10.1093/eurheartj/ehl416](https://doi.org/10.1093/eurheartj/ehl416).
- Van der Linde, D., Konings, E., Slager, M., Witsenburg, M., Helbing, W., Takkenberg, J., & Ross-Hesselink, J.W., 2011. Birth prevalence of congenital heart disease worldwide: a systematic review and meta-analysis. *J Am Coll Cardiol*, 58(21), pp.2241-7.
- Veille, JC, Sivakoff, M, Hanson, R, & Fanaroff, AA 1992,' Interventricular septal thickness in fetuses of diabetic mothers', *Obstetric & Gynecology*, vol. 79, no. 1, pp. 51-54.
- Way, GL, Wolfe, RR, Eshaghpour, E, Bender, RL, Jaffe, RB, & Ruttenberg, HD 1979,'The natural history of hypertrophic cardiomyopathy in infants of diabetic mothers', *Journal of Pediatrics*, vol. 95, no. 6, pp. 1020-1205 DOI: [10.1016/s0022-3476\(79\)80302-9](https://doi.org/10.1016/s0022-3476(79)80302-9)
- Weindling, AM 2009,'Offspring of diabetic pregnancy: short-term outcomes', *Seminar Fetal Neonatal Medicine*, vol. 14, no. 2, pp. 111-118. DOI: [10.1016/j.siny.2008.11.007](https://doi.org/10.1016/j.siny.2008.11.007)
- Weintrob, N, Karp, M, & Hod, M 1996,'Short- and long-range complications in offspring of diabetic mothers', *Journal of Diabetes Complications*, vol. 10, no. 5, pp. 294-301. DOI: [10.1016/1056-8727\(95\)00080-1](https://doi.org/10.1016/1056-8727(95)00080-1)



- Widness, JA, Teramo, KA, Clemons, GK, Garcia, JF, Cavaliery, TL, Piasecki, GJ, Jackson, BT, Susa, JB & Schwartz, R 1986, 'Temporal response of immunoreactive erythropoietin to acute hypoxemia in fetal sheep', *Pediatric Research*, vol. 20, pp. 15-19  
<https://doi.org/10.1203/00006450-198601000-00004>
- Widness, JA, Teramo, KA, Clemons, GK, Voutilainen, P, Stenman, UH, McKinlay, SM, & Schwartz, R 1990, 'Direct relationship of antepartum glucose control and fetal erythropoietin in human type 1 (insulin-dependent) diabetic pregnancy', *Diabetologia*, vol. 33, no. 6, pp. 378-382. <https://doi.org/10.1007/BF00404643>
- Wren, C, Birrell, G, & Hawthorne, G 2003, 'Cardiovascular malformations in infants of diabetic mothers', *Heart*. Vol. 89, no. 10, pp. 1217-1220 doi: 10.1136/heart.89.10.1217.
- Yamamoto JM, Corcoy, R, Donovan, LE, Stewart, ZA, Tomlinson, G, Beardsall, K, Feig, DS, & Murphy, HR; CONCEPTT Collaborative Group\*, 2019, 'Maternal glycaemic control and risk of neonatal hypoglycaemia in Type 1 diabetes pregnancy: a secondary analysis of the CONCEPTT trial. *Diabetes Medicine*, vol. 26, no. 8, pp. 1046-1053. DOI: [10.1111/dme.13988](https://doi.org/10.1111/dme.13988)
- Yang, J, Cummings, EA, O'connell, C, & Jangaard, K 2006, 'Fetal and neonatal outcomes of diabetic pregnancies', *Obstetrics & Gynecology*, vol. 108, no. 3, pp. 644-650. DOI: [10.1097/01.AOG.0000231688.08263.47](https://doi.org/10.1097/01.AOG.0000231688.08263.47)
- Zhou, T, Du, S, Sun, D, Li, XHeianza, Y, Hu, G, et al 2022. Prevalence and trends in gestational diabetes mellitus among women in the United States, 2006-2017: A population-based study, *Frontiers in Endocrinology*, vol. 13, no. 868094, pp. 1-8.