

REFERENCES

- Agustini, W., Yantie, N. P. V. K., Gunawijaya, E., Sidiartha, G. L., & Pratiwi, G. A. E. (2022). Underweight, Stunted, and Wasted among Children with Congenital Heart Disease: Acyanotic versus Cyanotic. *Open-Access Macedonian Journal of Medical Sciences*, 10, 610-613. <https://doi.org/10.3889/oamjms.2022.8424>
- Allen, H. D. (2012). Moss & Adams Heart Disease in Infants, Children, and Adolescents. LWW.
- Anand, I., & Gupta, P. (2018). Anemia and Iron Deficiency in Heart Failure: Current Concepts and Emerging Therapies. *Circulation*, 138(1), 80–98. <https://doi.org/10.1161/CIRCULATIONAHA.118.030099>
- Batte, A., Lwabi, P., Lubega, S., Kiguli, S., Otworld, K., Chimoyi, L., Nabatte, V., & Karamagi, C. (2017). Wasting, underweight and stunting among children with congenital heart disease presenting at Mulago hospital, Uganda. *BMC Pediatr*, 17(1), 10. <https://doi.org/10.1186/s12887-017-0779-y>
- Botto, L., Correa, A., & Erickson, J. (2001). Racial and temporal variations in the prevalence of heart defects. *Pediatrics*, 107(3), E32. <https://doi.org/10.1542/peds.107.3.e32>
- Broberg, C., Bax, B., Okonko, D., Rampling, M., Bayne, S., Harries, C., Davidson, S., Uebing, A., Khan, A., Thein, S., Gibbs, J., Burman, J., & Gatzoulis, M. (2006). Blood viscosity and its relationship to iron deficiency, symptoms, and exercise capacity in adults with cyanotic congenital heart disease. *J Am Coll Cardiol*, 48(2), 356–365. <https://doi.org/10.1016/j.jacc.2006.03.040>
- Butany, J., & Buja, L. M. (2015). Cardiovascular Pathology. Academic Press.
- Chen, C., Li, C., & Wang, J. (2004). Growth and development of children with congenital heart disease. *J Adv Nurs*, 47(3), 260–269. <https://doi.org/10.1111/j.1365-2648.2004.03090.x>

- Cleves, M., Hobbs, C., Cleves, P., Tilford, J., Bird, T., & Robbins, J. (2007). Congenital defects among liveborn infants with Down syndrome. *Birth Defects Res A Clin Mol Teratol*, 79(9), 657–663. <https://doi.org/10.1002/bdra.20393>
- Endris, B., Dinant, G., Gebreyesus, S., & Spigt, M. (2022). Risk factors of anemia among preschool children in Ethiopia: a Bayesian geo-statistical model. *BMC Nutr*, 8(1), 2. <https://doi.org/10.1186/s40795-021-00495-3>
- Eskedal, L., Hagemo, P., Eskild, A., Frøslie, K., Seiler, S., & Thaulow, E. (2007). A population-based study relevant to seasonal variations in causes of death in children undergoing surgery for congenital cardiac malformations. *Cardiol Young*, 17(4), 423–431. <https://doi.org/10.1017/S1047951107000881>
- Fay, F., & Cooke, P. (1972). Guinea pig ductus arteriosus. II. Irreversible closure after birth. *Am J Physiol*, 222(4), 841–849. <https://doi.org/10.1152/ajplegacy.1972.222.4.841>
- Hart, S., Zimmerman, K., Linardic, C., Cannon, S., Pastore, A., Patsiogiannis, V., Rossi, P., Santoro, S., Skotko, B., Torres, A., Valentini, D., Vellody, K., Worley, G., & Kishnani, P. (2020). Detection of iron deficiency in children with Down syndrome. *Genet Med*, 22(2), 317–325. <https://doi.org/10.1038/s41436-019-0637-4>
- Ko, J. (2015). Genetic Syndromes associated with Congenital Heart Disease. *Korean Circ J*, 45(5), 357–361. <https://doi.org/10.4070/kcj.2015.45.5.357>
- Leal, L., Batista Filho, M., Lira, P., Figueiroa, J., & Osório, M. (2011). Prevalence of anemia and associated factors in children aged 6-59 months in Pernambuco, Northeastern Brazil. *Rev Saude Publica*, 45(3), 457–466. <https://doi.org/10.1590/s0034-89102011000300003>
- Lopez, A., & Mathers, C. (2006). Measuring the global burden of disease and epidemiological transitions: 2002-2030. *Ann Trop Med Parasitol*, 100(5–6), 481–499. <https://doi.org/10.1179/136485906X97417>

Lozoff, B., (2007). Iron Deficiency and Child Development. Food and Nutrition Bulletin, 28(4_suppl4), S560-S571.

Maurer, H. M., (1972). Hematologic effect of cardiac disease. Pediatric Clinic of North America, 19(4), 1083-1093.

Martínez-Quintana, E., & Rodríguez-González, F. (2013). Iron deficiency anemia detection from hematology parameters in adult congenital heart disease patients. Congenit Heart Dis, 8(2), 117–123. <https://doi.org/10.1111/j.1747-0803.2012.00708.x>

McPherson, R. A., Henry, J. B., & Pincus, M. R. (2011). Henry's Clinical Diagnosis and Management by Laboratory Methods. Saunders.

Mir, A. B., Shah, J. A., Mushtaq, S., & Jan, M. (2019). Prevalence, profile of malnutrition and iron deficiency anemia in children with cyanotic congenital heart defects: a case control observational study in a tertiary care hospital in North India. Int J Contemp Pediatr, 6(3), 1303. <https://doi.org/10.18203/2349-3291.ijcp20192033>

Murni, I., Wirawan, M., Patmasari, L., Sativa, E., Arafuri, N., Nugroho, S., & Noormanto. (2021). Delayed diagnosis in children with congenital heart disease: a mixed-method study. BMC Pediatr, 21(1), 191. <https://doi.org/10.1186/s12887-021-02667-3>

Park, M. K., (2014). *Pediatric cardiology for practitioners*. Elsevier Health Sciences.

Quang Binh, T., Suong, N. T. B., Hoang Dinh, N., Anh, V. T., Thanh, V. T., & Khoi, L. M. (2018). Iron Deficiency Anemia in Children with Congenital Heart Disease and the Usefulness of Erythrocyte Indexes as a Screening Tool. Arch Gen Intern Med, 02(03). <https://doi.org/10.4066/2591-7951.1000049>

Rodak, B. F., & Carr, J. H. (2012). Clinical Hematology Atlas. Saunders.

Rahman, M. S., Howlader, T., Masud, M. S., & Rahman, M. L. (2016). Association of Low-Birth Weight with Malnutrition in Children under Five Years in Bangladesh: Do Mother's Education, Socio-Economic Status, and Birth Interval Matter?. PLOS ONE, 11(6), e0157814.

Rodak, B. F., & Carr, J. H. (2012). Clinical Hematology Atlas. Saunders.

Rohit, M., & Shrivastava, S. (2018). Acyanotic and Cyanotic Congenital Heart Diseases. Indian J Pediatr, 85(6), 454–460. <https://doi.org/10.1007/s12098-017-2454-6>

Rosano, A., Botto, L., Botting, B., & Mastroiacovo, P. (2000). Infant mortality and congenital anomalies from 1950 to 1994: an international perspective. J Epidemiol Community Health, 54(9), 660–666. <https://doi.org/10.1136/jech.54.9.660>

Sarma, P.R., (1990). Red Cell Indices. Clinical Methods: The History, Physical, and Laboratory Examinations. 3rd edition. 152. <https://www.ncbi.nlm.nih.gov/books/NBK260/>.

Schellenberg, D., Schellenberg, J., Mushi, A., Savigny, D., Mgalula, L., Mbuya, C., & Victora, C. (2003). The silent burden of anaemia in Tanzanian children: a community-based study. Bull World Health Organ, 81(8), 581–590.

Shah, R., & Agarwal, A. (2013). Anemia associated with chronic heart failure: current concepts. Clin Interv Aging, 8, 111–122. <https://doi.org/10.2147/CIA.S27105>

Silverberg, D., Wexler, D., Iaina, A., & Schwartz, D. (2006). The interaction between heart failure and other heart diseases, renal failure, and anemia. Semin Nephrol, 26(4), 296–306. <https://doi.org/10.1016/j.semnephrol.2006.05.006>

Stout, K., Daniels, C., Aboulhosn, J., Bozkurt, B., Broberg, C., Colman, J., Crumb, S., Dearani, J., Fuller, S., Gurvitz, M., Khairy, P., Landzberg, M., Saidi, A., Valente, A., & Van Hare, G. (2019). 2018 AHA/ACC Guideline for the

Management of Adults With Congenital Heart Disease: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Circulation*, 139(14), e698–e800.
<https://doi.org/10.1161/CIR.0000000000000603>

Tang, Y., & Katz, S. (2006). Anemia in chronic heart failure: prevalence, etiology, clinical correlates, and treatment options. *Circulation*, 113(20), 2454–2461.
<https://doi.org/10.1161/CIRCULATIONAHA.105.583666>

Tanner, H., Moschovitis, G., Kuster, G. M., Hullin, R., Pfiffner, D., Hess, O. M., & Mohacsi, P. (2002). The prevalence of anemia in chronic heart failure. *International Journal of Cardiology*, 86(1), 115–121.
[https://doi.org/10.1016/s0167-5273\(02\)00273-5](https://doi.org/10.1016/s0167-5273(02)00273-5)

Tenenbaum, A., Malkiel, S., Wexler, I., Levy-Khademi, F., Revel-Vilk, S., & Stepensky, P. (2011). Anemia in children with down syndrome. *Int J Pediatr*, 2011, 813541. <https://doi.org/10.1155/2011/813541>

Thorne, C., Roberts, L., Edwards, D., Haque, M., Cumbassa, A., & Last, A. (2013). Anaemia and malnutrition in children aged 0-59 months on the Bijagós Archipelago, Guinea-Bissau, West Africa: a cross-sectional, population-based study. *Paediatr Int Child Health*, 33(3), 151–160.
<https://doi.org/10.1179/2046905513Y.0000000060>

Umboh A, Rompies R, Umboh V., (2022). Hubungan Status Gizi dan Anemia dengan Penyakit Jantung Bawaan Pada Anak. *Sari Pediatri*. 23, 395–401.

Uddin, M., Sardar, M., Hossain, M., Alam, M., Bhuya, M., Uddin, M., & Rahman, M. (1970). Prevalence of Anaemia in Children of 6 Months to 59 Months in Narayanganj, Bangladesh. *J Dhaka Med Coll*, 19(2), 126–130.
<https://doi.org/10.3329/jdmc.v19i2.7084>

Vaillant, M., Chantepie, A., Cheliakine, C., Nashashibi, M., Pottier, J., & Laugier, J. (1992). [Contribution of two-dimensional echography in predicting

spontaneous closure of interventricular defects in infants]. *Arch Mal Coeur Vaiss*, 85(5), 597–601.

Valdes-Cruz, L. M., & Cayre, R. O. (1999). *Echocardiographic Diagnosis of Congenital Heart Disease*. Lippincott Williams & Wilkins.

van der Linde, D., Konings, E., Slager, M., Witsenburg, M., Helbing, W., Takkenberg, J., & Roos-Hesselink, J. (2011). Birth prevalence of congenital heart disease worldwide: a systematic review and meta-analysis. *J Am Coll Cardiol*, 58(21), 2241–2247. <https://doi.org/10.1016/j.jacc.2011.08.025>

Wang, M. (2016). Iron Deficiency and Other Types of Anemia in Infants and Children. *Am Fam Physician*, 93(4), 270–278.

Who.int. (2011). [online] Available at: <https://www.who.int/vmnis/indicators/haemoglobin.pdf> [Accessed 18 December 2021].

Wiener, C., Fauci, A., Braunwald, E., Kasper, D., Hauser, S., Longo, D., Jameson, J., & Loscalzo, J. (2008). *Harrison's Principles of Internal Medicine, Self-Assessment and Board Review*. McGraw-Hill Prof Med/Tech.

Zetterström, R. (2004). Iron deficiency and iron deficiency anaemia during infancy and childhood. *Acta Paediatr*, 93(4), 436–439. <https://doi.org/10.1080/08035250410027535>