

DAFTAR PUSTAKA

- Ahmad Nadzri, F.N., Tawalbeh, D., and Sarbon, N.M. 2021. Physicochemical properties and antioxidant activity of enzymatic hydrolysed chickpea (*Cicer arietinum* L.) protein as influence by alcalase and papain enzyme. *Biocatal. Agric. Biotechnol.*, 36: 102-131.
- Amri, E., dan Mamboya, F. 2012. Papain, a plant enzyme of biological importance: A review. *American Journal of Biochemistry and Biotechnology* **8** (2): 99–104.
- [Anonim]. 2006. Nutrition Facts and Analysis for Tofu, Okara. <http://www.nutritiondata.com/facts-B0000101c218v.html#nutrients-per-serving>
- Bah, C. S. F., Bekhit, A. E. D. A., McConnell, M. A., & Carne, A. (2016). Generation of bioactive peptide hydrolysates from cattle plasma using plant and fungal proteases. *Food Chemistry*, 213, 98–107. <https://doi.org/10.1016/j.foodchem.2016.06.065>
- Balhas V. 2003. The Okara Cookbook. <http://home.iprimus.com.au/vileletters/okara/>
- Biro, J.C. 2006. Amino acid size, charge, hydropathy indices and matrices for protein structure analysis. *Theoretical Biology and Medical Modelling* **3** (1): 1–12.
- Chen, M., & Li, B. (2012). The effect of molecular weights on the survivability of casein-derived antioxidant peptides after the simulated gastrointestinal digestion. *Innovative Food Science and Emerging Technologies*, 16, 341–348. <https://doi.org/10.1016/j.ifset.2012.07.009>
- Choudhary, D.K., Kumar, M., Prasad, R. dan Kumar, V. eds., 2018. *In Silico Approach for Sustainable Agriculture*. Hal 161-167. Singapore: Springer.
- Dhakal, D., Koomsap, P., Lamichhane, A., Sadiq, M.B., dan Anal, A.K. 2018. Optimization of collagen extraction from chicken feet by papain hydrolysis and synthesis of chicken feet collagen based biopolymeric fibres. *Food Bioscience* **23** (February): 23–30.
- Elizalde BE, Bartholomai GB, Pilosof AMR. 1996. The effect of pH on the relationship between hydrophilic/lipophilic characteristics and emulsification properties of soy proteins. *Lebensmittel-Wissenschaft und-Technologie*, 29, 334–339.
- Fallah-Delavar, M. and Farmani, J. 2018. Recovery and Characterization of Enzymatic Protein Hydrolyzates and Fat from Chicken Skin. *JAOCs, J. Am. Oil Chem. Soc.*, 95: 1151–1161

- Fan, H., Liu, H., Zhang, Y., Zhang, S., Liu, T., & Wang, D. (2022). Review on plant-derived bioactive peptides: biological activities, mechanism of action and utilizations in food development. *Journal of Future Foods*, 2(2), 143–159. <https://doi.org/10.1016/j.jfutfo.2022.03.003>
- Fathollahy, I., Farmani, J., Kasaai, M.R., dan Hamishehkar, H. 2021. Characteristics and functional properties of Persian lime (*Citrus latifolia*) seed protein isolate and enzymatic hydrolysates. *Lwt* **140** (September 2020): 110765.
- Gupta, S., Kapoor, P., Chaudhary, K., Gautam, A., Kumar, R., & Raghava, G. P. S. (2013). In Silico Approach for Predicting Toxicity of Peptides and Proteins. *PLoS ONE*, 8(9). <https://doi.org/10.1371/journal.pone.0073957>
- Foti, M.C. 2015. Use and Abuse of the DPPH• Radical. *Journal of Agricultural and Food Chemistry* **63** (40): 8765–8776.
- Hoyle, N. T., & Merritt, J. H. (1994). Quality of Fish Protein Hydrolysates from Herring (*Clupea harengus*). *Journal of Food Science*, 59(1). <https://doi.org/10.1111/j.1365-2621.1994.tb06901.x>
- Huang, D., Boxin, O. U., & Prior, R. L. (2005). The chemistry behind antioxidant capacity assays. In *Journal of Agricultural and Food Chemistry* (Vol. 53, Issue 6, pp. 1841–1856). <https://doi.org/10.1021/jf030723c>
- Işıl Berker, K., Güçlü, K., Tor, I., Demirata, B., dan Apak, R. 2010. Total antioxidant capacity assay using optimized ferricyanide/Prussian blue method. *Food Analytical Methods* **3** (3): 154–168.
- Islam, Z., Islam, M.M., Saha, S., Jahangir, C.A., Basak, B., Islam, M.N., Islam, M.S., Paul, S., dan Khalekuzzaman, M. 2015. Identification and Computational Analysis of Chicken Alpha-1 Collagen Sequences. *International Journal of Scientific and Engineering Research* **6** (1): 217–221.
- Iwaniak, A., Minkiewicz, P., Darewicz, M., Sieniawski, K., dan Starowicz, P. 2016. BIOPEP database of sensory peptides and amino acids. *Food Research International* **85**: 155–161
- Iwaniak, A., Minkiewicz, P., Pliszka, M., Mogut, D., dan Darewicz, M. 2020. Characteristics of Biopeptides Released in Silico from Collagens Using Quantitative Parameters. *Foods* **9** (7): 1–29.
- Joseph, F.Z. 1997. Chapter 2 *Water holding capacity* of Proteins. *Functionality of Proteins in Food* 76–133.
- Kedare, S.B., dan Singh, R.P. 2011. Genesis and development of DPPH method of antioxidant assay. **48** (August): 412–422.

- Lemes, A. C., Sala, L., Ores, J. D. C., Braga, A. R. C., Egea, M. B., & Fernandes, K. F. (2016). A review of the latest advances in encrypted bioactive peptides from protein-rich waste. *International Journal of Molecular Sciences*, 17(6). <https://doi.org/10.3390/ijms17060950>
- López-Barrios, L., Gutiérrez-Urbe, J. A., & Serna-Saldívar, S. O. (2014). Bioactive Peptides and Hydrolysates from Pulses and Their Potential Use as Functional Ingredients. *Journal of Food Science*, 79(3). <https://doi.org/10.1111/1750-3841.12365>
- Minkiewicz, P., Dziuba, J., Iwaniak, A., Dziuba, M., dan Darewicz, M. 2008. BIOPEP database and other programs for processing bioactive peptide sequences. *Journal of AOAC International* 91 (4): 965–980.
- Minkiewicz, P., Dziuba, J., & Michalska, J. (2011). Bovine meat proteins as potential precursors of biologically active peptides - A computational study based on the BIOPEP database. *Food Science and Technology International*, 17(1). <https://doi.org/10.1177/1082013210368461>
- Molyneux, P. 2004. Molineux 07-DPPH. *Songklanakarin J. Sci. Technol* 26: 211–219.
- Munawaroh, H.S.H., Gumilar, G.G., Berliana, J.D., Aisyah, S., Nuraini, V.A., Ningrum, A., Susanto, E., Martha, L., Kurniawan, I., Hidayati, N.A., Koyande, A.K., dan Show, P.L. 2022. In silico proteolysis and molecular interaction of tilapia (*Oreochromis niloticus*) skin collagen-derived peptides for environmental remediation. *Environmental Research* 212 (PA): 113002.
- Ningrum, A., Wardani, D. W., Vanidia, N., Sarifudin, A., Kumalasari, R., Ekafitri, R., Kristanti, D., Setiaboma, W., & Munawaroh, H. S. H. (2022). In Silico Approach of Glycinin and Conglycinin Chains of Soybean By-Product (Okara) Using Papain and Bromelain. *Molecules*, 27(20), 1–11. <https://doi.org/10.3390/molecules27206855>
- Noman, A., Xu, Y., AL-Bukhaiti, W.Q., Abed, S.M., Ali, A.H., Ramadhan, A.H., dan Xia, W. 2018. Influence of enzymatic hydrolysis conditions on the degree of hydrolysis and functional properties of protein hydrolysate obtained from Chinese sturgeon (*Acipenser sinensis*) by using papain enzyme. *Process Biochemistry* 67 (September 2017): 19–28.
- Oyaizu, M. 1986. Studies on Product of Browning Reaction. 44 (6): 307–315
- Ozuna, C., Paniagua-Martínez, I., Castaño-Tostado, E., Ozimek, L., & Amaya-Llano, S. L. (2015). Innovative applications of high-intensity ultrasound in the development of functional food ingredients: Production of protein hydrolysates and bioactive peptides. *Food Research International*, 77, 685–696. <https://doi.org/10.1016/j.foodres.2015.10.015>

- Pa'ee, K.F., Razali, N., Sarbini, S.R., Ramonaran Nair, S.N., Yong Tau Len, K., dan Abd-Talib, N. 2021. The production of collagen type I hydrolyzate derived from tilapia (*Oreochromis sp.*) skin using thermoase PC10F and its in silico analysis. *Food Biotechnology* **35** (1): 1–21.
- Pereira, D. G., Justus, A., Falcão, H. G., Rocha, T. de S., Ida, E. I., & Kurozawa, L. E. (2019). Enzymatic hydrolysis of okara protein concentrate by mixture of endo and exopeptidase. *Journal of Food Processing and Preservation*, *43*(10), 1–9. <https://doi.org/10.1111/jfpp.14134>
- Pooja, K., Rani, S., & Prakash, B. (2017). In silico approaches towards the exploration of rice bran proteins-derived angiotensin-I-converting enzyme inhibitory peptides. *International Journal of Food Properties*, *20*(2), 2178–2191. <https://doi.org/10.1080/10942912.2017.1368552>
- Raghavan, S., Kristinsson, H.G., dan Leeuwenburgh, C. 2008. Radical scavenging and reducing ability of tilapia (*Oreochromis niloticus*) protein hydrolysates. *Journal of Agricultural and Food Chemistry* **56** (21): 10359–10367
- Richard Oliver (dalam Zeithml., dkk 2018). (2021). 濟無No Title No Title No Title. *Angewandte Chemie International Edition*, *6*(11), 951–952., 2013–2015.
- Rullmann, J.A.C., Bellido, M.N., dan van Duijnen, P.T. 1989. The active site of papain. All-atom study of interactions with protein matrix and solvent. *Journal of Molecular Biology* **206** (1): 101–118.
- Sen, S., & Chakraborty, R. (2011). The role of antioxidants in human health. *ACS Symposium Series*, *1083*, 1–37. <https://doi.org/10.1021/bk-2011-1083.ch001>
- Shahidi, F., dan Zhong, Y. 2015. Measurement of antioxidant activity. *Journal of Functional Foods* **18**: 757–781.
- Shevkani, K., Singh, N., Kaur, A., & Rana, J. C. (2015). Structural and functional characterization of kidney bean and field pea protein isolates: A comparative study. *Food Hydrocolloids*, *43*, 679–689. <https://doi.org/10.1016/j.foodhyd.2014.07.024>
- Shurtleff, W., & Aoyagi, A. (2007). A Brief History of Fermentation, East and West. In *Soy Info Center*.
- Sutedja, A. M. (2010). *Fraksinasi Protein dan Karakterisasi Sifat Fungsional Tepung Okara*.
- Tu, M., Cheng, S., Lu, W., dan Du, M. 2018. Advancement and prospects of bioinformatics analysis for studying bioactive peptides from food-derived protein: Sequence, structure, and functions. *TrAC - Trends in Analytical Chemistry* **105**: 7–17.



- Xie, J., Ye, H., Du, M., Yu, Q., Chen, Y., & Shen, M. (2020). Mung bean protein hydrolysates protect mouse liver cell line Nctc-1469 cell from hydrogen peroxide-induced cell injury. *Foods*, 9(1). <https://doi.org/10.3390/foods9010014>
- Zhang, Y., Zhang, Y., Liu, X., Huang, L., Chen, Z., dan Cheng, J. 2017. Influence of hydrolysis behaviour and microfluidisation on the functionality and structural properties of collagen hydrolysates. *Food Chemistry* **227**: 211–218.
- Zhu, L., Chen, J., Tang, X., and Xiong, Y.L. 2008. Reducing, Radical Scavenging, and Chelation Properties of *in vitro* Digests of Alcalase-Treated Zein Hydrolysate. *Journal of Agricultural and Food Chemistry* **56** (8): 2714–2721.