

## DAFTAR PUSTAKA

- [1] Strategic Partnership Green and Inclusive Energy, “Akses Energi Berkelanjutan untuk Masyarakat Desa: Status, Tantangan, dan Peluang,” *Institute for Essential Services Reform*, no. Seri Diskusi Pojok Energi, p. 20, Apr. 2019.
- [2] A. Priyadi, “Kementerian ESDM Akan Tuntaskan 100% Rasio Elektrifikasi di 2022,” *ESDM*. <https://www.esdm.go.id/id/media-center/arsip-berita/kementerian-esdm-akan-tuntaskan-100-rasio-elektrifikasi-di-2022-> (accessed Mar. 02, 2022).
- [3] “Lembaga Kerjasama Fakultas Teknik UGM dan PT PLN Lakukan FGD Membahas Pembangkit Listrik Tenaga Biomassa,” <https://ft.ugm.ac.id.https://ft.ugm.ac.id/lkft-ugm-dan-pt-pln-lakukan-fgd-membahas-pembangkit-listrik-tenaga-biomassa/> (accessed Jan. 29, 2023).
- [4] E. Walker and R. J. Blaen, “10 - Industrial boilers,” in *Plant Engineer’s Reference Book (Second Edition)*, Second Edition., D. A. Snow, Ed. Oxford: Butterworth-Heinemann, 2002, pp. 10-1-10-28. doi: <https://doi.org/10.1016/B978-075064452-5/50065-1>.
- [5] C. French, “31 - Economizers,” in *Plant Engineer’s Reference Book (Second Edition)*, Second Edition., D. A. Snow, Ed. Oxford: Butterworth-Heinemann, 2002, pp. 31-1-31-7. doi: <https://doi.org/10.1016/B978-075064452-5/50086-9>.
- [6] E. U. Schlünder, Ed., *Heat exchanger design handbook*. Düsseldorf: VDI-Verl. [u.a.], 1983.
- [7] T. Lv, Z. Guo, and Y. Gao, “Power Plant Boiler Waste Heat Recycling Design Research,” in *2012 Asia-Pacific Power and Energy Engineering Conference*, Shanghai, China, Mar. 2012, pp. 1–3. doi: 10.1109/APPEEC.2012.6307030.
- [8] A. K. Aksenov and D. P. Kosorukov, “Application of Condensation Economizers in Order to Increase the Energy Efficiency of Gas Boilers of a Traditional Type,” in *2020 International Multi-Conference on Industrial Engineering and Modern Technologies (FarEastCon)*, Vladivostok, Russia, Oct. 2020, pp. 1–4. doi: 10.1109/FarEastCon50210.2020.9271452.
- [9] Z. Feng, C. Xin, T. Zhou, J. Zhang, and T. Fu, “Airside thermal-hydraulic and fouling performances of economizers with integrally-molded spiral finned tubes for residual heat recovery,” *Appl. Therm. Eng.*, vol. 211, p. 118365, Jul. 2022, doi: 10.1016/j.applthermaleng.2022.118365.
- [10] A. S. Putri, R. Amalia, T. H. Ariwibowo, and F. H. Sholihah, “Thermal Characteristics of Tube Economizer with Serrated Fin,” in *2021 International Electronics Symposium (IES)*, Surabaya, Indonesia, Sep. 2021, pp. 399–404. doi: 10.1109/IES53407.2021.9593988.
- [11] R. Nurhasanah, J. Edy, and E. Brian Pradana, “Perancangan Boiler dengan Memanfaatkan Sampah Kering Untuk Bahan Bakar PLTU Mini 3 kW STT-PLN,” *Power Plant*, vol. 5, no. 1, pp. 1–10, Dec. 2018, doi: 10.33322/powerplant.v5i1.113.
- [12] A. J. Nainggolan, H. F. Siahaan, and S. Sebayang, “Perancangan Economizer sebagai Pemanas Awal Air Umpan pada Ketel Tipe Fire Tube dalam Proses Pengolahan Getah Pinus di PT. Nasco Indopine.” *Jurnal Teknologi Mesin UDA*, 2022. [Online]. Available: <http://jurnal.darmaagung.ac.id/index.php/teknologimesin/article/view/2657>

- [13] I. Ramdani and I. Yuliyani, "Rancangan *Economizer* pada Pembangkit Listrik Tenaga Uap *Supercritical* Kapasitas 660 MW," *Pros. Semin. Nas. NCIET*, vol. 1, no. 1, Dec. 2020, doi: 10.32497/nciet.v1i1.88.
- [14] K. Anam and L. O. M. Firman, "Design and Optimization of Boiler Economizer for Laundry Industry Using Taguchi Method," in *Proceedings of the 1st Borobudur International Symposium on Humanities, Economics and Social Sciences (BIS-HESS 2019)*, Magelang, Indonesia, 2020. doi: 10.2991/assehr.k.200529.111.
- [15] Y. A. Çengel, *Heat and mass transfer: a practical approach*, 3rd ed. Boston: McGraw-Hill, 2007.
- [16] S. Niamsuwan, P. Kittisupakorn, and I. M. Mujtaba, "A newly designed economizer to improve waste heat recovery: A case study in a pasteurized milk plant," *Appl. Therm. Eng.*, vol. 60, no. 1–2, pp. 188–199, Oct. 2013, doi: 10.1016/j.applthermaleng.2013.06.056.
- [17] W. Tang, H. Feng, L. Chen, Z. Xie, and J. Shi, "Constructal design for a boiler economizer," *Energy*, vol. 223, p. 120013, May 2021, doi: 10.1016/j.energy.2021.120013.
- [18] L.-Y. Chen, V. S. K. Adi, and R. Laxmidewi, "Shell and tube heat exchanger flexible design strategy for process operability," *Case Stud. Therm. Eng.*, vol. 37, p. 102163, Sep. 2022, doi: 10.1016/j.csite.2022.102163.
- [19] C. Khotimah, "Analisis Variasi Susunan Pipa pada Desain Economizer dengan Menggunakan Metode Computational Fluid Dynamics," Institut Teknologi Surabaya, Departemen Teknik Fisika, 2016.
- [20] C. Wicaksono, E. Wijanarko, O. H. Simanullang, and A. Tahad, "Perancangan Eco Heat Exchanger Type 1-2 Shell And Tube dan Pengaruh Jumlah Baffle Terhadap Transfer Panas," *J. Chemurgy*, vol. 1, no. 1, p. 27, Apr. 2018, doi: 10.30872/cmng.v1i1.1136.
- [21] S. Chantasiriwan, "Optimum installation of economizer, air heater, and flue gas dryer in biomass boiler," *Comput. Chem. Eng.*, vol. 150, p. 107328, Jul. 2021, doi: 10.1016/j.compchemeng.2021.107328.
- [22] T. H. Soerawidjaja, "Peran Bioenergi dan Arah-Arah Utama LitBangRapnya di Indonesia," presented at the Lokakarya Gasifikasi Biomassa, LABTEK X, Kampus ITB, Bandung, Desember 2010.
- [23] Sutarno and Sugiono, "Keanekaragaman Hayati Indonesia dan Pemanfaatannya untuk Sumber Energi," presented at the Seminar Nasional Energi Hayati sebagai Solusi Krisis Energi: Peluang dan Tantangannya di Indonesia, Jurusan Biologi FMIPA UNS, Surakarta, Apr. 2006, pp. 38–42.
- [24] L. Rosendahl, Ed., *Biomass combustion science, technology and engineering*. Oxford ; Philadelphia: Woodhead Publishing, 2013.
- [25] D. Y. Goswami and F. Kreith, *Energy Conversion, Second Edition*. Taylor & Francis, 2016. [Online]. Available: <https://books.google.co.id/books?id=qOfHMgEACAAJ>
- [26] R. Velmurugan, "Chapter 18 - Nanoparticles and Organic Matter: Process and Impact," p. 23.
- [27] B. M. Jenkins, L. L. Baxter, T. R. M. Jr, and T. R. Miles, "Combustion properties of biomass," p. 30, 1998.

- [28] A. Avelin, J. Skvaril, R. Aulin, M. Odlare, and E. Dahlquist, "Forest Biomass for Bioenergy production – Comparison of Different Forest Species," *Energy Procedia*, vol. 61, pp. 1820–1823, 2014, doi: 10.1016/j.egypro.2014.12.221.
- [29] M. Theis, *Interaction of biomass fly ashes with different fouling tendencies*. Åbo: Åbo Akademi, 2006.
- [30] A. Demirbas, "Effects of Moisture and Hydrogen Content on the Heating Value of Fuels," *Energy Sources Part Recovery Util. Environ. Eff.*, vol. 29, no. 7, pp. 649–655, Mar. 2007, doi: 10.1080/009083190957801.
- [31] I. Febijanto, "Perencanaan PLTU Biomassa Berbahan Bakar Tanaman Kaliandra Merah di Kalimantan Timur," *J. Energi Dan Lingkung. Enerlink*, vol. 14, no. 1, 2018.
- [32] T. D. Cahyono and Z. Coto, "Analisis Nilai Kalor dan Kelayakan Ekonomiser Kayu Sebagai Bahan Bakar Substitusi Batubara di Pabrik Semen," vol. 31, no. 2, p. 12.
- [33] J. L. Bowyer, R. Shmulsky, and J. G. Haygreen, *Forest Products and Wood Science: An Introduction*. Wiley, 2007. [Online]. Available: <https://books.google.co.id/books?id=bmNLXwtkpD8C>
- [34] M. Loeser and M. Redfern, "Micro-scale Biomass Generation Plant Technology - Stand-alone Designs for Remote Customers," *Univ. Bath*, 2008, [Online]. Available: <https://researchportal.bath.ac.uk/en/publications/micro-scale-biomass-generation-plant-technology-stand-alone-desig>
- [35] G. T. Marangwanda, D. M. Madyira, and T. O. Babarinde, "Combustion models for biomass: A review," *Energy Rep.*, vol. 6, pp. 664–672, Feb. 2020, doi: 10.1016/j.egy.2019.11.135.
- [36] L. S. Paraschiv, A. Serban, and S. Paraschiv, "Calculation of combustion air required for burning solid fuels (coal / biomass / solid waste) and analysis of flue gas composition," *Energy Rep.*, vol. 6, pp. 36–45, Feb. 2020, doi: 10.1016/j.egy.2019.10.016.
- [37] C. Soares, "Gas Turbine Fuel Systems and Fuels," in *Gas Turbines*, Elsevier, 2008, pp. 213–291. doi: 10.1016/B978-075067969-5.50012-0.
- [38] R. Chang, *Chemistry*, 10th ed. Boston: McGraw-Hill, 2010.
- [39] A. Bejan, G. Tsatsaronis, and M. J. Moran, *Thermal design and optimization*. New York: Wiley, 1996.
- [40] B. E. Poling, J. M. Prausnitz, and J. P. O'Connell, *The properties of gases and liquids*, 5th ed. New York: McGraw-Hill, 2001.
- [41] J. O. Hirschfelder, R. Byron. Bird, and E. L. Spotz, "The Transport Properties of Gases and Gaseous Mixtures. II.," *Chem. Rev.*, vol. 44, no. 1, pp. 205–231, Feb. 1949, doi: 10.1021/cr60137a012.
- [42] C. R. Wilke, "A Viscosity Equation for Gas Mixtures," *J. Chem. Phys.*, vol. 18, no. 4, pp. 517–519, Apr. 1950, doi: 10.1063/1.1747673.
- [43] M. L. Huber and A. H. Harvey, "Thermal Conductivity of Gases," p. 2.
- [44] M. J. Moran, Ed., *Fundamentals of engineering thermodynamics*, 7th ed. Hoboken, N.J.: Wiley, 2011.
- [45] Y. Cengel Michael, *ISE Ebook Online Access For Thermodynamics: an engineering approach*. S.l.: McGraw-Hill US Higher Ed, 2018.

- [46] F. P. Incropera and F. P. Incropera, Eds., *Fundamentals of heat and mass transfer*, 6th ed. Hoboken, NJ: John Wiley, 2007.
- [47] D. Q. Kern, *Process heat transfer*, 24. print. Auckland: McGraw-Hill, 1988.
- [48] D. A. SNOW, *Plant Engineer's Reference Book*. Elsevier Science, 2001.  
[Online]. Available: <https://books.google.co.id/books?id=KJOoQm3fbEoC>
- [49] J. M. Yin, C. W. Bullard, and P. S. Hrnjak, "Single-Phase Pressure Drop Measurements in a Microchannel Heat Exchanger," *Heat Transf. Eng.*, vol. 23, no. 4, pp. 3–12, Jul. 2002, doi: 10.1080/01457630290090455.
- [50] A. Wibowo, "Perancangan Sistem Pembangkit Listrik Biomassa Sawit (PLTBS) Kapasitas 5 MW," vol. 1, p. 8, 2016.
- [51] M. Syukrillah, K. H. Khwee, and A. Hiendro, "Analisis Perhitungan Efisiensi Energi di Sistem Pembangkit Listrik Tenaga Biomass (PLTBM) PT. Harjohn Timber Kubu Raya," p. 11.
- [52] F. Setiawan, A. Melkias, and Slameto, "Analisis Kinerja Turbin Uap Unit 1 di Cirebon Power," *J. Tek. Energi*, vol. 11, no. 2, pp. 7–11, Jun. 2022, doi: 10.35313/energi.v11i2.3517.
- [53] Ramadhany, "Perhitungan Energi Mekanis pada Efisiensi Pompa *Feed Water Boiler* di Unit *Waste Sulphuric Acid*," *DISTILAT J. Teknol. SEPARASI*, vol. 6, no. 2, Aug. 2020, doi: 10.33795/distilat.v6i2.80.
- [54] R. L. Mott and J. A. Untener, *Applied fluid mechanics*, Seventh edition. Boston: Pearson, 2015.
- [55] J. Mižáková, J. Pitel, A. Hošovský, I. Pavlenko, M. Ochowiak, and S. Khovanskyi, "Biomass Combustion Control in Small and Medium-Scale Boilers Based on Low Cost Sensing the Trend of Carbon Monoxide Emissions," *Processes*, vol. 9, no. 11, p. 2030, Nov. 2021, doi: 10.3390/pr9112030.
- [56] A. Elorf and B. Sarh, "Excess air ratio effects on flow and combustion characteristics of pulverized biomass (olive cake)," *Case Stud. Therm. Eng.*, vol. 13, p. 100367, 2019, doi: <https://doi.org/10.1016/j.csite.2018.100367>.
- [57] P. Datt, "Latent Heat of Vaporization/Condensation," in *Encyclopedia of Snow, Ice and Glaciers*, V. P. Singh, P. Singh, and U. K. Haritashya, Eds. Dordrecht: Springer Netherlands, 2011, pp. 703–703. doi: 10.1007/978-90-481-2642-2\_327.
- [58] Y. Demirel, *Energy*. London: Springer London, 2012. doi: 10.1007/978-1-4471-2372-9.
- [59] M. W. Chase, "NIST-JANAF Thermochemical Tables," *J. Phys. Chemical Reference Data*, Monograph 9, 1998.  
<https://webbook.nist.gov/cgi/cbook.cgi?ID=C7440702&Units=SI&Mask=FFF&Type=JANAFS&Plot=on#JANAFS> (accessed Sep. 22, 2022).
- [60] S. A. L. Samarasekara and R. V. Coorey, "Thermal capacity as a function of moisture content of Sri Lankan wood species: Wheatstone bridge method," *Sri Lanka*, p. 9, 2011.
- [61] K. Radmanović, I. Đukić, and S. Pervan, "Specific Heat Capacity of Wood," *Drv. Ind.*, vol. 65, pp. 151–157, Jun. 2014, doi: 10.5552/drind.2014.1333.
- [62] D. L. Pinti, "Composition of the Earth's Atmosphere," in *Encyclopedia of Geology (Second Edition)*, Second Edition., D. Alderton and S. A. Elias, Eds.

- Oxford: Academic Press, 2021, pp. 187–197. doi: <https://doi.org/10.1016/B978-0-08-102908-4.00054-0>.
- [63] H. M. Hassoon, “Pressure drop in 180° pipe bends,” *Build. Serv. Eng. Res. Technol.*, vol. 3, no. 2, pp. 70–74, May 1982, doi: 10.1177/014362448200300204.
- [64] Crane Co, Ed., *Flow of fluids: through valves, fittings and pipe*, Repr. Stamford, Conn: Crane, 2009.
- [65] P. Basu, C. Kefa, and L. Jestin, “Pressure Drop in Gas and Air Ducts,” in *Boilers and Burners*, New York, NY: Springer New York, 2000, pp. 457–484. doi: 10.1007/978-1-4612-1250-8\_16.
- [66] Tubular Exchanger Manufacturing Association, “Standards of The Tubular Exchanger Manufacturers Association ninth ed.” Tubular Exchanger Manufacturers Association, New York, 2007.
- [67] H. Riyan, “Reference Sheet: Melting Point,” *American Elements The Advanced Materials Manufacturer*, Jun. 15, 2018. <https://www.americanelements.com/PDFs/reference/AE-melting-point-reference-sheet.pdf> (accessed Jun. 20, 2022).
- [68] Andy, “WASP for Windows.” Katmar Software, Jul. 05, 2013.