



## DAFTAR PUSTAKA

- [1] Najera-Trejo, M., Martin-Domínguez, I.R., Escobedo-Bretado, J.A., 2016. Economic feasibility of flat plate vs evacuated tube solar collectors in a combisystem. *Energy Procedia* 91, 477-485.
- [2] Noorpoor, A., Hamed Jamali, D., Hashemian, N., 2017. Optimization of parabolictrough solar collectors integrated with two stage Rankine cycle. *J. Sol. Energy Res.* 2 (2), 61-66.
- [3] Conti, J., Holtberg, P., Diefenderfer, J., LaRose, A., Turnure, J.T., Westfall, L., 2016. International Energy Outlook 2016 with Projections to 2040. USDOE Energy Information Administration (EIA), Washington, DC (United States).
- [4] Dincer, I., Zamfirescu, C., 2012. Renewable-energy-based multigeneration systems. *Int. J. Energy Res.* 36 (15), 1403-1415.
- [5] Ahmadi, A., Jamali, D., Ehyaei, M., Assad, M.E.H., 2020. Energy, Exergy, Economic and Exergoenvironmental analyses of gas and air bottoming cycles for production of electricity and hydrogen with gas reformer. *J. Clean. Prod.* 120915.
- [6] DiPippo, R., 2012. Geothermal Power Plants: Principles, Applications, Case Studies and Environmental Impact. Butterworth-Heinemann.
- [7] Bodvarsson, G., 1970. Evaluation of geothermal prospects and the objectives of geothermal exploration. *Geoexploration* 8 (1), 7-17.
- [8] Nasruddin dkk., "Potential of geothermal energy for electricity generation in Indonesia: A review," *Renewable and Sustainable Energy Reviews 2016*, Vol. 53, Hal. 733-740.
- [9] J.W. Lund, H.D. Frestone dan L.T. Boyd, "Direct Utilization of Geothermal Energy 2010 Worldwide Review," *Geothermics 2011*, Vol. 40, Hal. 159-180.
- [10] Pusat Sumber Daya Mineral Batu Bara dan Panas Bumi, "Kapasitas Terpasang Pembangkit Panas Bumi Indonesia," 2022. [Online]. Available:  
[http://psdg.bgl.esdm.go.id/index.php?option=com\\_content&view=article&id=1306&Itemid=610](http://psdg.bgl.esdm.go.id/index.php?option=com_content&view=article&id=1306&Itemid=610) . [Accessed: 4-Jan-2022].
- [11] A. S. Nugraha, "Process Design of Micro Hydro, Expander , Binary ORC and Double Flash Cycle Using Separator Pressure of Unit V in Lahendong Geothermal Field, Indonesia," PT Pertamina Geothermal Energy, Sulawesi Utara, no. 23, 2018.





- [12] H. Tian dan G.Q. Shu, "Organic Rankine cycle systems for large scale waste heat recovery to produce electricity," *Organic Rankine Cycle (ORC) Power Systems: Technologies and Applications 2017*, Vol. 17, Hal. 613-636.
- [13] Tarti  re T and Astolfi M 2017 A World Overview of the Organic Rankine Cycle Market The Overview the Organic Rankine Assessing the feasibility of the heat *Energy Procedia* 129 2-9
- [14] M. Astolfi, "Technical options for Organic Rankine Cycle systems," *Organic Rankine Cycle (ORC) Power Systems: Technologies and Applications 2016*, Vol. 1, Hal. 67-89.
- [15] "Technical Specs for LT-Series ORC Modules". Zuccato Energia, [Daring]. Tersedia pada: [www.zuccatoenergia.it](http://www.zuccatoenergia.it)
- [16] "Organic Rankine Cycle Technology". Turboden. [Daring]. Tersedia pada: [www.turboden.eu](http://www.turboden.eu)
- [17] F. Paty, "Conception of an ORC Module for High Temperature Recovery," KTH Royal Institute of Technology, Swedia, 2016.
- [18] B. Ssebabi, R.T. Dobson dan A.B. Sebitosi, "Characterising a turbine for application in an organic Rankine cycle," *Energy 2015*, Vol. 93, Hal. 1617-1632.
- [19] E. Macchi dan M. Astolfi, "Organic Rankine Cycle (ORC) Power Systems: Tehcnologies and Application," *Woodhead Publishing Series in Energy 2017*, Elsevier, No. 107, Cambridge, United Kingdom.
- [20] *Peraturan Menteri Negara Lingkungan Hidup Nomor 8 Tahun 2009 Tentang Baku Mutu Air Limbah Bagi Usaha dan/atau Kegiatan Pembangkit Listrik Tenaga Termal*. Kementerian Lingkungan Hidup dan Kehutanan, 2009.
- [21] R. Wahyudito, A. Widiharto dan K. Suryopratomo, "Analisis Scaling Silika pada Pipa Injeksi Brine di Lapangan Panas Bumi Dieng dengan Studi Kasus di PT. Geo Dipa Energi," *Teknofisika 2013*, Vol. 2, Hal 7-14.
- [22] N. A. Pambudi, "Geothermal power generation in Indonesia, a country within the ring of fire: Current status, future development and policy," *Renew. Sustain. Energy Rev.*, vol. 81, no. 2017, pp. 2893–2901, 2018, doi: 10.1016/j.rser.2017.06.096.
- [23] D. Al-Madani, "Proses Produksi Panas Bumi Di PT Pertamina Geothermal Energy Area Lahendong," Jakarta Selatan, 2019.
- [24] J. Milewski dan J. Krasucki, "Comparison of ORC and Kalina cycles for waste heat recovery in the steel industry," hlm. 6, 2017.





- [25] A. Nemati, H. Nami, F. Ranjbar, dan M. Yari, “A comparative thermodynamic analysis of ORC and Kalina cycles for waste heat recovery: A case study for CGAM cogeneration system,” *Case Stud. Therm. Eng.*, vol. 9, hlm. 1–13, Mar 2017, doi: 10.1016/j.csite.2016.11.003.
- [26] A. K. Chaudhary, H. Kandpal, dan T. Kapoor, “Design and Analysis of Kalina Cycle for Waste Heat Recovery from 4 Stroke Multi-Cylinders Petrol Engine,” vol. 05, no. 06, hlm. 6, 2018.
- [27] F. Wakana, “Premilinary Study of Binary Power Plant Feasibility Comparing ORC and Kalina for Low-Temperature Resources in Rusizi Valley, Burundi,” hlm. 32.
- [28] Z. Guzović, P. Rašković, and Z. Blatarić, “The Comparision of a Basic and a Dual-Pressure ORC (Organic Rankine Cycle): Geothermal Power Plant Velika Ciglena Case Study,” *Energy*, vol. 76, pp. 175–186, 2014, doi: 10.1016/j.energy.2014.06.005.
- [29] Muhammad Zuhdi Alfathan. *Perancangan Awal Sistem Siklus Rankine Organik pada PLTP Lahendong Unit 3, Studi Kasus Penukar Kalor Rekuperator dan Kondensor*. Skripsi, Departemen Teknik Nuklir dan Teknik Fisika Fakultas Teknik, Universitas Gadjah Mada, Yogyakarta, 2018.
- [30] S. A. Faradhila, “Perancangan Sistem Siklus Rankine Organik untuk Memanfaatkan Kalor Buang Brine PLTP Lahendong Unit V, Studi Kasus: Desain Kondensor”, 2021
- [31] G. G. Gitobu, “Model Organic Rankine Cycle for Brine at Olkaria Geothermal Field, Kenya,” hlm. 20.
- [32] K. Darvish, M. Ehyaei, F. Atabi, dan M. Rosen, “Selection of Optimum Working Fluid for Organic Rankine Cycles by Exergy and Exergy-Economic Analyses,” *Sustainability*, vol. 7, no. 11, hlm. 15362–15383, Nov 2015, doi: 10.3390/su71115362.
- [33] D. Wang, X. Ling, H. Peng, L. Liu, dan L. Tao, “Efficiency and Optimal Performance Evaluation of Organic Rankine Cycle for Low Grade Waste Heat Power Generation,” *Energy*, vol. 50, hlm. 343–352, Feb 2013, doi: 10.1016/j.energy.2012.11.010.
- [34] J. Bao dan L. Zhao, “A Review of Working Fluid and Expander Selections for Organic Rankine cycle,” *Renew. Sustain. Energy Rev.*, vol. 24, hlm. 325–342, Agu 2013, doi: 10.1016/j.rser.2013.03.040.





- [35] X. Y. Huang, H. Y. Wang, Z. Wu, T. Zhu, and J. Z. Wu, “Selection of Working Fluids for Organic Rankine Cycle (ORC) in Waste Heat Power Generation System,” *ICMREE 2013 - Proc. 2013 Int. Conf. Mater. Renew. Energy Environ.*, vol. 3, pp. 774–779, 2013, doi: 10.1109/ICMREE.2013.6893789.
- [36] M. Agani, S. Patangke, D. B. Hartanto, dan M. Silaban, “Opportunity and Barriers to Develop a Bottoming Unit by Utilizing Separated Hot Brine in Ulubelu, Indonesia,”
- [37] S. N. Wibowo, K. Pudyastuti, S. Suyanto, L. Agustina, H. Harmen, and S. Patangke, “Review Application of ORC in Lahendong Geothermal Field,” in *Asia Pacific Oil and Gas Conference and Exhibition*, 2019, pp. 1–9, doi: 10.2118/196278-ms.
- [38] S. Frick dan A. Saadat, “Geothermal Binary Power Plant for Lahendong, Indonesia: A German-Indonesian Collaboration Project,” hlm. 5.
- [39] Paju M., “Perancangan Awal Turbin pada Pembangkit Listrik Berbasis Siklus Rankine Organik Air Panas Buang Pltp Lahendong”, 2020
- [40] Y. Zido, “Perancangan Sistem Siklus Rankine Organik Dua Tingkat pada PLTP Lahendong Unit III, Studi Kasus: Turbin Uap Tingkat Satu”,2020
- [41] A. M. Al Jubori, R. K. Al-Dadah, S. Mahmoud, and A. Daabo, “Modelling and parametric analysis of small-scale axial and radial-outflow turbines for Organic Rankine Cycle applications,” *Appl. Energy*, vol. 190, pp. 981–996, Mar. 2017, doi: 10.1016/j.apenergy.2016.12.169.
- [42] [8] H. Sun, J. Qin, T.-C. Hung, H. Huang, and P. Yan, “Performance Analysis of Low Speed Axial Impulse Turbine Using Two Type Nozzles for Small-Scale Organic Rankine cycle,” *Energy*, vol. 169, Dec. 2018, doi: 10.1016/j.energy.2018.12.091
- [43] T. Al-Shemmeri, “Engineering Thermodynamics,” *Eng. Thermodyn.*, hlm. 107, 2010.
- [44] R. K. Rajput, Engineering Thermodynamics. Sudbury, Mass.: Jones and Bartlett Publishers, 2010. Diakses: Jan 26, 2021. [Daring]. Tersedia pada: <http://search.ebscohost.com/login.aspx?direct=true&scope=site&db=nlebk&db=nlabk&AN=283895>
- [45] K. Annamalai, I. K. Puri, dan M. A. Jog, *Advanced Thermodynamics Engineering*, 2 ed. France: CRC Press, 2011.
- [46] D. Gao, *Engineering Thermodynamics*. University of Washington, 2016.
- [47] A. S. Rosen, Chemical Engineering Thermodynamics. 2018. [Daring]. Tersedia pada: [https://sites.tufts.edu/andrewrosen/files/2018/10/thermo\\_review\\_v2-1.pdf](https://sites.tufts.edu/andrewrosen/files/2018/10/thermo_review_v2-1.pdf)





- [48] Y.A. Cengel dan M.A. Boles. *Thermodynamics: An Engineering Approach 5th ed.* McGraw-Hill, 2005.
- [49] M.J. Moran dkk.. *Fundamental of Engineering Thermodynamics: Eight Edition.* John Wiley & Sons, 2014.
- [50] Nenny Saptadji. Sekilas Tentang Panas Bumi. Institut Teknologi Bantung, Bandung, 2008.
- [51] G.A. Kusuma, G. Mangindaan dan M. Pakiding, "Analisa Efisiensi Thermal Pembangkit Listrik Tenaga Panas Bumi Lahendong Unit 5 Dan 6 Di Tompaso," Jurnal Teknik Elektro dan Komputer 2018, Vol. 7, No.2, Hal. 123-134.
- [52] Renaud Gicquel. Energy Systems: A New Approach to Engineering Thermodynamics. Diterbitkan oleh CRC Press, Taylor & Francis Group, 2011.
- [53] J. Clarke dan J.T. Mcleskey, "The constrained design space of double-flash geothermalpower plants," Geothermics 2014, Vol. 51, Hal. 31-37.
- [54] E.H. Martinez dkk., "Net power output and thermal efficiency data for single and double flash cycles of Cerro Prieto geothermal power plants," Data in brief 2019, Vol. 27, Hal. 17.
- [55] X. Zhou dkk., "Thermal Investigations into an Organic Rankine Cycle (ORC) System Utilizing Low Grade Waste Heat Sources," Procedia Engineering 2017, Vol. 205, Hal. 4142-4148.
- [56] A. Uusitalo dkk., "A thermodynamic analysis of waste heat recovery from reciprocating engine power plants by means of Organic Rankine Cycles," Applied Thermal Engineering 2014, Vol. 70, Hal. 33-41.
- [57] S. S. Bajaj, H. B. Patil, G. B. Kudal, and S. P. Shisode, "Organic Rankine Cycle and Its Working Fluid Selection-A Review," Int. J. Curr. Eng. Technol., vol. 4, no. 4, pp. 20–26, 2011, doi: 10.14741/ijcet/22774106/spl.4.2016.3.1.
- [58] S. Douvartzides and I. Karmalis, "Working fluid selection for the Organic Rankine Cycle (ORC) exhaust heat recovery of an internal combustion engine power plant," IOP Conf. Ser. Mater. Sci. Eng., vol. 161, no. 1, 2016, doi: 10.1088/1757-899X/161/1/012087.
- [59] D. H. Kenney et al., "Designation and Safety Classification of Refrigerants," vol. 2016, 2016.
- [60] K. L. Brown, "Scaling and Geothermal Development (Geothermal Technology Lecture Note)," New Zealand, 1998.
- [61] O. J. Vetter and V. Kandarpa, "Handling of Scale in Geothermal Operation," in International Conference on Geothermal Energy, 1982.





- [62] S. Ciptadi and S. Patangke, “Evaluasi Potensi Silica Scaling Pada Pipa Produksi Lapangan Panasbumi Lahendong – Sulawesi Utara,” Proceeding 84 5th Ina. Annu. Sci. Conf. Exhib., no. November 1995, 2001.
- [63] A. J. Nugroho, “Evaluation of Waste Brine Utilization From Lhd Unit III for Electricity Generation in Lahendong Geothermal Field , Indonesia,” Geotherm. Energy, no. 17, 200
- [64] P. Shlyakhin. Turbin Uap (Steam Turbine): Teori dan Rancangan. Diterbitkan oleh Erlangga, Cracas, Jakarta, 1999.
- [65] H. Santoso, “Optimalisasi untuk Menghasilkan Efisiensi Ideal Turbin Uap Pembangkit Listrik Tenaga Biomassa Kapasitas 20 MW,” Jurnal String 2018, Vol. 3, No.2, Hal. 181-188.
- [66] Y. S. P. Zuniga, “Design of an Axial Turbine and Thermodynamic Analysis and Testing of a K03 Turbocharger,” Skripsi, Departemen Teknik Mesin, Massachusetts Institute of Technology, Cambridge, Amerika Serikat, 2011.
- [67] D. P. Barus, “Rancangan Turbin Uap Penggerak Generator Kapasitas 1 MW pada Pabrik Kelapa Sawit,” Skripsi, Departemen Teknologi Mekanik Industri, Fakultas Teknik, Universits Sumatera Utara, Medan, 2009.
- [68] N. Smirnoff. The Design of an Impulse Stage for Steam Turbines. Departemen Teknik Mesin, Grove Schoole of Engineering. The City College of New York, New York, 2016.
- [69] T. B. Nababan, “Rancangan Turbin Uap Pengerak Generator Listrik dengan Daya 80 MW pada Instalasi Pembangkit Listrik Tenaga Uap,” Skripsi, Departemen Teknik Mesin, Fakultas Teknik, Universits Sumatera Utara, Medan, 2009.
- [70] D. K. Gunawan, “Turbin Curtis 2 Tingkatan Kecepatan denga Daya 600 kW,” Skripsi, Departemen Teknik Mesin, Fakultas Sains dan Teknologi, Universits Sanata Dharma, Yogyakarta, 2007.
- [71] Maycold Manurung, “Perancangan dan Simulasi Aliran Fluida pada Turbin Uap Siklus Rankine Organik dengan Daya Output 110 KW,” Skripsi, Departemen Teknik Mesin, Fakultas Teknik, Universits Sumatera Utara, Medan, 2010.
- [72] A. M. Al-Jubori dkk., “Modelling and parametric analysis of small-scale axial and radialoutflow turbines for Organic Rankine Cycle applications,” Applied Energy 2017, Vol. 190, Hal. 981-996.
- [73] H. Hariri dan F. Zainal, “Perancangan Dimensi Bagian Utama Turbin Uap Impuls Skala Laboratorium,” Seminar Rekayasa Teknologi 2018, Jakarta.





- [74] J. Y. Manurung, "Rancangan Turbin Uap Pengerak Generator Listrik (PLTU) Daya Terpasang 65 MW, pada Putaran 3000 rpm," Skripsi, Departemen Teknik Mesin, Fakultas Teknik, Universits Sumatera Utara, Medan, 2011.
- [75] N. M. Damastu, "Studi Eksperimen dan Kajian Numerik Aliran Fluida Pada Nosel Diameter 0,3 mm," Skripsi, Departemen Teknik Mesin, Fakultas Teknik, Universits Pasundan, Bandung, 2016.
- [76] M.M. Azis, "Perancangan Siklus Rankine Organik untuk Pemanfaatan Gas Buang pada PLTU di Indonesia," Jurnal Rekayasa Hijau 2017, Vol. 1, Hal. 176- 183.
- [77] Cycle Tempo: A program for thermodynamic modeling and optimization of energy conversion systems, Delft University of Technology Design, Engineering, and Production Faculty.

