

DAFTAR PUSTAKA

- Ac, F., A, M., R, S., & P, M. (2015). Global prevalence of, and risk factors for, uninvestigated dyspepsia: A meta-analysis. *Gut*, 64(7). <https://doi.org/10.1136/gutjnl-2014-307843>
- Adams, S. H., Schaub, J. P., Nagata, J. M., Park, M. J., Brindis, C. D., & Irwin, C. E. (2022). Young Adult Anxiety or Depressive Symptoms and Mental Health Service Utilization During the COVID-19 Pandemic. *The Journal of Adolescent Health*, 70(6), 985–988. <https://doi.org/10.1016/j.jadohealth.2022.02.023>
- Adnyana, O., Rudy, M., & Widyadharma, I. P. E. (2015). RELIABILITY INDONESIAN VERSION OF THE HOSPITAL ANXIETY AND DEPRESSION SCALE (HADS) OF STROKE PATIENTS IN SANGLAH GENERAL HOSPITAL DENPASAR. 23.
- Ahlawat, R., Hoilat, G. J., & Ross, A. B. (2021). Esophagogastroduodenoscopy. Dalam StatPearls. StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK532268/>
- Andira Larasari, A. (2015). Uji validitas, uji reliabilitas, dan uji diagnostik instrumen Generalized Anxiety Disorder-7 (GAD-7) versi bahasa Indonesia pada pasien epilepsi dewasa = Validity, reliability, and diagnostic tests of generalized Anxiety Disorder-7 (GAD-7) instrument Indonesian version in adult epilepsy patients. Universitas Indonesia Library; Fakultas Kedokteran Universitas Indonesia. <https://lib.ui.ac.id>
- Aro, P., Talley, N. J., Johansson, S.-E., Agréus, L., & Ronkainen, J. (2015). Anxiety Is Linked to New-Onset Dyspepsia in the Swedish Population: A 10-Year Follow-up Study. *Gastroenterology*, 148(5), 928–937. <https://doi.org/10.1053/j.gastro.2015.01.039>
- Barry, S., & Dinan, T. G. (2006). Functional dyspepsia: Are psychosocial factors of relevance. *World Journal of Gastroenterology: WJG*, 12(17), 2701–2707. <https://doi.org/10.3748/wjg.v12.i17.2701>
- Bennett, P., Oza, U. D., Trout, A. T., & Mintz, A. (Ed.). (2016). Gastric Emptying. Dalam *Diagnostic Imaging: Nuclear Medicine (Second Edition)* (hlm. 96–99). Elsevier. <https://doi.org/10.1016/B978-0-323-37753-9.50031-1>
- Bibbò, S., Fusco, S., Ianiro, G., Settanni, C. R., Ferrarese, D., Grassi, C., Cammarota, G., & Gasbarrini, A. (2022). Gut microbiota in anxiety and depression: Pathogenesis and therapeutics. *Frontiers in Gastroenterology*, 1. <https://www.frontiersin.org/articles/10.3389/fgstr.2022.1019578>

- Bjelland, I., Dahl, A. A., Haug, T. T., & Neckelmann, D. (2002). The validity of the Hospital Anxiety and Depression Scale. An updated literature review. *Journal of Psychosomatic Research*, 52(2), 69–77. [https://doi.org/10.1016/s0022-3999\(01\)00296-3](https://doi.org/10.1016/s0022-3999(01)00296-3)
- Black, C. J., Houghton, L. A., & Ford, A. C. (2018). Insights into the evaluation and management of dyspepsia: Recent developments and new guidelines. *Therapeutic Advances in Gastroenterology*, 11, 1756284818805597. <https://doi.org/10.1177/1756284818805597>
- Caninsti, R. (2013). Kecemasan dan Depresi pada Pasien Gagal Ginjal Kronis yang Menjalani Terapi Hemodialisis. *Jurnal Psikologi Ulayat*, 1, 16.
- Cameron, I. M., Crawford, J. R., Lawton, K., & Reid, I. C. (2008). Psychometric comparison of PHQ-9 and HADS for measuring depression severity in primary care. *The British Journal of General Practice: The Journal of the Royal College of General Practitioners*, 58(546), 32–36. <https://doi.org/10.3399/bjgp08X263794>
- Chand, S. P., & Arif, H. (2021). Depression. Dalam StatPearls. StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK430847/>
- Chand, S. P., & Marwaha, R. (2021). Anxiety. Dalam StatPearls. StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK470361/>
- Chen, Y., Wang, C., Wang, J., Zheng, L., Liu, W., Li, H., Yu, S., Pan, B., Yu, H., & Yu, R. (2016). Association of Psychological Characteristics and Functional Dyspepsia Treatment Outcome: A Case-Control Study.
- Dian, C.N. (2020). Validitas dan Reliabilitas The Patient Health Questionnaire (PHQ-9) Versi Bahasa Indonesia. Available from: <https://repositori.usu.ac.id/handle/123456789/29791>
- Domingues, I., Carvalho, J., Pratas, E. A., Pinheiro, S., Amaral, S., Pereira, T., Pontes, F., Félix, R., Chaves, A., Mariano, M., Carvalho, T., Madeira, P., Pêgo, A., Broco, S., Garcia, R., Pazos, I., Pais, A., & Sousa, G. (2019). 375P - Illness perceptions, quality of life and mood in metastatic breast cancer patients. *Annals of Oncology*, 30, v136–v137. <https://doi.org/10.1093/annonc/mdz242.070>
- Driggers, E. A. (2021). ‘The voice of the stomach’: The mind, hypochondriasis and theories of dyspepsia in the nineteenth century. *History of Psychiatry*, 32(1), 85–99. <https://doi.org/10.1177/0957154X20970749>
- Esser, P., Hartung, T. J., Friedrich, M., Johansen, C., Wittchen, H.-U., Faller, H., Koch, U., Härter, M., Keller, M., Schulz, H., Wegscheider, K., Weis, J., & Mehnert, A. (2018). The Generalized Anxiety Disorder Screener (GAD-7) and the anxiety module of the Hospital and Depression Scale (HADS-A) as screening tools for generalized anxiety disorder among cancer patients. *Psycho-Oncology*, 27(6), 1509–1516. <https://doi.org/10.1002/pon.4681>

- Flores-Rendón, Á. R. (2014). Managing functional dyspepsia. *Medicina Universitaria*, 16(64), 146–148.
- Futagami, S., Yamawaki, H., Agawa, S., Higuchi, K., Ikeda, G., Noda, H., Kirita, K., Akimoto, T., Wakabayashi, M., Sakasegawa, N., Kodaka, Y., Ueki, N., Kawagoe, T., & Iwakiri, K. (2018). New classification Rome IV functional dyspepsia and subtypes. *Translational Gastroenterology and Hepatology*, 3, 70. <https://doi.org/10.21037/tgh.2018.09.12>
- Galland, L. (2014). The Gut Microbiome and the Brain. *Journal of Medicinal Food*, 17(12), 1261–1272. <https://doi.org/10.1089/jmf.2014.7000>
- Gastroenterology & Hepatology*, 10(3), 168–174. <https://doi.org/10.1038/nrgastro.2013.9>
- Gastroenterology Research and Practice*, 2016, 5984273. <https://doi.org/10.1155/2016/5984273>
- Francis, P., & Zavala, S. R. (2021). Functional Dyspepsia. Dalam *StatPearls*. StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK554563/>
- Gastroenterology*, 127(4), 1239–1255. <https://doi.org/10.1053/j.gastro.2004.05.030>
- Gayman, M. D., Brown, R. L., & Cui, M. (2011). Depressive symptoms and bodily pain: The role of physical disability and social stress. *Stress and Health: Journal of the International Society for the Investigation of Stress*, 27(1), 52–53. <https://doi.org/10.1002/smi.1319>
- Harmon, R. C., & Peura, D. A. (2010). Evaluation and management of dyspepsia. *Therapeutic Advances in Gastroenterology*, 3(2), 87–98. <https://doi.org/10.1177/1756283X09356590>
- Harmon, R. C., & Peura, D. A. (2010). Evaluation and management of dyspepsia. *Therapeutic Advances in Gastroenterology*, 3(2), 87–98. <https://doi.org/10.1177/1756283X09356590>
- Hsu, C.-J., Shen, D., Chan, T. C., Cho, Y.-T., Tang, C.-H., & Chu, C.-Y. (2022). Correlation between anxiety and depression risk and atopic dermatitis severity in Taiwan: A cross-sectional study. *JAAD International*, 7, 22–30. <https://doi.org/10.1016/j.jdin.2021.12.008>
- Jacoby, H. I. (2017). Gastric Emptying. Dalam *Reference Module in Biomedical Sciences*. Elsevier. <https://doi.org/10.1016/B978-0-12-801238-3.64921-8>
- K. (2018). Management of functional dyspepsia: State of the art and emerging therapies. *Therapeutic Advances in Chronic Disease*, 9(1), 23–32. <https://doi.org/10.1177/2040622317725479>
- Kim, Y. S., & Kim, N. (2020). Functional Dyspepsia: A Narrative Review With a Focus on Sex-Gender Differences. *Journal of Neurogastroenterology and Motility*, 26(3), 322–334. <https://doi.org/10.5056/jnm20026>

- Kindt, S., & Tack, J. (2006). Impaired gastric accommodation and its role in dyspepsia. *Gut*, 55(12), 1685–1691. <https://doi.org/10.1136/gut.2005.085365>
- Kurre, A., Straumann, D., van Gool, C. J., Gloor-Juzi, T., & Bastiaenen, C. H. (2012). Gender differences in patients with dizziness and unsteadiness regarding self-perceived disability, anxiety, depression, and its associations. *BMC Ear, Nose and Throat Disorders*, 12(1), 2. <https://doi.org/10.1186/1472-6815-12-2>
- Lagoe, C., & Atkin, D. (2015). Health anxiety in the digital age: An exploration of psychological determinants of online health information seeking. *Computers in Human Behavior*, 52, 484–491. <https://doi.org/10.1016/j.chb.2015.06.003>
- Li, Y., Li, J., Yang, Z., Zhang, J., Dong, L., Wang, F., & Zhang, J. (2021). Gender Differences in Anxiety, Depression, and Nursing Needs Among Isolated Coronavirus Disease 2019 Patients. *Frontiers in Psychology*, 12, 615909. <https://doi.org/10.3389/fpsyg.2021.615909>
- Madisch, A., Andresen, V., Enck, P., Labenz, J., Frieling, T., & Schemann, M. (2018). The Diagnosis and Treatment of Functional Dyspepsia. *Deutsches Ärzteblatt International*, 115(13), 222–232. <https://doi.org/10.3238/arztebl.2018.0222>
- Mahadeva, S., & Goh, K.-L. (2006). Epidemiology of functional dyspepsia: A global perspective. *World Journal of Gastroenterology*: WJG, 12(17), 2661–2666. <https://doi.org/10.3748/wjg.v12.i17.2661>
- Mishra, P., Pandey, C. M., Singh, U., Gupta, A., Sahu, C., & Keshri, A. (2019). Descriptive Statistics and Normality Tests for Statistical Data. *Annals of Cardiac Anaesthesia*, 22(1), 67–72. https://doi.org/10.4103/aca.ACA_157_18
- Miwa, H., Oshima, T., Tomita, T., Fukui, H., Kondo, T., Yamasaki, T., & Watari, J. (2019). Recent understanding of the pathophysiology of functional dyspepsia: Role of the duodenum as the pathogenic center. *Journal of Gastroenterology*, 54(4), 305–311. <https://doi.org/10.1007/s00535-019-01550-4>
- Miwa, T. (2021). Hospital Anxiety and Depression Scale (HADS) Test for Balance Disorder Patients. *Acta Scientific Medical Sciences*, 5(11), 106–110. <https://doi.org/10.31080/ASMS.2021.05.1072>
- Moayyedi, P. M., Lacy, B. E., Andrews, C. N., Enns, R. A., Howden, C. W., & Vakil, N. (2017). ACG and CAG Clinical Guideline: Management of Dyspepsia. *Official journal of the American College of Gastroenterology* | ACG, 112(7), 988. <https://doi.org/10.1038/ajg.2017.154>
- Munir, S., & Takov, V. (2022). Generalized Anxiety Disorder. In StatPearls. StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK441870/>

- Nam, Y., Kwon, S.-C., Lee, Y.-J., Jang, E.-C., & Ahn, S. (2018). Relationship between job stress and functional dyspepsia in display manufacturing sector workers: A cross-sectional study. *Annals of Occupational and Environmental Medicine*, 30, 62. <https://doi.org/10.1186/s40557-018-0274-4>
- Nisar, H., & Srivastava, R. (2018). Fundamental Concept of Psychosomatic Disorders: A Review. *Psychosomatic Disorders*, 3(1), 7.
- Oustamanolakis, P., & Tack, J. (2012). Dyspepsia: Organic Versus Functional. *Journal of Clinical Gastroenterology*, 46(3), 175–190. <https://doi.org/10.1097/MCG.0b013e318241b335>
- Parikh, N. S., & Ahlawat, R. (2021). *Helicobacter Pylori*. Dalam StatPearls. StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK534233/>
- Pittayanon, R., Yuan, Y., Bollegala, N. P., Khanna, R., Leontiadis, G. I., & Moayyedi, P. (2018). Prokinetics for functional dyspepsia. *The Cochrane Database of Systematic Reviews*, 2018(10), CD009431. <https://doi.org/10.1002/14651858.CD009431.pub3>
- Psychiatry: SAJP: the Journal of the Society of Psychiatrists of South Africa*, 25, 1382. <https://doi.org/10.4102/sajpsychiatry.v25i0.1382>
- Puhan, M. A., Frey, M., Büchi, S., & Schünemann, H. J. (2008). The minimal important difference of the hospital anxiety and depression scale in patients with chronic obstructive pulmonary disease. *Health and Quality of Life Outcomes*, 6, 46. <https://doi.org/10.1186/1477-7525-6-46>
- Putri, I. S., & Widyatuti, W. (2019). Stres dan gejala dispepsia fungsional pada remaja. *Jurnal Keperawatan Jiwa*, 7(2), Article 2. <https://doi.org/10.26714/jkj.7.2.2019.205-216>
- Rosa, J. M., Formolo, D. A., Yu, J., Lee, T. H., & Yau, S. (2022). The Role of MicroRNA and Microbiota in Depression and Anxiety. *Frontiers in Behavioral Neuroscience*, 16, 828258. <https://doi.org/10.3389/fnbeh.2022.828258>
- Rosen, J. M., Cocjin, J. T., Schurman, J. V., Colombo, J. M., & Friesen, C. A. (2014). Visceral hypersensitivity and electromechanical dysfunction as therapeutic targets in pediatric functional dyspepsia. *World Journal of Gastrointestinal Pharmacology and Therapeutics*, 5(3), 122–138. <https://doi.org/10.4292/wjgpt.v5.i3.122>
- Sawyer, A. T., Harris, S. L., & Koenig, H. G. (2019). Illness perception and high readmission health outcomes. *Health Psychology Open*, 6(1), 2055102919844504. <https://doi.org/10.1177/2055102919844504>
- Simon, G. E. (2001). Treating depression in patients with chronic disease. *Western Journal of Medicine*, 175(5), 292–293.

- Soboka, M., Gudina, E. K., Gashaw, M., Amare, H., Berhane, M., Desalegn, H., Tewolde, D., Jebena, M. G., Ali, S., Wieser, A., Froeschl, G., & Tesfaye, M. (2022). Depression among people with dyspepsia and H. pylori infection: A community based cross-sectional study in Ethiopia. *PLOS ONE*, 17(10), e0275424. <https://doi.org/10.1371/journal.pone.0275424>
- Stanghellini, V. (2017). Functional Dyspepsia and Irritable Bowel Syndrome: Beyond Rome IV. *Digestive Diseases*, 35(S1), 14–17. <https://doi.org/10.1159/000485408>
- Stern, A. F. (2014). The Hospital Anxiety and Depression Scale. *Occupational Medicine*, 64(5), 393–394. <https://doi.org/10.1093/occmed/kqu024>
- Suryaputri, I. Y., Mubasyiroh, R., Idaiani, S., & Indrawati, L. (2022). Determinants of Depression in Indonesian Youth: Findings From a Community-based Survey. *Journal of Preventive Medicine and Public Health*, 55(1), 88–97. <https://doi.org/10.3961/jpmph.21.113>
- Suzuki, H., & Moayyedi, P. (2013). Helicobacter pylori infection in functional dyspepsia. *Nature Reviews*.
- Syafriani. (2017). Hubungan Pengetahuan Dengan Kejadian Dispepsia Pada Masyarakat Usia 30–49 Tahun Di Desa Sipungguk Wilayah Kerja Puskesmas Tahun 2015. *Jurnal Doppler*, 47–56.
- Tack, J. (2004). Gastric Reservoirs. Dalam L. R. Johnson (Ed.), *Encyclopedia of Gastroenterology* (hlm. 145–148). Elsevier. <https://doi.org/10.1016/B0-12-386860-2/00308-7>
- Tack, J., Bisschops, R., & Sarnelli, G. (2004). Pathophysiology and treatment of functional dyspepsia.
- Talley, N. J., Goodsall, T., & Potter, M. (2017). Functional dyspepsia. *Australian Prescriber*, 40(6), 209–213. <https://doi.org/10.18773/austprescr.2017.066>
- Talley, N. J., Locke, G. R., Lahr, B. D., Zinsmeister, A. R., Tougas, G., Ligozio, G., Rojavin, M. A., & Tack, J. (2006). Functional dyspepsia, delayed gastric emptying, and impaired quality of life. *Gut*, 55(7), 933–939. <https://doi.org/10.1136/gut.2005.078634>
- Talley, N. J., Vakil, N. B., & Moayyedi, P. (2005). American Gastroenterological Association Technical Review on the Evaluation of Dyspepsia. *Gastroenterology*, 129(5), 1756–1780. <https://doi.org/10.1053/j.gastro.2005.09.020>
- Tshabalala, S. J., Tomita, A., & Ramlall, S. (2019). Depression, anxiety and stress symptoms in patients presenting with dyspepsia at a regional hospital in KwaZulu-Natal province. *The South African Journal of*

- Vahratian, A., Terlizzi, E. P., Villarroel, M. A., Zablotzky, B., & Blumberg, S. J. (2020). Mental Health in the United States: New Estimates from the National Center for Health Statistics. National Center for Health Statistics, 51.
- Wang, Y.-H., Wintzell, V., Ludvigsson, J. F., Svanström, H., & Pasternak, B. (2022). Proton pump inhibitor use and risk of depression and anxiety in children: Nationwide cohort study. *Clinical and Translational Science*, 15(5), 1112. <https://doi.org/10.1111/cts.13225>
- Yamawaki, H., Futagami, S., Wakabayashi, M., Sakasegawa, N., Agawa, S., Higuchi, K., Kodaka, Y., & Iwakiri,
- Yang, Y. J., Bang, C. S., Baik, G. H., Park, T. Y., Shin, S. P., Suk, K. T., & Kim, D. J. (2017). Prokinetics for the treatment of functional dyspepsia: Bayesian network meta-analysis. *BMC Gastroenterology*, 17, 83. <https://doi.org/10.1186/s12876-017-0639-0>