

DAFTAR PUSTAKA

- Adiati, U., Puastuti, W., and Mathius, I., 2004, Peluang Pemanfaatan Tepung Bulu Ayam Sebagai Bahan Pakan Ternak Ruminansia, *WARTAZOA*, 14, 39–44.
- Ahmed, F., Ishiguro, M., and Akae, T., 2012, Dissolution of Humic Substances from Highly Humic Volcanic Ash Soil as Affected by Anionic Surfactant, Electrolyte Concentration and pH, *J. Environ. Prot. (Irvine,. Calif.)*, 3, 280–287.
- Akhirul, Witra, Y., Umar, I., and Erianjoni, 2020, Dampak Negatif Pertumbuhan Penduduk terhadap Lingkungan dan Upaya Mengatasinya, *JKPL*, 1, 76–84.
- Amir, S., Hafidi, M., Merlina, G., Hamdi, H., and Revel, J.-C., 2004, Elemental analysis, FTIR and ¹³C-NMR of humic acids from sewage sludge composting, *Agronomie*, 24, 13–18.
- Assubaie, F.N., 2015, Assessment of the levels of some heavy metals in water in Alahsa Oasis farms, Saudi Arabia, with analysis by atomic absorption spectrophotometry, *Arab. J. Chem.*, 8, 240–245.
- Badan Pusat Statistik, 2021, Buletin Statistik Perdagangan Luar Negeri Impor September 2021, BPS RI, Jakarta.
- Badan Pusat Statistik Republik Indonesia, 2020, Potret Sensus Penduduk 2020 Menuju Satu Data Kependudukan Indonesia, BPS RI, Jakarta.
- Bahadori, M. and Tofighi, H., 2017, Investigation of soil organic carbon recovery by the walkley-black method under diverse vegetation systems, *Soil Sci.*, 182, 101–106.
- Bhari, R., Kaur, M., and Sarup Singh, R., 2021, Chicken Feather Waste Hydrolysate as a Superior Biofertilizer in Agroindustry, *Curr. Microbiol.*, 78, 2212–2230.
- Boguta, P., D’Orazio, V., Senesi, N., Sokołowska, Z., and Szewczuk-Karpisz, K., 2019, Insight into the interaction mechanism of iron ions with soil humic acids. The effect of the pH and chemical properties of humic acids, *J. Environ. Manage.*, 245, 367–374.
- Brigante, M., Zanini, G., and Avena, M., 2009, Effect of pH, anions and cations on the dissolution kinetics of humic acid particles, *Colloids Surfaces A Physicochem. Eng. Asp.*, 347, 180–186.
- Brigante, M., Zanini, G., and Avena, M., 2007, On the dissolution kinetics of humic acid particles. Effects of pH, temperature and Ca²⁺ concentration, *Colloids Surfaces A Physicochem. Eng. Asp.*, 294, 64–70.
- Cappuyns, V. and Swennen, R., 2008, The application of pHstat leaching tests to assess the pH-dependent release of trace metals from soils, sediments and waste materials, *J. Hazard. Mater.*, 158, 185–195.
- Catrouillet, C., Davranche, M., Dia, A., Bouhnik-Le Coz, M., Marsac, R., Pourret, O., and Gruau, G., 2014, Geochemical modeling of Fe(II) binding to humic and fulvic acids, *Chem. Geol.*, 372, 109–118.

- Chakraborty, S., Sharmin, S., Rony, S.R., Ahmad, S.A.I., and Sohrab, M.D.H., 2018, Stability-indicating UV/Vis spectrophotometric method for diazepam, development and validation, *Indian J. Pharm. Sci.*, 80, 366–373.
- Chang, R.R., Mylotte, R., Hayes, M.H.B., McLnerney, R., and Tzou, Y.M., 2014, A comparison of the compositional differences between humic fractions isolated by the IHSS and exhaustive extraction procedures, *Naturwissenschaften*, 101, 197–209.
- Cheng, Z., Yang, J., Li, L., Chen, Y., and Wang, X., 2022, Flocculation inspired combination of layered double hydroxides and fulvic acid to form a novel composite adsorbent for the simultaneous adsorption of anionic dye and heavy metals, *J. Colloid Interface Sci.*, 618, 386–398.
- Cheong, C.W., Ahmad, S.A., Ooi, P.T., and Phang, L.Y., 2017, Treatment of chicken feather waste, *Pertanika J. Sch. Res. Rev.*, 3, 50–59.
- Christl, I., 2012, Ionic strength-and pH-dependence of calcium binding by terrestrial humic acids, *Environ. Chem.*, 9, 89–96.
- Clark, M.M. and Lucas, P., 1998, Diffusion and partitioning of humic acid in a porous ultrafiltration membrane, *J. Memb. Sci.*, 143, 13–25.
- Colla, G., Hoagland, L., Ruzzi, M., Cardarelli, M., Bonini, P., Canaguier, R., and Rouphael, Y., 2017, Biostimulant Action of Protein Hydrolysates : Unraveling Their Effects on Plant Physiology and Microbiome, *Front. Plant Sci.*, 8, 1–14.
- Dekic, I. and Tomasevic, I., 2017, Enviromental footprints in the meat chain, *IOP Conf. Ser. Earth Environ. Sci.*, 85, 1–5.
- Dijkstra, J.J., Van Der Sloot, H.A., and Comans, R.N.J., 2006, The leaching of major and trace elements from MSWI bottom ash as a function of pH and time, *Appl. Geochemistry*, 21, 335–351.
- Dong, R., Pang, Y., Su, Y., and Zhu, X., 2015, Supramolecular hydrogels: synthesis, properties and their biomedical applications, *Biomater. Sci.*, 3, 937–954.
- Du, X., Zhou, J., Shi, J., and Xu, B., 2015, Supramolecular Hydrogelators and Hydrogels: From Soft Matter to Molecular Biomaterials, *Chem. Rev.*, 115, 13165–13307.
- Du, X., Zhou, J., and Xu, B., 2014, Supramolecular Hydrogels Made of Basic Biological Building Blocks, *Chem. Asian J.*, 9, 1446–1472.
- Ermadani, Hermansah, Yulnafatmawita, and Syarif, A., 2018, Dynamics of Soil Organic Carbon Fractions Under Different Land Management in Wet Tropical Areas, *J. Solum*, 15, 26–39.
- Fagbemi, O.D., Sithole, B., and Tesfaye, T., 2020, Optimization of keratin protein extraction from waste chicken feathers using hybrid pre-treatment techniques, *Sustain. Chem. Pharm.*, 17, 1–12.
- Falco, G., Griffiths, P., Coutouly, C., Fustin, C.-A., and Baeza, G.P., 2020,

Supramolecular Superparamagnetic Nanocomposites based on a Magnetite Filled Unentangled Terpyridine Functionalized Polymer, *Macromolecules*, 53, 5361–5370.

- Farid, I.M., El-Ghozoli, M.A., Abbas, M.H.H., El-Atrony, D.S., Abbas, H.H., Elsadek, M., Saad, H.A., El Nahhas, N., and Mohamed, I., 2021, Organic materials and their chemically extracted humic and fulvic acids as potential soil amendments for faba bean cultivation in soils with varying CaCO₃ contents, *Horticulturae*, 7, 1–13.
- Findiastuti, W., Laksono Singgih, M., and Anityasari, M., 2018, Indonesian sustainable food-availability policy assessment using system dynamics: A solution for complexities, *Cogent Food Agric.*, 4, 1–21.
- Gabriel Alonso, J., José Luis Rivera, A., Ana María Mendoza, M., and Maria Leonor Mendez, H., 2007, Effect of temperature and pH on swelling behavior of hydroxyethyl cellulose-acrylamide hydrogel, *E-Polymers*, 150, 1–9.
- Gaffney, J.S., Marley, N.A., and Clark, S.B., 1996, Humic and Fulvic Acids and Organic Colloidal Materials in the Environment, *ACS Symp. Ser.*, 651, 1–16.
- Garcia-Mina, J.M., 2006, Stability, solubility and maximum metal binding capacity in metal-humic complexes involving humic substances extracted from peat and organic compost, *Org. Geochem.*, 37, 1960–1972.
- Garikai, B.W. and Nyoni, T., 2019, Will Indonesia be the Next Victim of the Malthusian Population Prophecy? Empirical Evidence from “Box – Jenkins” ARIMA Approach, *J. Econ. Financ.*, 4, 11–20.
- Gelyaman, G.D., 2018, Faktor – Faktor yang Mempengaruhi Bioavailabilitas Besi bagi Tumbuhan, *J. Saintek Lahan Kering*, 1, 17–19.
- Graham, E.R., 1947, Determination of Soil Organic Matter by Means of Photoelectric Colorimeter, *Soil Sci.*, 65, 181–183.
- Hasanah, U. and Sugito, S., 2017, Removal Cod Dan TSS Limbah Cair Rumah Potong Ayam Menggunakan Sistem Biofilter Anaerob, *J. Tek. WAKTU*, 15, 61–69.
- Hermawan, I., 2016, Kebijakan Perberasan Indonesia dan Solidaritas Pangan ASEAN (Indonesia’s Rice Policy and ASEAN Food Solidarity), *Politica*, 7, 102–120.
- Himmah, N.I.F., Djajakirana, G., and Darmawan, D., 2018, Nutrient Release Performance of Starch Coated NPK Fertilizers and Their Effects on Corn Growth, *SAINS TANAH - J. Soil Sci. Agroclimatol.*, 15, 104–114.
- Ionita, G., 2016, Characterization and Tailoring the Properties of Hydrogels Using Spectroscopic Methods, IntechOpen, London.
- Isarankura, S., Ayutthaya, N., and Tanpichai, S., 2015, Keratin Extracted from Chicken Feather Waste: Extraction, Preparation, and Structural Characterization of the Keratin and Keratin / Biopolymer Films and

- Electrospuns, *J. Polym. Environ.*, 23, 506–516.
- Işıkkan, N. and Tokmak, Ş., 2019, Development of thermo/pH-responsive chitosan coated pectin-graft-poly(N,N-diethyl acrylamide) microcarriers, *Carbohydr. Polym.*, 218, 112–125.
- Islam, Md Azharul, Paul, J., Akter, J., Islam, Md Atikul, and Limon, S.H., 2021, Conversion of chicken feather waste via hydrothermal carbonization: process optimization and the effect of hydrochar on seed germination of *Acacia auriculiformis*, *J. Mater. Cycles Waste Manag.*, 23, 1177–1188.
- Kholifah, K., Fadllan, A., and Yuniarti, W.D., 2017, The Study of Iron Metal (Fe) Content in Water Morning Glory Plants (*Ipomoea Aquatica* Forsk) using Atomic Absorption Spectrophotometry (AAS) Method, *J. Nat. Sci. Math. Res.*, 1, 72–76.
- Kloster, N., Brigante, M., Zanini, G., and Avena, M., 2013, Aggregation kinetics of humic acids in the presence of calcium ions, *Colloids Surfaces A Physicochem. Eng. Asp.*, 427, 76–82.
- Klučáková, M., 2012, Complexation of Copper(II) with Humic Acids Studied by Ultrasound Spectrometry, *Org. Chem. Int.*, 2012, 1–6.
- Klučáková, M., 2018, Size and charge evaluation of standard humic and fulvic acids as crucial factors to determine their environmental behavior and impact, *Front. Chem.*, 6, 1–8.
- Klučáková, M. and Kalina, M., 2015, Diffusivity of Cu(II) ions in humic gels - influence of reactive functional groups of humic acids, *Colloids Surfaces A Physicochem. Eng. Asp.*, 483, 162–170.
- Klučáková, M., Pelikán, P., Lapčík, L., Lapčíkova, B., Kučerík, J., and Kaláb, M., 2000, Structure and properties of humic and fulvic acids. I. Properties and reactivity of humic acids and fulvic acids, *J. Polym. Mater.*, 17, 337–356.
- Koentjoro, M.P. and Prasetyo, E.N., 2021, Advances in Use of Keratinase from Feather Wastes for Feedstock Modification, *Appl. Food Biotechnol.*, 8, 19–30.
- Kończak, M., Siatecka, A., Nazarkovsky, M.A., Czech, B., and Oleszczuk, P., 2021, Sewage sludge and solid residues from biogas production derived biochar as an effective bio-waste adsorbent of fulvic acids from water or wastewater, *Chemosphere*, 278, 1–7.
- Król, A., Mizerna, K., and Bożym, M., 2020, An assessment of pH-dependent release and mobility of heavy metals from metallurgical slag, *J. Hazard. Mater.*, 384, 1–9.
- Kuncaka, A., Arvianto, R.I., Latifa, A.S.R.B., Rambe, M.R., Suratman, A., and Triono, S., 2021, Analysis and characterization of solid and liquid organic fertilizer from hydrothermal carbonization (Htc) of chicken feather and blood waste, *Indones. J. Chem.*, 21, 651–658.
- Leng, H., Chen, Cheng, Chen, Chen, Chen, F., Du, Z., Chen, J., Yang, B., Zuo, E.,

- Xiao, M., Lv, X., and Liu, P., 2022, Raman spectroscopy and FTIR spectroscopy fusion technology combined with deep learning: A novel cancer prediction method, *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.*, 285, 1–9.
- Li, D. qiang, Wang, S. ya, Meng, Y. jie, Guo, Z. wei, Cheng, M. mei, and Li, J., 2021, Fabrication of self-healing pectin/chitosan hybrid hydrogel via Diels-Alder reactions for drug delivery with high swelling property, pH-responsiveness, and cytocompatibility, *Carbohydr. Polym.*, 268, 1–11.
- Li, Q., 2019, Progress in Microbial Degradation of Feather Waste, *Front. Microbiol.*, 10, 1–15.
- Lin, Y., Ye, G., Kuzyakov, Y., Liu, D., Fan, J., and Ding, W., 2019, Long-term manure application increases soil organic matter and aggregation, and alters microbial community structure and keystone taxa, *Soil Biol. Biochem.*, 134, 187–196.
- Liu, L., Wang, Y., Yan, X., Li, J., Jiao, N., and Hu, S., 2017, Biochar amendments increase the yield advantage of legume-based intercropping systems over monoculture, *Agric. Ecosyst. Environ.*, 237, 16–23.
- Lyu, Y. and Azevedo, H.S., 2021, Supramolecular hydrogels for protein delivery in tissue engineering, *Molecules*, 26, 1–31.
- Mahler, C.F., Svierzoski, N.D.S., and Bernardino, C.A.R., 2021, Chemical Characteristics of Humic Substances in Nature, IntechOpen, London.
- Mecozzi, M. and Pietrantonio, E., 2006, Carbohydrates proteins and lipids in fulvic and humic acids of sediments and its relationships with mucilaginous aggregates in the Italian seas, *Mar. Chem.*, 101, 27–39.
- Millaleo, R., Reyes-Díaz, M., Ivanov, A.G., Mora, M.L., and Alberdi, M., 2010, Manganese as essential and toxic element for plants: Transport, accumulation and resistance mechanisms, *J. Soil Sci. Plant Nutr.*, 10, 476–494.
- Minami, A. and Oikawa, H., 2016, Recent advances of Diels-Alderase involved in natural product biosynthesis, *J. Antibiot. (Tokyo)*, 69, 500–506.
- Morrissey, J. and Guerinot, M. Lou, 2009, Iron uptake and transport in plants: The good, the bad, and the ionome, *Chem. Rev.*, 109, 4553–4567.
- Mulyani, A., Kuncoro, D., Nursyamsi, D., and Fahmuddin, A., 2016, Analisis Konversi Lahan Sawah: Penggunaan Data Spasial Resolusi Tinggi Memperlihatkan Laju Konversi yang Mengkhawatirkan, *J. Tanah dan Iklim*, 40, 121–133.
- Naeem, F., Khan, S., Jalil, A., Ranjha, N.M., Riaz, A., Haider, M.S., Sarwar, S., Saher, F., and Afzal, S., 2017, pH Responsive cross-linked polymeric matrices based on natural polymers: Effect of process variables on swelling characterization and drug delivery properties, *BioImpacts*, 7, 177–192.
- Nazir, M., Syakur, and Muyasir, 2017, Pemetaan Kemasaman Tanah dan Analisis

- Kebutuhan Kapur di Kecamatan Keumala Kabupaten Pidie, *J. Ilm. Mhs. Pertan. Unsyiah*, 2, 21–30.
- Nebbioso, A. and Piccolo, A., 2009, Molecular rigidity and diffusivity of Al^{3+} And Ca^{2+} humates as revealed by NMR spectroscopy, *Environ. Sci. Technol.*, 43, 2417–2424.
- Nilo, G.P., Bernaldo, B.G., Bertsch, F., Suvannang, N., and De Hayr, R., 2019, Standard operating procedure for soil organic carbon Walkley-Black method, *Food Agric. Organ. United Nations*, 1, 1–25.
- Nugroho, B.A., 2020, Indonesia's Broilers Business Facing Oversupply Difficulties, *IOP Conf. Ser. Earth Environ. Sci.*, 478, 1–5.
- Oh, S.Y. and Yoon, Y.M., 2017, Energy recovery efficiency of poultry slaughterhouse sludge cake by hydrothermal carbonization, *Energies*, 10, 1–13.
- Ouatmane, A., Hafidi, M., El Gharous, M., and Revel, J.C., 1999, Complexation of calcium ions by humic and fulvic acids, *Analisis*, 27, 428–432.
- Oviasogie, P.O. and Okolo, P.O., 2008, Effect of pH and concentration on the complexation of calcium ions with humic acid extracted from composted oil palm bunches, *Int. J. Phys. Sci.*, 3, 56–58.
- Pahua-Ramos, M., Hernández-Melchor, D., Camacho-Perez, B., and Quezada-Cruz, M., 2017, Degradation of Chicken Feathers : A Review, *Biotechnol. An Indian J. Rev.*, 13, 1–24.
- Pan, C., Zhao, Y., Zhao, L., Wu, J., Zhang, X., Xie, X., Kang, K., and Jia, L., 2021, Modified montmorillonite and illite adjusted the preference of biotic and abiotic pathways of humus formation during chicken manure composting, *Bioresour. Technol.*, 319, 1–10.
- Paşayev, N., Kocatepe, S., and Maraş, N., 2019, Investigation of sound absorption properties of nonwoven webs produced from chicken feather fibers, *J. Ind. Text.*, 48, 1616–1635.
- Pérez-Esteban, J., Escolástico, C., Sanchis, I., Masaguer, A., and Moliner, A., 2019, Effects of pH conditions and application rates of commercial humic substances on Cu and Zn mobility in anthropogenic mine soils, *Sustainability*, 11, 1–13.
- Pettit, R.E., 2004, Organic Matter, Humus, Humate, Humic Acid, Fulvic Acid and Humin: Their Importance in Soil Fertility and Plant Health, *CTI Res.*, 10, 1–17.
- Piccolo, A., 2001, The Supramolecular Structure of Humic Substances, *Soil Sci.*, 166, 810–832.
- Piccolo, A., Spaccini, R., Drosos, M., Vinci, G., and Cozzolino, V., 2018, The molecular composition of humus carbon: Recalcitrance and reactivity in soils, Elsevier Inc., Amsterdam.
- Rai, S.K. and Mukherjee, A.K., 2015, Optimization for production of liquid

nitrogen fertilizer from the degradation of chicken feather by iron-oxide (Fe_3O_4) magnetic nanoparticles coupled β -keratinase, *Biocatal. Agric. Biotechnol.*, 4, 632–644.

Ramdani, F., Prasetya, A., and Purnomo, C.W., 2019, Removal of pollutants from chicken slaughterhouse wastewater using constructed wetland system, *IOP Conf. Ser. Earth Environ. Sci.*, 399, 1–6.

Reddy, K.J., Wang, L., and Gloss, S.P., 1995, Solubility and mobility of copper, zinc and lead in acidic environments, *Plant Soil*, 171, 53–58.

Sato, J.H., de Figueiredo, C.C., Marchao, R.L., Madari, B.E., Benedito, L.E.C., Busato, J.G., and de Souza, D.M., 2014, Methods of soil organic carbon determination in Brazilian savannah soils, *Sci. Agric.*, 71, 302–308.

Schaumann, G.E., Hobley, E., Hurraß, J., and Rotard, W., 2005, H-NMR relaxometry to monitor wetting and swelling kinetics in high-organic matter soils, *Plant Soil*, 275, 1–20.

Sievers, J., Sperlich, K., Stahnke, T., Kreiner, C., Eickner, T., Martin, H., Guthoff, R.F., Schünemann, M., Bohn, S., and Stachs, O., 2021, Determination of hydrogel swelling factors by two established and a novel non-contact continuous method, *J. Appl. Polym. Sci.*, 138, 1–9.

Sirousazar, M. and Khodamoradi, P., 2020, Freeze-thawed humic acid/polyvinyl alcohol supramolecular hydrogels, *Mater. Today Commun.*, 22, 1–11.

Slota, D., Głąb, M., Tyliszczak, B., Dogulas, T.E.L., Rudnicka, K., Miernik, K., Urbaniak, M.M., Rusek-Wala, P., and Sobczak-upiec, A., 2021, Composites based on hydroxyapatite and whey protein isolate for applications in bone regeneration, *Materials (Basel)*, 14, 1–24.

Tabatabai, A., Weaver, R.W., Angle, S., Bottomley, P., Smith, S., Wollum, A., and Hart, S., 1994, Methods of Soil Analysis Part 2: Microbiological and Biochemical Properties, Soil Science Society of America, Inc., Madison.

Tamreihao, K., Devi, L.J., Khunjamayum, R., Mukherjee, S., Ashem, R.S., and Ningthoujam, D.S., 2017, Biofertilizing potential of feather hydrolysate produced by indigenous keratinolytic *Amocolatopsis* sp. MBRL 40 for rice cultivation under field conditions, *Biocatal. Agric. Biotechnol.*, 10, 317–320.

Tan, X., Wang, X., Chen, C., and Sun, A., 2007, Effect of soil humic and fulvic acids, pH and ionic strength on Th(IV) sorption to TiO_2 nanoparticles, *Appl. Radiat. Isot.*, 65, 375–381.

Tian, R., Liu, X., Gao, X., Li, R., and Li, H., 2021, Observation of specific ion effects in humus aggregation process, *Pedosphere*, 31, 736–745.

Tikhonov, V., Drozdova, O., Karpukhin, M., and Demin, V., 2019, Participation of cadmium (II) and copper (II) ions in intermolecular forces of humic acids in solutions, *IOP Conf. Ser. Earth Environ. Sci.*, 368, 1–6.

Uwayezu, J.N., Yeung, L.W.Y., and Bäckström, M., 2019, Sorption of PFOS

isomers on goethite as a function of pH, dissolved organic matter (humic and fulvic acid) and sulfate, *Chemosphere*, 233, 896–904.

Wahyuningtyas, A., Roto, and Kuncaka, A., 2016, Study of Glucose Adsorption on Synthetic Humin, *Asian J. Chem.*, 28, 987–992.

Wang, Y., Combe, C., and Clark, M.M., 2001, The effects of pH and calcium on the diffusion coefficient of humic acid, *J. Memb. Sci.*, 183, 49–60.

Widada, A.W., Masyhuri, M., and Mulyo, J.H., 2017, Determinant Factors of Food Security in Indonesia, *Agro Ekon.*, 28, 205–219.

Wrobel, Kazimierz, Sadi, B.B.M., Wrobel, Katarzyna, Castillo, J.R., and Caruso, J.A., 2003, Effect of metal ions on the molecular weight distribution of humic substances derived from municipal compost: Ultrafiltration and size exclusion chromatography with spectrophotometric and inductively coupled plasma-MS detection, *Anal. Chem.*, 75, 761–767.

Xian, S., Loh, J., Chen, X., Hu, B., Owh, C., Chee, L., Leow, R., and Liu, X., 2018, Supramolecular hydrogels for antimicrobial therapy, *Chem. Society Rev.*, 47, 6917–6929.

Yaakob, M.A., Mohamed, R.M.S.R., Al-Gheethi, A.A.S., and Kassim, A.H.M., 2018, Characteristics of chicken slaughterhouse wastewater, *Chem. Eng. Trans.*, 63, 637–642.

Yang, F., Zhang, S., Cheng, K., and Antonietti, M., 2019, A hydrothermal process to turn waste biomass into artificial fulvic and humic acids for soil remediation, *Sci. Total Environ.*, 686, 1140–1151.

Zhang, M., Wang, J., and Jin, Z., 2018, Supramolecular hydrogel formation between chitosan and hydroxypropyl β -cyclodextrin via Diels-Alder reaction and its drug delivery, *Int. J. Biol. Macromol.*, 114, 381–391.

Zhang, Y. yuan, Lv, J. wen, Dong, X. jie, Fang, Q., Tan, W. fa, Wu, X. yan, and Deng, Q. wen, 2020, Influence on Uranium(VI) migration in soil by iron and manganese salts of humic acid: Mechanism and behavior, *Environ. Pollut.*, 256, 1–10.

Zhao, W., Ren, B., Hursthouse, A., and Jiang, F., 2020, The adsorption of Mn(II) by insolubilized humic acid, *Water Sci. Technol.*, 82, 747–758.