

Daftar Pustaka

- American Psychiatric Association. (2013). Diagnostic and statistical manual of mental disorders (5th ed.). Arlington, VA: Author.
- American Psychiatric Association. (2020). What is schizophrenia?. Diakses dari <https://www.psychiatry.org/patients-families/schizophrenia/what-is-schizophrenia> pada 29 Desember 2021 pukul 09.02
- Aloi, M., de Filippis, R., Lavallo, F. G., Chiappetta, E., Viganò, C., Segura-Garcia, C., De Fazio, P. (2020). Effectiveness of integrated psychological therapy on clinical, neuropsychological, emotional, and functional outcome in schizophrenia: a RCT study. *Journal of Mental Health*, 29(5), 524-531
- Barbato, A. (1998). Schizophrenia and Public Health. Geneva: World Health Organization.
- Barlow, D. H., & Durand, V. M. (2011). Abnormal Psychology: An Integrative Approach. California: Wadsworth Cengage Learning.
- Barnicot, K., Michael, C., Trione, E., Lang, S., Saunders, T., Sharp, M., & Crawford, M. J. (2020). Psychological interventions for acute psychiatric inpatients with schizophrenia-spectrum disorders: A systematic review and meta-analysis. *Clinical Psychology Review*, 82, 101929. <https://doi.org/10.1016/j.cpr.2020.101929>
- Barrowclough, C., Haddock, G., Lobban, F., Jones, S., Siddle, R., Roberts, C., Gregg, L. (2006). Group cognitive-behavioural therapy for schizophrenia. *The British Journal of Psychiatry*, 189(6), 527-532.
- Bechdolf, A., Knost, B., Kuntermann, C., Schiller, S., Klosterkotter, J., Hambrecht, M., & Pukrop, R. (2004). A randomized comparison of group cognitive-behavioural therapy and group psychoeducation in patients with schizophrenia. *Acta Psychiatrica Scandinavica*, 110(1), 21-28. <https://doi.org/10.1111/j.1600-0447.2004.00300.x>
- Beck, J. S. (2011). Cognitive Behavioral Therapy - Basic and Beyond: second edition. New York: The Guilford Press
- Birchwood, M., Peters, E., Tarrier, N., Dunn, G., Lewis, S., Wykes, T., Davies, L., Lester, H., Michail, M. (2011). A multi-centre, randomized controlled trial of cognitive therapy to prevent harmful compliance with command hallucinations. *BMC Psychiatry*, 11(115), 1-6
- Brabban, A., Tai, S., & Turkington, D. (2009). Predictors of Outcome in Brief Cognitive Behavior Therapy for Schizophrenia. *Schizophrenia Bulletin*, 35(5), 859-864. <https://doi.org/10.1093/schbul/sbp065>
- Cather, C., Penn, D., Otto, M. W., Yovel, I., Mueser, K. T., & Goff, D. C. (2005). A pilot study of functional Cognitive Behavioral Therapy (fCBT) for schizophrenia. *Schizophrenia Research*, 74(2-3), 201-209. <https://doi.org/10.1016/j.schres.2004.05.002>
- Caton, C. L. M., Xie, H., Drake, R. E., & McHugo, G. (2014). Gender Differences in Psychotic Disorders With Concurrent Substance Use. *Journal of Dual Diagnosis*, 10(4), 177-186. <https://doi.org/10.1080/15504263.2014.961882>
- Chadwick, P., Strauss, C., Jones, A.-M., Kingdon, D., Ellett, L., Dannahy, L., & Hayward, M. Group mindfulness-based intervention for distressing voices: A

- pragmatic randomised controlled trial. *Schizophrenia Research*, 175(1–3), 168–173. <https://doi.org/10.1016/j.schres.2016.04.001>
- Chen, S., Awan, S., Rajji, T., Abdool, P., George, T. P., Collins, A., Kidd, S. A. (2016). Integrated care pathways for schizophrenia: a scoping review. *Administration and Policy in Mental Health and Mental Health Services Research*, 43(5), 760–767. <https://doi.org/10.1007/s10488-015-0696-z>
- David, D., Cristea, I., & Hofmann, S.G. (2018). Why Cognitive Behavioral Therapy Is the Current Gold Standard of Psychotherapy. *Front. Psychiatry*, 9(4) doi: 10.3389/fpsy.2018.00004
- Dickerson, F. B. (2000). Cognitive behavioral psychotherapy for schizophrenia: a review of recent empirical studies. *Schizophrenia Research*, 43(2–3), 71–90. [https://doi.org/10.1016/s0920-9964\(99\)00153-x](https://doi.org/10.1016/s0920-9964(99)00153-x)
- Dickerson, F. B., & Lehman, A. F. (2011). Evidence-Based Psychotherapy for Schizophrenia. *The Journal of Nervous and Mental Disease*, 199(8), 520–526. doi:10.1097/nmd.0b013e318225ee78
- Drake, K., Keeton, C. P., & Ginsburg, G. S. (2020). Cognitive Behavioral Therapy. Diakses dari https://www.hopkinsguides.com/hopkins/view/Johns_Hopkins_Psychiatry_Guide/787145/all/Cognitive_Behavioral_Therapy_CBT_#:~:text=For%20patients%20with%20significant%20illness,not%20fully%20benefit%20from%20CBT. pada 7 Maret 2023 pukul 8.54
- Evans, C., Poku, B., Eldridge, J., Hendrick, P., Roger, K., Mcliskey, J., Tomczak, P., Thow, R., Harris, P., Conway, J., Collier, R. (2020). Characterizing the evidence based for advanced clinical practice in the UK: a scoping review protocol. *BMJ Open* 2020(10), 1-10
- Fitzgerald, M., & Ratcliffe, G. (2020). Serious Games, Gamification, and Serious Mental Illness: A Scoping Review. *Psychiatric Services*, 71(2), 170–183. <https://doi.org/10.1176/appi.ps.201800567>
- Foster, C., Startup, H., Potts, L., Freeman, D. (2010). A randomised controlled trial of a worry intervention for individual with persistent persecutory delusions. *Journal Behavioral Therapy & Experimental Psychiatry*, 41(2010), 45-51
- Freeman, D., Dunn, G., Startup, H., Pugh, K., Cordwell, J., Mander, H., Černis, E., Wingham, G., Shirvell, K., & Kingdon, D. (2015). Effects of cognitive behaviour therapy for worry on persecutory delusions in patients with psychosis (WIT): a parallel, single-blind, randomised controlled trial with a mediation analysis. *The Lancet Psychiatry*, 2(4), 305–313. [https://doi.org/10.1016/s2215-0366\(15\)00039-5](https://doi.org/10.1016/s2215-0366(15)00039-5)
- Garety, P. A., Fowler, D. G., Freeman, D., Bebbington, P., Dunn, G., & Kuipers, E. (2008). Cognitive-behavioural therapy and family intervention for relapse prevention and symptom reduction in psychosis: randomised controlled trial. *The British Journal of Psychiatry* (2008) 192, 412–423. doi: 10.1192/bjp.bp.107.043570
- Granholt, E., Auslander, L. A., Gottlieb, J. D., McQuaid, J. R., & McClure, F. S. (2006). Therapeutic factors contributing to change in cognitive-behavioral group therapy for older persons with schizophrenia. *Journal of Contemporary Psychotherapy*, 36(1), 31–41. <https://doi.org/10.1007/s10879-005-9004-7>

- Granholm, E., McQuaid, J. R., McClure, F. S., Auslander, L. A., Perivoliotis, D., Pedrelli, P., Patterson, T., & Jeste, D. V. (2005). A Randomized, Controlled Trial of Cognitive Behavioral Social Skills Training for Middle-Aged and Older Outpatients With Chronic Schizophrenia. *American Journal of Psychiatry*, 162(3), 520–529. <https://doi.org/10.1176/appi.ajp.162.3.520>
- Grant, M. J., & Booth, A. (2009). A typology of reviews: an analysis of 14 review types and associated methodologies. *Health Information & Libraries Journal*, 26(2), 91–108. doi:10.1111/j.1471-1842.2009.00848.x
- Gumley, A., O'grady, M., McNay, L., Reilly, J., Power, K., & Norrie, J. (2003). Early intervention for relapse in schizophrenia: results of a 12-month randomized controlled trial of cognitive behavioural therapy. *Psychological Medicine*, 33(3), 419–431. <https://doi.org/10.1017/s0033291703007323>
- Hayward, M., Berry, C., Cameron, B., Arnold, K., Berry, K., Bremner, S., Cavanagh, K., Fowler, D., Gage, H., Greenwood, K., Hazell, C., Jones, A-M., Robertson, S., Strauss, C. (2020). Increasing access to CBT for psychosis patients: a feasibility, randomised controlled trial evaluating brief, targeted CBT for distressing voices delivered by assistant psychologists (GiVE2). *Trials*, 21(1). doi:10.1186/s13063-020-4181-y
- Hazell, C. M., Hayward, M., Cavanagh, K., Jones, A-M., & Strauss, C. (2017). Guided self-help cognitive-behaviour Intervention for VoicEs (GiVE): Results from a pilot randomised controlled trial in a transdiagnostic sample. *Schizophrenia research*, 195, 441–447. <https://doi.org/10.1016/j.schres.2017.10.004>
- Health Quality Ontario. (2018). Cognitive behavioural therapy for psychosis: a health technology assessment. *Ontario health technology assessment series*, 18(5), 1.
- Ince, P., Haddock, G., & Tai, S. (2015). A systematic review of the implementation of recommended psychological interventions for schizophrenia: Rates, barriers, and improvement strategies. *Psychology and Psychotherapy: Theory, Research and Practice*, 89(3), 324–350. Portico. <https://doi.org/10.1111/papt.12084>
- Jacobsen, P., Hodgkinson, K., Peters, E., Chadwick, P. (2018). A systematic scoping review of psychological therapies for psychosis within acute psychiatric in-patient settings. *The British Journal of Psychiatry*, 213, 490–497
- Jauhar, S., McKenna, P. J., Radua, J., Fung, E., Salvador, R., Laws, K. R. (2014). Cognitive-behavioral therapy for the symptoms of schizophrenia: systematic review and meta-analysis with examination of potential bias. *British Journal of Psychiatry*, 204(1), 20–29. <https://doi.org/10.1192/bjp.bp.112.116285>
- Jauhar S, Laws KR, McKenna PJ (2019). CBT for schizophrenia: a critical viewpoint. *Psychological Medicine* 49, 1233–1236. <https://doi.org/10.1017/S0033291718004166>
- Jensen, L. A., & Allen, M. N. (1996). Meta-synthesis of qualitative findings. *Qualitative Health Research*, 6(4), 553–560. <https://doi.org/10.1177/104973239600600407>
- Jones, C., Hacker, D., Meaden, A., Cormac, I., Irving, C. B., Xia, J., Zhao, S., Shi, C., & Chen, J. (2018). Cognitive behavioural therapy plus standard care

- versus standard care plus other psychosocial treatments for people with schizophrenia. *Cochrane Database of Systematic Reviews*, 2019(6). <https://doi.org/10.1002/14651858.cd008712.pub3>
- Kapur, S., Agid, O., Mizrahi, R., Li, M. (2006). How antipsychotic work-from receptors to reality, *The Journal of the American Society for Experimental NeuroTherapeutics*, 3, 10-21.
- Klingberg, S., Herrlich, J., Wiedemann, G., Wölwer, W., Meisner, C., Engel, C., ... Wittorf, A. (2012). Adverse Effects of Cognitive Behavioral Therapy and Cognitive Remediation in Schizophrenia. *The Journal of Nervous and Mental Disease*, 200(7), 569–576. doi:10.1097/nmd.0b013e31825bfa1d
- Lasserson, T. J., Thomas, J., & Higgins, J. P. (2019). Starting a review. *Cochrane Handbook for Systematic Reviews of Interventions*, 1–12. doi:10.1002/9781119536604.ch1
- Law, H., Carter, L., Sellers, R., Emsley, R., Byrne, R., Davies, L., French, P., Haddad, P. M., Pitt, E., Pyle, M., Shiers, D., Yung, A. R., Morrison, A. P. (2017). A pilot randomised controlled trial comparing antipsychotic medication, to cognitive behavioural therapy to a combination of both in people with psychosis: rationale, study design and baseline data of the COMPARE trial. *Psychosis*, 9(3), 193–204. doi:10.1080/17522439.2017.1316302
- Levine, J., & Levine, I. S. (2009). *Schizophrenia for Dummies*. Indianapolis: Wiley Publishing, Inc.
- Li, R., Ma, X., Wang, G., Yang, J., & Wang, C. (2016). Why sex differences in schizophrenia?. *Journal of translational neuroscience*, 1(1), 37–42.
- Li, Z. J., Guo, Z. H., Wang, N., Xu, Z. Y., Qu, Y., Wang, X.Q., Sun, J., Yan, L.Q., Ng, R. M. K., Turkington, D., Kingdon, D. (2015). Cognitive-behavioural therapy for patients with schizophrenia: a multicentre randomized controlled trial in Beijing, China. *Psychological Medicine*, 2015(45), 1893-1905
- Liu, Y., Yang, X., Gillespie, A., Guo, Z., Ma, Y., Chen, R., Li, Z. (2019). Targeting relapse prevention and positive symptom in first-episode schizophrenia using brief cognitive behavioral therapy: A pilot randomized controlled study. *Psychiatry Research*, 2019(272), 275-283
- Morrison, A. K. (2009). Cognitive behavior therapy for people with schizophrenia. *Psychiatry*, 6(12), 32-39
- Morrison, A. P., Pyle, M., Gumley, A., Schwannauer, M., Turkington, D., MacLennan, G., ... Tully, S. (2018). Cognitive behavioural therapy in clozapine-resistant schizophrenia (FOCUS): an assessor-blinded, randomised controlled trial. *The Lancet Psychiatry*, 5(8), 633–643. doi:10.1016/s2215-0366(18)30184-6
- Munn, Z., Peters, M. D. J., Stern, C., Tufanaru, C., McArthur, A., Aromataris, E. (2018). Systematic review or scoping review? Guidance for authors when choosing between a systematic or scoping review. *BMC Medical Research Methodology*, 18(143), 1-7
- Naeem, F., Farooq, S., & Kingdon, D. (2014). Cognitive Behavioral Therapy (Brief vs Standard Duration) for Schizophrenia. *Schizophrenia Bulletin*, 40(5), 958–959. <https://doi.org/10.1093/schbul/sbu113>

- Naeem, F., Farooq, S., Kingdon, D. (2015). Cognitive behavioural therapy (brief versus standard duration) for schizophrenia. *Cochrane Database of Systematic Reviews*, 2015(10). <https://doi.org/10.1002/14651858.cd010646.pub3>
- Naeem, F., Khoury, B., Munshi, T., Ayub, M., Lecomte, T., Kingdon, D., & Farooq, S. (2016). Brief Cognitive Behavioral Therapy for Psychosis (CBTp) for Schizophrenia: Literature Review and Meta-analysis. *International Journal of Cognitive Therapy*, 9(1), 73–86. https://doi.org/10.1521/ijct_2016_09_04
- Naeem, F., Johal, R., McKenna, C., Rathod, S., Ayub, M., Lecomte, T., Husain, N., Kingdon, D., & Farooq, S. (2016). Cognitive Behavior Therapy for psychosis based Guided Self-help (CBTp-GSH) delivered by frontline mental health professionals: Results of a feasibility study. *Schizophrenia Research*, 173(1–2), 69–74. <https://doi.org/10.1016/j.schres.2016.03.003>
- Naeem, F., Saeed, S., Irfan, M., Kiran, T., Mehmood, N., Gul, M., Munshi, T., Ahmad, S., Kazmi, A., Husain, N., Farooq, S., Ayub, M., & Kingdon, D. (2015). Brief culturally adapted CBT for psychosis (CaCBTp): A randomized controlled trial from a low-income country. *Schizophrenia Research*, 164(1–3), 143–148. <https://doi.org/10.1016/j.schres.2015.02.015>
- NIMH. (2020). Schizophrenia. Diakses dari <https://www.nimh.nih.gov/health/topics/schizophrenia> pada 19 Oktober 2021 pukul 21.20
- O’Keeffe, J., Conway, R., & McGuire, B. (2017). A systematic review examining factors predicting favourable outcome in cognitive behavioural intervention for psychosis. *Schizophrenia Research*, 183, 22-30.
- Orellana, G., & Slachevsky, A. (2013). Executive Functioning in Schizophrenia. *Frontiers in Psychiatry*, 4. <https://doi.org/10.3389/fpsy.2013.00035>
- Penn, D. L., Meyer, P. S., Evans, E., Wirth, R. J., Cai, K., Burchinal, M. (2009). A randomized controlled trial of group cognitive behavioral therapy vs. enhanced supportive therapy for auditory hallucinations. *Schizophrenia Research*, 109, 52-59.
- Peters, M. D.J., Godfrey, C., Mclnerney, P., Munn, Z., Tricco, A. C., Khalil, H. (2020). Chapter 11: scoping reviews (2020 version) in: Aromataris, E., Munn, Z (Editors). *JBI Manual for Evidence Synthesis*, JBI. Diakses dari <https://synthesismanual.jbi.global/> pada 8 Februari 2022 pukul 10.04. <https://doi.org/10.46658/JBIMES-20-12>
- Peters, M.D.J., Godfrey, C. M., Khalil, H., Mclnerney, P., Parker, D., Soares, C. B. (2015). Guidance for conducting systematic scoping reviews. *International Journal of Evidence-Based Healthcare*, 141-146.
- Pham, M. T., Rajić, A., Greig, J. D., Sargeant, J. M., Papadopoulos, A., McEwen, S. A. (2014). A scoping review of scoping review: advancing the approach and enhancing the consistency. *Research synthesis methods*, 5, 371-385
- Pusat Data & Informasi RI. (2018). Situasi kesehatan jiwa di Indonesia.
- Rathod, S., Kingdon, D., Smith, P., & Turkington, D. (2005). Insight into schizophrenia: the effects of cognitive behavioural therapy on the components of insight and association with sociodemographics—data on a previously published randomised controlled trial. *Schizophrenia Research*, 74(2–3), 211–219. <https://doi.org/10.1016/j.schres.2004.07.003>

- Rathod, S., Phiri, P., Harris, S., Underwood, C., Thagadur, M., Padmanabi, U., & Kingdon, D. (2013). Cognitive behaviour therapy for psychosis can be adapted for minority ethnic groups: A randomised controlled trial. *Schizophrenia Research*, 143(2–3), 319–326. <https://doi.org/10.1016/j.schres.2012.11.007>
- Rector, N. A., Seeman, M. V., & Segal, Z. V. (2003). Cognitive therapy for schizophrenia: a preliminary randomized controlled trial. *Schizophrenia Research*, 63(1–2), 1–11. [https://doi.org/10.1016/s0920-9964\(02\)00308-0](https://doi.org/10.1016/s0920-9964(02)00308-0)
- Rector, N. A., & Beck, A.T. (2001). Cognitive Behavioral Therapy for Schizophrenia: An Empirical Review. *The Journal Of Nervous And Mental Disease*, 200(10), 832-839
- Rubio, J. M., & Kane, J. M. (2022). The pharmacological treatment of schizophrenia: how far have we come? *Psychiatry and Clinical Neurosciences Reports*, 1(2). Portico. <https://doi.org/10.1002/pcn5.13>
- Sargeant, J. M., & O'Connor, A. M. (2020). Scoping reviews, systematic reviews, and meta-analysis: applications in veterinary medicine. *Frontiers in Veterinary Science*, 7(11), 1-14. doi:<https://doi.org/10.3389/fvets.2020.00011>
- Sevi, O. M., Sutcu, S. T., Yesilyurt, S., Eroglu, S. T., & Gunes, B. (2019). Comparison of the Effectiveness of Two Cognitive-Behavioral Group Therapy Programs for Schizophrenia: Results of a Short-Term Randomized Control Trial. *Community mental health journal*, 1-7. doi: 10.1007/s10597-019-00448-y
- Shafti, S. S. (2019). Pharmacotherapy Vs. Psychotherapy: An Educational Challenge in Current Psychiatric Training. *Scholarly Journal of Psychology and Behavioral Sciences*, 2(2). <https://doi.org/10.32474/sjpbs.2019.02.000133>.
- Shawyer, F., Farhall, J., Mackinnon, A., Trauer, T., Sims, E., Ratcliff, K., Larnar, C., Thomas, N., Castle, D., Mullen, P., & Copolov, D. (2012). A randomised controlled trial of acceptance-based cognitive behavioural therapy for command hallucinations in psychotic disorders. *Behaviour Research and Therapy*, 50(2), 110–121. <https://doi.org/10.1016/j.brat.2011.11.007>
- Sivec, H. J., & Montesano, V. L. (2013). Clinical process example of cognitive behavioral therapy for psychosis, *pyschotherapy*, 50(3), 458-463
- Sommer, I. E. C., Slotema, C. W., Daskalakis, Z. J., Derks, E. M., Blom, J. D., van der Gaag, M. (2012). The Treatment of Hallucinations in Schizophrenia Spectrum Disorders, *Schizophrenia Bulletin*, 1-11, doi:10.1093/schbul/sbs034
- Startup, M., Jackson, M. C., & Startup, S. (2006). Insight and Recovery From Acute Psychotic Episodes. *Journal of Nervous & Mental Disease*, 194(10), 740–745. <https://doi.org/10.1097/01.nmd.0000243081.97879.b9>
- Strassnig, M., Signorile, J., Gonzalez, C., & Harvey, P. D. (2014). Physical performance and disability in schizophrenia. *Schizophrenia Research: Cognition*, 1(2), 112–121. doi:10.1016/j.scog.2014.06.002
- Turkington, D., Dudley, R., Warman, D. M., Beck, A. T. (2006). Cognitive behavioral therapy for schizophrenia: a review. *The Journal of Lifelong Learning in Psychiatry*, 4(2), 223-233

- Turkington, D., Kingdon, D., & Turner, T. (2002). Effectiveness of a brief cognitive-behavioural therapy intervention in the treatment of schizophrenia. *British Journal of Psychiatry*, 180(06), 523–527. <https://doi.org/10.1192/bjp.180.6.523>
- Turkington, D., Kingdon, D., Rathod, S., Hammond, K., Pelton, J., & Mehta, R. (2006). Outcomes of an effectiveness trial of cognitive-behavioural intervention by mental health nurses in schizophrenia. *British Journal of Psychiatry*, 189(1), 36–40. <https://doi.org/10.1192/bjp.bp.105.010884>
- Valmaggia, L. R., Van der Gaag, M., Tarrier, N., Pijnenborg, M., Slooff, C. J. (2005). Cognitive-behavioral therapy for refractory psychotic symptoms of schizophrenia resistant to atypical antipsychotic medication. *British Journal of Psychiatry*, 186, 324–330
- World Health Organization. (1980). International classification of impairments, disabilities, and handicaps : a manual of classification relating to the consequences of disease, published in accordance with resolution WHA29.35 of the Twenty-ninth World Health Assembly, May 1976. World Health Organization. <https://apps.who.int/iris/handle/10665/41003>
- World Health Organization. (2019). Schizophrenia. Diakses dari <https://www.who.int/news-room/fact-sheets/detail/schizophrenia> pada 15 Oktober 2021 pukul 19.46
- World Health Organization. (2022). Schizophrenia. Diakses dari <https://www.who.int/news-room/fact-sheets/detail/schizophrenia#:~:text=Schizophrenia%20causes%20psychosis%20and%20is,people%20with%20schizophrenia%20are%20common>. Pada 9 April 2023 pukul 14.32
- World Health Organization. (2019). International statistical classification of diseases and related health problems (11th ed.). Diakses dari <https://icd.who.int/> pada 29 Oktober 2021 pukul 12.54
- Wong, J. P. S., Ting, K. T., & Wong, A. W. S. (2019). *Group cognitive behavioural therapy for psychosis in the Asian context: a review of the recent studies. International Review of Psychiatry*, 1–11. doi:10.1080/09540261.2019.1634012
- Wood, L., Williams, C., Billings, J., & Johnson, S. (2020). A systematic review and meta-analysis of cognitive behavioural informed psychological interventions for psychiatric inpatients with psychosis. *Schizophrenia Research*, 222, 133–144. <https://doi.org/10.1016/j.schres.2020.03.041>
- Wykes, T., Hayward, P., Thomas, N., Green, N., Surguladze, S., Fannon, D., & Landau, S. (2005). What are the effects of group cognitive behaviour therapy for voices? A randomised control trial. *Schizophrenia Research*, 77(2–3), 201–210. <https://doi.org/10.1016/j.schres.2005.03.013>
- van der Gaag, M., Nieman, D. H., Rietdijk, J., Dragt, S., Ising, H. K., Klaassen, R. M. C., Koeter, M., Cuijpers, P., Wunderink, L., Linszen, D. H. (2012). Cognitive behavioral therapy for subjects at ultrahigh risk for developing psychosis: a randomized controlled clinical trial. *Schizophrenia Bulletin*, 38(6), 1180–1188. doi:10.1093/schbul/sbs105