

DAFTAR PUSTAKA

- Ahmad, R., Ali, S., Rizwan, M., Dawood, M., Farid, M., Hussain, A., Wijaya, L., Alyemeni, M.N., and Ahmad, P., 2020, Hydrogen Sulfide Alleviates Chromium Stress on Cauliflower by Restricting Its Uptake and Antioxidative System, *Physiol. Plant.*, 168, 289–300.
- Ai, H.Y., Shi, J.W., Duan, R.X., Chen, J.W., Cui, H.J., and Fu, M.L., 2014, Sol-gel to Prepare Nitrogen Doped TiO₂ Nanocrystals with Exposed {001} Facets and High Visible-Light Photocatalytic Performance, *Int. J. Photoenergy*, 2014, 1–9.
- Akakuru, O.U., Iqbal, Z.M., and Wu, A., 2020, TiO₂ Nanoparticles: Properties and Applications, *TiO₂ Nanoparticles*, 1–66.
- Al-Abachi, M.Q. and Sattar, J.A.A., 2012, Kinetic Spectrophotometric Methods for the Determination of Chloramphenicol in Pharmaceutical Preparations, *J. Al-Nahrain Univ. Sci.*, 15, 22–30.
- Ashraf, A., Bibi, I., Niazi, N.K., Ok, Y.S., Murtaza, G., Shahid, M., Kunhikrishnan, A., Li, D., and Mahmood, T., 2017, Chromium(VI) Sorption Efficiency of Acid-Activated Banana Peel Over Organo-Montmorillonite in Aqueous Solutions, *Int. J. Phytoremediation*, 19, 605–613.
- Ayele, L., Pérez, E., Mayoral, Á., Chebude, Y., and Díaz, I., 2017, Synthesis of Zeolite A Using Raw Kaolin from Ethiopia and Its Application in Removal of Cr(III) from Tannery Wastewater, *J. Chem. Technol. Biotechnol.*, 93, 146–154.
- Bagheri, S., Shameli, K., and Abd Hamid, S.B., 2013, Synthesis and Characterization of Anatase Titanium Dioxide Nanoparticles Using Egg White Solution via Sol-Gel Method, *J. Chem.*, 2013, 1–5.
- Bahnemann, W., Muneer, M., and Haque, M.M., 2007, Titanium Dioxide-Mediated Photocatalysed Degradation of Few Selected Organic Pollutants in Aqueous Suspensions, *Catal. Today*, 124, 133–148.
- Bakatula, E.N., Richard, D., Neculita, C.M., and Zagury, G.J., 2018, Determination of Point of Zero Charge of Natural Organic Materials, *Environ. Sci. Pollut. Res.*, 25, 7823–7833.
- Balarak, D., Mostafapour, F., Akbari, H., and Joghtaei, A., 2017, Adsorption of Amoxicillin Antibiotic from Pharmaceutical Wastewater by Activated Carbon Prepared from *Azolla filiculoides*, *J. Pharm. Res. Int.*, 18, 1–13.
- Basavarajappa, P.S., Patil, S.B., Ganganagappa, N., Reddy, K.R., Raghu, A. V., and Reddy, C.V., 2020, Recent Progress in Metal-Doped TiO₂, non-Metal Doped/Co-Doped TiO₂ and TiO₂ Nanostructured Hybrids for Enhanced Photocatalysis, *Int. J. Hydrogen Energy*, 45, 7764–7778.
- Bergamonti, L., Bergonzi, C., Graiff, C., Lottici, P.P., Bettini, R., and Elviri, L., 2019, 3D Printed Chitosan Scaffolds: A New TiO₂ Support for the

- Photocatalytic Degradation of Amoxicillin in Water, *Water. Res.*, 163, 114841.
- Braschi, I., Blasioli, S., Fellet, C., Lorenzini, R., Garelli, A., Pori, M., and Giacomini, D., 2013, Persistence and Degradation of New β -Lactam Antibiotics in the Soil and Water Environment, *Chemosphere*, 93, 152–159.
- Busto, R.V., Roberts, J., Hunter, C., Escudero, A., Helwig, K., and Coelho, L.H.G., 2020, Mechanistic and Ecotoxicological Studies of Amoxicillin Removal Through Anaerobic Degradation Systems, *Ecotoxicol. Environ. Saf.*, 192, 110207.
- Chand, R., Obuchi, E., Katoh, K., Luitel, H.N., and Nakano, K., 2013, Effect of transition metal doping under reducing calcination atmosphere on photocatalytic property of TiO₂ immobilized on SiO₂ beads, *J. Environ. Sci. (China)*, 25, 1419–1423.
- Chen, D., Cheng, Y., Zhou, N., Chen, P., Wang, Y., Li, K., Huo, S., Cheng, P., Peng, P., Zhang, R., Wang, L., Liu, H., Liu, Y., and Ruan, R., 2020, Photocatalytic Degradation of Organic Pollutants Using TiO₂-Based Photocatalysts: A Review, *J. Clean. Prod.*, 268, 121725.
- Choquette-Labbé, M., Shewa, W.A., Lalman, J.A., and Shanmugam, S.R., 2014, Photocatalytic Degradation of Phenol and Phenol Derivatives Using a Nano-TiO₂ Catalyst: Integrating Quantitative and Qualitative Factors Using Response Surface Methodology, *Water (Switzerland)*, 6, 1785–1806.
- Chun, S.Y., Chung, W.J., Kim, S.S., Kim, J.T., and Chang, S.W., 2015, Optimization of the TiO₂/Ge Composition by the Response Surface Method of Photocatalytic Degradation Under Ultraviolet-A Irradiation and the Toxicity Reduction of Amoxicillin, *J. Ind. Eng. Chem.*, 27, 291–296.
- da Silva, G.S., dos Santos, F.A., Roth, G., and Frankenberg, C.L.C., 2020, Electroplating for Chromium Removal from Tannery Wastewater, *Int. J. Environ. Sci. Technol.*, 17, 607–614.
- Derakhsheshpoor, R., Homayoonfal, M., Akbari, A., and Mehrnia, M.R., 2013, Amoxicillin Separation from Pharmaceutical Wastewater by High Permeability Polysulfone Nanofiltration Membrane, *J. Environ. Health. Sci. Eng.*, 11, 1–10.
- Dimitrakopoulou, D., Rethemiotaki, I., Frontistis, Z., Xekoukoulotakis, N.P., Venieri, D., and Mantzavinos, D., 2012, Degradation, Mineralization and Antibiotic Inactivation of Amoxicillin by UV-A/TiO₂ Photocatalysis, *J. Environ. Manage.*, 98, 168–174.
- Dixit, S., Yadav, A., Dwivedi, P.D., and Das, M., 2015, Toxic Hazards of Leather Industry and Technologies to Combat Threat: A Review, *J. Clean. Prod.*, 87, 39–49.

- Dubey, R.S. and Singh, S., 2017, Investigation of Structural and Optical Properties of Pure and Chromium Doped TiO₂ Nanoparticles Prepared by Solvothermal Method, *Results Phys.*, 7, 1283–1288.
- Dwivedi, S., Jadhav, J., Sharma, H., and Biswas, S., 2014, Pulsed Laser Deposited Ferromagnetic Chromium Dioxide Thin Films for Applications in Spintronics, *Phys. Procedia*, 54, 62–69.
- Elmolla, E.S. and Chaudhuri, M., 2010, Photocatalytic Degradation of Amoxicillin, Ampicillin and Cloxacillin Antibiotics in Aqueous Solution Using UV/TiO₂ and UV/H₂O₂/TiO₂ Photocatalysis, *Desalination*, 252, 46–52.
- Ensano, B.M.B., Borea, L., Naddeo, V., Belgiorno, V., de Luna, M.D.G., and Ballesteros, F.C., 2017, Removal of Pharmaceuticals from Wastewater by Intermittent Electrocoagulation, *Water (Switzerland)*, 9, 1–15.
- Filippatos, P.P., Kelaidis, N., Vasilopoulou, M., Davazoglou, D., and Chroneos, A., 2021, Structural, Electronic, and Optical Properties of Group 6 Doped Anatase TiO₂: A Theoretical Approach, *Appl. Sci. (Switzerland)*, 11, 1–13.
- Fouda, A., Hassan, S.E.D., Saied, E., and Azab, M.S., 2021, An Eco-Friendly Approach to Textile and Tannery Wastewater Treatment Using Maghemite Nanoparticles (γ -Fe₂O₃-NPs) Fabricated by *Penicillium expansum* strain (K-w), *J. Environ. Chem. Eng.*, 9, 104693.
- Ganesh, I., Kumar, P.P., Annapoorna, I., Sumliner, J.M., Ramakrishna, M., Hebalkar, N.Y., Padmanabham, G., and Sundararajan, G., 2014, Preparation and Characterization of Cu-Doped TiO₂ Materials for Electrochemical, Photoelectrochemical, and Photocatalytic Applications, *Appl. Surf. Sci.*, 293, 229–247.
- Githinji, L.J.M., Musey, M.K., and Ankumah, R.O., 2011, Evaluation of the Fate of Ciprofloxacin and Amoxicillin in Domestic Wastewater, *Water. Air. Soil Pollut.*, 219, 191–201.
- Gomez-Polo, C., Larumbe, S., Gil, A., Muñoz, D., Fernández, L.R., Barquín, L.F., García-Prieto, A., Fdez-Gubieda, M.L., and Muela, A., 2021, Improved Photocatalytic and Antibacterial Performance of Cr Doped TiO₂ Nanoparticles, *Surf. Interfaces*, 22, 1–9.
- Guo, Y., Zhao, N., Zhang, T., Gong, H., Ma, H., An, T., Zhao, F., and Hu, R., 2019, Compatibility and Thermal Decomposition Mechanism of Nitrocellulose/Cr₂O₃ Nanoparticles Studied Using DSC and TG-FTIR, *RSC Adv.*, 9, 3927–3937.
- Haidar, O.I., 2015, Simple Indirect Spectrophotometric Determination of Amoxicillin in Pharmaceutical Preparations, *J. Nat. Sci. Res.*, 5, 142–147.
- Hajjaji, A., Trabelsi, K., Atyaoui, A., Gaidi, M., Bousselmi, L., Bessais, B., and El Khakani, M.A., 2014, Photocatalytic Activity of Cr-Doped TiO₂ Nanoparticles Deposited on Porous Multicrystalline Silicon Films, *Nanoscale Res. Lett.*, 9, 1–6.

- Haque, F.Z., Nandanwar, R., and Singh, P., 2017, Evaluating Photodegradation Properties of Anatase and Rutile TiO₂ Nanoparticles for Organic Compounds, *Optik (Stuttg)*, 128, 191–200.
- Hoffmann, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W., 1995, Environmental Applications of Semiconductor Photocatalysis, *Chem. Rev.*, 95, 69–96.
- Huang, J., Dou, L., Li, J., Zhong, J., Li, M., and Wang, T., 2021, Excellent Visible Light Responsive Photocatalytic Behavior of N-Doped TiO₂ Toward Decontamination of Organic Pollutants, *J. Hazard. Mater.*, 403, 123857.
- Hussein, A.M., Mahoney, L., Peng, R., Kibombo, H., Wu, C.M., Koodali, R.T., and Shende, R., 2013, Mesoporous Coupled ZnO/TiO₂ Photocatalyst Nanocomposites for Hydrogen Generation, *J. Renew. Sustain. Energy*, 5.
- Jeyalakshmi, V., Mahalakshmy, R., Krishnamurthy, K.R., and Viswanathan, B., 2012, Titania Based Catalysts for Photoreduction of Carbon Dioxide: Role of Modifiers, *Indian J. Chem.*, 51, 1263–1283.
- Kisch, H., 2013, Semiconductor Photocatalysis - Mechanistic and Synthetic Aspects, *Angew. Chemie - Int. Ed.*, 52, 812–847.
- Kumar, A. and Pandey, G., 2017, A Review on the Factors Affecting the Photocatalytic Degradation of Hazardous Materials, *Mater. Sci. Eng. Int. J.*, 1, 106–114.
- Lai, X., Ning, X., Chen, J., Li, Y., Zhang, Y., and Yuan, Y., 2020, Comparison of the Fe²⁺/H₂O₂ and Fe²⁺/PMS Systems in Simulated Sludge: Removal of PAHs, Migration of Elements and Formation of Chlorination by-Products, *J. Hazard. Mater.*, 398, 122826.
- Lee, S.Y. and Park, S.J., 2013, TiO₂ Photocatalyst for Water Treatment Applications, *J. Ind. Eng. Chem.*, 19, 1761–1769.
- Li, J., Jin, Z., Zhang, Y., Liu, D., Ma, A., Sun, Y., Li, X., Cai, Q., and Gui, J., 2022, Ag-Induced Anatase-Rutile TiO_{2-x} Heterojunction Facilitating the Photogenerated Carrier Separation in Visible-Light Irradiation, *J. Alloys Compd.*, 909, 164815.
- Li, X., Guo, Z., and He, T., 2013, The Doping Mechanism of Cr into TiO₂ and Its Influence on the Photocatalytic Performance, *Phys. Chem. Chem. Phys.*, 15, 20037–20045.
- Lien, L.T.Q., Hoa, N.Q., Chuc, N.T.K., Thoa, N.T.M., Phuc, H.D., Diwan, V., Dat, N.T., Tamhankar, A.J., and Lundborg, C.S., 2016, Antibiotics in Wastewater of A Rural and An Urban Hospital Before and After Wastewater Treatment, and the Relationship with Antibiotic Use-A One Year Study from Vietnam, *Int. J. Environ. Res. Public Health*, 13, 1–13.
- Loosli, F., Le Coustumer, P., and Stoll, S., 2013, TiO₂ Nanoparticles Aggregation and Disaggregation in Presence of Alginate and Suwannee River Humic

- Acids. pH and Concentration Effects on Nanoparticle Stability, *Water Res.*, 47, 6052–6063.
- López, R. and Gómez, R., 2012, Band-Gap Energy Estimation from Diffuse Reflectance Measurements on Sol-Gel and Commercial TiO₂: A Comparative Study, *J. Solgel. Sci. Technol.*, 61, 1–7.
- Mahmoud, H.A., Narasimharao, K., Ali, T.T., and Khalil, K.M.S., 2018, Acidic Peptizing Agent Effect on Anatase-Rutile Ratio and Photocatalytic Performance of TiO₂ Nanoparticles, *Nanoscale Res. Lett.*, 13, .
- Malengreaux, C.M., Pirard, S.L., Léonard, G., Mahy, J.G., Herlitschke, M., Klobes, B., Hermann, R., Heinrichs, B., and Bartlett, J.R., 2017, Study of the Photocatalytic Activity of Fe³⁺, Cr³⁺, La³⁺ and Eu³⁺ Single-Doped and Co-Doped TiO₂ Catalysts Produced by Aqueous Sol-Gel Processing, *J. Alloys Compd.*, 691, 726–738.
- Martín-Lara, M.A., Blázquez, G., Trujillo, M.C., Pérez, A., and Calero, M., 2014, New Treatment of Real Electroplating Wastewater Containing Heavy Metal Ions by Adsorption onto Olive Stone, *J. Clean. Prod.*, 81, 120–129.
- Massihi, N., Mohammadi, M.R., Bakhshayesh, A.M., and Abdi-Jalebi, M., 2013, Controlling Electron Injection and Electron Transport of Dye-Sensitized Solar Cells Aided by Incorporating CNTs into a Cr-Doped TiO₂ Photoanode, *Electrochim. Acta*, 111, 921–929.
- Mendiola-Alvarez, S.Y., Guzmán-Mar, J.L., Turnes-Palomino, G., Maya-Alejandro, F., Caballero-Quintero, A., Hernández-Ramírez, A., and Hinojosa-Reyes, L., 2019, Synthesis of Cr³⁺-Doped TiO₂ Nanoparticles: Characterization and Evaluation of Their Visible Photocatalytic Performance and Stability, *Environ. Technol. (United Kingdom)*, 40, 144–153.
- Mohammadi, R., Massoumi, B., and Rabani, M., 2012, Photocatalytic Decomposition of Amoxicillin Trihydrate Antibiotic in Aqueous Solutions Under UV Irradiation Using Sn/TiO₂ Nanoparticles, *Int. J. Photoenergy*, 2012, 1–11.
- Momeni, M.M., Ghayeb, Y., and Shafiei, M., 2017, Preparation and Characterization of CrFeWTiO₂ Photoanodes and Their Photoelectrochemical Activities for Water Splitting, *Dalt. Trans.*, 46, 12527–12536.
- Moosavi, F.S. and Tavakoli, T., 2016, Amoxicillin Degradation from Contaminated Water by Solar Photocatalysis Using Response Surface Methodology (RSM), *Environ. Sci. Pollut. Res.*, 23, 23262–23270.
- Muhammad, S., Hussain, S.T., Waseem, M., Naeem, A., Hussain, J., and Tariq Jan, M., 2012, Surface Charge Properties of Zirconium Dioxide, *Iran. J. Sci. Technol. Trans. A Sci.*, 36, 481–486.

- Nasikhudin, Diantoro, M., Kusumaatmaja, A., and Triyana, K., 2018, Study on Photocatalytic Properties of TiO₂ Nanoparticle in Various pH Condition, *J. Phys. Conf. Ser.*, 1011.
- Nasirian, M., Lin, Y.P., Bustillo-Lecompte, C.F., and Mehrvar, M., 2018, Enhancement of Photocatalytic Activity of Titanium Dioxide Using non-Metal Doping Methods Under Visible Light: A Review, *Int. J. Environ. Sci. Technol.*, 15, 2009–2032.
- Nur-E-Alam, Md., Abu Sayid Mia, Md., Ahmad, F., and Mafizur Rahman, Md., 2018, Adsorption of Chromium (Cr) from Tannery Wastewater Using Low-Cost Spent Tea Leaves Adsorbent, *Appl. Water Sci.*, 8, 1–7.
- Olama, N., Dehghani, M., and Malakootian, M., 2018, The Removal of Amoxicillin from Aquatic Solutions Using the TiO₂/UV-C Nanophotocatalytic Method Doped with Trivalent Iron, *Appl. Water. Sci.*, 8, 1–12.
- Pawar, M., Sengoğdular, S.T., and Gouma, P., 2018, A Brief Overview of TiO₂ Photocatalyst for Organic Dye Remediation: Case Study of Reaction Mechanisms Involved in Ce-TiO₂ Photocatalysts System, *J. Nanomater.*, 2018, .
- Pawar, M.J., Nimbalkar, V.B., Gaonar, M.D., Khajone, A.D., and Deshmukh, S.B., 2021, Cr-Doped TiO₂ : Synthesis and Photodegradation of Methylene Blue Dye, *J. Appl. Chem.*, 14, 54–62.
- Peng, Y.H., Huang, G.F., and Huang, W.Q., 2012, Visible-Light Absorption and Photocatalytic Activity of Cr-Doped TiO₂ Nanocrystal Films, *Adv. Powder Technol.*, 23, 8–12.
- Pereira, J.H.O.S., Reis, A.C., Nunes, O.C., Borges, M.T., Vilar, V.J.P., and Boaventura, R.A.R., 2014, Assessment of Solar Driven TiO₂-Assisted Photocatalysis Efficiency on Amoxicillin Degradation, *Environ. Sci. and Pollut. Res.*, 21, 1292–1303.
- Perini, J.A.L., Tonetti, A.L., Vidal, C., Montagner, C.C., and Nogueira, R.F.P., 2018, Simultaneous Degradation of Ciprofloxacin, Amoxicillin, Sulfathiazole and Sulfamethazine, and Disinfection of Hospital Effluent After Biological Treatment via Photo-Fenton Process Under Ultraviolet Germicidal Irradiation, *Appl. Catal. B*, 224, 761–771.
- Radosavljević, K.D., Golubović, A. V., Radišić, M.M., Mladenović, A.R., Mijin, D., and Petrović, S.D., 2017, Amoxicillin Photodegradation by Nanocrystalline TiO₂, *Chem. Ind. Chem. Eng. Q.*, 23, 187–195.
- Religa, P., Kowalik, A., and Gierycz, P., 2011, Application of Nanofiltration for Chromium Concentration in the Tannery Wastewater, *J. Hazard. Mater.*, 186, 288–292.
- Sarteep, Z., Pirbazari, A.E., and Aroon, M.A., 2016, Silver Doped TiO₂ Nanoparticles: Preparation, Characterization and Efficient Degradation of

- 2,4-Dichlorophenol Under Visible Light, *Nanotechnol. J. Water Environ. Nanotechnol.*, 1, 135–144.
- Scarpelli, F., Mastropietro, T.F., Poerio, T., and Godbert, N., 2018, Mesoporous TiO₂ Thin Films: State of the Art, *Titan. Dioxide - Mater. a Sustain. Environ.*, 57–80.
- Seçilmi, H. and Bardakç, B., 2011, Determination of Fatty Acid, C, H, N and Trace Element Composition in Grape Seed by GC/MS, FTIR, Elemental Analyzer and ICP/OES, *SDU J. Sci.*, 6, 140–148.
- Serna-Galvis, E.A., Silva-Agredo, J., Giraldo, A.L., Flórez, O.A., and Torres-Palma, R.A., 2016, Comparison of Route, Mechanism and Extent of Treatment for the Degradation of A β -Lactam Antibiotic by TiO₂ Photocatalysis, Sonochemistry, Electrochemistry and the Photo-Fenton System, *Chem. Eng. J.*, 284, 953–962.
- Sescu, A.M., Favier, L., Lutic, D., Soto-Donoso, N., Ciobanu, G., and Harja, M., 2021, TiO₂ Doped with Noble Metals as An Efficient Solution for the Photodegradation of Hazardous Organic Water Pollutants at Ambient Conditions, *Water (Switzerland)*, 13.
- Shah, A.D., Huang, C.H., and Kim, J.H., 2012, Mechanisms of Antibiotic Removal by Nanofiltration Membranes: Model Development and Application, *J. Memb. Sci.*, 389, 234–244.
- Sharma, S. and Adholeya, A., 2011, Detoxification and Accumulation of Chromium from Tannery Effluent and Spent Chrome Effluent by *Paecilomyces lilacinus* fungi, *Int. Biodeterior. Biodegrad.*, 65, 309–317.
- Shyichuk, A. and Zych, E., 2019, Dopant-Related Electron Trap States in Lu₂O₃:Ta, *J. Lumin.*, 214.
- Siciliano, A., Guida, M., Libralato, G., Saviano, L., Luongo, G., Previtera, L., Di Fabio, G., and Zarrelli, A., 2021, Amoxicillin in Water: Insights into Relative Reactivity, by Product Formation, and Toxicological Interactions During Chlorination, *Appl. Sci. (Switzerland)*, 11, 1–12.
- Song, H.L., Zhang, S., Guo, J., Yang, Y.L., Zhang, L.M., Li, H., Yang, X.L., and Liu, X., 2018, Vertical Up-Flow Constructed Wetlands Exhibited Efficient Antibiotic Removal but Induced Antibiotic Resistance Genes in Effluent, *Chemosphere*, 203, 434–441.
- Sulaiman, S.N.A., Zaky Noh, M., Nadia Adnan, N., Bidin, N., and Ab Razak, S.N., 2018, Effects of Photocatalytic Activity of Metal and non-Metal Doped TiO₂ for Hydrogen Production Enhancement - A Review, *J. Phys. Conf. Ser.*, 1027, .
- Tian, S., Ye, X., Dong, Y., Li, W., Zhang, B., Li, B., and Feng, H., 2019, Production and Characterization of Chromium Oxide (Cr₂O₃) via A Facile Combination of Electrooxidation and Calcination, *Int. J. Electrochem. Sci.*, 14, 8805–8818.

- Tripathi, A.K., Singh, M.K., Mathpal, M.C., Mishra, S.K., and Agarwal, A., 2013, Study of Structural Transformation in TiO₂ Nanoparticles and Its Optical Properties, *J. Alloys Compd.*, 549, 114–120.
- Varma, K.S., Tayade, R.J., Shah, K.J., Joshi, P.A., Shukla, A.D., and Gandhi, V.G., 2020, Photocatalytic Degradation of Pharmaceutical and Pesticide Compounds (PPCs) Using Doped TiO₂ Nanomaterials: A Review, *Water-Energy Nexus*, 3, 46–61.
- Venditti, F., Cuomo, F., Ceglie, A., Avino, P., Russo, M.V., and Lopez, F., 2015, Visible Light Caffeic Acid Degradation by Carbon-Doped Titanium Dioxide, *Langmuir*, 31, 3627–3634.
- Vijayalakshmi, K. and Jereil, S.D., 2015, Effect of Cr Incorporation on the Properties of TiO₂ Nanoparticles Synthesized by Microwave Technique, *J. Mater. Sci. Mater. Electron.*, 26, 3790–3796.
- Wahyuni, E., Aprilita, N., Hatimah, H., Wulandari, A., and Mudasir, M., 2015, Removal of Toxic Metal Ions in Water by Photocatalytic Method, *Am. Chem. Sci. J.*, 5, 194–201.
- Wahyuni, E.T., Yulikayani, P.Y., and Aprilita, N.H., 2020, Enhancement of Visible-Light Photocatalytic Activity of Cu-Doped TiO₂ for Photodegradation of Amoxicillin in Water, *J. Mater. Environ. Sci.*, 2020, 670.
- Wahyuni, S., 2022, Pemanfaatan Air Limbah Penyamakan Kulit yang Mengandung Ion Logam Cr sebagai Sumber Dopan untuk Meningkatkan Aktivitas Fotokatalis TiO₂ di Bawah Sinar Tampak, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Wang, Y., Zhang, R., Li, J., Li, L., and Lin, S., 2014, First-Principles Study on Transition Metal-Doped Anatase TiO₂, *Nanoscale Res. Lett.*, 1–8.
- Wu, C., Zhang, W., Liao, X., Zeng, Y., and Shi, B., 2014, Transposition of Chrome Tanning in Leather Making, *J. Am. Leather Chem. Assoc.*, 109, 176–183.
- Yazidi, A., Atrous, M., Edi Soetaredjo, F., Sellaoui, L., Ismadji, S., Erto, A., Bonilla-Petriciolet, A., Luiz Dotto, G., and Ben Lamine, A., 2020, Adsorption of Amoxicillin and Tetracycline on Activated Carbon Prepared from Durian Shell in Single and Binary Systems: Experimental Study and Modeling Analysis, *Chem. Eng. J.*, 379, 1–7.
- Yuan, L., Weng, X., Zhou, M., Zhang, Q., and Deng, L., 2017, Structural and Visible-Near Infrared Optical Properties of Cr-Doped TiO₂ for Colored Cool Pigments, *Nanoscale Res. Lett.*, 12, 1–8.
- Zhang, D., Chen, J., Xiang, Q., Li, Y., Liu, M., and Liao, Y., 2019, Transition-Metal-Ion (Fe, Co, Cr, Mn, Etc.) Doping of TiO₂ Nanotubes: A General Approach, *Inorg. Chem.*, 58, 12511–12515.

- Zhao, C., Yang, Q., Chen, W., and Teng, B., 2012, Removal of hexavalent chromium in tannery wastewater by *Bacillus Cereus*, *Can. J. Microbiol.*, 58, 23–28.
- Zhao, S., Ba, C., Yao, Y., Zheng, W., Economy, J., and Wang, P., 2018, Removal of Antibiotics Using Polyethylenimine Cross-Linked Nanofiltration Membranes: Relating Membrane Performance to Surface Charge Characteristics, *Chem. Eng. J.*, 335, 101–109.
- Zhu, J., Deng, Z., Chen, F., Zhang, J., Chen, H., Anpo, M., Huang, J., and Zhang, L., 2006, Hydrothermal Doping Method for Preparation of Cr³⁺-TiO₂ Photocatalysts with Concentration Gradient Distribution of Cr³⁺, *Appl. Catal. B*, 62, 329–335.