

DAFTAR PUSTAKA

- Al-Masoodi, K. O. K., Rafiq, I., el Assyry, A., & Derouiche, A. (2021). DFT/TD-DFT study of donor π -acceptor organic dye models contained triarylamine for an efficient dye-sensitized solar cell. *Journal of Physics: Conference Series*, 1963(1), 012012.
- Al-Qurashi, O. S., & Wazzan, N. (2021a). Prediction of Power Conversion Efficiencies of Diphenylthienylamine-Based Dyes Adsorbed on the Titanium Dioxide Nanotube. *ACS Omega*, 6(13), 8967–8975. <https://doi.org/10.1021/acsomega.0c06340>
- Al-Qurashi, O. S., & Wazzan, N. (2021b). Theoretical investigation of the nitrogen-heterocyclic as π -linker in diphenylthienylamine-based dyes adsorbed on TiO₂ nanotubes for DSSCs applications. *Molecular Physics*, 119(11), e1919772. <https://doi.org/10.1080/00268976.2021.1919772>
- Badran, I., Tighadouini, S., Radi, S., Zarrouk, A., & Warad, I. (2021). Experimental and first-principles study of a new hydrazine derivative for DSSC applications. *Journal of Molecular Structure*, 1229, 129799. <https://doi.org/10.1016/J.MOLSTRUC.2020.129799>
- Bajorowicz, B., Kobylański, M. P., Malankowska, A., Mazierski, P., Nadolna, J., Pieczyńska, A., & Zaleska-Medynska, A. (2018). 4 - Application of metal oxide-based photocatalysis. Dalam A. Zaleska-Medynska (Ed.), *Metal Oxide-Based Photocatalysis* (hlm. 211–340). Elsevier. <https://doi.org/10.1016/B978-0-12-811634-0.00004-4>
- Bessho, T., Zakeeruddin, S. M., Yeh, C., Diau, E. W., & Grätzel, M. (2010). Highly efficient mesoscopic dye-sensitized solar cells based on donor-acceptor-substituted porphyrins. *Angewandte Chemie International Edition*, 49(37), 6646–6649. <https://doi.org/10.1002/anie.201002118>
- Blanchard-Desce, M., Wortmann, R., Lebus, S., Lehn, J.-M., & Krämer, P. (1995). Intramolecular charge transfer in elongated donor-acceptor conjugated polyenes. *Chemical Physics Letters*, 243(5), 526–532. [https://doi.org/10.1016/0009-2614\(95\)00895-B](https://doi.org/10.1016/0009-2614(95)00895-B)
- Boyd, R. W. (2020). *Nonlinear optics*. Academic press.
- Britel, O., Fitri, A., Benjelloun, A. T., Slimi, A., Benzakour, M., & Mcharfi, M. (2022). Theoretical investigation of the influence of π -spacer on photovoltaic performances in carbazole-based dyes for dye-sensitized solar cells applications. *Journal of Photochemistry and Photobiology A: Chemistry*, 428. <https://doi.org/10.1016/j.jphotochem.2022.113870>

- Britel, O., Fitri, A., Touimi Benjelloun, A., Benzakour, M., & Mcharfi, M. (2022). Effects of additional π -spacers on the photovoltaic properties of organic dyes for efficient dye-sensitized solar cells: a theoretical study. *Research on Chemical Intermediates*, 48(12), 5243–5264. <https://doi.org/10.1007/s11164-022-04850-2>
- Britel, O., Fitri, A., Touimi Benjelloun, A., Slimi, A., Benzakour, M., & Mcharfi, M. (2022). Theoretical design of new carbazole based organic dyes for DSSCs applications. A DFT/TD-DFT insight. *Journal of Photochemistry and Photobiology A: Chemistry*, 429, 113902. <https://doi.org/10.1016/j.jphotochem.2022.113902>
- Buckingham, A. D. (1979). Polarizability and hyperpolarizability. *Philosophical Transactions of the Royal Society of London. Series A, Mathematical and Physical Sciences*, 293(1402), 239–248. <https://doi.org/10.1098/rsta.1979.0093>
- Cai, K., Wu, H., Hua, T., Liao, C., Tang, H., Wang, L., & Cao, D. (2022). Molecular engineering of the fused azacycle donors in the DA- π -A metal-free organic dyes for efficient dye-sensitized solar cells. *Dyes and Pigments*, 197, 109922. <https://doi.org/10.1016/j.dyepig.2021.109922>
- Cai-Rong, Z., Zi-Jiang, L., Yu-Hong, C., Hong-Shan, C., You-Zhi, W., & Li-Hua, Y. (2009). DFT and TDDFT study on organic dye sensitizers D5, DST and DSS for solar cells. *Journal of Molecular Structure: THEOCHEM*, 899(1–3), 86–93. <https://doi.org/10.1016/J.THEOCHEM.2008.12.015>
- Chen, Z., Li, F., & Huang, C. (2007). Organic D- π -A dyes for dye-sensitized solar cell. *Current Organic Chemistry*, 11(14), 1241–1258. <https://doi.org/10.2174/138527207781696008>
- Chordiya, K., Ali, M. E., & Kahaly, M. U. (2022). Photoexcited Intramolecular Charge Transfer in Dye Sensitizers: Predictive in Silico Screening for Dye-Sensitized Solar Cell Devices. *ACS Omega*, 7(16), 13465–13474. <https://doi.org/10.1021/acsomega.1c06233>
- Cole, J. M. (2020). Enumerating Intramolecular Charge Transfer in Conjugated Organic Compounds. *Journal of Chemical Information and Modeling*, 60(12), 6095–6108. <https://doi.org/10.1021/acs.jcim.0c00913>
- Datta, A., & Pal, S. (2005). Effects of conjugation length and donor–acceptor functionalization on the non-linear optical properties of organic push–pull molecules using density functional theory. *Journal of Molecular Structure: THEOCHEM*, 715(1–3), 59–64.

- Dini, D., Calvete, M. J. F., & Hanack, M. (2016). Nonlinear Optical Materials for the Smart Filtering of Optical Radiation. *Chemical Reviews*, 116(22), 13043–13233. <https://doi.org/10.1021/acs.chemrev.6b00033>
- Ebnesajjad, S. (2010). Introduction and Adhesion Theories. *Handbook of Adhesives and Surface Preparation: Technology, Applications and Manufacturing*, 3–13. <https://doi.org/10.1016/B978-1-4377-4461-3.10001-X>
- El Mzioui, S., Bouzzine, S. M., Bourass, M., Naciri Bennani, M., & Hamidi, M. (2019). A theoretical investigation of the optoelectronic performance of some new carbazole dyes. *Journal of Computational Electronics*, 18(3), 951–961. <https://doi.org/10.1007/s10825-019-01339-x>
- El Mzioui, S., Bouzzine, S. M., Sidir, I., Bouachrine, M., Bennani, M. N., Bourass, M., & Hamidi, M. (2019). Theoretical investigation on π -spacer effect of the D– π –A organic dyes for dye-sensitized solar cell applications: a DFT and TD-BHandH study. *Journal of Molecular Modeling*, 25, 1–12. <https://doi.org/10.1007/s00894-019-3963-1>
- Emanuelsson, R. (2014). *Conjugation in Organic Group 14 Element Compounds: Design, Synthesis and Experimental Evaluation*. Acta Universitatis Upsaliensis.
- Etabti, H., Fitri, A., Benjelloun, A. T., Hachi, M., Benzakour, M., & Mcharfi, M. (2021a). Benzocarbazole-based D–Di– π –A dyes for DSSCs: DFT/TD-DFT study of influence of auxiliary donors on the performance of free dye and dye–TiO₂ interface. *Research on Chemical Intermediates*, 47(10), 4257–4280. <https://doi.org/10.1007/s11164-021-04531-6>
- Etabti, H., Fitri, A., Benjelloun, A. T., Hachi, M., Benzakour, M., & Mcharfi, M. (2021b). Benzocarbazole-based D–Di– π –A dyes for DSSCs: DFT/TD-DFT study of influence of auxiliary donors on the performance of free dye and dye–TiO₂ interface. *Research on Chemical Intermediates*, 47(10), 4257–4280. <https://doi.org/10.1007/s11164-021-04531-6>
- Etabti, H., Fitri, A., Touimi Benjelloun, A., Benzakour, M., & Mcharfi, M. (2022). Efficient tuning of benzocarbazole based small donor molecules with D– π –A– π –D configuration for high-efficiency solar cells via π -bridge manipulation: A DFT/ TD-DFT study. *Computational and Theoretical Chemistry*, 1208, 113580. <https://doi.org/10.1016/J.COMPTC.2021.113580>
- Frijns, A. J. H., Rindt, C. C. M., & Gastra-Nedea, S. v. (2021). Modeling thermochemical reactions in thermal energy storage systems. Dalam *Advances in Thermal Energy Storage Systems* (hlm. 497–542). Elsevier.

- Fringuelli, F., Marino, G., & Taticchi, A. (1977). Tellurophene and Related Compounds. Dalam A. R. Katritzky & A. J. Boulton (Ed.), *Advances in Heterocyclic Chemistry* (Vol. 21, hlm. 119–173). Academic Press. [https://doi.org/https://doi.org/10.1016/S0065-2725\(08\)60731-X](https://doi.org/https://doi.org/10.1016/S0065-2725(08)60731-X)
- Frisch, M. J., Trucks, G. W., Schlegel, H. B., Scuseria, G. E., Robb, M. A., Cheeseman, J. R., Scalmani, G., Barone, V., Mennucci, B., & Petersson, G. A. (2009). Gaussian 09 Revision A. 1, 2009, Gaussian Inc. Wallingford CT, 66, 219.
- Garmire, E. (2013). Nonlinear optics in daily life. *Optics express*, 21(25), 30532–30544. <https://doi.org/10.1364/OE.21.030532>
- Garza, A. J., Osman, O. I., Wazzan, N. A., Khan, S. B., Asiri, A. M., & Scuseria, G. E. (2014). A computational study of the nonlinear optical properties of carbazole derivatives: theory refines experiment. *Theoretical Chemistry Accounts*, 133, 1–8. <https://doi.org/10.1007/s00214-014-1458-9>
- Gnanasekar, S., Kollu, P., Jeong, S. K., & Grace, A. N. (2019). Pt-free, low-cost and efficient counter electrode with carbon wrapped VO₂ (M) nanofiber for dye-sensitized solar cells. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-019-41693-1>
- Gong, J., Sumathy, K., Qiao, Q., & Zhou, Z. (2017). Review on dye-sensitized solar cells (DSSCs): Advanced techniques and research trends. Dalam *Renewable and Sustainable Energy Reviews* (Vol. 68, hlm. 234–246). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2016.09.097>
- Grätzel, M. (2001). Photoelectrochemical cells. *nature*, 414(6861), 338–344. <https://doi.org/10.1038/35104607>
- Grätzel, M. (2005). Solar energy conversion by dye-sensitized photovoltaic cells. Dalam *Inorganic Chemistry* (Vol. 44, Nomor 20, hlm. 6841–6851). <https://doi.org/10.1021/ic0508371>
- Grätzel, M. (2009). Recent advances in sensitized mesoscopic solar cells. *Accounts of Chemical Research*, 42(11), 1788–1798. <https://doi.org/10.1021/ar900141y>
- Hailu, Y. M., Pham-Ho, M. P., Nguyen, M. T., & Jiang, J. C. (2020). Silole and selenophene-based D- π -A dyes in dye-sensitized solar cells: Insights from optoelectronic and regeneration properties. *Dyes and Pigments*, 176, 108243. <https://doi.org/10.1016/J.DYEPIG.2020.108243>

- Han, L., Zu, X., Cui, Y., Wu, H., Ye, Q., & Gao, J. (2014). Novel D-A- π -A carbazole dyes containing benzothiadiazole chromophores for dye-sensitized solar cells. *Organic Electronics*, 15(7), 1536–1544. <https://doi.org/10.1016/j.orgel.2014.04.016>
- Hanson, K. M., & Bardeen, C. J. (2009). Application of Nonlinear Optical Microscopy for Imaging Skin†. *Photochemistry and Photobiology*, 85(1), 33–44. <https://doi.org/10.1111/J.1751-1097.2008.00508.X>
- Hao, M., Chi, W., Wang, C., Xu, Z., Li, Z., & Liu, X. (2020). Molecular Origins of Photoinduced Backward Intramolecular Charge Transfer. *Journal of Physical Chemistry C*, 124(31), 16820–16826. <https://doi.org/10.1021/acs.jpcc.0c04218>
- Hohenberg, P., & Kohn, W. (1964). Inhomogeneous electron gas. *Physical review*, 136(3B), B864. <https://doi.org/10.1103/PhysRev.136.B864>
- Hossain, A. (2004). Introduction to density functional theory. *Department of Physics and Astronomy, University of British Columbia, Vancouver, Canada*.
- Hug, H., Bader, M., Mair, P., & Glatzel, T. (2014). Biophotovoltaics: Natural pigments in dye-sensitized solar cells. *Applied Energy*, 115, 216–225. <https://doi.org/10.1016/j.apenergy.2013.10.055>
- Humas EBTKE. (2022). *PLTS Jadi Program Prioritas Genjot Target EBT*. <https://ebtke.esdm.go.id/post/2021/02/17/2796/plts.jadi.program.prioritas.genjot.target.ebt>.
- IRENA. (2011). *Energy Transition*. <https://www.irena.org/energytransition>
- Jiang, J., Li, X., Hanif, M., Zhou, J., Hu, D., Su, S., Xie, Z., Gao, Y., Yang, B., & Ma, Y. (2017). Pyridal[2,1,3]thiadiazole as strong electron-withdrawing and less sterically-hindered acceptor for highly efficient donor–acceptor type NIR materials. *Journal of Materials Chemistry C*, 5(42), 11053–11058. <https://doi.org/10.1039/C7TC03978F>
- JM, D. R. D. K. T. A. M. (2008). GaussView 5.0. 8. *Gaussian Inc*.
- Kandregula, G. R., Mandal, S., Prince, G., Yadav, S. K., & Ramanujam, K. (2020). A computational study on boron dipyrromethene ancillary acceptor-based dyes for dye-sensitized solar cells. *New Journal of Chemistry*, 44(12), 4877–4886. <https://doi.org/10.1039/C9NJ05334D>
- Karakas, A., Elmali, A., & Unver, H. (2007). Linear optical transmission measurements and computational study of linear polarizabilities, first hyperpolarizabilities of a dinuclear iron (III) complex. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 68(3), 567–572. <https://doi.org/10.1016/j.saa.2006.12.029>

- Karthick, S. N., Hemalatha, K. V, Balasingam, S. K., Manik Clinton, F., Akshaya, S., & Kim, H. (2019). Dye-sensitized solar cells: history, components, configuration, and working principle. *Interfacial Engineering in Functional Materials for Dye-Sensitized Solar Cells*, 1–16. <https://doi.org/10.1002/9781119557401.ch1>
- KESDM. (2012). *Matahari Untuk PLTS di Indonesia*. <https://www.esdm.go.id/id/media-center/arsip-berita/matahari-untuk-plts-di-indonesia>
- Khalid, M., Ali, A., Jawaria, R., Asghar, M. A., Asim, S., Khan, M. U., Hussain, R., Fayyaz ur Rehman, M., Ennis, C. J., & Akram, M. S. (2020). First principles study of electronic and nonlinear optical properties of A–D– π –A and D–A–D– π –A configured compounds containing novel quinoline–carbazole derivatives. *RSC Advances*, 10(37), 22273–22283. <https://doi.org/10.1039/D0RA02857F>
- Koch, W., & Holthausen, M. C. (2015). *A chemist's guide to density functional theory*. John Wiley & Sons.
- Kohn, W., & Sham, L. J. (1965). Self-consistent equations including exchange and correlation effects. *Physical review*, 140(4A), A1133. <https://doi.org/10.1103/PhysRev.140.A1133>
- Lembrikov, B. I. (2019). Introductory Chapter: nonlinear optical phenomena. *Nonlinear Optics-Novel Results in Theory and Applications*.
- Lewars, E. (2011). Computational chemistry. *Introduction to the theory and applications of molecular and quantum mechanics*, 318. <https://doi.org/10.1007/978-3-319-30916-3>
- Li, Y., Li, X., & Xu, Y. (2020a). Theoretical screening of high-efficiency sensitizers with D- π -A framework for DSSCs by altering promising donor group. *Solar Energy*, 196, 146–156. <https://doi.org/10.1016/j.solener.2019.11.092>
- Li, Y., Li, X., & Xu, Y. (2020b). A rational design of excellent light-absorbing dyes with different N-substituents at the phenothiazine for high efficiency solar cells. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 234, 118241. <https://doi.org/10.1016/J.SAA.2020.118241>
- Li, Y., Liu, J., Liu, D., Li, X., & Xu, Y. (2019). D-A- π -A based organic dyes for efficient DSSCs: A theoretical study on the role of π -spacer. *Computational Materials Science*, 161, 163–176. <https://doi.org/10.1016/j.commatsci.2019.01.033>

- Listorti, A., O'Regan, B., & Durrant, J. R. (2011). Electron transfer dynamics in dye-sensitized solar cells. Dalam *Chemistry of Materials* (Vol. 23, Nomor 15, hlm. 3381–3399). <https://doi.org/10.1021/cm200651e>
- Liu, Z., Duan, K., Guo, H., Deng, Y., Huang, H., Yi, X., Chen, H., & Tan, S. (2017). The enhancement of photovoltaic properties of the DSSCs based on D–A– π –A organic dyes via tuning auxiliary acceptor. *Dyes and Pigments*, 140, 312–319. <https://doi.org/10.1016/j.dyepig.2017.01.026>
- Ma, W., Jiao, Y., & Meng, S. (2014). Predicting energy conversion efficiency of dye solar cells from first principles. *Journal of Physical Chemistry C*, 118(30), 16447–16457. <https://doi.org/10.1021/jp410982e>
- Mahmood, A., Tahir, M. H., Irfan, A., Al-Sehemi, A. G., & Al-Assiri, M. S. (2015). Heterocyclic azo dyes for dye sensitized solar cells: A quantum chemical study. *Computational and Theoretical Chemistry*, 1066, 94–99. <https://doi.org/10.1016/j.comptc.2015.05.020>
- Mandal, S., Kandregula, G. R., & Tokala, V. N. B. (2020). A computational investigation of the influence of acceptor moieties on photovoltaic performances and adsorption onto the TiO₂ surface in triphenylamine-based dyes for DSSC application. *Journal of Photochemistry and Photobiology A: Chemistry*, 401, 112745. <https://doi.org/10.1016/j.jphotochem.2020.112745>
- Marinado, T., Nonomura, K., Nissfolk, J., Karlsson, M. K., Hagberg, D. P., Sun, L., Mori, S., & Hagfeldt, A. (2010). How the nature of triphenylamine-polyene dyes in dye-sensitized solar cells affects the open-circuit voltage and electron lifetimes. *Langmuir*, 26(4), 2592–2598. <https://doi.org/10.1021/la902897z>
- Marlina, L. A., Haryadi, W., & Pranowo, H. D. (2022). Design of a D- π -A-A framework with various auxiliary acceptors on optoelectronic and charge transfer properties for efficient dyes in DSSCs: A DFT/TD-DFT study. *Journal of Computational Electronics*, 21(2), 361–377. <https://doi.org/10.1007/S10825-022-01851-7/TABLES/7>
- Mavrouidakis, E., Cuccato, D., & Moscatelli, D. (2019). Determination of Reaction Rate Coefficients in Free-Radical Polymerization Using Density Functional Theory. Dalam *Computational Quantum Chemistry* (hlm. 47–98). Elsevier. <https://doi.org/10.1016/B978-0-12-815983-5.00003-9>
- Mikhailov, M. S., Gudim, N. S., Knyazeva, E. A., Tanaka, E., Zhang, L., Mikhalechenko, L. v., Robertson, N., & Rakitin, O. A. (2020). 9-(p-Tolyl)-2,3,4,4a,9,9a-hexahydro-1H-carbazole—A new donor building-block in the design of sensitizers for dye-sensitized solar cells. *Journal of Photochemistry and Photobiology A: Chemistry*, 391. <https://doi.org/10.1016/j.jphotochem.2019.112333>

- Mingsukang, M. A., Buraidah, M. H., & Arof, A. K. (2017). Third-Generation-Sensitized Solar Cells. Dalam *Nanostructured Solar Cells*. InTech. <https://doi.org/10.5772/65290>
- Mo, Y., Lin, Z., Wu, W., & Zhang, Q. (1996). Bond-Distorted Orbitals and Effects of Hybridization and Resonance on C–C Bond Lengths. *Journal of Physical Chemistry*, 100(28), 11569–11572. <https://doi.org/10.1021/JP953433A>
- Nalwa, H. S. (2000). *Handbook of advanced electronic and photonic materials and devices, Ten-volume Set* (Vol. 1). Academic Press.
- Ning, Z., Fu, Y., & Tian, H. (2010). Improvement of dye-sensitized solar cells: what we know and what we need to know. *Energy & Environmental Science*, 3(9), 1170–1181. <https://doi.org/10.1039/C003841E>
- Norman, P., & Ruud, K. (2006). Microscopic theory of nonlinear optics. *Non-Linear Optical Properties of Matter: From Molecules to Condensed Phases*, 1–49.
- O'Regan, B., & Grätzel, M. (1991). A low-cost, high-efficiency solar cell based on dye-sensitized colloidal TiO₂ films. *Nature*, 353(6346), 737–740. <https://doi.org/10.1038/353737a0>
- Perdew, J. P. (1991). Unified theory of exchange and correlation beyond the local density approximation. *Electronic structure of solids' 91*, 11.
- Pounraj, P., Mohankumar, V., Pandian, M. S., & Ramasamy, P. (2018). Donor functionalized quinoline based organic sensitizers for dye sensitized solar cell (DSSC) applications: DFT and TD-DFT investigations. *Journal of Molecular Modeling*, 24(12), 343. <https://doi.org/10.1007/s00894-018-3872-8>
- Pounraj, P., Ramasamy, P., & Senthil Pandian, M. (2021). The influence of π -linkers configuration on properties of 10-hexylphenoxazine donor-based sensitizer for dye-sensitized solar cell application – Theoretical approach. *Journal of Molecular Graphics and Modelling*, 102, 107779. <https://doi.org/10.1016/j.jmgm.2020.107779>
- Prasad, P. N., & Williams, D. J. (1991). *Introduction to nonlinear optical effects in molecules and polymers* (Vol. 1). Wiley New York.
- Qin, C., & Clark, A. E. (2007). DFT characterization of the optical and redox properties of natural pigments relevant to dye-sensitized solar cells. *Chemical Physics Letters*, 438(1), 26–30. <https://doi.org/10.1016/j.cplett.2007.02.063>

- Rühle, S., Greenshtein, M., Chen, S.-G., Merson, A., Pizem, H., Sukenik, C. S., Cahen, D., & Zaban, A. (2005). Molecular adjustment of the electronic properties of nanoporous electrodes in dye-sensitized solar cells. *The Journal of Physical Chemistry B*, 109(40), 18907–18913. <https://doi.org/10.1021/jp0514123>
- Sarikavak, K., Kurtay, G., Sevin, F., & Güllü, M. (2021). Molecular engineering of thienothiophene or dithienopyrrole-based π -spacers for dye-sensitized solar cells (DSSCs) with D- π -A architecture: A DFT/TD-DFT study. *Computational and Theoretical Chemistry*, 1201. <https://doi.org/10.1016/j.comptc.2021.113275>
- Sekino, H., & Bartlett, R. J. (1993). Molecular hyperpolarizabilities. *The Journal of chemical physics*, 98(4), 3022–3037. <https://doi.org/10.1063/1.464129>
- Sharma, K., Sharma, V., & Sharma, S. S. (2018). Dye-Sensitized Solar Cells: Fundamentals and Current Status. *Nanoscale Research Letters* 2018 13:1, 13(1), 1–46. <https://doi.org/10.1186/S11671-018-2760-6>
- Shuai, Z., Li, W., Ren, J., Jiang, Y., & Geng, H. (2020). Applying Marcus theory to describe the carrier transports in organic semiconductors: Limitations and beyond. *The Journal of Chemical Physics*, 153(8), 080902. <https://doi.org/10.1063/5.0018312>
- Slimi, A., Fitri, A., Touimi Benjelloun, A., Elkhatabi, S., Benzakour, M., Mcharfi, M., & Bouachrine, M. (2019). Molecular design of D- π -AA organic dyes based on triphenylamine derivatives with various auxiliary acceptors for high performance DSSCs. *Journal of Electronic Materials*, 48, 4452–4462. <https://doi.org/10.1007/s11664-019-07228-0>
- Souilah, M., Hachi, M., Fitri, A., Benjelloun, A. T., El Khatabi, S., Benzakour, M., Mcharfi, M., & Zgou, H. (2021). Coumarin-based D- π -A dyes for efficient DSSCs: DFT and TD-DFT study of the π -spacers influence on photovoltaic properties. *Research on Chemical Intermediates*, 47(2), 875–893. <https://doi.org/10.1007/s11164-020-04302-9>
- Sousa, S. F., Fernandes, P. A., & Ramos, M. J. (2007). General performance of density functionals. *The Journal of Physical Chemistry A*, 111(42), 10439–10452. <https://doi.org/10.1021/jp0734474>
- Stephens, P. J., Devlin, F. J., Chabalowski, C. F., & Frisch, M. J. (1994). Ab Initio Calculation of Vibrational Absorption and Circular Dichroism Spectra Using Density Functional Force Fields. *The Journal of Physical Chemistry*, 98(45), 11623–11627. <https://doi.org/10.1021/j100096a001>

- Steybe, F., Effenberger, F., Beckmann, S., Krämer, P., Glania, C., & Wortmann, R. (1997). Enhanced nonlinear optical properties and thermal stability of donor-acceptor substituted oligothiophenes. *Chemical Physics*, 219(2), 317–331. [https://doi.org/10.1016/S0301-0104\(97\)00103-1](https://doi.org/10.1016/S0301-0104(97)00103-1)
- Sun, C., Li, Y., Song, P., & Ma, F. (2016). An experimental and theoretical investigation of the electronic structures and photoelectrical properties of ethyl red and carminic acid for DSSC application. *Materials*, 9(10), 813. <https://doi.org/10.3390/ma9100813>
- Thanthiriwatte, K. S., & Nalin de Silva, K. M. (2002). Non-linear optical properties of novel fluorenyl derivatives—ab initio quantum chemical calculations. *Journal of Molecular Structure: THEOCHEM*, 617(1–3), 169–175. [https://doi.org/10.1016/S0166-1280\(02\)00419-0](https://doi.org/10.1016/S0166-1280(02)00419-0)
- Thomas, S., Kalarikkal, N., Oluwafemi, S. O., & Wu, J. (2019). *Nanomaterials for solar cell applications*. Elsevier.
- Tripathi, A., Ganjoo, A., & Chetti, P. (2020). Influence of internal acceptor and thiophene based π -spacer in D-A- π -A system on photophysical and charge transport properties for efficient DSSCs: A DFT insight. *Solar Energy*, 209, 194–205. <https://doi.org/10.1016/J.SOLENER.2020.08.084>
- United Nations. (2015). *Do you know all 17 SDGs?* <https://sdgs.un.org/goals>
- Wang, P., Zakeeruddin, S. M., Moser, J. E., Nazeeruddin, M. K., Sekiguchi, T., & Grätzel, M. (2003). A stable quasi-solid-state dye-sensitized solar cell with an amphiphilic ruthenium sensitizer and polymer gel electrolyte. *Nature materials*, 2(6), 402–407. <https://doi.org/10.1038/nmat904>
- Wazzan, N. A. (2019). A DFT/TDDFT investigation on the efficiency of novel dyes with ortho-fluorophenyl units (A1) and incorporating benzotriazole/benzothiadiazole/phthalimide units (A2) as organic photosensitizers with D–A2– π –A1 configuration for solar cell applications. *Journal of Computational Electronics*, 18(2), 375–395. <https://doi.org/10.1007/s10825-019-01308-4>
- Wazzan, N., El-Shishtawy, R. M., & Irfan, A. (2018). DFT and TD–DFT calculations of the electronic structures and photophysical properties of newly designed pyrene-core arylamine derivatives as hole-transporting materials for perovskite solar cells. *Theoretical Chemistry Accounts*, 137(1), 1–15. <https://doi.org/10.1007/s00214-017-2183-y>

- Wazzan, N., & Irfan, A. (2020). Promising architectures modifying the D- π -A architecture of 2,3-dipentylidithieno[3,2-f:2',3'-h]quinoxaline-based dye as efficient sensitizers in dye-sensitized solar cells: A DFT study. *Materials Science in Semiconductor Processing*, 120. <https://doi.org/10.1016/j.mssp.2020.105260>
- Whitehead, J., Tannaci, J., & Shaw, M. C. (2012). The Use of Inexpensive, All-Natural Organic Materials in Dye-Sensitized Solar Cells. *Materials Challenges in Alternative and Renewable Energy II: Ceramic Transactions*, 283–295.
- Wu, C., Chung, M., Tsai, H. G., Tan, C., Chen, S., Chang, C., & Shih, T. (2012). Fluorene-Containing Organic Photosensitizers for Dye-Sensitized Solar Cells. *ChemPlusChem*, 77(9), 832–843. <https://doi.org/10.1002/cplu.201200127>
- Wu, Y., Zhu, W. H., Zakeeruddin, S. M., & Grätzel, M. (2015). Insight into D-A- π -A structured sensitizers: A promising route to highly efficient and stable dye-sensitized solar cells. *ACS Applied Materials and Interfaces*, 7(18), 9307–9318. <https://doi.org/10.1021/acsami.5b02475>
- Xu, Z., Li, Y., Li, Y., Yuan, S., Hao, L., Gao, S., & Lu, X. (2020). Theoretical study of T shaped phenothiazine/carbazole based organic dyes with naphthalimide as π -spacer for DSSCs. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 233. <https://doi.org/10.1016/j.saa.2020.118201>
- Yang, Z., Liu, C., Li, K., Cole, J. M., Shao, C., & Cao, D. (2018). Rational design of dithienopicenocarbazole-based dyes and a prediction of their energy-conversion efficiency characteristics for dye-sensitized solar cells. *ACS Applied Energy Materials*, 1(4), 1435–1444. <https://doi.org/10.1021/acsaem.7b00154>
- Yao, Z., Zhang, M., Li, R., Yang, L., Qiao, Y., & Wang, P. (2015). A Metal-Free N-Annulated Thienocyclopentaperylene Dye: Power Conversion Efficiency of 12% for Dye-Sensitized Solar Cells. *Angewandte Chemie*, 127(20), 6092–6096. <https://doi.org/10.1002/ange.201501195>
- Yoro, K. O., & Daramola, M. O. (2020). CO₂ emission sources, greenhouse gases, and the global warming effect. *Advances in Carbon Capture: Methods, Technologies and Applications*, 3–28. <https://doi.org/10.1016/B978-0-12-819657-1.00001-3>
- Zeng, K., Tong, Z., Ma, L., Zhu, W.-H., Wu, W., & Xie, Y. (2020). Molecular engineering strategies for fabricating efficient porphyrin-based dye-sensitized solar cells. *Energy & Environmental Science*, 13(6), 1617–1657. <https://doi.org/10.1039/C9EE04200H>

- Zhang, G., Bai, Y., Li, R., Shi, D., Wenger, S., Zakeeruddin, S. M., Grätzel, M., & Wang, P. (2009). Employ a bithienothiophene linker to construct an organic chromophore for efficient and stable dye-sensitized solar cells. *Energy & Environmental Science*, 2(1), 92–95. <https://doi.org/10.1039/B817990E>
- Zhang, J., Kan, Y. H., Li, H. bin, Geng, Y., Wu, Y., & Su, Z. M. (2012). How to design proper π -spacer order of the D- π -A dyes for DSSCs? A density functional response. *Dyes and Pigments*, 95(2), 313–321. <https://doi.org/10.1016/j.dyepig.2012.05.020>
- Zhang, Z.-L., Zou, L.-Y., Ren, A.-M., Liu, Y.-F., Feng, J.-K., & Sun, C.-C. (2013). Theoretical studies on the electronic structures and optical properties of star-shaped triazatruxene/heterofluorene co-polymers. *Dyes and Pigments*, 96(2), 349–363. <https://doi.org/10.1016/j.dyepig.2012.08.020>