

DAFTAR PUSTAKA

- Achmadi, A.S., Maryanto, I., Dwijayanti, E., 2020. Identifikasi Singkapan Simbolik Fauna Mamalia pada Babak Cerita di Relief Lalitavistara Candi Borobudur (Identification of the Symbolic Carvings of Mammal Species in the Story of Lalitavistara Relief of Borobudur Temple) 16, 111–141. <https://doi.org/10.47349/jbi/16022020/111>
- Alikodra, H.S., 2010. Teknik Pengelolaan Satwa Liar: dalam Rangka Mempertahankan Keanekaragaman Hayati Indonesia. Institut Pertanian Bogor Press, Bogor.
- Alikodra, H.S., 2002. Pengelolaan Satwa Liar Jilid 2. Fakultas Kehutanan, Institut Pertanian Bogor, Bogor.
- Alikodra, H.S., 1990. Pengelolaan Satwa Liar Jilid 1. Institut Pertanian Bogor Press, Bogor.
- Arifin, H.S., Nakagoshi, N., 2011. Landscape ecology and urban biodiversity in tropical Indonesian cities. *Landsc. Ecol. Eng.* 7, 33–43. <https://doi.org/10.1007/s11355-010-0145-9>
- Arismayanti, E., Perwitasari, R.D., Winarti, I., 2020. Daerah Jelajah dan Penggunaan Ruang Kukang Jawa (*Nycticebus javanicus*) Di Taman Nasional Gunung Halimun Salak, Jawa Barat. *J. Sumberd. Hayati* 4, 28–41. <https://doi.org/10.29244/jsdh.4.2.28-41>
- Arrijani, 2008. Struktur dan Komposisi Vegetasi Zona Montana Taman Nasional Gunung Gede Pangrango. *Biodiversitas* 9, 134–141. <https://doi.org/10.13057/biodiv/d090212>
- Aryanti, N.A., Azizah, L.N., 2019. Karakteristik Habitat Lutung Jawa (*Trachypithecus auratus*) di Kawasan Hutan Lindung RPH Sumbermanjing KPH Malang. *J. Primatol. Indones.* 16, 24–30.
- Azzellino, A., Panigada, S., Lanfredi, C., Zanardelli, M., Airoidi, S., Notarbartolo di Sciara, G., 2012. Predictive habitat models for managing marine areas: Spatial and temporal distribution of marine mammals within the Pelagos Sanctuary (Northwestern Mediterranean sea). *Ocean Coast. Manag.* 67, 63–74. <https://doi.org/10.1016/j.ocecoaman.2012.05.024>
- Baker, N., Lim, K., 2008. Wild Animals of Singapore: A Photographic Guide to Mammals, Reptiles, Amphibians, and Freshwater Fishes. Vertebrate Study Group, Nature Society, Singapura.
- Bartolommei, P., Francucci, S., Pezzo, F., 2012. Accuracy of conventional radio telemetry estimates: A practical procedure of measurement. *Hystrix* 23, 12–18. <https://doi.org/10.4404/hystrix-23.2-6376>

- Bekoff, M., Mech, L.D., 1984. Simulation analyses of space use: Home range estimates, variability, and sample size. *Behav. Res. Methods, Instruments, Comput.* 16, 32–37. <https://doi.org/10.3758/BF03201046>
- Block, W.M., Brennan, L.A., 1993. *THE HABITAT CONCEPT IN ORNITHOLOGY: Theory and Applications*, Current Ornithology. Plenum Press, New York.
- Boddington, R., 2017. An Analysis of Triangulation Techniques for Radio-Telemetry 1–7. <https://doi.org/10.13140/RG.2.2.17919.71849>
- Burgman, M.A., Fox, J.C., 2003. Bias in species range estimates from minimum convex polygons: Implications for conservation and options for improved planning. *Anim. Conserv.* 6, 19–28. <https://doi.org/10.1017/S1367943003003044>
- Burt, W.H., 1943. Territoriality and Home Range Concepts as Applied to Mammals Author (s): William Henry Burt Published by : American Society of Mammalogists Stable URL : J. Mammal. 24, 346–352.
- Campera, M., Budiadi, B., Adinda, E., Ahmad, N., Balestri, M., Hedger, K., Imron, M.A., Manson, S., Nijman, V., Nekaris, K.A.I., 2021a. Fostering a Wildlife-Friendly Program for Sustainable Coffee Farming : The Case of Small-Holder Farmers in Indonesia.
- Campera, M., Hedger, K., Birot, H., Manson, S., Balestri, M., Budiadi, B., Imron, M.A., Nijman, V., Nekaris, K.A.I., 2021b. Does the presence of shade trees and distance to the forest affect detection rates of terrestrial vertebrates in coffee home gardens? *Sustain.* 13. <https://doi.org/10.3390/su13158540>
- Capen, D.E., 2015. The use of multivariate statistics in studies of wildlife habitat. use *Multivar. Stat. Stud. Wildl. habitat* /. <https://doi.org/10.5962/bhl.title.99662>
- Christanty, L., Abdoellah, O.S., Marten, G.G., 1986. *Traditional Agroforestry in West Java : The Pekarangan (Homegarden) and Kebun .. T alun (Annual .. Perennial Rotation) Cropping Systems*.
- CITES, 1973. The Text of the Convention. *Conv. Int. Trade Endanger. Species Wild Fauna Flora*. https://doi.org/10.1163/9789004479449_007
- Clark, J.D., Dunn, J.E., Smith, K.G., 1993. A Multivariate Model of Female Black Bear Habitat Use for a Geographic Information System. *J. Wildl. Manage.* 57, 519–526.
- Dendang, B., Handayani, W., 2015. Struktur dan komposisi tegakan hutan di Taman Nasional Gunung Gede Pangrango, Jawa Barat. *Pros Sem Nas Masy Biodiv Indon* 1, 691–695. <https://doi.org/10.13057/psnmbi/m010401>
- Duckworth, J.W., Timmins, R.J., Choudhury, A., Chutipong, W., Willcox, D.H.A., Mudappa, D., Rahman, H., Widmann, P., Wilting, A., Xu, W., 2016. Common

- Palm Civet *Paradoxurus hermaphroditus* [WWW Document]. IUCN Red List Threat. Species. URL <https://dx.doi.org/10.2305/IUCN.UK.2016-1.RLTS.T41693A45217835.en>. (accessed 10.13.21).
- Fleming, C.H., Calabrese, J.M., 2017. A new kernel density estimator for accurate home-range and species-range area estimation. *Methods Ecol. Evol.* 8, 571–579. <https://doi.org/10.1111/2041-210X.12673>
- Grzimek's, B., Schlager, N., D, O. dorf, 2004. Grzimek ' s Animal Life Encyclopedia, Second. ed. Gale, Canada.
- Hairiah, K., Sardjono, M.A., Sabarnurdin, S., 2003. Pengantar Agroforestri [Introduction to Agroforestry]. Agrofor. Teach. Mater.
- Harja, D., Vincent, G., 2008. SEI-FS (Spatially Explicit Individual-based Forest Simulator). World Agroforestry Centre (ICRAF), Bogor.
- Harris, S., Cresswell, W.J., Forde, P.G., Trehwella, W.J., Woolard, T., Wray, S., 1990. Home-range analysis using radio-tracking data—a review of problems and techniques particularly as applied to the study of mammals. *Mamm. Rev.* 20, 97–123. <https://doi.org/10.1111/j.1365-2907.1990.tb00106.x>
- Heaney, R.L., 1998. A synopsis of the mammalian fauna of the Philippine Islands. *Fieldiana. Zool. New Ser.* 88, 1–61.
- Hidayat, R., 2013. Pendugaan Parameter Demografi dan Pola Penggunaan Ruang Surili (*Presbytis comata*) di Taman Nasional Gunung Ciremai. Tesis Inst. Pertan. Bogor.
- Hon, J., Hearn, A.J., Ross, J., Samejima, H., Augeri, D.M., Mathai, J., Mohamed, A., Boonratana, R., Fredriksson, G., Cheyne, S.M., Heydon, M., Rustam, Alfred, R., Semiadi, G., Bernard, H., Macdonald, D.W., Belant, J.L., Kramer-Schadt, S., Wilting, A., 2016. Predicted distribution of the yellow-throated marten (*Martes flavigula*) (Mammalia: Carnivora: Viverridae) on Borneo. *Raffles Bull. Zool.* 42–49.
- IUCN SSC Red List Technical Working Group, 2021. Mapping Standards and Data Quality for the IUCN Red Spatial Data. Report 19, 30.
- Johnson, D.H., 1980. THE COMPARISON OF USAGE AND AVAILABILITY MEASUREMENTS FOR EVALUATING RESOURCE PREFERENCE. *Ecology* 61, 65–71.
- Johnson, M.D., 2005. HABITAT QUALITY: A BRIEF REVIEW FOR WILDLIFE BIOLOGISTS MATTHEW D. JOHNSON, 1 Department of Wildlife, Humboldt State University, Arcata, CA 95521, USA 31–41.
- Jones, J., 2001. Habitat Selection Studies in Avian Ecology: A critical review. *Auk* 118, 557–562. <https://doi.org/10.2307/4089822>
- Joshi, A.R., Smith, J.L., Cuthbert, F.J., 1995. Influence of food distribution and predation pressure on spacing behavior in palm civets. *J. Mammal.* 76, 1205–

1212. <https://doi.org/10.2307/1382613>

- Jothish, P.S., 2011. Diet of the Common Palm Civet *Paradoxurus hermaphroditus* in a rural habitat in Kerala, India, and its possible role in seed dispersal. *Small Carniv. Conserv.* 45, 14–17.
- Kartono, A.P., Ginting, A., Santoso, N., 2008. Karakteristik Habitat Dan Wilayah Jelajah Bekantan Di Hutan Mangrove Desa Nipah Panjang Kecamatan Batu Ampar Kabupaten Kubu Raya Provinsi Kalimantan Barat. *Media Konserv.* 13, 1–6. <https://doi.org/10.29244/medkon.13.3>.
- Krausman, P.R., 1999. Some Basic Principles of Habitat Use. *Grazing Behav. Livest. Wildl.* 85–90.
- Krisanti, A.A., Widiyanti, T., Imron, M.A., 2017. Species diversity and population distribution of arboreal mammals in Kemuning Forest, Temanggung, Central Java, Indonesia. *Biodiversitas* 18, 1190–1195. <https://doi.org/10.13057/biodiv/d180342>
- Liu, X., Wang, X., Wang, Z., Liu, Q., Ma, B., 2010. Comparison of the tibetan fox (*Vulpes ferrilata*) home range size using methods the fixed kernel estimation and the minimum convex polygon. *Acta Theriol. Sin.* 30, 163–170.
- Maha, I.T., Adnyane, I.K.M., Novelina, S., 2018. Morfologi Kelenjar Anal Musang Luak Betina (*Paradoxurus Hermaphroditus*). *J. Kaji. Vet.* 6, 1–11. <https://doi.org/10.35508/jkv.v6i1.959>
- Mahanani, A.I., Hendrarto, I.B., Soeprbowati, T. ningsih, 2012. Daya Dukung Habitat Gajah Sumatera (*Elephas Maximus Sumatranus Temminck*) Di Suaka Margasatwa Padang Sugihan Provinsi Sumatera Selatan. *Pros. Semin. Nas. Pengelolaan Sumberd. Alam dan Lingkung.* Semarang 5, 28–30.
- Manly, B.F.J., McDonald, L.L., Thomas, D.L., McDonald, T.L., Erickson, W.P., 2004. *Resource Selection by Animals: Statistical Design and Analysis for Field Studies*.
- Mardawani, 2020. *Praktis Penelitian Kualitatif: Teori Dasar dan Analisis Data dalam Perspektif Kualitatif*. Penerbit Deepublish, Yogyakarta.
- Marsono, D., 1977. *Deskripsi Vegetasi dan Tipe-Tipe Vegetasi Tropika*. Yayasan Pembina Fakultas Kehutanan Universitas Gadjah Mada, Yogyakarta.
- Mayor, S.J., Schneider, D.C., Schaefer, J.A., Mahoney, S.P., Mayor, S.J., John, S., Ab, N., 2009. Habitat selection at multiple scales. *Ecoscience* 16, 238–247. <https://doi.org/10.2980/16-2-3238>
- Mazerolle, M.J., Villard, M., De, D., Moncton, U. De, 1999. Patch characteristics and landscape context as predictors of species presence and abundance : A review 1. <https://doi.org/10.1080/11956860.1999.11682524>
- McComb, B.C., 2007. *WILDLIFE HABITAT MANAGEMENT: Concepts and Applications in Forestry*. CRC Press, Boca Raton, Florida.

- McCulloch, C.E., Searle, S.R., 2001. Generalized Linear Models (GLMs), in: Generalized, Linear, and Mixed Models. John Wiley & Sons, Inc., New York.
- Melese, D., Suryabagavan, K.V., Gelet, M., Balakrishnan, M., 2014. Remote sensing and geographic information system-based African civet habitat mapping in Andracha ,. J. Appl. Remote Sens. 8. <https://doi.org/10.1117/1.JRS.8>
- Mudappa, D., 2006. Daybed choice by the brown palm civet (*Paradoxurus jerdoni*) in the Western Short communication Day-bed choice by the brown palm civet (*Paradoxurus jerdoni*) in the Western Ghats , India. Mamm. Biol. 71, 238–243. <https://doi.org/10.1016/j.mambio.2006.01.003>
- Mustari, A.H., Setiawan, D.H., 2013. KARAKTERISTIK HABITAT, POLA SEBARAN DAN PERILAKU MUSANG MENTAWAI (*Paradoxurus lignicolor* Miller 1903) DI AREA SIBERUT CONSERVATION PROGRAM, PULAU SIBERUT, KEPULAUAN MENTAWAI, SUMATERA BARAT. Media Konserv. 18, 107–111.
- Naharuddin, 2017. Komposisi Dan Struktur Vegetasi Dalam Potensinya Sebagai Parameter Hidrologi Dan Erosi. J. Hutan Trop. 5, 134. <https://doi.org/10.20527/jht.v5i2.4367>
- Nakabayashi, M., Bernard, H., Nakashima, Y., 2012. An observation of several Common Palm Civets *Paradoxurus hermaphroditus* at a fruiting tree of *Endospermum diadenum* in Tabin Wildlife Reserve , Sabah , Malaysia : comparing feeding patterns of frugivorous carnivorans. Small Carniv. Conserv. 47, 42–45.
- Nakabayashi, M., Nakashima, Y., Bernard, H., Kohshima, S., 2014. Utilisation of gravel roads and roadside forests by the common palm civet (*Paradoxurus hermaphroditus*) in Sabah, Malaysia. Raffles Bull. Zool. 62, 379–388.
- Nakabayashi, M., Nakashima, Y., Hearn, A.J., Ross, J., Alfred, R., Samejima, H., Mohamed, A., Heydon, M., Rustam, Bernard, H., Semiadi, G., Fredriksson, G., Boonratana, R., Marshall, A.J., Lim, N.T.L., Augeri, D.M., Hon, J., Mathai, J., van Berkel, T., Brodie, J., Giordano, A., Hall, J., Loken, B., Persey, S., Macdonald, D.W., Belant, J.L., Kramer-Schadt, S., Wilting, A., 2016. Predicted distribution of the common palm civet *Paradoxurus hermaphroditus* (Mammalia: Carnivora: Viverridae) on Borneo. Raffles Bull. Zool. 2016, 84–88.
- Nakashima, Y., Inoue, E., Inoue-Murayama, M., Sukor, J.A., 2010. High potential of a disturbance-tolerant frugivore, the common palm civet *Paradoxurus hermaphroditus* (Viverridae), as a Seed disperser for large-seeded plants. Mammal Study 35, 209–215. <https://doi.org/10.3106/041.035.0307>
- Nakashima, Y., Nakabayashi, M., Sukor, J.A., 2013. Space use, habitat selection, and day-beds of the common palm civet (*Paradoxurus hermaphroditus*) in human-modified habitats in Sabah, Borneo. J. Mammal. 94, 1169–1178.

<https://doi.org/10.1644/12-MAMM-A-140.1>

- Nakashima, Y., Sukor, J.A., 2010. Importance of common palm civets (*Paradoxurus hermaphroditus*) as a long-distance disperser for large-seeded plants in degraded forests. *Tropics* 18, 221–229. <https://doi.org/10.3759/tropics.18.221>
- Nekaris, K.A.I., Handby, V., Campera, M., 2021. Impact of weather conditions, seasonality and moonlight on the use of artificial canopy bridges by nocturnal arboreal mammals. *Biodivers. Conserv.* 30, 3633–3645. <https://doi.org/10.1007/s10531-021-02267-8>
- Nekaris, K.A.I., Handby, V., Campera, M., Birot, H., Hedger, K., Eaton, J., Imron, M.A., 2020. Implementing and monitoring the use of artificial canopy bridges by mammals and birds in an Indonesian agroforestry environment. *Diversity* 12, 1–7. <https://doi.org/10.3390/d12100399>
- Nekaris, K.A.I., Poindexter, S., Reinhardt, K.D., Sigaud, M., Cabana, F., Wirdateti, W., Nijman, V., 2017. Coexistence between Javan Slow Lorises (*Nycticebus javanicus*) and Humans in a Dynamic Agroforestry Landscape in West Java, Indonesia. *Int. J. Primatol.* 38, 303–320. <https://doi.org/10.1007/s10764-017-9960-2>
- Nelson, J., 2013. *Paradoxurus hermaphroditus* Asian Palm Civet [WWW Document]. *Anim. Divers. Web.* URL https://animaldiversity.org/accounts/Paradoxurus_hermaphroditus/ (accessed 10.12.21).
- Noon, B.R., 1981. Techniques for sampling avian habitats. The use of multivariate statistics in studies of wildlife habitat (DE Capen, ed.). USDA For. Serv. Gen. Tech. Rep. RM-87.
- Nursal, Suwandono, Sirait, I.N., 2013. Karakteristik Komposisi Dan Stratifikasi Vegetasi Strata Pohon Komunitas Riparian Di Kawasan Hutan Wisata Rimbo Tujuh Danau. *J. Biog.* 9, 40–46.
- Parikesit, Takeuchi, K., Tsunekawa, A., Abdoellah, O.S., 2005. Kebon tatangkalan: A Disappearing Agroforest in The Upper Citarum Watershed, West Java, Indonesia. *Agrofor. Syst.* 63, 171–182. <https://doi.org/10.1007/s10457-004-1182-x>
- Parikesit, Withaningsih, S., Prastiwi, W.D., 2019. Estimated Abundance and Distribution of Common Palm Civet (*Paradoxurus hermaphroditus*, Pallas 1777) in the Rural Landscape of Sukaresmi, West Bandung Regency. *IOP Conf. Ser. Earth Environ. Sci.* 306. <https://doi.org/10.1088/1755-1315/306/1/012003>
- Patou, M.L., Wilting, A., Gaubert, P., Esselstyn, J.A., Cruaud, C., Jennings, A.P., Fickel, J., Veron, G., 2010. Evolutionary history of the *Paradoxurus* palm civets - a new model for Asian biogeography. *J. Biogeogr.* 37, 2077–2097.

<https://doi.org/10.1111/j.1365-2699.2010.02364.x>

- Payne, J., Francis, C.M., Phillipps, K., Kartikasari, S.N., 2000. Panduan Lapangan: Mamalia di Kalimantan, Sabah, Sarawak dan Brunei Darussalam. Prima Centra Indonesia, Jakarta.
- Powell, R.A., 2000. Animal Home Ranges and Territories and Home Range Estimators. Res. Tech. Anim. Ecol. 65, 599.
- Pratama, G.E.P., 2011. KAJIAN PENGELOLAAN AGROFORESTRI DAN MANFAATNYA DALAM KONSERVASI KEANEKARAGAMAN HAYATI DI GUNUNG MANANGGEL, KECAMATAN MANDE, KABUPATEN CIANJUR. Institut Pertanian Bogor.
- Purnamasari, A.I., 2013. Persepsi dan Perilaku Masyarakat Desa Cipaganti terhadap Kukang Jawa (*Nycticebus javanicus*). Institut Pertanian Bogor.
- Rabinowitz, A.R., 1991. Behaviour and movements of sympatric civet species in Huai Kha Khaeng Wildlife Sanctuary, Thailand. J. Zool. 223, 281–298. <https://doi.org/10.1111/j.1469-7998.1991.tb04765.x>
- Reinhardt, K.D., Wirdateti, Nekaris, K.A., 2016. Climate-mediated activity of the Javan Slow Loris, *Nycticebus javanicus*. AIMS Environ. Sci. 3, 249–260. <https://doi.org/10.3934/environsci.2016.2.249>
- Rode-margono, J., Zoo, C., Voskamp, A., Spaan, D., Roberts, P.D., 2014. Records of small carnivores and of medium-sized nocturnal mammals on Java , Indonesia.
- Rowe, N., 1996. The Pictorial Guide to The Living Primates, 1st ed. Pogonias Press, New York.
- Rubenstein, D.I., Wrangham, R.W., 1988. Social Animals Ecological Aspects of Social Evolution: Birds and Mammals. Bioscience 38, 118–118.
- Sanderson, G.C., 1966. The Study of Mammal Movements: A Review. J. Wildl. Manage. 30.
- Santosa, Y., Delfiandi, 2007. Analisis Pola Penggunaan Ruang Dan Wilayah Jelajah Banteng (*Bos javanicus* d’Alton, 1832) di Taman Nasional Alas Purwo Jawa Timur. Media Konserv. 12.
- Santosa, Y., Ramadhan, E.P., Rahman, D.A., 2008. Studi Keanekaragaman Mamalia pada Beberapa Tipe Habitat di Stasiun Penelitian Pondok Ambung Taman Nasional Tanjung Puting Kalimantan Tengah. Media Konserv. 13, 1–7. <https://doi.org/10.29244/medkon.13.3.%p>
- Sardjono, M.A., Djogo, T., Arifin, H.S., Wijayanto, N., 2003. Klasifikasi dan Pola Kombinasi Komponen Agroforestri, in: Bahan Ajar Agroforestri 2. World Agroforestry Centre (ICRAF), Bogor, p. 25.
- Shapiro, A.S.S., Wilk, M.B., 1965. Biometrika Trust An Analysis of Variance Test

for Normality (Complete Samples) Published by : Oxford University Press
on behalf of Biometrika Trust Stable. Biometrika 52, 591–611.

- Shepherd, C.R., 2015. Observations of small carnivores in Jakarta wildlife markets , Indonesia , with notes on trade in Javan Ferret Badger *Melogale orientalis* and on the increasing demand for Common Palm ... Observations of small carnivores in Jakarta wildlife markets , Indon.
- Sibarani, M.C., 2021. Metode 2: Generalized Linear Model [WWW Document]. URL https://marsyachr.github.io/modul/Modul-SDM_web.html#Metode_2:_Generalized_Linear_Model (accessed 4.17.23).
- Silva, A.A. de S., Alvarez, M.R.D.V., Mariano-Neto, E., Cassano, C.R., 2019. Is shadier better? The effect of agroforestry management on small mammal diversity. *Biotropica* 52, 470–479. <https://doi.org/10.1111/btp.12750>
- Soerianegara, I., Indrawan, 1998. *Ekologi Hutan Indonesia*. Fakultas Kehutanan, Institut Pertanian Bogor, Bogor.
- Spaan, D., Williams, M., Semiadi, G., Nekaris, K.A.I., 2014. Use of raised plastic water-pipes by common palm civet *Paradoxurus hermaphroditus* for habitat connectivity in an anthropogenic environment in West Java, Indonesia. *Small Carniv. Conserv.* 51, 85–87.
- Subrata, S.A., Abdi, R.P., Angga, R.D., 2017. Factors Influencing Occupancy of Common Palm Civet (*Paradoxurus hermaphroditus*) in Petungkriyono Forest, Central Java. *Proceeding 1st Int. Conf. Trop. Agric.* 517–523. <https://doi.org/10.1007/978-3-319-60363-6>
- Subrata, S.A., Syahbudin, A., 2016. Common Palm Civet as a potential seed disperser of important plant species in Java. *AIP Conf. Proc.* 1744. <https://doi.org/10.1063/1.4953527>
- Thomas, D.L., Taylor, E.J., 2006. Study Designs and Tests for Comparing Resource Use and Availability II. *J. Wildl. Manage.* 70, 324–336. <https://doi.org/10.2307/3809050>
- Thomas, J.W., 1979. *Wildlife Habitats in Managed Forests: The Blue Mountains of Oregon a Washington*. U.S.D.A., Forest Service Handbook 553, Washington D.C.
- Utami, I., Putra, I.L.I., 2020. *EKOLOGI KUANTITATIF Metode Sampling dan Analisis Data Lapangan*.
- Veron, G., Patou, M.L., Tóth, M., Goonatilake, M., Jennings, A.P., 2015. How many species of *Paradoxurus* civets are there? New insights from India and Sri Lanka. *J. Zool. Syst. Evol. Res.* 53, 161–174. <https://doi.org/10.1111/jzs.12085>
- Voskamp, A., Rode, E.J., Coudrat, C.N.Z., Wirdateti, Abinawanto, Wilson, R.J., Nekaris, K.A.I., 2014. Modelling the habitat use and distribution of the

threatened Javan slow loris *Nycticebus javanicus*. *Endanger. Species Res.* 23, 277–286. <https://doi.org/10.3354/esr00574>

Wahyudi, A., P. Harianto, S., Darmawan, A., 2014. Keanekaragaman Jenis Pohon Di Hutan Pendidikan Konservasi Terpadu Tahura Wan Abdul Rachman. *J. Sylva Lestari* 2, 1–10. <https://doi.org/10.23960/jsl321-10>

Wardhani, F.K., Rofi'i, I., Kusumandari, A., Subrata, S.A., Wianti, K.F., 2020. PERAN TUMBUHAN BAWAH DALAM KESUBURAN TANAH DI HUTAN PANGKUAN DESA PITU BKPH GETAS (The Role of Undergrowth Species for Soil Fertility in Hutan Pangkuan Desa Pitu BKPH Getas). *J. Mns. dan Lingkung.* 27, 14. <https://doi.org/10.22146/jml.49668>

Winarti, I., 2011. HABITAT, POPULASI, DAN SEBARAN KUKANG JAWA (*Nycticebus javanicus* Geoffroy 1812) DI TALUN TASIKMALAYA DAN CIAMIS, JAWA BARAT. Inst. Pertan. Bogor. Institut Pertanian Bogor.

Woodroffe, R., Donnelly, C.A., Cox, D.R., Bourne, F.J., Cheeseman, C.L., Delahay, R.J., Gettinby, G., McInerney, J.P., Morrison, W.I., 2006. Effects of culling on badger *Meles meles* spatial organization: Implications for the control of bovine tuberculosis. *J. Appl. Ecol.* 43, 1–10. <https://doi.org/10.1111/j.1365-2664.2005.01144.x>