

DAFTAR PUSTAKA

Aapro, M.S., Alberts, D.S., 1981. *Dexamethasone as an Antiemetic in Patient Treated with Cisplatin*. New England Journal Medicine, p. 520.

Afonso, J., Reis, F., 2012. *Dexmedetomidine: Current Role in Anesthesia and Intensive Care*. Revista Brasileira de Anestesiologia. Elsevier, 62(1), pp. 118–133.

Aho, M., Lehtinen A-M., Erkola, O., Kallio, A., Korttila, K., 1991. *The Effect of Intravenously Administered Dexmedetomidine on Perioperative Hemodynamics and Isoflurane Requirements in Patients Undergoing Abdominal Hysterectomy*. Anesthesiology, 74, pp. 997–1002.

Apfel, C.C., Laara, E., Koivuranta, M., Geims, C.A., Roewer, N., 1999. *A Simplified Risk Score for Predicting Postoperative Nausea and Vomiting*. Anesthesiology, 91(3), pp. 693–700.

Apfel, C. C., Kranke, P., Katz, M.H., Goepfert., C., Papenfuss, T., Rauch, S., Heinech, R., Geim, C.A., Roewer, N., 2002. *Volatile anaesthetics may be the main cause of early but not delayed postoperative vomiting: A randomized controlled trial of factorial design*. British Journal of Anaesthesia, 88(5), pp. 659–668.

Apfel, C. C., Kranke, P., Ebenhart., 2004. *Comparison of surgical site and patient's history with a simplified risk score for the prediction of postoperative nausea and vomiting*. Anaesthesia, 59(11), pp. 1078–1082.

Bakri, M.H., Ismail, E.A., Ibrahim, A., 2015. *Comparison of dexmedetomidine and dexamethasone for prevention of postoperative nausea and vomiting after laparoscopic cholecystectomy*. Korean Journal of Anesthesiology, 68(3), pp. 254–260.

Bandyopadhyay, U., Biswas, K., Bandyopadhyay, D., Ganguly, C.K., Banerjee, K., 1999. *Dexamethasone makes the gastric mucosa susceptible to ulceration by inhibiting prostaglandin synthetase and peroxidase - Two important gastroprotective enzymes*. Molecular and Cellular Biochemistry, 202(1–2), pp. 31–36.

Chu, C.C., Hsing, C.H., Shieh, J.P., Chien, C.C., Ho, C.M., Wang, J.J., 2014. *The cellular mechanisms of the antiemetic action of dexamethasone and related glucocorticoids against vomiting*. European Journal of Pharmacology. Elsevier, 722(1), pp. 48–54.

Darmani, N.A., Ray, A.P., 2009. *Evidence for a re-evaluation of the neurochemical and anatomical bases of chemotherapy-induced vomiting*. Chemical Reviews, 109(7), pp. 3158–3199.

De Oliveira, G.S., Castro-Alves, L.J.S., Ahmad, S., Kendal, M.C., McCarthy, R.J., 2013. *Dexamethasone to prevent postoperative nausea and vomiting: An updated meta-analysis of randomized controlled trials*. *Anesthesia and Analgesia*, 116(1), pp. 58–74.

Elhakim, M., Nafie, M., Mahmoud, K., Atef, A., 2002. *Dexamethasone 8 mg in combination with ondansetron 4 mg appears to be the optimal dose for the prevention of nausea and vomiting after laparoscopic cholecystectomy*. *Canadian Journal of Anesthesia*, 49(9), pp. 922–926.

Erikson, H., Kortila, K., 1996. *Recovery Profile After Desflurane With or Without Ondansetron Compared With Propofol in Patients Undergoing Outpatient Gynecological Laparoscopy*. *Anesthesia Analgesia*, 82, pp. 533–538.

Feldheiser, A., Aziz, O., Baldini, G., Cox, B.P.B.W., Fearon, K.C.H., Feldman, L.S., Gan, T.J., Kennedy, R.H., Ljungqvist, O., Lobo, D.N., Miller, T., Radtke, F.F., Garces, T.R., Schricker, T., Scott, M.J., Thacker, J.K., Ytrebo, L.M., Carli, F., 2016. *Enhanced Recovery After Surgery (ERAS) for gastrointestinal surgery, part 2: Consensus statement for anaesthesia practice*. *Acta Anaesthesiologica Scandinavica*, 60(3), pp. 289–334.

Fetzer, S.J., Hand, M.C., Bouchard, P.A., Smith, H., Jenkins, M.B., 2004. *Evaluation of the Rhodes Index of Nausea and Vomiting for ambulatory surgery patients*. *Journal of Advanced Nursing*, 47(1), pp. 74–80.

Fujii, E., Tanaka-Mizuno, S., Fujino, M., Furuno, M., Sugimoto, Y., Takabuchi, S., Eguchi, Y., 2018. *Dexmedetomidine attenuates the positive chronotropic effects of intravenous atropine in patients with bradycardia during spinal anaesthesia: a retrospective study*. *JA Clinical Reports*. *JA Clinical Reports*, 4(1), pp. 4–9.

Gan, T.J., Meyer, T.A., Apfel, C.C., Chung, F., Davis, P.J., Habib, A.S., Hooper, V.D., Kovac, A.L., Kravner, P., Mylers, P., Philip, B.K., Samsa, G., Sessler, D.I., Temo, J., Tramer, M.R., Kolk, C.V., Watcha, M., 2007. *Society for ambulatory anesthesia guidelines for the management of postoperative nausea and vomiting*. *Anesthesia and Analgesia*, 105(6), pp. 1615–1628.

Gan, T.J., Belani, K.G., Bergese, S., Chung, F., Diemunsch, P., Habib, A.S., Jin, Z., Kovac, A.L., Meyer, T.A., Urman, R.D., Apfel, C.A., Ayad, S., Beagley, L., Candiotti, K., Englesakis, M., Hendrick, T.L., Kravner, P., Lee, S., Lipman, D., Minkowitz, H.S., Morton, J., Phillip, B.K., 2020. *Fourth Consensus Guidelines for the Management of Postoperative Nausea and Vomiting*. *Anesthesia and Analgesia*.

Gauger, P.G., Shanks, A., Morris, M., Greenfield M.L.V.H., Burney, R.E., O'Reilly, M. 2008. *Propofol Decreases Early Postoperative Nausea and Vomiting in Patients Undergoing Thyroid and Parathyroid Operations*. *World J Surg* (2008) 32:1525–1534

Gerlach, A.T. Dasta, J.F., Steinberg, S., Martin, L.C., Cook, C.H., 2009. *A new dosing protocol reduces dexmedetomidine-associated hypotension in critically ill surgical patients*. Journal of Critical Care. Elsevier Inc., 24(4), pp. 568–574.

Gupta, N., Rath, G.P., Prabhakar, H., Dash, H.H., 2013. *Effect of intraoperative dexmedetomidine on postoperative recovery profile of children undergoing surgery for spinal dysraphism*. Journal of Neurosurgical Anesthesiology, 25(3), pp. 271–278.

Hambridge, K., 2013 *Assessing the risk of post-operative nausea and vomiting*, Nursing Standard. Nursing Standard/RCN Publishing. Vol 27(18), pp. 35–43.

Helmy, S.A.K., 1999. *Prophylactic anti-emetic efficacy of ondansetron in laparoscopic cholecystectomy under total intravenous*. Anesthesia Vol 54, pp. 266–296.

Henzi, I., Walder, B., Trame, M.R., 2000. *Dexamethasone for the Prevention of Postoperative Nausea and Vomiting: A Quantitative Systematic Review*. Anesthesia Analgesia, 1993(9), pp. 186–194.

Hochhaus, G., Barth, J., Al-Faoumi, S., Suarez, S., Derendorf, H., Hochhaus., Mollmann, H., 2001. *Pharmacokinetics and Pharmacodynamics of Dexamethasone Sodium-m-Sulfobenzoate (DS) after Intravenous and Intramuscular Administration: A Comparison with Dexamethasone Phosphate (DP)*. Journal of Clinical Pharmacology 2001; 41:425-434

Jewer, J.K., Wong, M.J., Bird, S.J., Habib, A.S., Parker, R., George, R.B., 2020. *Supplemental peri-operative intravenous crystalloids for postoperative nausea and vomiting: an abridged Cochrane systematic review*. Anaesthesia, 75(2), pp. 254–265.

Jin, S., Liang, D.D., Chen, C., Zhang, M., Wang, J., 2017. *Dexmedetomidine prevent postoperative nausea and vomiting on patients during general anesthesia: A PRISMA-compliant meta analysis of randomized controlled trials*. Medicine (United States), 96(1), pp. 1–7.

Johannson, E., Hultin, M., Myrberg, T., Wallden, J. 2021. *Early post-operative nausea and vomiting: A retrospective observational study of 2030 patients*. Acta Anaesthesiol Scand. 2021;65:1229–1239.

Kang, R., Jeong, J.S., Ko, J.S., Lee, S.Y., Lee, J.H., Choi, S.J., Cha, S., Lee, J.J., 2020. *Intraoperative dexmedetomidine attenuates norepinephrine levels in patients undergoing transsphenoidal surgery: A randomized, placebo-controlled trial*. BMC Anesthesiology. BMC Anesthesiology, 20(1), pp. 1–8.

Karol, M.D., Maze, M., 2000. *Pharmacokinetics and interaction pharmacodynamics of dexmedetomidine in humans*. Bailliere's Clinical Anaesthesiology Vol. 14, No. 2, pp. 261–269, 2000

Kemkes RI., 2019. Hasil Riset Kesehatan Dasar Tahun 2018. Kementerian Kesehatan RI, 53(9), pp. 1689–1699.

Kim, T.H., Choi, B.M., Chin, J.H., Lee, M.S., Kim, D.H., Noh, G.J., 2007. *The Reliability and Validity of the Rhodes Index of Nausea, Vomiting and Retching in Postoperative Nausea and Vomiting*. Korean Journal of Anesthesiology, 52(6), p. S59.

Kleif, J., Kirkegaard, K., Vilandt, J., Gogenur, I., 2017. *Randomized clinical trial of preoperative dexamethasone on postoperative nausea and vomiting after laparoscopy for suspected appendicitis*. British Journal of Surgery, 104(4), pp. 384–392.

Lacroix, G., Lessard, M.R., Trépanier, C.A., 1996. *Treatment of post-operative nausea and vomiting: Comparison of propofol, droperidol and metoclopramide*. Canadian Journal of Anaesthesia, 43(2), pp. 115–120.

Lee, S., Kim B.H, Lim, K., Stalker, D., Wisemandle, W., Shin, S.G., Jang, L.J., Yu, K.S., 2012. *Pharmacokinetics and pharmacodynamics of intravenous dexmedetomidine in healthy Korean subjects*. Journal of Clinical Pharmacy and Therapeutics, 2012;37:698–703

Liddle, G.W., 1960. *Tests of Pituitary-Adrenal Suppressibility in the Diagnosis of Cushing's Syndrome*. Clinical Endocrinology and Metabolism, 20(12), pp. 1539–1560.

Lopez-Olaondo, L., Carrascosa, F., Pueyo, F.J., Monedero, P., Busto, N., Saez, A. 1996, *Combination of ondansetron and dexamethasone in the prophylaxis of postoperative nausea and vomiting*. Br J Anaesth 1996;76:835–40

Mantz, J., Josserand, J., Hamada, S., 2011. *Dexmedetomidine: New insights*. European Journal of Anaesthesiology, 28(1), pp. 3–6.

McKenzie, R., Tantisara, B., Karambelkar, D., Riley, T.J., Abdelhady, H. 1994. *Comparison of ondansetron with ondansetron plus dexamethasone in the prevention of postoperative nausea and vomiting*. Anesth Analg 1994;79:961–4.

Miyabo, S., Nakamura, T., Kuwazima, S., Kishida, S., 1981. *A Comparison of the Bioavailability and Potency of Dexamethasone Phosphate and Sulphate in Man*. European Journal of Clinical Pharmacology 1981. 20: 277-282

Modir, H., Moshiri, E., Kamali, A., Khalifeh, A., Mohammadbeigi, A., 2019. *Comparing the Efficacy of Dexmedetomidine, Dexamethasone, and Metoclopramide in Postoperative Nausea and Vomiting of Tympanomastoidectomy*

Surgery: A Double-Blind Randomized Clinical Trial. Journal of Pharmaceutical Negative Results, 10(1), pp. 57–62.

Naguib, M., Bakry, A.K.E., Khosim, M.H.B., Channa, A.B., Gammal, M.E., Gammal, K.E., Elhattab, Y.S., Attia, M., Saddique, A., 1995. *Prophylactic antiemetic therapy with ondansetron, topisetron, granisetron and metoclopramide in patients undergoing laparoscopic cholecystectomy : a randomized, double-blind comparison with placebo*. Canadian journal of anaesthesia, 43(3), pp. 226–231.

Naka, Y. Aihara, T., Keto, Y., Okabe, S., 2001. *Effects of dexamethasone and FK506 on Helicobacter pylori-induced gastritis and bacterial viability in mongolian gerbils*. Journal of Physiology Paris, 95(1–6), pp. 443–451.

Narum, S., Westergren, T., Klemp, M., 2014. *Corticosteroids and risk of gastrointestinal bleeding: A systematic review and meta-analysis*. BMJ Open, 4(5), pp. 1–9.

Ong, S., Zhang, Y., Whitworth, J., 2009. *Mechanisms of Dexamethasone-Induced Hypertension*. Current Hypertension Reviews, 5(1), pp. 61–74.

Peng, K., Wu, S., Liu, H., Ji, F., 2014. *Dexmedetomidine as an anesthetic adjuvant for intracranial procedures: Meta-analysis of randomized controlled trials*. Journal of Clinical Neuroscience. Elsevier Ltd, 21(11), pp. 1951–1958.

Petersen, A., Carlsson, T., Karlsson, J.O., Jonhede, S., Zetterberg, M., 2008. *Effects of dexamethasone on human lens epithelial cells in culture*. Molecular Vision, 14(July), pp. 1344–1352.

Qi, D., Pulinilkunnil, T., An, D., Ghosh, S., Abrahani, A., Pospisilik, J.A., Brownsey, R., Wambolt, R., Allard, M., Rodrigues, B., 2004. *Single-Dose Dexamethasone Induces Whole-Body Insulin Resistance and Alters Both Cardiac Fatty Acid and Carbohydrate Metabolism*. Diabetes, 53(July), pp. 1790–1797.

Quach, D.T., Vilaichone, R.K., Vu, K.V., Yamaoka, Y., Sugano, K., Mahachai, V., 2018. *Helicobacter pylori infection and related gastrointestinal diseases in southeast Asian countries: An expert opinion survey*. Asian Pacific Journal of Cancer Prevention, 19(12), pp. 3565–3569.

Rajeeva, V., Bhardwaj, N., Batra, Y.K., Dhaliwal, L.K. 1999. *Comparison of ondansetron with ondansetron and dexamethasone in prevention of PONV in diagnostic laparoscopy*. Can J Anaesth 1999;46(1):40–4.

Rastogi, B., Singh, V.P., Gupta, K., Jain, M., Singh, M., Singh, I., 2016. *Postoperative analgesia after laparoscopic cholecystectomy by preemptive use of intravenous paracetamol or ketorolac: A comparative study*. Indian Journal of Pain 2016;30:29-33

Rodrigo, C., 1995. *Induced hypotension during anesthesia, with special reference to orthognathic surgery*. Anesthesia Progress, 42(2), pp. 41–58.

Rubin, A., Winston, J., 1950. *The role of the vestibular apparatus in the production of nausea and vomiting following the administration of morphine to man; clinical and experimental data including the effects of dramamine and benzedrine*. The Journal of clinical investigation, 29(10), pp. 1261–1266.

Sanger, G.J., Andrews, P.L.R., 2006., *Treatment of nausea and vomiting: Gaps in our knowledge*, Autonomic Neuroscience: Basic and Clinical, 129(1–2), pp. 3–16.

Seyam, S., 2017., *Comparative study between dexamethasone and dexmedetomidine as an adjuvant to ondansetron for the prevention of postoperative nausea and vomiting following functional endoscopic sinus surgery operation*. Ain Shams Journal of Anesthesiology, 10(1), pp. 156–163.

Shariffuddin, I.I., Teoh, W.H., Wahab, S., Wang, C.Y., 2018. *Effect of single-dose dexmedetomidine on postoperative recovery after ambulatory ureteroscopy and ureteric stenting: A double blind randomized controlled study*. BMC Anesthesiology. BMC Anesthesiology, 18(1), pp. 1–8.

Singh, M., Tiwari, A.B., Taank, P., Singh, S., Kaur, A., Sood, M., Yadav, R., 2022. *Comparative study on effects of dexmedetomidine and dexamethasone on the incidence of postoperative nausea and vomiting in patients undergoing laparoscopic surgery*. J Acute Dis, 2022; 11(2): 59-64

Smith, H.S., Smith, J.M., Seidner, P., 2012. *Opioid-induced nausea and vomiting*. Annals of Palliative Medicine, 1(2), pp. 121–129.

Sridharan, K., Sivaramakrishnan, G., (2019). *Drugs for preventing post-operative nausea and vomiting in patients undergoing laparoscopic cholecystectomy: Network meta-analysis of randomized clinical trials and trial sequential analysis*. International Journal of Surgery. Elsevier, 69(July), pp. 1–12.

Stoops, S., Kovac, A., 2020. *New insights into the pathophysiology and risk factors for PONV*. Best Practice and Research: Clinical Anaesthesiology. Elsevier Ltd, 34(4), pp. 667–679.

Thwaites, G.E., Bang, N.D., Dung, N.H., Quy, H.T., Oang, D.T.T., Thoa, N.T.C., Hien, N.Q., Thuc, N.T., Hai, N.N., Lan, N.T.N., Lan, N.N., Duc, N.H., Tuan, V.N., Hiep, C.H., Chau, T.T.H., Mai, P.P., Dung, N.T., Stepniewska, K., White, N.J., Hien, T.T., Farrar, J.J., 2006 *Dexamethasone for the treatment of tuberculous meningitis in adolescents and adults*. Current neurology and neuroscience reports, 6(6), pp. 451–452.

Tramèr, M.R., 2001. *A rational approach to the control of postoperative nausea and vomiting: Evidence from systematic reviews. Part II. Recommendations for*

prevention and treatment, and research agenda. Acta Anaesthesiologica Scandinavica, 45(1), pp. 14–19.

Tricco, A.C., Soobiah, C., Blondal, E., Veroniki, A.A., Khan, P.A., Vafaei, A., Ivory, J., Strifler, L., Ashoor, H., MacDonald, H., Reynen, E., Robson, R., Ho, J., Ng, C., Antony, J., Mrklas, K., Hutton, B., Hemmelgarn, B.R., Moher, D., Straus, S.E., 2015 *Comparative efficacy of serotonin (5-HT₃) receptor antagonists in patients undergoing surgery: A systematic review and network meta-analysis*. BMC Medicine. BMC Medicine, 13(1), pp. 1–13.

Visser, K., Hassink, E.A., Bonsel, G.J., Moen, J., Kalkman, C.J., 2001. *Randomized controlled trial of total intravenous anesthesia with propofol versus inhalation anesthesia with isoflurane-nitrous oxide postoperative nausea and vomiting and economic analysis*. Anesthesiology, 95(3), pp. 616–626.

Wang, X.X., Zhou, Q., Pan, D.B., Deng, H.W., Zhou, A.G., Huang, F.R., Guo, H.J., 2015. *Dexamethasone versus ondansetron in the prevention of postoperative nausea and vomiting in patients undergoing laparoscopic surgery: A meta-analysis of randomized controlled trials*. BMC Anesthesiology. BMC Anesthesiology, 15(1), pp. 1–9.

Yamada, T., Searle, J.G., Ahnen, D., 1994. *Helicobacter pylori in peptic ulcer disease*. JAMA, pp. 65–69.