

DAFTAR PUSTAKA

1. Hernigou P. History of external fixation for treatment of fractures. *Int Orthop*. 2017 Apr;41(4):845-853.
2. Parkhill C (1897) A new apparatus for the fixation of bones after resection and in fractures with a tendency to displacement. *TransAm Surg Assoc* 15:251–256
3. Lambotte A (1907) L'intervention operatoire dans les fractures recentes et anciennes. Brussels, Henri Larnertin, pp 59–67
4. Matos MA, do Nascimento JM, da Silva BV. Clinical and demographic study on open fractures caused by motorcycle traffic accidents. *Acta Ortop Bras*. 2014;22(4):214-8.
5. A.R. Elniel, P.V. Giannoudis, Open fractures of the lower extremity, *EFORT Open Rev*. 3 (2018) 316–325
6. S.A.F. Tulner, S.D. Strackee, P. Kloen, Metaphyseal locking compression plate as an external fixator for the distal tibia, *Int. Orthop*. 36 (2012) 1923–1927
7. J. Borrelli, Management of soft tissue injuries associated with tibial plateau fractures, *J. Knee Surg*. 27 (2013) 005–010
8. Hidayat L, Triangga AFR, Cein CR, Irfantian A, Rahayu BFP, Resubun AP, Magetsari R. Low profile external fixator using locking compression plate as treatment option for management of soft tissue problem in open tibia fracture grade IIIA: a case series. *Int J Surg Case Rep*. 2022;93: 106882.
9. Alsayed, A.A. (2021) Physics of Open Fractures: Reconsidering Tissue Viability, Contamination Risk and Importance of Wound Debridement. *Journal of Applied Mathematics and Physics*, 9, 176-182.
10. Feynman, R. (1970) *The Feynman Lectures on Physics Vol I*. Addison Wesley.
11. Newton, I., Cohen, I.B. and Whitman, A.M. (Eds.) (1999) *The Principia: Mathematical Principles of Natural Philosophy*. University of California Press, Berkeley.
12. Nordin, M. and Frankel, V.H. (2012) *Basic Biomechanics of the Musculoskeletal System*. 4th Edition, Chapter 2: Biomechanics of Bone. Lippincott Williams & Wilkins, a Wolters Kluwer Business, Baltimore, 84-85
13. Sop JL, Sop A. Open Fracture Management. [Updated 2022 Aug 8]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan

14. Raj, K. and Andrzej, E. (2013) Mathematical Models of Blast Induced TBI: Current
15. Cross WW 3rd, Swiontkowski MF. Treatment principles in the management of open fractures. *Indian J Orthop*. 2008 Oct;42(4):377-86.
16. Gustilo RB, Mendoza RM, Williams DN. Problems in the management of type III (severe) open fractures: A new classification of type III open fractures. *J Trauma*. 1984;24:742-6.
17. Gustilo RB, Gruninger RP, Davis T. Classification of type III (severe) open fractures relative to treatment and results. *Orthopedics*. 1987;10:1781-8.
18. Murray, Clinton & Obremskey, William & Hsu, Joseph & Andersen, Romney & Calhoun, Jason & Clasper, Jon & Whitman, Timothy & Curry, Thomas & Fleming, Mark & Wenke, Joseph & Ficke, James. (2011). Prevention of Infections Associated With Combat-Related Extremity Injuries. *The Journal of trauma*. 71. S235-57.
19. White, TO, Mackenzie, SP, Gray, AJ. *McRae's ORTHOPAEDIC TRAUMA and Emergency Fracture Management*, 3rd edn, 2016.
20. Patzakis MJ, Wilkins J. Factors influencing infection rate in open fracture wounds. *Clin Orthop Relat Res*. 1989;243:36-40.
21. Patzakis MJ, Wilkins J, Moore TM. Use of antibiotics in open tibial fractures. *Clin Orthop Relat Res*. 1983;178:31-5.
22. Templeman DC, Gulli B, Tsukayama DT, Gustilo RB. Update on the management of open fractures of the tibial shaft. *Clin Orthop Relat Res*. 1998;350:18-25.
23. Dellinger EP, Caplan ES, Weaver LD, Wertz MJ, Droppert BM, Hoyt N, et al., editors. Duration of preventive antibiotic administration for open extremity fractures. *Arch Surg*. 1988;123:333-9.
24. Gustilo RB, Anderson JT. Prevention of infection in the treatment of one thousand and twenty-five open fractures of long bones: Retrospective and prospective analyses. *J Bone Joint Surg Am*. 1976;58:453-8.
25. Pollak AN. Timing of debridement of open fractures. *J Am Acad Orthop Surg*. 2006;14:S48-51.
26. Tschern H, Gotzen L. *Fractures with soft tissue injuries*. Berlin; New York: Springer-Verlag; 1984.
27. Taylor GI, Palmer JH. The vascular territories (angiosomes) of the body: Experimental study and clinical applications. *Br J Plast Surg*. 1987;40:113-41.
28. Anglen JO. Wound irrigation in musculoskeletal injury. *J Am Acad Orthop Surg*. 2001;9:219-26.

29. Anglen JO. Comparison of soap and antibiotic solutions for irrigation of lower-limb open fracture wounds: A prospective, randomized study. *J Bone Joint Surg Am.* 2005;87:1415–22.
30. Worlock P, Slack R, Harvey L, Mawhinney R. The prevention of infection in open fractures: An experimental study of the effect of fracture stability. *Injury.* 1994;25:31–8.
31. Zalavras CG, Marcus RE, Levin LS, Patzakis MJ. Management of open fractures and subsequent complications. *J Bone Joint Surg Am.* 2007;89:884–95.
32. Hildebrand F, Giannoudis P, Krettek C, Pape HC. Damage control: Extremities. *Injury.* 2004;35:678–89.
33. Bach AW, Hansen ST., Jr Plates versus external fixation in severe open tibial shaft fractures: A randomized trial. *Clin Orthop Relat Res.* 1989;241:89–94.
34. Bhandari M. 75th Annual Meeting of the American Academy of Orthopaedic Surgeons; 03/2008. San Francisco, California, USA San Francisco, CA: American Academy of Orthopaedic Surgeons; 2008. Reamed Versus Non-Reamed Tibial Intramedullary Nail Insertion on Re-operation Rates.
35. Giotakis N, Narayan B. Stability with unilateral external fixation in the tibia. *Strategies Trauma Limb Reconstr.* 2007 Apr;2(1):13-20.
36. Huiskes R, Chao EY, Crippen TE (1985) Parametric analyses of pin-bone stresses in external fracture fixation devices. *J Orthop Res* 3:341–349
37. Hipp JA, Edgerton BC, An KN, Hayes WC (1990) Structural consequences of transcortical holes in long bones loaded in torsion. *J Biomech* 23:1261–1268
38. Pettine KA, Chao EYS, Kelly PJ (1993) Analysis of the external fixator pin-bone interface. *Clin Orthop Relat Res* 293:18–27
39. Caja VL, Piz G, Navarro A (2003) Hydroxyapatite coating of external fixation pins to decrease axial deformity during tibial lengthening for short stature. *J Bone Joint Surg Am* 85:1527–1531
40. Briggs BT, Chao EY (1982) The mechanical performance of the standard Hoffmann-Vidal external fixation apparatus. *J Bone Joint Surg Am* 64:566–573
41. Fragomen AT, Rozbruch SR. The mechanics of external fixation. *HSS J.* 2007;3(1):13–29.
42. P. Kloen, Supercutaneous plating: use of a locking compression plate as an external fixator, *J. Orthop. Trauma* 23 (2009) 72–75

43. J.A. Buckwalter, A.J. Grodzinsky, Loading of healing bone, fibrous tissue, and muscle: implications for orthopaedic practice, *J. Am. Acad. Orthop. Surg.* 7 (1999) 291–299
44. An, Y.H. and Draughn, R.A. (2000) *Mechanical Testing of Bone and the Bone-Implant Interface*. CRC Press, Boca Raton.
45. Li B, Webster T, *Orthopedic Biomaterials: Progress in Biology, Manufacturing, and Industry Perspectives*, Springer, 2018
46. Karthikeyan, P. & Babu, B. & Siva, Kamaraj & Chellamuthu, Sabarinathan. (2016). Experimental investigation on mechanical behavior of carbon nanotubes -alumina hybrid epoxy nanocomposites. *Digest Journal of Nanomaterials and Biostructures*. 11. 625-632.
47. Silva MJ. Bone Mechanical Testing by Three-Point Bending Test. *Adv Clin Exp Med* [Internet]. 2017;26(3):505–14.
48. Federer W T 1967 *Experimental Design, Theory and Application* Oxford and IBH Publ. Co New Delhi
49. Gocha TP, Vercellotti G, McCormick LE, Van Deest TL. Formulae for estimating skeletal height in modern South-East Asians. *J Forensic Sci*. 2013 Sep;58(5):1279-83.
50. DePuy Synthes Trauma © (2021) *LCP Locking Compression Plate • Surgical Technique*
51. Fathah,H & Suyitno, *Karakterisasi Torsional Sekrup Implan Baja Tahan Karat AISI 316L dan Pullout Strength Terhadap Tes Block Kayu Balsa*, Perpustakaan Universitas Gadjah Mada, 2013
52. Granowski R, Ramotowski W, Kamin'ski E, Pilawski K. “Zespol”—a new type of osteosynthesis. I. An internal self-compressing stabilizer of bone fragments. *Chir Narzadow Ruchu Ortop Pol* 1984;49:301-305.
53. Ramotowski W, Granowski R. Zespol. An original method of stable osteosynthesis. *Clin Orthop Relat Res* 1991;272:67-75.
54. Marti, R.K.; van der Werken, C. The AO-plate for external fixation in 12 cases. *Acta Orthop. Scand*. 1991, 62, 60–62. [CrossRef]
55. Qiu, X.S.; Yuan, H.; Zheng, X.; Wang, J.F.; Xiong, J.; Chen, Y.X. Locking plate as a definitive external fixator for treating tibial fractures with compromised soft tissue envelop. *Arch. Orthop. Trauma Surg*. 2014, 134, 383–388.
56. Ma, C.H.; Wu, C.H.; Jiang, J.R.; Tu, Y.K.; Lin, T.S. Metaphyseal locking plate as an external fixator for open tibial fracture: Clinical outcomes and biomechanical assessment. *Injury* 2017, 48, 501–505. [CrossRef] [PubMed]

57. Ma, C.H.; Tu, Y.K.; Yeh, J.H.; Yang, S.C.; Wu, C.H. Using external and internal locking plates in a two-stage protocol for treatment of segmental tibial fractures. *J. Trauma* 2011, 71, 614–619. [CrossRef]
58. Zhang, J.; Ebraheim, N.; Li, M.; He, X.; Liu, J.; Zhu, L.; Yu, Y. External fixation using femoral less invasive stabilization system plate in tibial proximal metaphyseal fracture. *Clin. Orthop. Surg.* 2015, 7, 8–14.
59. Zhang, J.W.; Ebraheim, N.A.; Li, M.; He, X.F.; Schwind, J.; Zhu, L.M.; Yu, Y.H. Distal tibial fracture: An ideal indication for external fixation using locking plate. *Chin. J. Traumatol.* 2016, 19, 104–108.
60. Zhou, Y.; Wang, Y.; Liu, L.; Zhou, Z.; Cao, X. Locking compression plate as an external fixator in the treatment of closed distal tibial fractures. *Int. Orthop.* 2015, 39, 2227–2237.
61. Apivatthakakul, T.; Sananpanich, K. The locking compression plate as an external fixator for bone transport in the treatment of a large distal tibial defect: A case report. *Injury* 2007, 38, 1318–1325.
62. Ebraheim, N.A.; Carroll, T.; Hanna, M.; Zhang, J.; Liu, J. Staged treatment of proximal tibial fracture using external locking compression plate. *Orthop. Surg.* 2014, 6, 154–157.
63. Khatod, M.; Botte, M.J.; Hoyt, D.B.; Meyer, R.S.; Smith, J.M.; Akesson, W.H. Outcomes in open tibia fractures: Relationship between delay in treatment and infection. *J. Trauma* 2003, 55, 949–954.
64. Ma, C.H.; Wu, C.H.; Tu, Y.K.; Lin, T.S. Metaphyseal locking plate as a definitive external fixator for treating open tibial fractures—clinical outcome and a finite element study. *Injury* 2013, 44, 1097–1101.
65. Zhang, J.; Ebraheim, N.A.; Li, M.; He, X.; Liu, J.; Zhu, L.; Yu, Y.; Siddiqui, S. External Fixation Using a Locking Plate: A Reliable Way in Treating Distal Tibial Fractures. *J. Orthop. Trauma* 2015, 29, e454–e458.
66. Tulner, S.A.; Strackee, S.D.; Kloen, P. Metaphyseal locking compression plate as an external fixator for the distal tibia. *Int. Orthop.* 2012, 36, 1923–1927.
67. Makelov B, Mischler D, Varga P, Apivatthakakul T, Fletcher JWA, Veselinov D, Berk T, Raykov D, Gueorguiev B. Single-Stage Externalized Locked Plating for Treatment of Unstable Meta-Diaphyseal Tibial Fractures. *Journal of Clinical Medicine*. 2023; 12(4):1600.
68. Liu W, Yang L, Kong X, An L, Hong G, Guo Z, Zang L. Stiffness of the locking compression plate as an external fixator for treating distal tibial fractures: a biomechanics study. *BMC Musculoskelet Disord.* 2017 Jan 19;18(1):26. doi: 10.1186/s12891-016-1384-1.

69. Kanchanomai C, Phiphobmongkol V. Biomechanical evaluation of fractured tibia externally fixed with an LCP. *J Appl Biomech.* 2012;28(5):587–92
70. Ang BFH, Chen JY, Yew AKS, Chua SK, Chou SM, Chia SL, Koh JSB, Howe TS. Externalised locking compression plate as an alternative to the unilateral external fixator: a biomechanical comparative study of axial and torsional stiffness. *Bone Joint Res.* 2017 Apr;6(4):216-223.
71. Luo, P.; Xu, D.; Wu, J.; Chen, Y.H. Locked plating as an external fixator in treating tibial fractures: A PRISMA-compliant systematic review. *Medicine (Baltimore)* 2017, 96, e9083.
72. Ambrosio, F., Li, Y., Ūsas, A., Boninger, L.M., & Huard, J. (2008). *Muscle Repair after Injury and Disease.*