

## DAFTAR PUSTAKA

- Agustina, M., 2018. Gargling with Aloe vera extract is effective to prevent the Ventilator-Associated Pneumonia (VAP). *GHMJ (Global Health Management Journal)*, 2(3), pp.70-75.
- Baptistella, A.R., Sarmiento, F.J., da Silva, K.R., Baptistella, S.F., Taglietti, M., Zuquello, R.A. and Nunes Filho, J.R., 2018. Predictive factors of weaning from mechanical ventilation and extubation outcome: A systematic review. *Journal of critical care*, 48, pp.56-62.
- Béduneau, G., Pham, T., Schortgen, F., Piquilloud, L., Zogheib, E., Jonas, M., Grelon, F., Runge, I., Terzi, N., Grangé, S. and Barberet, G., 2017. Epidemiology of weaning outcome according to a new definition. The WIND study. *American journal of respiratory and critical care medicine*, 195(6), pp.772-783.
- Bickenbach, J., Schöneis, D., Marx, G., Marx, N., Lemmen, S. and Dreher, M., 2018. Impact of multidrug-resistant bacteria on outcome in patients with prolonged weaning. *BMC pulmonary medicine*, 18(1), pp.1-8.
- Carson, S. S. (2006) "Outcomes of prolonged mechanical ventilation," *Current Opinion in Critical Care*, 12(5). Tersedia pada: [https://journals.lww.com/co-criticalcare/Fulltext/2006/10000/Outcomes\\_of\\_prolonged\\_mechanical\\_ventilation.7.aspx](https://journals.lww.com/co-criticalcare/Fulltext/2006/10000/Outcomes_of_prolonged_mechanical_ventilation.7.aspx).
- Chen, K., Wallace, S. K. dan Nates, J. L. (2020) "ICU Utilization BT - Oncologic Critical Care," in Nates, J. L. dan Price, K. J. (ed.). Cham: Springer International Publishing, hal. 11–17. doi: 10.1007/978-3-319-74588-6\_5.
- Clark, P.A. and Lettieri, C.J., 2013. Clinical model for predicting prolonged mechanical ventilation. *Journal of critical care*, 28(5), pp.880-e1.
- Cottureau, G., Dres, M., Avenel, A., Fichet, J., Jacobs, F.M., Prat, D., Hamzaoui, O., Richard, C., Antonello, M. and Sztrymf, B., 2015. Handgrip strength predicts difficult weaning but not extubation failure in mechanically ventilated subjects. *Respiratory care*, 60(8), pp.1097-1104.
- D'Agostino, R.S., Jacobs, J.P., Badhwar, V., Paone, G., Rankin, J.S., Han, J.M., McDonald, D. and Shahian, D.M., 2016. The society of thoracic surgeons adult cardiac surgery database: 2016 update on outcomes and quality. *The Annals of thoracic surgery*, 101(1), pp.24-32.
- Damuth, E., Mitchell, J.A., Bartock, J.L., Roberts, B.W. and Trzeciak, S., 2015. Long-term survival of critically ill patients treated with prolonged mechanical ventilation: a

- systematic review and meta-analysis. *The Lancet Respiratory Medicine*, 3(7), pp.544-553..
- Dasta, J.F., McLaughlin, T.P., Mody, S.H. and Piech, C.T., 2005. Daily cost of an intensive care unit day: the contribution of mechanical ventilation. *Critical care medicine*, 33(6), pp.1266-1271.
- Demoule, A., Molinari, N., Jung, B., Prodanovic, H., Chanques, G., Matecki, S., Mayaux, J., Similowski, T. and Jaber, S., 2016. Patterns of diaphragm function in critically ill patients receiving prolonged mechanical ventilation: a prospective longitudinal study. *Annals of intensive care*, 6(1), pp.1-8.
- Dosi, R., Jain, G., Jain, N., Pawar, K.S. and Sen, J., 2021. The predictive ability of SAPS II, APACHE II, SAPS III, and APACHE IV to assess outcome and duration of mechanical ventilation in respiratory intensive care unit. *Lung India*, 38(3), p.236.
- Estenssoro, E., González, F., Laffaire, E., Canales, H., Sáenz, G., Reina, R. and Dubin, A., 2005. Shock on admission day is the best predictor of prolonged mechanical ventilation in the ICU. *Chest*, 127(2), pp.598-603.
- Ghauri, S.K., Javaeed, A., Mustafa, K.J. and Khan, A.S., 2019. Predictors of prolonged mechanical ventilation in patients admitted to intensive care units: A systematic review. *International journal of health sciences*, 13(6), p.31.
- Granholm, A., Christiansen, C.F., Christensen, S., Perner, A., and Møller, M.H., 2019. Performance of SAPS II according to ICU length of stay: A Danish nationwide cohort study. *Acta Anaesthesiologica Scandinavica*, 63 (9), 1200–1209
- Hill, A.D., Fowler, R.A., Burns, K.E., Rose, L., Pinto, R.L. and Scales, D.C., 2017. Long-term outcomes and health care utilization after prolonged mechanical ventilation. *Annals of the American Thoracic Society*, 14(3), pp.355-362.  
<https://www.icd10data.com/ICD10CM/Codes/Z00-Z99/Z77-Z99/Z99-/Z99.11>
- Kaier, K., Heister, T., Wolff, J. and Wolkewitz, M., 2020. Mechanical ventilation and the daily cost of ICU care. *BMC health services research*, 20(1), pp.1-5.
- Kemenkes Republik Indonesia (2010) “Kepmenkes-No-1778-Tahun-2010-Tentang-Pedoman-Pelayanan-Icu-Di-Rumah-Sakit.Pdf.”
- Kern, H., Redlich, U., Hotz, H., Von Heymann, C., Grosse, J., Konertz, W. and Kox, W.J., 2001. Risk factors for prolonged ventilation after cardiac surgery using APACHE II, SAPS II, and TISS: comparison of three different models. *Intensive care medicine*, 27(2), pp.407-415

- Laporte, L., Hermetet, C., Jouan, Y., Gaborit, C., Rouve, E., Shea, K.M., Si-Tahar, M., Dequin, P.F., Grammatico-Guillon, L. and Guillon, A., 2018. Ten-year trends in intensive care admissions for respiratory infections in the elderly. *Annals of intensive care*, 8(1), pp.1-11.
- Le Gall, J.R., Lemeshow, S. and Saulnier, F., 1993. A new simplified acute physiology score (SAPS II) based on a European/North American multicenter study. *Jama*, 270(24), pp.2957-2963.
- Lehmann, F., Schenk, L.M., Ilic, I., Putensen, C., Hadjiathanasiou, A., Borger, V., Zimmermann, J., Güresir, E., Vatter, H., Bode, C. and Schneider, M., 2021. Prolonged Mechanical Ventilation in Patients with Deep-Seated Intracerebral Hemorrhage: Risk Factors and Clinical Implications. *Journal of Clinical Medicine*, 10(5), p.1015.
- Lei, Q., Chen, L., Zhang, Y., Fang, N., Cheng, W. and Li, L., 2009. Predictors of prolonged mechanical ventilation after aortic arch surgery with deep hypothermic circulatory arrest plus antegrade selective cerebral perfusion. *Journal of cardiothoracic and vascular anesthesia*, 23(4), pp.495-500.
- MacIntyre, N.R., Epstein, S.K., Carson, S., Scheinhorn, D., Christopher, K. and Muldoon, S., 2005. Management of patients requiring prolonged mechanical ventilation: report of a NAMDRG consensus conference. *Chest*, 128(6), pp.3937-3954.
- Marshall, J.C., Bosco, L., Adhikari, N.K., Connolly, B., Diaz, J.V., Dorman, T., Fowler, R.A., Meyfroidt, G., Nakagawa, S., Pelosi, P., Vincent, J.-L., Vollman, K., and Zimmerman, J., 2017. What is an intensive care unit? A report of the task force of the World Federation of Societies of Intensive and Critical Care Medicine. *Journal of Critical Care*, 37, 270–276.
- Möller, M.G., Slaikeu, J.D., Bonelli, P., Davis, A.T., Hoogeboom, J.E. and Bonnell, B.W., 2005. Early tracheostomy versus late tracheostomy in the surgical intensive care unit. *The American journal of surgery*, 189(3), pp.293-296.
- Moreno, R.P., Metnitz, P.G.H., Almeida, E., Jordan, B., Bauer, P., Campos, R.A., Iapichino, G., Edbrooke, D., Capuzzo, M., Le Gall, J.-R., and on behalf of the SAPS 3 Investigators, 2005. SAPS 3—From evaluation of the patient to evaluation of the intensive care unit. Part 2: Development of a prognostic model for hospital mortality at ICU admission. *Intensive Care Medicine*, 31 (10), 1345–1355.

- Nassar, A.P., Malbouisson, L.S., and Moreno, R., 2014. Evaluation of simplified acute physiology score 3 performance: a systematic review of external validation studies. *Critical Care*, 18 (3), R117.
- Noor, H. L. (2021) “Bed Use in the Intensive Care Unit During the Covid-19 Pandemic Era,” *Indonesian Journal of Global Health Research*, 3(4), hal. 571–578.
- Phua, J., Faruq, M.O., Kulkarni, A.P., Redjeki, I.S., Detleuxay, K., Mendsaikhan, N., Sann, K.K., Shrestha, B.R., Hashmi, M., Palo, J.E.M. and Haniffa, R., 2020. Critical care bed capacity in Asian countries and regions. *Critical care medicine*, 48(5), pp.654-662.
- Piotto, R.F., Ferreira, F.B., Colósimo, F.C., Silva, G.S.D., Sousa, A.G.D. and Braile, D.M., 2012. Independent predictors of prolonged mechanical ventilation after coronary artery bypass surgery. *Brazilian Journal of Cardiovascular Surgery*, 27(4), pp.520-528.
- PERATURAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR 27 TAHUN 2014 TENTANG PETUNJUK TEKNIS SISTEM INDOONESIAN CASE BASE GROUPS (INA-cbgs)
- Radell, P.J., Remahl, S., Nichols, D.G. and Eriksson, L.I., 2002. Effects of prolonged mechanical ventilation and inactivity on piglet diaphragm function. *Intensive care medicine*, 28(3), pp.358-364.
- Republik Indonesia (2010) “Kepmenkes-No-1778-Tahun-2010-Tentang-Pedoman- Kemenkes Pelayanan-Icu-Di-Rumah-Sakit.Pdf.”
- Rose, L., McGinlay, M., Amin, R., Burns, K.E., Connolly, B., Hart, N., Jouvett, P., Katz, S., Leasa, D., Mawdsley, C. and McAuley, D.F., 2017. Variation in definition of prolonged mechanical ventilation. *Respiratory care*, 62(10), pp.1324-1332.
- Rose, L., Fowler, R.A., Fan, E., Fraser, I., Leasa, D., Mawdsley, C., Pedersen, C. and Rubenfeld, G., 2015. Prolonged mechanical ventilation in Canadian intensive care units: a national survey. *Journal of critical care*, 30(1), pp.25-31.
- Sanabria, A., Gómez, X., Vega, V., Domínguez, L.C. and Osorio, C., 2013. Prediction of prolonged mechanical ventilation for intensive care unit patients: A cohort study. *Colombia Médica*, 44(3), pp.184-188.
- Schönhofer, B., Geiseler, J., Dellweg, D., Fuchs, H., Moerer, O., Weber-Carstens, S., Westhoff, M. and Windisch, W., 2020. Prolonged Weaning: S2k Guideline Published by the German Respiratory Society. *Respiration*, 99(11), pp.982-1084.
- Scheinhorn, D.J., Hassenpflug, M.S., Votto, J.J., Chao, D.C., Epstein, S.K., Doig, G.S., Knight, E.B., Petrak, R.A. and Ventilation Outcomes Study Group, 2007. Ventilator-dependent

- survivors of catastrophic illness transferred to 23 long-term care hospitals for weaning from prolonged mechanical ventilation. *Chest*, 131(1), pp.76-84.
- Sellares, J., Ferrer, M., Cano, E., Loureiro, H., Valencia, M. and Torres, A., 2011. Predictors of prolonged weaning and survival during ventilator weaning in a respiratory ICU. *Intensive care medicine*, 37(5), pp.775-784.
- Shetty, K., Hubballi, P., 2021. A Study to Predict Duration of Mechanical Ventilation based on SapsII Score. *International Journal of Contemporary Medical Research*, volume 8, pp G7-G11
- Shin, H.J., Chang, J.S., Ahn, S., Kim, T.O., Park, C.K., Lim, J.H., Oh, I.J., Kim, Y.I., Lim, S.C., Kim, Y.C. and Kwon, Y.S., 2017. Clinical factors associated with weaning failure in patients requiring prolonged mechanical ventilation. *Journal of thoracic disease*, 9(1), p.143.
- Shirzad, M., Karimi, A., Ahmadi, S.H., Marzban, M., Tazik, M. and Aramin, H., 2010. Predictors and early outcome of prolonged mechanical ventilation in contemporary heart valve surgery. *Monaldi Archives for Chest Disease*, 74(1).
- Wesch, C., Denhaerynck, K., Barandun Schaefer, U., Siegemund, M., Wehrli, M., Pargger, H. and Look, S., 2019. Development and validation of a multivariable risk score for prolonged length of stay in the surgical intensive care unit. *Swiss medical weekly*, 149(3738).
- White, A. C. (2012) "Long-Term Mechanical Ventilation: Management Strategies," *Respiratory Care*, 57(6), hal. 889 LP – 899. doi: 10.4187/respcare.01850
- Zilberberg, M.D., de Wit, M., Pirone, J.R. and Shorr, A.F., 2008. Growth in adult prolonged acute mechanical ventilation: implications for healthcare delivery. *Critical care medicine*, 36(5), pp.1451-1455.
- Zilberberg, M.D., Luippold, R.S., Sulsky, S. and Shorr, A.F., 2008. Prolonged acute mechanical ventilation, hospital resource utilization, and mortality in the United States. *Critical care medicine*, 36(3), pp.724-730.
- Zilberberg, M.D., Nathanson, B.H., Ways, J. and Shorr, A.F., 2020. Characteristics, hospital course, and outcomes of patients requiring prolonged acute versus short-term mechanical ventilation in the United States, 2014–2018. *Critical Care Medicine*, 48(11), pp.1587-1594.