

DAFTAR PUSTAKA

Baptistella, A. R. *et al.* (2018) "Predictive factors of weaning from mechanical ventilation and extubation outcome: A systematic review," *Journal of Critical Care*, 48, hal. 56–62. doi: 10.1016/J.JCRC.2018.08.023.

Carson, S. S. (2006) "Outcomes of prolonged mechanical ventilation," *Current Opinion in Critical Care*, 12(5). Tersedia pada: https://journals.lww.com/co-criticalcare/Fulltext/2006/10000/Outcomes_of_prolonged_mechanical_ventilation.7.aspx.

Chen, K., Wallace, S. K. dan Nates, J. L. (2020) "ICU Utilization BT - Oncologic Critical Care," in Nates, J. L. dan Price, K. J. (ed.). Cham: Springer International Publishing, hal. 11–17. doi: 10.1007/978-3-319-74588-6_5.

Cislaghi, F., Condemi, A. M. dan Corona, A. (2009) "Predictors of prolonged mechanical ventilation in a cohort of 5123 cardiac surgical patients," *European Journal of Anaesthesiology*, 26(5), hal. 396–403. doi: 10.1097/EJA.0B013E3283232C69.

Clark, P. A., Inocencio, R. C. dan Lettieri, C. J. (2018) "I-TRACH: Validating A Tool for Predicting Prolonged Mechanical Ventilation.," *Journal of intensive care medicine*, 33(10), hal. 567–573. doi: 10.1177/0885066616679974.

Clark, P. A. dan Lettieri, C. J. (2013) "Clinical model for predicting prolonged mechanical ventilation," *Journal of Critical Care*, 28(5), hal. 880.e1-880.e7. doi: 10.1016/J.JCRC.2013.03.013.

Cottreau, G. *et al.* (2015) "Handgrip Strength Predicts Difficult Weaning But Not Extubation Failure in Mechanically Ventilated Subjects.," *Respiratory care*, 60(8), hal. 1097–1104. doi: 10.4187/respcare.03604.

Criswell, D. S. *et al.* (2003) "Cumulative Effects of Aging and Mechanical Ventilation on In Vitro Diaphragm Function," *Chest*, 124(6), hal. 2302–2308. doi: 10.1378/CHEST.124.6.2302.

Damuth, E. *et al.* (2015) "Long-term survival of critically ill patients treated with prolonged mechanical ventilation: a systematic review and meta-analysis," *The Lancet Respiratory Medicine*, 3(7), hal. 544–553. doi: 10.1016/S2213-2600(15)00150-2.

Dasta, J. F. *et al.* (2005) "Daily cost of an intensive care unit day: The contribution of mechanical ventilation*," *Critical Care Medicine*, 33(6). Tersedia pada: https://journals.lww.com/ccmjjournal/Fulltext/2005/06000/Daily_cost_of_an_intensive_care_unit_day__The.13.aspx.

Dehghani, A., Abdeyazdan, G. dan Davaridolatabadi, E. (2016) "An Overview of the Predictor Standard Tools for Patient Weaning from Mechanical Ventilation," *Electronic physician*, 8(2), hal. 1955–1963. doi: 10.19082/1955.

Fauzi, R. A. (2021) "Identifikasi Faktor Risiko Prediktif Prolonged Length of Stay (PLOS) Di ICU RSUP DR Sardjito Yogyakarta." Universitas Gadjah Mada.

- Frengley, J. D. *et al.* (2012) "A comparison of seriously ill patients with or without AIDS requiring prolonged mechanical ventilation," *Journal of critical care*, 27(6), hal. 594–601. doi: 10.1016/J.JCRC.2012.05.010.
- Ghauri, S. K. *et al.* (2019) "Predictors of prolonged mechanical ventilation in patients admitted to intensive care units: A systematic review," *International Journal of Health Sciences*, 13(6), hal. 31.
- Haviland, K. *et al.* (2020) "Outcomes after long-term mechanical ventilation of cancer patients," *BMC Palliative Care*, 19(1). doi: 10.1186/S12904-020-00544-X.
- Huang, H.-Y. *et al.* (2022) "Clinical outcomes and prognostic factors for prolonged mechanical ventilation in patients with acute stroke and brain trauma," *Journal of the Formosan Medical Association*, 121(1, Part 1), hal. 162–169. doi: <https://doi.org/10.1016/j.jfma.2021.02.011>.
- Kaier, K. *et al.* (2020) "Mechanical ventilation and the daily cost of ICU care," *BMC Health Services Research*, 20(1), hal. 267. doi: 10.1186/s12913-020-05133-5.
- Karakurt, Z. *et al.* (2012) "Physiologic determinants of prolonged mechanical ventilation in patients after major surgery," *Journal of Critical Care*, 27(2), hal. 221.e9–221.e16. doi: 10.1016/J.JCRC.2011.08.009.
- Kemenkes Republik Indonesia (2010) "Kepmenkes-No-1778-Tahun-2010-Tentang-Pedoman-Pelayanan-Icu-Di-Rumah-Sakit.Pdf."
- Kress, J. P. *et al.* (2000) "Daily interruption of sedative infusions in critically ill patients undergoing mechanical ventilation.," *The New England journal of medicine*, 342(20), hal. 1471–1477. doi: 10.1056/NEJM200005183422002.
- Kübler, A. *et al.* (2013) "Mechanical ventilation in ICUs in Poland: a multi-center point-prevalence study," *Medical science monitor : international medical journal of experimental and clinical research*, 19, hal. 424–429. doi: 10.12659/MSM.883930.
- Lei, Q. *et al.* (2009) "Predictors of Prolonged Mechanical Ventilation After Aortic Arch Surgery With Deep Hypothermic Circulatory Arrest Plus Antegrade Selective Cerebral Perfusion," *Journal of Cardiothoracic and Vascular Anesthesia*, 23(4), hal. 495–500. doi: 10.1053/J.JVCA.2008.09.006.
- Levine, S. *et al.* (2008) "Rapid Disuse Atrophy of Diaphragm Fibers in Mechanically Ventilated Humans," *New England Journal of Medicine*, 358(13), hal. 1327–1335. doi: 10.1056/NEJMoA070447.
- Liang, H. Y. *et al.* (2022) "Determinants of the health care service choices of long-term mechanical ventilation patients: Applying andersen's behavioral model," *PLoS ONE*, 17(9). doi: 10.1371/JOURNAL.PONE.0274303.
- Liu, H., Zhang, T. dan Ye, J. (2007) "Determinants of prolonged mechanical ventilation in patients with chronic obstructive pulmonary diseases and acute hypercapnic respiratory failure," *European Journal of Internal Medicine*, 18(7), hal. 542–547. doi: <https://doi.org/10.1016/j.ejim.2007.04.017>.

Lu, H.-M. *et al.* (2012) “Outcomes of prolonged mechanic ventilation: a discrimination model based on longitudinal health insurance and death certificate data,” *BMC health services research*, 12(1), hal. 1–13.

MacIntyre, N. R. *et al.* (2005) “Management of Patients Requiring Prolonged Mechanical Ventilation: Report of a NAMDRC Consensus Conference,” *Chest*, 128(6), hal. 3937–3954. doi: 10.1378/CHEST.128.6.3937.

Marshall, J. C. *et al.* (2017) “What is an intensive care unit? A report of the task force of the World Federation of Societies of Intensive and Critical Care Medicine,” *Journal of Critical Care*, 37, hal. 270–276. doi: 10.1016/J.JCRC.2016.07.015.

MC Hung *et al.* (2010) “Incidence Rate And Major Causes Of Prolonged Mechanical Ventilation In Taiwan: A Population-Based Study During 1997-2007,” *Value in Health*, 13(3). Tersedia pada: 10.1016/s1098-3015(10)72966-1.

McNeil, J. B. *et al.* (2021) “Linear Association Between Hypoalbuminemia and Increased Risk of Acute Respiratory Distress Syndrome in Critically Ill Adults,” *Critical Care Explorations*, 3(9), hal. e0527. doi: 10.1097/CCE.0000000000000527.

Mori, H. *et al.* (2020) “Predictors of prolonged mechanical ventilation identified at an emergency visit for elderly people: A retrospective cohort study,” *Medicine*, 99(49). Tersedia pada: https://journals.lww.com/md-journal/Fulltext/2020/12040/Predictors_of_prolonged_mechanical_ventilation.85.aspx.

Na, S. J. *et al.* (2022) “Factors associated with prolonged weaning from mechanical ventilation in medical patients,” *Therapeutic advances in respiratory disease*, 16, hal. 17534666221117004. doi: 10.1177/17534666221117005.

Noor, H. L. (2021) “Bed Use in the Intensive Care Unit During the Covid-19 Pandemic Era,” *Indonesian Journal of Global Health Research*, 3(4), hal. 571–578.

Pan, S.-W. *et al.* (2011) “Acute kidney injury on ventilator initiation day independently predicts prolonged mechanical ventilation in intensive care unit patients,” *Journal of Critical Care*, 26(6), hal. 586–592. doi: <https://doi.org/10.1016/j.jcrc.2011.04.009>.

Phua, J. *et al.* (2020) “Critical care bed capacity in Asian countries and regions,” *Critical care medicine*, 48(5), hal. 654–662.

Piotto, R. F. *et al.* (2012) “Independent predictors of prolonged mechanical ventilation after coronary artery bypass surgery,” *Revista brasileira de cirurgia cardiovascular : orgao oficial da Sociedade Brasileira de Cirurgia Cardiovascular*, 27(4), hal. 520–528. doi: 10.5935/1678-9741.20120093.

Rose, L. *et al.* (2017) “Variation in Definition of Prolonged Mechanical Ventilation,” *Respiratory Care*, 62(10), hal. 1324 LP – 1332. doi: 10.4187/respcare.05485.

Scheinhorn, D. J. *et al.* (2007) “Ventilator-Dependent Survivors of Catastrophic Illness Transferred to 23 Long-term Care Hospitals for Weaning From Prolonged Mechanical Ventilation,” *Chest*, 131(1), hal. 76–84. doi: 10.1378/CHEST.06-1079.

Sellares, J. *et al.* (2011) "Predictors of prolonged weaning and survival during ventilator weaning in a respiratory ICU," *Intensive Care Medicine*, 37(5), hal. 775–784. doi: 10.1007/s00134-011-2179-3.

Shirzad, M. *et al.* (2010) "Predictors and early outcome of prolonged mechanical ventilation in contemporary heart valve surgery," *Monaldi Archives for Chest Disease*, 74(1).

Totonchi, Z. *et al.* (2014) "Predictors of prolonged mechanical ventilation after open heart surgery," *Journal of cardiovascular and thoracic research*. 2014/12/30, 6(4), hal. 211–216. doi: 10.15171/jcvtr.2014.014.

Trudzinski, F. C. *et al.* (2022) "Risk Factors for Prolonged Mechanical Ventilation and Weaning Failure: A Systematic Review," *Respiration*, 101(10), hal. 959–969. doi: 10.1159/000525604.

White, A. C. (2012) "Long-Term Mechanical Ventilation: Management Strategies," *Respiratory Care*, 57(6), hal. 889 LP – 899. doi: 10.4187/respcare.01850.

de Wit, M. *et al.* (2008) "Randomized trial comparing daily interruption of sedation and nursing-implemented sedation algorithm in medical intensive care unit patients," *Critical Care*, 12(3), hal. R70. doi: 10.1186/cc6908.

Wu, Y.-K. *et al.* (2009) "Predictors of successful weaning from prolonged mechanical ventilation in Taiwan.," *Respiratory medicine*, 103(8), hal. 1189–1195. doi: 10.1016/j.rmed.2009.02.005.

Yang, C. K. *et al.* (2015) "Pulmonary complications after major abdominal surgery: National Surgical Quality Improvement Program analysis," *Journal of Surgical Research*, 198(2), hal. 441–449. doi: 10.1016/J.JSS.2015.03.028.

Zahmatkesh, M. M. *et al.* (2011) "A comparative study of patients weaning undergoing mechanical ventilation of pattern SIMV to T-piece and SIMV to spontaneous Breathing and then to T-piece in ICU Sector," *Urmia Med*, 22(4), hal. 322–328.

Zilberberg, M. D., de Wit, M., *et al.* (2008) "Growth in adult prolonged acute mechanical ventilation: Implications for healthcare delivery*," *Critical Care Medicine*, 36(5). Tersedia pada:
https://journals.lww.com/ccmjjournal/Fulltext/2008/05000/Growth_in_adult_prolonged_acute_mechanical.9.aspx.

Zilberberg, M. D., Luippold, R. S., *et al.* (2008) "Prolonged acute mechanical ventilation, hospital resource utilization, and mortality in the United States," *Critical Care Medicine*, 36(3). Tersedia pada:
https://journals.lww.com/ccmjjournal/Fulltext/2008/03000/Prolonged_acute_mechanical_ventilation_hospital.9.aspx.

Zilberberg, M D *et al.* (2020) "Characteristics, Hospital Course, and Outcomes of Patients Requiring Prolonged Acute Versus Short-Term Mechanical Ventilation in the United States, 2014-2018.," *Critical Care Medicine*, 48(11), hal. 1587–1594.

Zubrow, M. E. *et al.* (2018) “RBC Transfusions Are Associated With Prolonged Mechanical Ventilation in Pediatric Acute Respiratory Distress Syndrome,” *Pediatric critical care medicine : a journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 19(2), hal. e88–e96. doi: 10.1097/PCC.0000000000001399.