



DAFTAR PUSTAKA

- Alruwaili, A. A., & de Jesus, O. (2022). *Meningioma*.
- Annegers, J. F., Laws, E. R., Kurland, L. T., & Grabow, J. D. (1979). Head trauma and subsequent brain tumors. *Neurosurgery*, 4(3), 203–206. <https://doi.org/10.1227/00006123-197903000-00001>
- Bhat, A. R., Wani, M. A., Kirmani, A. R., & Ramzan, A. U. (2014). Histological subtypes and anatomical location correlated in meningeal brain tumors (meningiomas). *Journal of Neurosciences in Rural Practice*, 5(3), 244–249. <https://doi.org/10.4103/0976-3147.133568>
- Brenner, A. v, Linet, M. S., Fine, H. A., Shapiro, W. R., Selker, R. G., Black, P. M., & Inskip, P. D. (2002). History of allergies and autoimmune diseases and risk of brain tumors in adults. *International Journal of Cancer*, 99(2), 252–259. <https://doi.org/10.1002/ijc.10320>
- Buerki, R. A., Horbinski, C. M., Kruser, T., Horowitz, P. M., James, C. D., & Lukas, R. v. (2018). An overview of meningiomas. *Future Oncology (London, England)*, 14(21), 2161–2177. <https://doi.org/10.2217/fon-2018-0006>
- Buhl, R., Nabavi, A., Wolff, S., Hugo, H. H., Alfke, K., Jansen, O., & Mehdorn, H. M. (2007). MR spectroscopy in patients with intracranial meningiomas. *Neurological Research*, 29(1), 43–46. <https://doi.org/10.1179/174313206X153824>
- Chernov, M. F., Kasuya, H., Nakaya, K., Kato, K., Ono, Y., Yoshida, S., Muragaki, Y., Suzuki, T., Iseki, H., Kubo, O., Hori, T., Okada, Y., & Takakura, K. (2011). ¹H-MRS of intracranial meningiomas: what it can add to known clinical and MRI predictors of the histopathological and biological characteristics of the tumor? *Clinical Neurology and Neurosurgery*, 113(3), 202–212. <https://doi.org/10.1016/j.clineuro.2010.11.008>
- Claus, E. B., Black, P. M., Bondy, M. L., Calvocoressi, L., Schildkraut, J. M., Wiemels, J. L., & Wrensch, M. (2007). Exogenous hormone use and meningioma risk: what do we tell our patients? *Cancer*, 110(3), 471–476. <https://doi.org/10.1002/cncr.22783>
- Claus, E. B., Bondy, M. L., Schildkraut, J. M., Wiemels, J. L., Wrensch, M., & Black, P. M. (2005). Epidemiology of intracranial meningioma. *Neurosurgery*, 57(6), 1088–1095; discussion 1088–95. <https://doi.org/10.1227/01.neu.0000188281.91351.b9>
- Demir, M. K., Iplikcioglu, A. C., Dincer, A., Arslan, M., & Sav, A. (2006). Single voxel proton MR spectroscopy findings of typical and atypical intracranial meningiomas. *European Journal of Radiology*, 60(1), 48–55. <https://doi.org/10.1016/j.ejrad.2006.06.002>
- Elefante, A., Russo, C., di Stasi, M., Vola, E., Ugga, L., Tortora, F., & de Divitiis, O. (2021a). Neuroimaging in meningiomas: old tips and new tricks. *Minimally Invasive Surgery*, 2021. <https://doi.org/10.20517/2574-1225.2020.102>



- Elefante, A., Russo, C., di Stasi, M., Vola, E., Ugga, L., Tortora, F., & de Divitiis, O. (2021b). Neuroimaging in meningiomas: old tips and new tricks. *Mini-Invasive Surgery, 2021*. <https://doi.org/10.20517/2574-1225.2020.102>
- Goldbrunner, R., Stavrinou, P., Jenkinson, M. D., Sahm, F., Mawrin, C., Weber, D. C., Preusser, M., Minniti, G., Lund-Johansen, M., Lefranc, F., Houdart, E., Sallabanda, K., le Rhun, E., Nieuwenhuizen, D., Tabatabai, G., Soffietti, R., & Weller, M. (2021). EANO guideline on the diagnosis and management of meningiomas. *Neuro-Oncology, 23*(11), 1821–1834. <https://doi.org/10.1093/neuonc/noab150>
- Hijiya, N., Hudson, M. M., Lensing, S., Zacher, M., Onciu, M., Behm, F. G., Razzouk, B. I., Ribeiro, R. C., Rubnitz, J. E., Sandlund, J. T., Rivera, G. K., Evans, W. E., Relling, M. v, & Pui, C.-H. (2007). Cumulative incidence of secondary neoplasms as a first event after childhood acute lymphoblastic leukemia. *JAMA, 297*(11), 1207–1215. <https://doi.org/10.1001/jama.297.11.1207>
- Inskip, P. D., Tarone, R. E., Hatch, E. E., Wilcosky, T. C., Shapiro, W. R., Selker, R. G., Fine, H. A., Black, P. M., Loeffler, J. S., & Linet, M. S. (2001). Cellular-telephone use and brain tumors. *The New England Journal of Medicine, 344*(2), 79–86. <https://doi.org/10.1056/NEJM200101113440201>
- Jääskeläinen, J., Haltia, M., & Servo, A. (1986). Atypical and anaplastic meningiomas: radiology, surgery, radiotherapy, and outcome. *Surgical Neurology, 25*(3), 233–242. [https://doi.org/10.1016/0090-3019\(86\)90233-8](https://doi.org/10.1016/0090-3019(86)90233-8)
- Kousi, E., Tsougos, I., Fountas, K., Theodorou, K., Tsolaki, E., Fezoulidis, I., & Kapsalaki, E. (2012). Distinct peak at 3.8 ppm observed by 3T MR spectroscopy in meningiomas, while nearly absent in high-grade gliomas and cerebral metastases. *Molecular Medicine Reports, 5*(4), 1011–1018. <https://doi.org/10.3892/mmr.2012.773>
- Krampla, W., Newrkla, S., Pfisterer, W., Jungwirth, S., Fischer, P., Leitha, T., Hruby, W., & Tragl, K. H. (2004). Frequency and risk factors for meningioma in clinically healthy 75-year-old patients: results of the Transdanube Ageing Study (VITA). *Cancer, 100*(6), 1208–1212. <https://doi.org/10.1002/cncr.20088>
- Lam Shin Cheung, V., Kim, A., Sahgal, A., & Das, S. (2018). Meningioma recurrence rates following treatment: a systematic analysis. *Journal of Neuro-Oncology, 136*(2), 351–361. <https://doi.org/10.1007/s11060-017-2659-6>
- Lemée, J.-M., Corniola, M. v., da Broi, M., Schaller, K., & Meling, T. R. (2019). Early Postoperative Complications in Meningioma: Predictive Factors and Impact on Outcome. *World Neurosurgery, 128*, e851–e858. <https://doi.org/10.1016/j.wneu.2019.05.010>
- Lin, M.-C., Li, C.-Z., Hsieh, C.-C., Hong, K.-T., Lin, B.-J., Lin, C., Tsai, W.-C., Lee, C.-H., Lee, M.-G., Chung, T.-T., Tang, C.-T., Ju, D.-T., Ma, H.-I., Liu, M.-Y., Chen, Y.-H., & Hueng, D.-Y. (2018). Preoperative grading of intracranial meningioma by magnetic resonance spectroscopy (1H-MRS). *PloS One, 13*(11), e0207612. <https://doi.org/10.1371/journal.pone.0207612>



- Liu, N., Song, S.-Y., Jiang, J.-B., Wang, T.-J., & Yan, C.-X. (2020). The prognostic role of Ki-67/MIB-1 in meningioma: A systematic review with meta-analysis. *Medicine*, 99(9), e18644. <https://doi.org/10.1097/MD.00000000000018644>
- Longstreh, W. T., Phillips, L. E., Drangsholt, M., Koepsell, T. D., Custer, B. S., Gehrels, J.-A., & van Belle, G. (2004). Dental X-rays and the risk of intracranial meningioma: a population-based case-control study. *Cancer*, 100(5), 1026–1034. <https://doi.org/10.1002/cncr.20036>
- Louis, D. N., Perry, A., Wesseling, P., Brat, D. J., Cree, I. A., Figarella-Branger, D., Hawkins, C., Ng, H. K., Pfister, S. M., Reifenberger, G., Soffietti, R., von Deimling, A., & Ellison, D. W. (2021). The 2021 WHO Classification of Tumors of the Central Nervous System: a summary. *Neuro-Oncology*, 23(8), 1231–1251. <https://doi.org/10.1093/neuonc/noab106>
- Majós, C., Alonso, J., Aguilera, C., Serrallonga, M., Coll, S., Acebes, J. J., Arús, C., & Gili, J. (2003). Utility of proton MR spectroscopy in the diagnosis of radiologically atypical intracranial meningiomas. *Neuroradiology*, 45(3), 129–136. <https://doi.org/10.1007/s00234-002-0933-5>
- Malmer, B., Henriksson, R., & Grönberg, H. (2003). Familial brain tumours—genetics or environment? A nationwide cohort study of cancer risk in spouses and first-degree relatives of brain tumour patients. *International Journal of Cancer*, 106(2), 260–263. <https://doi.org/10.1002/ijc.11213>
- Monleón, D., Morales, J. M., Gonzalez-Darder, J., Talamantes, F., Cortés, O., Gil-Benso, R., López-Ginés, C., Cerdá-Nicolás, M., & Celda, B. (2008). Benign and atypical meningioma metabolic signatures by high-resolution magic-angle spinning molecular profiling. *Journal of Proteome Research*, 7(7), 2882–2888. <https://doi.org/10.1021/pr800110a>
- Ostrom, Q. T., Gittleman, H., Fulop, J., Liu, M., Blanda, R., Kromer, C., Wolinsky, Y., Kruchko, C., & Barnholtz-Sloan, J. S. (2015). CBTRUS Statistical Report: Primary Brain and Central Nervous System Tumors Diagnosed in the United States in 2008–2012. *Neuro-Oncology*, 17 Suppl 4, iv1–iv62. <https://doi.org/10.1093/neuonc/nov189>
- Ott, D., Hennig, J., & Ernst, T. (1993). Human brain tumors: assessment with in vivo proton MR spectroscopy. *Radiology*, 186(3), 745–752. <https://doi.org/10.1148/radiology.186.3.8430183>
- Pfisterer, W. K., Nieman, R. A., Scheck, A. C., Coons, S. W., Spetzler, R. F., & Preul, M. C. (2010). Using ex vivo proton magnetic resonance spectroscopy to reveal associations between biochemical and biological features of meningiomas. *Neurosurgical Focus*, 28(1), E12. <https://doi.org/10.3171/2009.11.FOCUS09216>
- Preston, D. L., Ron, E., Yonehara, S., Kobuke, T., Fujii, H., Kishikawa, M., Tokunaga, M., Tokuoka, S., & Mabuchi, K. (2002). Tumors of the nervous system and pituitary gland associated with atomic bomb radiation exposure. *Journal of the National Cancer Institute*, 94(20), 1555–1563. <https://doi.org/10.1093/jnci/94.20.1555>



- Qi, Z., Li, Y., Wang, Y., Geng, D., Li, K., Shen, T., & Chen, X. (2008). Lipid signal in evaluation of intracranial meningiomas. *Chinese Medical Journal*, 121(23), 2415–2419.
- Rapalino, O., & Ratai, E. M. (2016). Multiparametric Imaging Analysis: Magnetic Resonance Spectroscopy. *Magnetic Resonance Imaging Clinics of North America*, 24(4), 671–686. <https://doi.org/10.1016/j.mric.2016.06.001>
- Ron, E., Modan, B., Boice, J. D., Alfandary, E., Stovall, M., Chertrit, A., & Katz, L. (1988). Tumors of the Brain and Nervous System after Radiotherapy in Childhood. *New England Journal of Medicine*, 319(16), 1033–1039. <https://doi.org/10.1056/NEJM198810203191601>
- Sadetzki, S., Flint-Richter, P., Starinsky, S., Novikov, I., Lerman, Y., Goldman, B., & Friedman, E. (2005). Genotyping of patients with sporadic and radiation-associated meningiomas. *Cancer Epidemiology, Biomarkers & Prevention : A Publication of the American Association for Cancer Research, Cosponsored by the American Society of Preventive Oncology*, 14(4), 969–976. <https://doi.org/10.1158/1055-9965.EPI-04-0366>
- Salah, F., Tabbarah, A., ALAraby, N., Asmar, K., Tamim, H., Makki, M., Sibahi, A., & Hourani, R. (2019). Can CT and MRI features differentiate benign from malignant meningiomas? *Clinical Radiology*, 74(11), 898.e15–898.e23. <https://doi.org/10.1016/j.crad.2019.07.020>
- Shiino, A., Nakasu, S., Matsuda, M., Handa, J., Morikawa, S., & Inubushi, T. (1999). Noninvasive evaluation of the malignant potential of intracranial meningiomas performed using proton magnetic resonance spectroscopy. *Journal of Neurosurgery*, 91(6), 928–934. <https://doi.org/10.3171/jns.1999.91.6.0928>
- Shimizu, H., Kumabe, T., Tominaga, T., Kayama, T., Hara, K., Ono, Y., Sato, K., Arai, N., Fujiwara, S., & Yoshimoto, T. (1996). Noninvasive evaluation of malignancy of brain tumors with proton MR spectroscopy. *AJNR. American Journal of Neuroradiology*, 17(4), 737–747.
- Tan, L. A., Boco, T., Johnson, A. K., Rivas, F. F., Ahmed, S., Byrd, S. E., & Byrne, R. W. (2015). Magnetic resonance imaging characteristics of typical and atypical/anaplastic meningiomas – Case series and literature review. *British Journal of Neurosurgery*, 29(1), 77–81. <https://doi.org/10.3109/02688697.2014.957647>
- Terry, M. B., Howe, G., Pogoda, J. M., Zhang, F. F., Ahlbom, A., Choi, W., Giles, G. G., Little, J., Lubin, F., Menegoz, F., Ryan, P., Schlehofer, B., & Preston-Martin, S. (2009). An international case-control study of adult diet and brain tumor risk: a histology-specific analysis by food group. *Annals of Epidemiology*, 19(3), 161–171. <https://doi.org/10.1016/j.annepidem.2008.12.010>
- Vadivelu, S., Sharer, L., & Schulder, M. (2010). Regression of multiple intracranial meningiomas after cessation of long-term progesterone agonist therapy. *Journal of Neurosurgery*, 112(5), 920–924. <https://doi.org/10.3171/2009.8.JNS09201>
- Vernooij, M. W., Ikram, M. A., Tanghe, H. L., Vincent, A. J. P. E., Hofman, A., Krestin, G. P., Niessen, W. J., Breteler, M. M. B., & van der Lugt, A. (2007).



UNIVERSITAS
GADJAH MADA

Akurasi Skoring Magnetic Resonance Spectroscopy (MRS) dalam Menentukan Derajat Agresivitas

Meningioma Intrakranial

Theodora Caroline Sihotang, Yana Supriatna, Hesti Gunarti, Bambang Supriyadi, Anita Ekowati

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Incidental findings on brain MRI in the general population. *The New England Journal of Medicine*, 357(18), 1821–1828.

<https://doi.org/10.1056/NEJMoa070972>

Wang, W., Hu, Y., Lu, P., Li, Y., Chen, Y., Tian, M., & Yu, L. (2014). Evaluation of the diagnostic performance of magnetic resonance spectroscopy in brain tumors: a systematic review and meta-analysis. *PLoS One*, 9(11), e112577. <https://doi.org/10.1371/journal.pone.0112577>

Yue, Q., Isobe, T., Shibata, Y., Anno, I., Kawamura, H., Yamamoto, Y., Takano, S., & Matsumura, A. (2008). New observations concerning the interpretation of magnetic resonance spectroscopy of meningioma. *European Radiology*, 18(12), 2901–2911. <https://doi.org/10.1007/s00330-008-1079-6>