

## DAFTAR PUSTAKA

- Abdlaty, R. & Fang, Q. 2021. Skin erythema assessment techniques. *Clin Dermatol*, 39, 591-604.
- Agner, T. 2016. *Skin Barrier Function*, Basal, New York, Karger.
- Ali, S. & Yosipovitch, G. 2013. Skin pH: from basic science to basic skin care. *Acta dermato-venereologica Supplementum*, 93, 261-267.
- Barel, A. O., Clarys, P. & Gabard, B. 1999. In Vivo Evaluation of the Hydration State of the Skin: Measurements and Methods for Claim Support. In: ELSNER, P., MAIBACH, H. I. & MERK, H. F. (eds.) *Cosmetics: Controlled Efficacy Studies and Regulation*. Berlin, Heidelberg: Springer Berlin Heidelberg.
- Barnawi, G. M., Barnawi, A. M. & Samarkandy, S. 2021. The Association of the Prolonged Use of Personal Protective Equipment and Face Mask During COVID-19 Pandemic With Various Dermatologic Disease Manifestations: A Systematic Review. *Cureus*, 13, e16544.
- Baroni, A., Elisabetta, B., Vincenza, D. G., Eleonora, R., Vincenzo, R. & Ronni, W. 2012. Structure and Function of the Epidermis Related to Barrier Properties. *Clinics in Dermatology*, 30, 257-62.
- Bhatia, R., Sindhuja, T., Bhatia, S., Dev, T., Gupta, A., Bajpai, M. & Gupta, S. 2020. Iatrogenic dermatitis in times of COVID-19: a pandemic within a pandemic. *Journal of the European Academy of Dermatology and Venereology. JEADV*, 34, e563-e566.
- Cherrie, J., Wang, S., Mueller, W., Wendelboe-Nelson, C. & Loh, M. 2019. In-mask temperature and humidity can validate respirator wear-time and indicate lung health status. *J Exposure Sci Environ Epidemiol*, 29, 578-583.
- Clarys, P., Clijsen, R., Taeymans, J. & Barel, A. 2012. Hydration measurements of the stratum corneum: comparison between the capacitance method (digital version of the Corneometer CM 825®) and the impedance method (Skicon-200EX®). *Skin Res Technol*, 18, 316-23.
- Cork, M. 1997. The importance of skin barrier function. *Journal of Dermatological Treatment*, 8, S7-13.
- Cravello, B. & Ferri, A. 2008. Relationships between skin properties and environmental parameters. *Skin Res Technol*, 14, 180-186.
- Darlenski, R., Kazandjieva, J. & Tsankov, N. 2011. Skin Barrier Function: Morphological Basis and Regulatory Mechanisms. *Journal of Clinical Medicine*, 4, 3645.
- Das, S., Sarkar, S., Das, A., Das, S., Chakraborty, P. & Sarkar, J. 2021. A comprehensive review of various categories of face masks resistant to Covid-19. *Clinical epidemiology and global health*, 12.
- du Plessis, J., Stefaniak, A., Eloff, F., John, S., Agner, T., Chou, T. C., Nixon, R., Steiner, M., Franken, A., Kudla, I. & Holness, L. 2013. International guidelines for the in vivo assessment of skin properties in non-clinical settings: Part 2. transepidermal water loss and skin hydration. *Skin Res Technol*, 19, 265-78.

- Elias, P. M., Gruber, R., Crumrine, D., Menon, G., Williams, M. L., Wakefield, J. S., Holleran, W., M. & Uchida, Y. 2014. Formation and Functions of the Corneocyte Lipid Envelope (CLE). *Biochimica et Biophysica Acta – Molecular and Cell Biology of Lipids*, 1841, 314–18.
- Elkeeb, R., Hui, X., Chan, H., Tian, L. & Maibach, H. I. 2010. Correaltion of Transepidermal Water Loss with Skin Barrier Properties In Vitro: Comparison of Three Evaporimeters. *Skin Res Technol*, 16, 9-15.
- Feng, L., Zhang, Q., Ruth, N., Wu, Y., Saliou, C. & Yu, M. 2022. Compromised skin barrier induced by prolonged face mask usage during the COVID-19 pandemic and its remedy with proper moisturization. *Skin Res Technol*, 29, e13214.
- Firooz, A., Aghazadeh, N., Rajabi Estarabadi, A. & Hejazi, P. 2015. The effects of water exposure on biophysical properties of normal skin. *Skin Res Technol*, 21, 131-6.
- Foo, C., Goon, A., Leow, Y. & CL, G. 2006. Adverse skin reactions to personal protective equipment against severe acute respiratory syndrome-a descriptive study in Singapore. *Contact Dermatitis*, 55, 291-4.
- Goh, Y., Tan, B., Bhartendu, C., Ong, J. & Sharma, V. K. 2020. The face mask: How a real protection becomes a psychological symbol during Covid 19? *Brain, behavior, and immunity*, 88.
- Green, M., Kashetsky, N., Feschuk, A. & Maibach, H. I. 2022. Transepidermal water loss (TEWL): Environment and pollution-A systematic review. . *Skin health and disease*, 2, e104.
- Grice, K., Sattar, H., Sharratt, M. & Baker, H. 1971. Skin temperature and transepidermal water loss. *J Invest Dermatol*, 57, 108-110.
- Halkier-Sørensen L, T.-P. K. 1991. Skin physiological changes in employees in the fish processing industry immediately following work. *Contact Dermatitis*, 25, 1924.
- Han, H., Shin, S., Park, J., Li, K., Kim, B. & Yoo, K. 2021. Changes in skin characteristics after using respiratory protective equipment (medical masks and respirators) in the COVID-19 pandemic among healthcare workers. *Contact Dermatitis*, 1-8.
- Harding, C. R. 2004. The stratum corneum: structure and function in health and disease. *Dermatol Ther*, 17, 6–15.
- Heinrich, U. Ä., Koop, U., Leneveu-duchemin, M., Osterrieder, K., Bielfeldt, S. & Chkarnat, C. 2003. Multicentre comparison of skin hydration in terms parameters by the capacitive method ( Corneometer CM 825 ). *Int J Cosmet Sci*, 25, 45–53.
- Herrero-Fernandez, M., Montero-Vilchez, T., Diaz-Calvillo, P., Romera-Vilchez, M., Buendia-Eisman, A. & Arias-Santiago, S. 2022. Impact of Water Exposure and Temperature Changes on Skin Barrier Function. *J Clin Med*, 11, 298.
- Hidajat, D. 2020. Maskne: Akne Akibat Masker. *Jurnal Kedokteran*, 2, 202-214.
- Hua, W., Zuo, Y., Wan, R., Xiong, L., Tang, J., Zou, L., Shu, X. & Li, L. 2020. Short-term skin reactions following use of N95 respirators and medical masks. *Contact Dermatitis*, 83, 115-121.

- Jang, S., Choi, J., Han, J., Kim, E. & Lee, H. 2017. Differences between cheeks and dorsal hands skin properties during skiing in a cold and windy environment. *JCDSA*, 7, 27-33.
- Khan, A. 2012. Visio Scan VC98, Corneometer MPA 5 and Tewameter MPA 5. *African Journal of Pharmacy and Pharmacology*, 6, 225–27.
- Kim, J., Yoo, S., Kwon, O., Jeong, E., Lim, J. & Park, S. 2021. Influence of quarantine mask use on skin characteristics: One of the changes in our life caused by the COVID-19 pandemic. *Skin Res Technol*, 27, 599-606.
- Kottner, J., Lichterfeld, A. & Blume-Peytavi, U. 2013. Transepidermal water loss in young and aged healthy humans: A systematic review and meta-analysis. *Arch Dermatol Res*, 305, 315-323.
- Lambers, H., Piessens, S., Bloem, A., Pronk, H. & Finkel, P. Natural skin surface pH is on average below 5, which is beneficial for its resident flora. *Int J Cosmet Sci*, 28, 359-70.
- Lee, C. & Jamil, A. 2020. Skin pH and its relationship with transepidermal water loss and disease severity in children with atopic dermatitis: A cross-sectional study. *Journal of Dermatology and Dermatologic Surgery*, 24, 84-87.
- Lee, J. S., Ha, J., Shin, K., Kim, H. & Cho, S. 2019. Different Cosmetic Habits Can Affect the Biophysical Profile of Facial Skin: A Study of Korean and Chinese Women. *Annals of Dermatology*, 31.
- Lee, M., Nam, G., Jung, Y., Park, S., Han, J., Cho, J., Suh, K. & Hwang, J. 2013. Comparison of the skin biophysical parameters of Southeast Asia females: forehead-cheek and ethnic groups. *J Eur Acad Dermatol Venereol*, 27, 1521-6.
- Li, D. T. S., Samaranayake, L. P., Leung, Y. Y. & Neelakantan, P. 2021. Facial protection in the era of COVID-19: A narrative review. *Oral Dis*, 27 Suppl 3, 665-673.
- Mansour, E., Vishinkin, R., Rihet, S., Saliba, W., Fish, F., Sarfati, P. & Haick, H. 2020. Measurement of temperature and relative humidity in exhaled breath. *Sens Actuators B Chem*, 304, 127371.
- Miyamoto, K., Munakata, Y., Yan, X., suji, G. & Furue, M. 2022. Enhanced Fluctuations in Facial Pore Size, Redness, and TEWL Caused by Mask Usage Are Normalized by the Application of a Moisturizer. *J Clin Med*, 11, 2121.
- Narang, I., Sardana, K., Bajpai, R. & Garg, V. K. 2019. Seasonal aggravation of acne in summers and the effect of temperature and humidity in a study in a tropical setting. *J Cosmet Dermatol*, 18, 1098-1104.
- Park, S.-R., Han, J., Yeon, Y., Kang, N. & Kim, E. 2020. Effect of face mask on skin characteristics changes during the COVID-19 pandemic. *Skin Res Technol*, 1-6.
- Park S-R, H. J., Yeon YM, Kang NY, Kim E, SUH B-F. 2021. Long-term effects of face masks on skin characteristics during the COVID-19 pandemic. *Skin Res Technol*, 1-9.
- Proksch, E., Brandner, J. M. & Jensen, J. 2008. The skin : an indispensable barrier. *Clin Exp Dermatol*, 17, 1063–1072.

- Qassem, M. & Kyriacou, P. 2019. Review of Modern Techniques for the Assessment of Skin Hydration. *Cosmetics*, 6, 19.
- Roberge, R., Kim, J. & Coca, A. 2012. Protective facemask impact on human thermoregulation: an overview. *Ann Occup Hyg*, 56, 102-112.
- Rogiers, V. 2001. EEMCO guidance for the assessment of transepidermal water loss in cosmetic sciences. *Skin Pharmacol Appl Skin Physiol*, 14.
- Rosner, E. 2020. Adverse Effects of Prolonged Mask Use among Healthcare Professionals during COVID-19. *Journal of Infectious Diseases and Epidemiology*, 6.
- Rosso, J. D., Zeichner, J., Alexis, A., Cohen, D. & Berson, D. 2016. Understanding the Epidermal Barrier in Healthy and Compromised Skin: Clinically Relevant Information for the Dermatology Practitioner: Proceedings of an Expert Panel Roundtable Meeting. *The Journal of clinical and aesthetic dermatology*, 9, S2–S8.
- Rusdaniaji, D. 2021. *Pengaruh Perbedaan Jenis Masker Terhadap Perubahan Fisiologi Sensasi Subjektif*. Magister, Universitas Gadjah Mada.
- Sato, J., Denda, M., Chang, S., Elias, P. M. & Feingold, K. R. 2002. Abrupt decreases in environmental humidity induce abnormalities in permeability barrier homeostasis. *J Invest Dermatol*, 119, 900-904.
- Sato, J., Katagiri, C., Nomura, J. & Denda, M. 2001. Drastic decrease in environmental humidity decreases water-holding capacity and free amino acid content of the stratum corneum. *Arch Dermatol Res*, 293, 477-480.
- Shuster, S., Black, M. & McVitie, E. 1975. The influence of age and sex on skin thickness, skin collagen and density. *Br J Dermatol*, 93, 639-643.
- Sulistomo, A. W., Wilar, Y. A. C., Savitri, R., Herdian, M. A. & Ariningsih 2020. Panduan Perlindungan Bagi Pekerja di Fasilitas Pelayanan Kesehatan Dalam Masa Pandemi COVID-19. In: WILAR, Y. A. C. & SAVITRI, R. (eds.). Perhimpunan Spesialis Kedokteran Okupasi Indonesia (PERDOKI).
- Tasic-Kostov, M., Martinović, M., Ilic, D. & Cvetkovic, M. 2022. Cotton versus medical face mask influence on skin characteristics during COVID-19 pandemic: A short-term study. *Skin Res Technol*, 28, 66-70.
- Tur, E. 1997. Physiology of the skin—differences between women and men. *Clin Dermatol*, 15, 5-16.
- Wan, X., Lu, Q., Sun, D., Wu, H. & Jiang, G. 2022. Skin Barrier Damage due to Prolonged Mask Use among Healthcare Workers and the General Population during the COVID-19 Pandemic: A Prospective Cross-Sectional Survey in China. *Dermatology*, 238, 218-225.
- Yoo, M., Kim, S., Han, H., Byun, J. & Park, K. 2022. The effects of wearing a face mask and of subsequent moisturizer use on the characteristics of sensitive skin. *Skin Res Technol*, 1-5.
- Yudhastuti, R. 2020. The Use of Cloth Face Mask during the Pandemic Period in Indonesian People. *Kesmas: Jurnal Kesehatan Masyarakat Nasional (National Public Health Journal)*, 32-36.
- Zuo, Y., Hua, W., Luo, Y. & Li, L. 2020. Skin reactions of N95 masks and medial masks among health-care personnel: A self-report questionnaire survey in China. *Contact Dermatitis*, 83, 145-147.