

DAFTAR PUSTAKA

- Alkaf, M., Munibah, K., dan Rusdiana, O. (2014). Model spasial perubahan penggunaan lahan di Taman Nasional Gunung Merbabu dan Daerah Penyangganya. *Majalah Ilmiah Globe*, 16(1), 43 – 50.
- Agenzia Spazia Italiana/ASI. (2021). *PRISMA Algorithm Theoretical Basis Document (ATBD)*.
- Alpaydin, E. (2010). *Introduction to machine learning*. MIT Press.
- Akaike, H. (1970) Statistical Predictor Identification. *Annals of the Institute of Statistical Mathematics*, 22, 203-217.
<http://dx.doi.org/10.1007/BF02506337>
- Arjasakusuma, S., Kusuma, S. S., & Phinn, S. (2020). Evaluating variable selection and machine learning algorithms for estimating forest heights by combining lidar and hyperspectral data. *ISPRS International Journal of Geo-Information*, 9(9). <https://doi.org/10.3390/ijgi9090507>
- Baiocchi, V., Giannone, F., Monti, F. (2022). How to Orient and Orthorectify PRISMA Images and Related Issues. *Remote Sensing* 2022, 14, 1991.
<https://doi.org/10.3390/rs14091991>
- Balai Taman Nasional Gunung Merbabu. (2017). *Iklim [Online]*. Diakses dari <https://tngunungmerbabu.org/iklim/> pada 22 Oktober 2021.
- Balai Taman Nasional Gunung Merbabu. (2017). *Ekosistem [Online]*. Diakses dari <https://tngunungmerbabu.org/iklim/> pada 22 Oktober 2021.
- Bergstra, J. & Bengio. (2012). Random search for hyper-parameter optimization. *Journal of Machine Learning Research*, 13(2012), 281-305.
- Berhane, T. M., Lane, C. R., Wu, Q., Autrey, B. C., Anenkhonov, O. A., Chepinoga, V. V., Liu, H. (2018). Decision-Tree, Rule-Based, and Random Forest classification of high-resolution multispectral imagery for wetland mapping and inventory. *Journal of Remote Sensing*, 10, 580, doi:10.3390/rs10040580.

Breiman, L. & Cutler, A. (2018). *Package 'randomForest'* [Online]. Diakses dari

<https://cran.r-project.org/web/packages/randomForest/randomForest.pdf>

pada tanggal 22 Maret 2022.

Brown, S. 1997. Estimates biomass and biomass change of tropical forest. *FAO*

Forestry Paper, 134. USA.

Brownlee, Jason. (2016). *Tune Machine Learning Algorithms in R (Random Forest*

Case Study) [Online]. Diakses dari <https://machinelearningmastery.com/tune-machine-learning-algorithms-in-r/> pada 20 Januari 2021.

Chang, Ni-Bin, dan Bai, Kaixu. (2018). *Multisensor Data Fusion and Machine*

Learning for Environmental Remote Sensing. CRC Press

Chave, J., Andalo, C., Brown, S., Cairns, M., Chambers, J., Earnus, Q. D., Folster,

H., Fromard, F., Higuchi, N., Kira, T., Lescure, J. P., Nelson, B. W., Ogawa,

H., Puig, H., Riera, B., dan Yamakura, T. (2005). Tree allometry and

improved estimation of carbon stocks and balance in tropical forests.

Oecologia, 145(1), 87 – 99.

Choueiry, G. (2021). *Understand Forward and Backward Stepwise Regression*

[Online]. Diakses dari <https://quantifyinghealth.com/stepwise-selection/>

pada 14 Oktober 2021.

Congalton, R. G., & Green, K. (2019). *Assessing the Accuracy of Remotely Sensed*

Data Principles and Practices (3rd ed.). Boca Raton: CRC Press.

Dang, A. T. N., Nandy, S., Srinet, R., Luong, N. V., Ghosh, S., & Senthil Kumar,

A. (2019). Forest aboveground biomass estimation using machine learning

regression algorithm in Yok Don National Park, Vietnam. *Ecological*

Informatics, 50, 24–32. <https://doi.org/10.1016/j.ecoinf.2018.12.010>

Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Yogyakarta: Penerbit

ANDI.

Degenhardt, F., Seifert, S., & Szymczak, S. (2019). Evaluation of variable selection methods for random forests and omics data sets. *Briefings in Bioinformatics*, 20(2), 492–503. <https://doi.org/10.1093/bib/bbx124>

Dent, B.D., Torguson, J. S., dan Holder T.W. (2009). *Cartography Thematic Map Design Sixth Edition*. Newyork: McGraw-Hill.

Donev, J.M.K.C. *et al.* (2020). *Energy Education – Carbon pool [Online]*. Diakses dari https://energyeducation.ca/encyclopedia/Carbon_pool pada 3 Februari 2022 pukul 3.50 WIB.

European Space Agency (ESA). *PRISMA (Hyperspectral Precursor and Application Mission [Online]*. Diakses dari <https://earth.esa.int/web/eoportal/satellite-missions/p/prisma-hyperspectral> pada 14 Oktober 2021.

Everitt, B., & Skrondal, A. (2010). *The Cambridge Dictionary of Statistics*. Cambridge: Cambridge University Press. <https://doi.org/10.1017/CBO9780511779633>

Farda, N.M. (2017). Multi-temporal land use mapping of coastal wetlands area using machine learning in Google Earth Engine. *IOP Conf. Ser.: Earth Environ. Sci.* 98 012042.

Gasmi, A., Gomez, C., Chehbouni, A., Dhiba, D., & El Gharous, M. Using PRISMA Hyperspectral Satellite Imagery and GIS Approaches for Soil Fertility Mapping (FertiMap) in Northern Maroco. *Remote Sensing* 2022, 14, 4080. <https://doi.org/10.3390/rs14164080>

Gayon, Jean. (2000). History of the concept of allometry. *American Zoology*, 748-758.

Germinian, J. F. (2019). *Aplikasi Pohon pada Statistik dan Machine Learning*. Makalah IF2120 Matematika Diskrit – Sem. I Tahun 2019/2020 [Online]. Diakses dari <https://informatika.stei.itb.ac.id/~rinaldi.munir/Matdis/2019-2020/Makalah2019/13518025.pdf> pada tanggal 22 Maret 2022.

Gunawati, D. (2017). Pengelolaan Taman Nasional Gunung Merbabu dalam dialektika norma dan realita. *PKn Progresif*, 12(2), 675 – 688.

Hairiah, K., Sitompul, S.M., van Noordwijk, M., Palm, C. (2001). *Methods for Sampling Carbon Stock Above and Below Ground*. Bogor, Indonesia: Internasional Centre for Research in Agroforestry, Southeast Asian Regional Reseach Programme.

Hastie, T., Tibshirani, R., dan Friedman, J. (2008). *The Elements of Statistical Learning, 2nd ed.* Berlin/Heidelberg, Germany: Springer. ISBN 978-0-387-84857-0.

Hoffer, R.M. (1978). *Remote Sensing the Quantitative Approach chpt Biological and Physical Considerations In Applying Computeraidrd Analysis Techniques to Remote Sensor Data*, 227-289. New York: McGraw-Hill International Book Co.

Holloway, J., Helmstedt, K. J., Mengersen, K., dan Schmidt, M. (2019). A Decision tree approach for spatially interpolating missing land cover data and classifying satellite images. *Journal of Remote Sensing*, 11, 1796, doi:10.3390/rs11151796.

Houghton, R. A. (2005). Above forest biomass and the global carbon balance. *Global Change Biology*, 11, 945-958. doi: 10.1111/j.1365-2486.2005.00955.x

Huete, A.R. dan Glenn, E.P. (2011). *Remote Sensing of Ecosystem Structure and Function. Advance in Environment Remote Sensing*. Boca Raton: CRC Press.

IPCC. (2006). *IPCC Guidelines for National Greenhouse Gas Inventories*. Hayama, Kanagawa: Institute for Global Environmental Strategies (IGES).

IPCC. (2006). *Guielines for National Greenhouse Gas Inventories Volume 4 Agriculture, Forestry, and other Land Use*, 4, 4.48.

James, G., Witten, D., Hastie, T., & Tibshirani, R. (2013). *An Introduction to Statistical Learning with Application in R*. New York, Heidelberg, Dordrecht, London: Springer Publishing Company.

Jensen, J. R. (2005). *Introduction Digital Image Processing: A Remote Sensing Perspective 3rd Edition*. Harlow: Pearson Education Limited.

Julzarika, Atriyon. 2009. Perbandingan teknik orthorektifikasi Citra Satelit Spot5 Wilayah Semarang dengan metode *Digital Mono Plotting* (DPM) dan metode *Rational Polynomial Coefficients* (RPCs). *Jurnal Penginderaan Jauh*, 6, 11-21.

Jun, M. (2020). *Construct a Decision Tree and How to Deal with Overfitting [Online]*. Diakses dari <https://towardsdatascience.com/construct-a-decision-tree-and-how-to-deal-with-overfitting-f907efc1492> pada tanggal 14 Oktober 2021.

Kassambara. (2018). *Stepwise regression Essential in R [Online]*. Diakses dari <http://www.sthda.com/english/articles/37-model-selection-essentials-in-r/154-stepwise-regression-essentials-in-r/> pada 20 Januari 2022.

Ketterings, Q., Coe, R., van Noordwijk, M., Ambagau, Y., & Palm, C. (2001). Reducing uncertainty in the use of allometric biomass equations for predicting above-ground tree biomass in mixed secondary forest. *Forest Ecology and Management*, 199-209.

Kementerian LHK. (2018). *Status Hutan dan Kehutanan Indonesia 2018*. Kementerian Lingkungan Hidup dan Kehutanan Republik Indonesia. ISBN: 978-602-8358-85-9.

Kementerian LHK. (2021). *Hutan dan Deforestasi Indonesia 2019-2020*. Kementerian Lingkungan Hidup dan Kehutanan Republik Indonesia [Online]. Diakses dari https://www.menlhk.go.id/site/single_post/3640/deforestasi-indonesia-turun-terendah-dalam-sejarah pada tanggal 12 Oktober 2021.

Krisnawati, H., Adinugroho, W. C., dan Imanuddin, R. (2012). *Monograf Model-Model Alometrik untuk Pendugaan Biomassa Pohon untuk Pendugaan Biomassa Pohon pada Berbagai Tipe Ekosistem Hutan di Indonesia*. Pusat Penelitian dan Pengembangan Konservasi dan Rehabilitasi, Badan Penelitian dan Pengembangan Kehutanan.

Kotsiantis, S.B. (2007). Supervised machine learning: A review of classification techniques. *Appl Comput Eng Real Word*, 31, 249–268.

Kursa, M. B. & Rudnicki, W. R. (2010). Feature selection with the boruta package. *Journal of Statistical Software*, 36(11), 1–13. <https://doi.org/10.18637/jss.v036.i11>.

Kursa, M. B. (2020). *Package ‘Boruta’: Wrapper Algorithm for All Relevant Feature Selection*.

Lawrence, R. L., Wood, S. D. dan Sheley, R. L. (2005). Mapping invasive plants using hyperspectral imagery and Breiman Cutler classifications (Random Forest). *Remote Sensing of Environment*, 100 (2006), 356-362.

Li, Y., Li, C., Li, M., & Liu, Z. (2019). Influence of variable selection and forest type on forest aboveground biomass estimation using machine learning algorithms. *Forests*, 10(12). <https://doi.org/10.3390/F10121073>.

Liaw, A. & Wiener, M. (2002). Classification and Regression by randomForest. *R News*, 2/3, December 2002. ISSN 1609-3631.

Lillesand, T.M., Kiefer, R.W., dan Chipman, J.W. (2008). *Remote Sensing and Image Interpretation*. New York: John Willey & Sons Inc.

Lou, P., Fu, B., He, H., Li, Y., Tang, T., Lin, X., Fan, D., & Gao, E. (2020). An optimized object-based random forest algorithm for marsh vegetation mapping using high-spatial-resolution GF-1 and ZY-3 data. *Remote Sensing*, 12(8). <https://doi.org/10.3390/RS12081270>.

Masripatin N., K. Ginoga, A. Wibowo, W.S. Dharmawan, C.A. Siregar, M. Lugina, Indartik, W. Wulandari, N. Sakuntaladewi, R. Maryani, G. Pari, D. Apriyanto, B. Subekti, D. Puspasari, & A.S. Utomo. (2010). *Cadangan*

McCoy, R. M. (2005). *Field Methods in Remote Sensing*. In The Guillford Press. The Guillford Press. http://doi.wiley.com/10.1111/j.1541-0064.2006.00161_2.x

McGroddy, M.E., Daufresne, T. dan Hedin, L.O. (2004). Scaling of C:N:P stoichiometry in forests worldwide: Implications of terrestrial Redfield-type ratios. *Ecology*, 85, 2390-2401.

Menteri Kehutanan Republik Indonesia. (2006). *Peraturan Menteri Kehutanan Nomor: P. 56/Menhut-II/2006 Tentang Pedoman Zonasi Taman Nasional*. Jakarta: Republik Indonesia.

Miles, J. (2014). *R Squared, Adjusted R Squared*. Wiley StatsRef: Statistics Reference Online. doi:10.1002/9781118445112.stat06627

Mutanga, O. & Skidmore, A.K. (2004). Narrow band vegetation indices overcome the saturation problem in biomass estimation. *International Journal of Remote Sensing*, 25(19), 3999-4014.

Mohammed, N. Z. & Elhaj, E. E. A. (2013). The effect of polynomial order on georeferencing remote sensing image. *International Journal of Engineering and Innovative Technology (IJEIT)*, 2 (8), February 2013. ISSN: 2277-3754.

Parresol, B.R. (1999). Assessing tree and stand biomass: A review eight examples and critical comparisons. *Forest Science*, 45, 573-593.

Patel, N., & Mujumdar, A. (2010). Biomass estimation of *Shorea robusta* with principal component analysis of satellite data. *Journal of Forestry Research*, 21(4), 469-471. DOI 10.1007/s11676-010-0100-5

Perumal, K. dan Bhaskaran, R. (2010). Supervised classification performance of multispectral images. *Journal of Computing*, 2 (2), 124:129.

Qin, H., Zhou, W., Yao, Y., & Wang, W. (2021). Estimating aboveground carbon stock at scale of individual trees in subtropical forest using UAV LiDAR and hyperspectral data. *Remote Sensing*, 13, 4969. <https://doi.org/10.3390/rs13244969>

Republik Indonesia. (1999). *Undang-Undang Republik Indonesia Nomor 41 Tahun 1999 Tentang Kehutanan*. Jakarta: Republik Indonesia.

Riaño, D., Chuvieco, E., Salas, J., & Aguado, I. (2003). Assessment of different topographic corrections in Landsat-TM data for mapping vegetation types. *IEEE Transactions on Geoscience and Remote Sensing*, 41(5), 1056-1061.

Rochmayanto, Y., Wibowo, A., Lugina, M., Butarbutar, T., Mulyadin, RM., & Wicaksono, D. (2014). *Cadangan Karbon pada Berbagai Tipe Hutan dan Jenis Tanaman di Indonesia Seri 2*. Yogyakarta: Penerbit PT. KANISIUS.

Rohayaton, E. (2012). Penaksiran kandungan karbon tersimpan di atas permukaan tanah di kawasan taman nasional gunung merbabu. *Skripsi*. Fakultas Kehutanan, Universitas Gadjah Mada.

Roman, A. dan Ursu, T. (2016). *Landscape Archaeology on The Northern Frontier of The Roman Empire at Porolissum-An Interdisciplinary Research Project chpt Multispectral Satellite Imagery and Airborne Laser Scanning Techniques for the Detection of Archaeological Vegetation Marks*. Cluj-Napoca: Mega Publishing House.

Rouse Jr., J. W., Haas, R. H., Deering, D. W., Schell, J. A., Harlan, J. C. (1974). *Monitoring the vernal advancement and retrogradation (green wave effect) of natural vegetation*. Greenbelt: NASA (NASA/GSFC type III final report).

Pratama, M. I., Delvian, & Hartini, K. S. (2016). Struktur Vegetasi dan Cadangan Karbon Tegakan di Kawasan Hutan Cagar Alam Lembah Harau Kabupaten Lima Puluh Kota Sumatera barat. *Peronema Forestry*, 5(1).

Sanchez-Pinto, L. N., Venable, L. R., Fahrenbach, J., & Churpek, M. M. (2018). Comparison of variable selection methods for clinical predictive modeling.

- Sarwono, J. (2009). *Statistik Itu Mudah: Panduan Lengkap untuk Belajar Komputasi Statistik Menggunakan SPCC 16*. Yogyakarta: Penerbit Andi.
- Sedjo, R. A. (1993). The carbon cycle and global forest ecosystem. *Water, Air, & Soil Pollution*, 70(1-4), 295–307. doi:10.1007/bf01105003
- Serbin, S.P., Townsend, P.A. (2020). Scaling Functional Traits from Leaves to Canopies. In: Cavender-Bares, J., Gamon, J.A., Townsend, P.A. (eds) *Remote Sensing of Plant Biodiversity*. Springer, Cham. https://doi.org/10.1007/978-3-030-33157-3_3.
- Smith, G. (2018). Step away from Stepwise. *Journal of Big Data*, 5(1). <https://doi.org/10.1186/S40537-018-0143-6>.
- Sutaryo, Dandun. (2009). *Perhitungan Biomassa: Sebuah pengantar untuk studi karbon dan perdagangan karbon*. Bogor, Indonesia: Wetlands International Indonesia Programme.
- T R, Prajwala. (2015). A Comparative Study on Decision Tree and Random Forest Using R Tool. *IJARCCCE*, 196-199. 10.17148/IJARCCCE.2015.4142.
- Thenkabail, P.S., Smith, R.B., dan De-Pauw, E. (2000). Hyperspectral vegetation indices for determining agricultural crop characteristics. *Remote Sensing of the Environment*, 71, 158-182.
- Thenkabail, P. S., Lyon, J. G., & Huete, A. (2012). *Hyperspektral Remote Sensing of Vegetation. Part I: Introduction and Overview. Chapter 1: Advances in Hyperspektral Remote Sensing of Vegetation and Agricultural Croplands*. Boca Raton: CRC Press, Taylor & Francis Group.
- Thenkabail, P. S., Lyon, J. G., dan Huete, A. (2019). *Fundamental, Sensor System, Spectral Libraries, and Data Mining for Vegetation Volume I. Section II: Hyperspectral Sensor System. Chapter 3: Hyperspectral Remote Sensing in Global*. Boca Raton: CRC Press, Taylor & Francis Group.

Umarhadi, D. A., dan Danoedoro, P. (2020). The effect of topographic correction on canopy density mapping using satellite imagery in mountainous area. *International Journal on Advanced Science, Engineering and Information Technology*, 10(3), 1317–1325. <https://doi.org/10.18517/ijaseit.10.3.7739>

Usmadi, D., & Pribadi, D. O. (2021). Estimasi biomassa vegetasi Kebun Raya Bogor menggunakan kombinasi citra worldview-2 dan algoritma pemelajaran mesin. *Buletin Kebun Raya*, 24(1), 1–12.

Vangi, E., D'amico, G., Francini, S., Giannetti, F., Lasserre, B., Marchetti, M., & Chirici, G. (2021). The new hyperspectral satellite PRISMA: Imagery for forest types discrimination. *Sensors (Switzerland)*, 21(4), 1–19. <https://doi.org/10.3390/s21>.

Weyerhaeuser, H. & Tennigkeit, T. (2020). *Forest Inventory and Monitoring Manual*. Heinrich Böll Stiftung, ICRAF, and CMU Forest Resources.

Woher, M., Berger, K., Verrelst, J., & Hank, T. (2022). Retrieval of carbon content and biomass from hyperspectral imagery over cultivated areas. *ISPRS Journal of Photogrammetry and Remote Sensing*, 193, 104-114. <https://doi.org/10.1016/j.isprsjprs.2022.09.003>.

Yim, Jong Su & Kim, Young & Kim, Sung & Jeong, Jin & Shin, Man. (2011). Comparison of the k -nearest neighbor technique with geographical calibration for estimating forest growing stock volume. This article is one of a selection of papers from Extending Forest Inventory and Monitoring over Space and Time. *Canadian Journal of Forest Research*, 41, 73-82. <https://doi.org/10.1139/X10-132>

Yohannes, H., Soromessa, T., & Argaw, M. (2015). Carbon stok analysis along slope and slope aspect gradient in Gedo Forest: implications for Climate Change Mitigation. *Journal of Earth Science & Climatic Change* 2015, 6(9). <http://dx.doi.org/10.4172/2157-7617.1000305>.

Yu, X., Ge, H., Lu, D., Zhang, M., Lai, Z., & Yao, R. (2019). Comparative study on variable selection approaches in establishment of remote sensing model

Zaitunah, A., Samsuri, Ahmad, A. G., & Safitri, R.A. (2018). Normalized Difference Vegetation Index (NDVI) analysis for land cover types using Landsat 8 OLI in Besitang Watershed, Indonesia. *IOP Conf. SeriesL Earth and Environmental Science*, 126 (2018) 012112.

Zald, H.S.J., Wulder, M.A., White, J.C., Hilker, T., Hermosilla, T., Hobart, G.W., Coops, N.C. (2016). Integrating landsat pixel composites and change metrics with lidar plots to predictively map forest structure and aboveground biomass in Saskatchewan, Canada. *Remote Sensing Environment*, 176, 188–201.