

REFERENCES

- ADPC. (n.d.). Earthquake Vulnerability Concept: An Overview. In *Earthquake Vulnerability Reduction for Cities (EVRC-2)*. Asian Disaster Preparedness Center (ADPC).
- Ahdi, S. K., Stewart, J. P., Ancheta, T. D., Kwak, D. Y., & Mitra Devjyoti. (2017). Development of V S Profile Database and Proxy-Based Models for V S 30 Prediction in the Pacific Northwest Region of North America. *Bulletin of the Seismological Society of America*, XX(xx). <https://doi.org/10.1785/0120160335>
- Aki, K., & Richards, P. G. (1980). *Quantitative Seismology*. San Francisco: Freeman.
- Allen, T. I., & Wald, D. J. (2007). Topographic Slope as a Proxy for Seismic Site-Conditions (VS 30) and Amplification Around the Globe. *USGS Open-File Report*, 1379–1395.
- Allen, T. I., & Wald, D. J. (2009). On the use of high-resolution topographic data as a proxy for seismic site conditions (VS30). *Bulletin of the Seismological Society of America*, 99(2 A), 935–943. <https://doi.org/10.1785/0120080255>
- Bappeda-DIY. (2019). Bentuklahan Yogyakarta. Retrieved December 20, 2019, from http://gis.jogjaprov.go.id/layers/geonode_data:geonode:Bentuklahan_AR_00
- Bappenas. (2006). Preliminary Assessment of Damage and Loss of Natural Disasters in Yogyakarta and Central Java. *15th Meeting of the Consultative Group for Indonesia, 2006*.
- Bemmelen, R. W. Van. (1949). *The Geology of Indonesia*. The Hague, Govt. Print. Off.
- BIG. (2020). *Land System Map Scale 250K and 50K*. Badan Informasi Geospasial (BIG).
- Bignardi, S., Antovani, A., & Zeid, N. A. (2016). OpenHVSR: imaging the subsurface 2D/3D elastic properties through multiple HVSR modelling and inversion. *Computers & Geosciences*, 93, 103–113.
- BNPB. (2013). *Indeks Risiko Bencana Indonesia (Pertama)*. Direktorat Pengurangan Risiko Bencana, Deputy Bidang Pencegahan dan Kesiapsiagaan.
- Bock, Y., Prawirodirdjo, L., Genrich, J. F., Stevens, C. W., McCaffrey, R., Subarya, C., ... Calais, E. (2003). Crustal motion in Indonesia from Global Positioning System Measurements. *Journal of Geophysical Research*, 108(B8), 2367.
- Boen, T. (2006). Yogya Earthquake 27 May 2006 , Structural Damage Report.

Senior Advisor WSSI (World Seismic Safety Initiative), (May), 1–22.

- Boore, D. M., & Atkinson, G. M. (2008). Ground-Motion Prediction Equations for the Average Horizontal Component of PGA, PGV, and 5% -Damped PSA at Spectral Periods between 0.01 s and 10.0 s. *Earthquake Spectra*, 24(1), 99–138. <https://doi.org/10.1193/1.2830434>
- Borcherdt, R. D. (1994). Estimates of Site-Dependent Response Spectra for Design (Methodology and Justification). *Earthquake Spectra*, 10(4), 614–653.
- BSN. *Tata Cara Perencanaan Ketahanan Gempa Untuk Struktur Bangunan Gedung dan Non Gedung*. , Pub. L. No. 1726–2012 (2019).
- Bullen, K. E., & Bolt, B. A. (1985). *An Introduction to the Theory of Seismology* (4th ed.). Cambridge University Press.
- Chavez, M. (2000). Impact of The Local Geology on The Seismic Vulnerability of The Metropolitan Zone of Guadalajara, Mexico. *12th World Conference on Earthquake Engineering*, 1–8.
- Cipta, A., & Solikhin, A. (2018). Estimation of Surface Wave Velocity (VS30) on Sulawesi Island Based on Geomorphological Classification and Its Application. *Center for Volcanology and Geological Hazard Mitigation, Bandung*. <https://doi.org/10.13140/RG.2.2.16304.87043>
- Coe, J. T., Mahvelati, S., Engineers, V., Senior, M., & Asabere, P. K. (2018). Mapping NEHRP Vs30 Site Class in Philadelphia Using Geophysical and Existing Subsurface Data. *Proceedings of the 11th National Conference in Earthquake Engineering*. Earthquake Engineering Research Institute, Los Angeles, CA.
- Daryono. (2011). *Indeks Kerentanan Seismik Berdasarkan Mikrotremor pada setiap satuan bentuk Lahan di Zona Graben Bantul Daerah Istimewa Yogyakarta*. Universitas Gadjah Mada.
- Edwiza, D., & Novita, S. (2008). Pemetaan Percepatan Tanah Maksimum dan Intensitas Seismik Kota Padang Panjang Menggunakan Metode Kanai. *Teknika*, 2(29), 111–118.
- Elnashai, A. S. ., & Sarno, L. D. (2008). *Fundamentals of Earthquake Engineering* (First). John Wiley & Sons Ltd.
- Elnashai, A. S., Kim, S. J., Yun, G. J., & Sidarta, D. (2007). The Yogyakarta Earthquake of May 27, 2006. In *MAE Center Report*.
- EROS-USGS. (2018). Shuttle Radar Topography Mission 1 Arc-Second Global. <https://doi.org/10.5066/F7PR7TFT>
- Gueguen, P., Chatelain, J., Guillier, B., Yepes, H., & Valverde, J. (1996). Microzoning and Seismic Risk in Quito, Ecuador: Preliminary results. *Third*

ISAG, (June 2014), 183–186. St Malo, France.

Guo, Z., Aydin, A., & Kuzmaul, J. (2014). Microtremor recordings in northern Mississippi. *Engineering Geology*, *179*, 146–157.

Heath, D. C., Wald, D. J., Worden, C. B., Thompson, E. M., & Smoczyk, G. M. (2020). A global hybrid V S 30 map with a topographic slope – based default and regional map insets. *Earthquake Spectra*.
<https://doi.org/10.1177/8755293020911137>

Herak, M. (2008). ModelHVSR — A Matlab tool to model horizontal-to-vertical spectral ratio of ambient noise. *Computer & Geosciences*, *34*, 1514–1526.
<https://doi.org/10.1016/j.cageo.2007.07.009>

Imamura, S., & Furuta, A. (2015). A practical method of nation wide Vs30 mapping with 250m grids for developing countries by automated topographical classification and published data in Japan. *The 12th SEGJ International Symposium*, (2005), 157–161. <https://doi.org/10.1190/segj122015-056>

Irsyam, M., Asrurifak, M., Mikhail, R., Wahdiny, I. I., Rustiani, S., & Munirwansyah. (2017). Development of nationwide Vs30 map and calibrated conversion table for Indonesia using automated topographical classification. *Journal of Engineering and Technological Sciences*, *49*(4), 457–471.
<https://doi.org/10.5614/j.eng.technol.sci.2017.49.4.3>

Iwahashi, J., Kamiya, I., & Matsuoka, M. (2010). Geomorphology Regression analysis of V s30 using topographic attributes from a 50-m DEM. *Geomorphology*, *117*(1–2), 202–205.
<https://doi.org/10.1016/j.geomorph.2009.11.004>

Iwahashi, J., & Pike, R. J. (2007). Automated classifications of topography from DEMs by an unsupervised nested-means algorithm and a three-part geometric signature. *Geomorphology*, *86*(3–4), 409–440.
<https://doi.org/10.1016/j.geomorph.2006.09.012>

Kamal, A. S. ., & Midorikawa, S. (2006). Geomorphological approach for seismic microzoning within Dhaka city area, Bangladesh. *The Geology Society of London*, 457.

Larson, E. (2013). Global CMT Catalog. Retrieved from
<https://www.globalcmt.org/CMTsearch.html>

Lu, Z., & Wilson, G. V. (2017). Imaging a Soil Fragipan Using a High-Frequency Multi-Channel Analysis of Surface Wave Method. *Journal of Applied Geophysics*, *143*, 1–8.

Matsuoka, M., & Midorikawa, S. (2005). Nationwide site amplification zoning using GIS-based Japan Engineering Geomorphologic Classification Map. *ICOSSAR*. Rotterdam: Millpress.

- Matsuoka, M., & Wakamatsu, K. (2004). Nationwide Site Amplification Zonation Study using Japan Engineering Geomorphologic Classification. *World Conference on Earthquake Engineering*, (1648). Vancouver, B.C., Canada.
- Matsuoka, M., Wakamatsu, K., Fujimoto, K., & Midorikawa, S. (2006). Average shear-wave velocity mapping using Japan engineering geomorphologic classification map. *Structural Engineering/Earthquake Engineering*, 23(1), 239–251. <https://doi.org/10.2208/jsceseee.23.57s>
- Midorikawa, S. (2002). Importance of damage data from destructive earthquakes for seismic microzoning Damage distribution during the 1923 Kanto , Japan ,. *Annals of Geophysics*, Vol. 45 No(December).
- Murakami, H., Pramitasari, D., & Ohno, R. (2008). Human Casualty and Damage Distribution in Relation to Seismic Intensity in The 2006 Central Java Earthquake in Indonesia. *The 14th World Conference on Earthquake Engineering, October 12*.
- Muzli, M., Mahesworo, R. P., Madijono, R., Siswoyo, Dewi, K. R., Budiarta, ... Pramono, S. (2016). Pengukuran Vs30 Menggunakan Metode MASW untuk Wilayah Yogyakarta. *Jurnal Meteorologi Dan Geofisika*, 17(1), 25–32.
- Naeni, S. S., & Zarincheh, A. (2010). Site effects Microzonation and seismic hazard analysis of Kermanshah Region in Iran. *Journal of Applied Science*, 10(19), 2231–2240.
- Nakamura, Y. (1989). A Method for Dynamic Characteristics Estimation of Subsurface using Microtremor on the Ground Surface. *QR of RTRI*, 30(1), 25–33.
- Nakamura, Y. (2000). Clear identification of fundamental idea of Nakamura's technique and its applications. *Proceedings of the 12th World Conference on Earthquake Engineering*, (May), Paper no. 2656. Retrieved from http://www.sdr.co.jp/papers/n_tech_and_application.pdf
- Nakamura, Y. (2008). ON THE H/V SPECTRUM. *World Conference on Earthquake Engineering*, 14, 1–10.
- Newcomb, K. R., & McCann, W. R. (1987). Seismic History and Seismotectonic of the Sunda Arc. *Journal of Geophysical Research*, 92(B1), 421–439.
- Nurwihastuti, D. W. (2013). *Geomorphological Analysis on The Earthquake Damage Pattern: A Case Study of 2006 Earthquake in Bantul, Yogyakarta, Indonesia*. Universitas Gadjah Mada.
- Nurwihastuti, D. W., Sartohadi, J., Mardiatno, D., Nehren, U., & R. (2014). Understanding of Earthquake Damage Pattern through Geomorphological Approach: A Case Study of 2006 Earthquake in Bantul, Yogyakarta, Indonesia. *World Journal of Engineering and Technology*, 02(03), 61–70.

<https://doi.org/10.4236/wjet.2014.23b010>

- Park, C. B., Miller, R. D., & Xia, J. (1999). Multichannel analysis of surface waves. *Geophysics*, 64(3), 800–808.
- Parker, G. A., Harmon, J. A., Stewart, J. P., Hashash, Y. M. A., Kottke, A. R., Rathje, E. M., ... Campbell, K. W. (2017). Proxy-Based V S 30 Estimation in Central and Eastern North America. *Bulletin of the Seismological Society of America*, 107(1), 1–15. <https://doi.org/10.1785/0120160101>
- Pemda-DIY. *Peraturan Daerah Daerah Istimewa Yogyakarta Nomor 3 Tahun 2018 Tentang Rencana Pembangunan Jangka Menengah Daerah (RPJMD) Daerah Istimewa Yogyakarta Tahun 2017-2022.*, Pub. L. No. 3 (2018).
- Permana, D., Pramono, S., Rahmatullah, F. S., Sakti, A. P., Moehajirin, Reza, D. T., ... Chelcea, A. (2019). *Laporan Kegiatan Mikrozonasi Kota Besar (Pertama; B. S. Prayitno, Ed.)*. Jakarta: Seismologi Teknik BMKG.
- Prakoso, Widjojo; Sukanta, I. N. (2016). Evaluation of vs,30 estimating models for Indonesia. *Jurnal Teknologi*, (November 2015). <https://doi.org/10.11113/jt.v77.6425>
- Pramono, S. (2020). *Model Prediksi “Ground Motion” Gempabumi Sulawesi Tengah*. Universitas Indonesia.
- Pusgen. (2017). *Peta Sumber dan Bahaya Gempa Indonesia Tahun 2017*.
- Rahardjo, R., Sukandarrumidi;, & Rosidi, H. (1995). *Geological Map of the Yogyakarta Quadrangle, Java*. Bandung: Geological Research and Development Centre.
- Rahardjo, W., Sukandarrumidi, & Rosidi, H. M. D. (1995). *Geological Map of the Yogyakarta Sheet, Jawa, Scale 1:100.000*. Geological Research and Development Centre, Bandung.
- Rahayu, A., Prakoso, W. A., & Sadisun, I. A. (2019). Modeling Estimated V S30 Based on Topography and Geomorphology for Padang, Indonesia. *International Journal of Civil Engineering and Technology (IJCIET)*, 10(06), 103–111.
- Santosa, L. W. (2015). *Keistimewaan Yogyakarta dari Sudut Pandang Geomorfologi*. Yogyakarta: Gadjah Mada University Press.
- SESAME, E. research project. (2004). *Guidelines for the implementation of the H/V spectral ratio technique on ambient vibrations measurements, processing and interpretation*. European Commission – Research General Directorate Project No. EVG1-CT-2000-00026 SESAME.
- Setiyono, U., Gunawan, I., Priyobudi;, Yatimantoro, T., Imananta, R. T., Ramdhan, M., ... Kriswinarso, T. (2019). *Katalog Gempabumi Sikonifikan dan Merusak*

- 1821-2018 (Pertama; T. Prasetya & Daryono, Eds.). Jakarta: Pusat Gempabumi dan Tsunami BMKG.
- Simoen, S., Santosa, L. W., & Hadi, P. (2002). *Pengenalan Bentanglahan Parangtritis-Bali*. Yogyakarta: Badan Penerbit Fakultas Geografi, Universitas Gadjah Mada.
- Stewart, J. P., Klimis, N., Savvaidis, A., Theodoulidis, N., Athanasopoulos, G., Pelekis, P., ... Margaris, B. (2014). Compilation of a Local V S Profile Database and Its Application for Inference of V S 30 from Geologic- and Terrain-Based Proxies. *Bulletin of the Seismological Society of America*, 104(6), 2827–2841. <https://doi.org/10.1785/0120130331>
- Sungkowo, A. (2016). *Studi Kerentanan Seismik dan Karakteristik Dinamik Tanah di Kota Yogyakarta dari Data Mikrotremor*. Universitas Islam Indonesia.
- Surono, B. T., & Sudarno, I. (1992). *Geological Map of the Surakarta-Girintontro Sheet, Jawa, Scale 1:100.000*. Geological Research and Development Centre, Bandung.
- Thamarux, P., Matsuoka, M., Poovarodom, N., & Iwahashi, J. (2019). VS30 Seismic Microzoning Based on a Geomorphology Map: Experimental Case Study of Chiang Mai, Chiang Rai, and Lamphun, Thailand. *International Journal of Geo Information*, 8, 1–18.
- Thompson, E. M. ., Baise, L. G. ., Kayen, R. E. ., Tanaka, Y. ., & Tanaka, H. . (2010). A geostatistical approach to mapping site response spectral amplifications. *Engineering Geology*, 114(3–4), 330–342. <https://doi.org/10.1016/j.enggeo.2010.05.010>
- Thompson, E. M., & Wald, D. J. (2012). Developing Vs30 Site-Condition Maps by Combining Observations with Geologic and Topographic Constraints. *World Conference on Earthquake Engineering*.
- Thompson, E. M., Wald, D. J., & Worden, C. B. (2014). A Vs30 Map for California with Geologic and Topographic Constraints. *Bulletin of the Seismological Society of America*, 104(5), 2313–2321. <https://doi.org/10.1785/0120130312>
- Tuladhar, R. (2002). *Seismic microzonation of Greater Bangkok Using Microtremor*. Asian Institute of Technology, Thailand.
- Tuladhar, R., Cuong, N. N. H., & Yamazaki, F. (2004). Seismic Microzonation of Hanoi, Vietnam Using Microtremor. *13th World Conference on Earthquake Engineering*, (January). Vancouver, B.C., Canada.
- USGS. (n.d.). Vs30 Models and Data. Retrieved from <https://earthquake.usgs.gov/data/vs30/>
- Van Zuidam, R. A. (1985). *Aerial Photo-interpretation in Terrain Analysis and*

Geomorphologic Mapping. Smits Publishers.

- Verdugo, R. (2019). Seismic site classification. *Soil Dynamics and Earthquake Engineering*, 124, 317–329. <https://doi.org/10.1016/j.soildyn.2018.04.045>
- Verstappen, H. (1983). *Applied Geomorphology: Geomorphological Survey for Environmental Development*. Amsterdam, The Netherlands: Elsevier.
- Wakamatsu, K. (2000). Liquefaction History, 416-1997, in Japan. *World Conference on Earthquake Engineering*, 1–8.
- Wakamatsu, K., & Matsuoka, M. (2006). Development of the 7.5-arc-second Engineering Geomorphologic Classification Database and its Application to Seismic Microzoning. *Bulletin of the Earthquake Research Institute, University of Tokyo*, 81, 317–324.
- Wakamatsu, K., & Matsuoka, M. (2013). Nationwide 7.5-arc-second Japan engineering geomorphologic classification map and Vs30 zoning. *Journal of Disaster Research*, 8(5), 904–911. <https://doi.org/10.20965/jdr.2013.p0904>
- Wakamatsu, K., Yamamoto, A., & Tanaka, I. (2001). Geomorphological Criteria for Evaluating Liquefaction Potential Considering the Level-2 Ground Motion in Japan. *International Conference on Recent Advance to Geotechnical Earthquake Engineering and Soil Dynamics*, 1–6.
- Wald, D. J., & Allen, T. I. (2007). Topographic slope as a proxy for seismic site conditions and amplification. *Bulletin of the Seismological Society of America*, 97(5), 1379–1395. <https://doi.org/10.1785/0120060267>
- Walter, T. R., Wang, R., Luehr, B. G., Wassermann, J., Behr, Y., Parolai, S., ... Zshau, J. (2008). The 26 May 2006 magnitude 6.4 Yogyakarta earthquake south of Mt. Merapi volcano: Did lahar deposits amplify ground shaking and thus lead to the disaster? *Geochemistry Geophysics Geosystems*, 9(5), 1–9. <https://doi.org/10.1029/2007GC001810>
- Wijayanto, Mardiatno, D., Nehren, U., Marfai, M. A., & Pramono, S. (2022). Spatial Distribution of Vs30 based on MASW and Microtremor Inversion in Gunungkidul, Indonesia. *International Journal of GEOMATE*, 22(94), 29–38. <https://doi.org/https://doi.org/10.21660/2022.94.2463>
- Wijayanto, Mardiatno, D., Nehren, U., Marfai, M. A., & Sunardi, B. (2022). Characteristics and Spatial Distribution of Vs30 Based on Microtremor Inversion and MASW Data through Landform Unit in Yogyakarta, Indonesia. *Journal of Hunan University (Natural Sciences)*, 49(6), 140–150. <https://doi.org/https://doi.org/10.55463/issn.1674-2974.49.6.15>
- Will, C. J., & Clahan, K. B. (2006). Developing a Map of Geologically Defined Site-Condition Categories for California. *Bulletin of the Seismological Society of America*, 96(4), 1483–1501. <https://doi.org/10.1785/0120050179>

- Wills, C. J., Gutierrez, C. I., Perez, F. G., & Branum, D. M. (2015). A Next Generation V S 30 Map for California Based on Geology and Topography. *Bulletin of the Seismological Society of America*, 105(6). <https://doi.org/10.1785/0120150105>
- Wood, H. O., & Neumann, F. (1931). Modified Mercalli Intensity Scale of 1931. *Bulletin of the Seismological Society of America*, 21(4), 277–283.
- Worden, C. B., Gerstenberger, M. C., Rhoades, D. A., & Wald, D. J. (2012). Probabilistic Relationships between Ground-Motion Parameters and Modified Mercalli Intensity in California. *Bulletin of the Seismological Society of America*, 102(1), 204–221. <https://doi.org/10.1785/0120110156>
- Worden, C. B., Thompson, E. M., Hearne, M., & Wald, D. J. (2020). ShakeMap Manual Online: technical manual, user's guide, and software guide. U. S. Geological Survey. <https://doi.org/10.5066/F7D21VPQ>
- Yamazaki, F., & Matsuoka, M. (2007). Remote Sensing Tools For Earthquake Response and Recovery. *International Symposium on Remote Sensing Applications to Natural Hazards*.
- Zhao, J. X., Zhang, J., Asano, A., Ohno, Y., Oouchi, T., Takahashi, T., ... Fukushima, Y. (2006). Attenuation Relations of Strong Ground Motion in Japan Using Site Classification Based on Predominant Period. *Bulletin of the Seismological Society of America*, 96(3), 898–913. <https://doi.org/10.1785/0120050122>