



DAFTAR PUSTAKA

- Astyanto, A. H., Indarto., Kirland, K. W., and Deendarlianto., 2022, An experimental study on the effect of liquid properties on the counter-current flow limitation (CCFL) during gas/liquid counter-current two-phase flow in a 1/30 scaled-down of Pressurized water reactor (PWR) flooding geometry. *Nuclear Engineering and Design* 399, 112052.
- Astyanto, A. H., Pramono, J.A.E., Cantrawedarma, I.G.N.B., Deendarlianto., Indarto., 2022, Statistical characterization of liquid film fluctuations during gas-liquid two-phase counter-current flow in a 1/30 scaled-down test facility of a pressurized water reactor (PWR) Hot leg. *Annals of Nuclear Energy* 172, 109065.
- Astyanto, A.H., Rahman, Y., Adhikara, A.Y., Indarto., and Deendarlianto., 2021, Time-series differential pressure fluctuations of a Flooding regime: A preliminary experimental results investigation on a 1 / 30 down- scaled PWR Hot leg geometry. *AIP Conference Proceedings* 2403, 060001.
- Astyanto, A. H., Rahman, Y., Medha, A. Y. A., Deendarlianto, dan Indarto., 2021, Pengaruh Rasio I/D terhadap Permulaan *Flooding* dan Fluktuasi Voltase Sinyal Tekanan Rezim *Flooding* pada Geometri Kompleks. *Rekayasa Mesin*, 21, pp. 447–457.
- Badarudin, A., Indarto., Deendarlianto., Hermawan., Saka, A., Syarif, M, F, H. Wicaksono, A., 2014, Observasi Pola Aliran Dua Fase Air-udara Berlawanan Arah pada Pipa Kompleks. IRWNS. 42-46.
- Badarudin, A., Indarto, D., and Setyawan, A., 2016, Characteristics of the air-water counter current two-phase flow in a 1/30 scale of pressurized water reactor (PWR): Interfacial behavior and CCFL data. *AIP Conference. Proceedings* 1737, 040015.
- Badarudin, A., Setyawan, A., Dinaryanto, O., Widyatama, A., Indarto, & Deendarlianto., 2018, Interfacial behavior of the air-water counter-current two-phase flow in a. *Annals of Nuclear Energy*. 116, 376-387.



- Badarudin, A., Pinindriya, S. T., Yoanita, Y. V., Hadipranoto, M. S., Hartono, S., Ariawan, R., Indarto, & Deendarlianto, 2018, The effect of horizontal pipe length to the onset of flooding position on the air-water counter current two-phase flow in a 1/30 scale of pressurized water reactor (PWR). *AIP Conference Proceedings* 2001, 030011.
- Catrawedarma, I.G.N.B., Deendarlianto, and Indarto., 2021, Statistical Characterization of Flow Structure of Air–Water Two-Phase Flow in Airlift Pump–Bubble Generator System. *International Journal of Multiphase Flow* 138, 103596.
- Canière, H., T’Joen, C., Willockx, A., De Paepe, M., Christians, M., Rooyen, E. V., Liebenberg, L., and Meyer, J. P., 2007, Horizontal Two-Phase Flow Characterization for Small Diameter Tubes with a Capacitance Sensor. *Measurement Science and Technology* 18 (9), 2898–2906.
- Conte, G. and Azzopardi, B.J., 2003, Film thickness variation about a T-junction. *International Journal of Multiphase Flow* 29, 305-328.
- Darzi, Milad. and Chanwoo, Park., 2017, Experimental Visualization and Numerical Simulation of Liquid-Gas Two-Phase Flows in a Horizontal Pipe. *Volume 7: Fluids Engineering*.
- Deendarlianto., Ousaka, A., Indarto., Kariyasaki, A., Lucas, D., Vierow, K., Vallée, C., and Hogan, K., 2010, The effects of surface tension on Flooding in counter-current two-phase flow in an inclined tube. *Experimental Thermal and Fluid Science*. 34, 813-826.
- Deendarlianto, Vallée, C., Lucas, D., Beyer, M., Pietruske, H., and Carl, H., 2011, Gas-liquid countercurrent two-phase flow in a PWR hot-leg: A comprehensive research review. *Nuclear Engineering and Design*. 243, 214-233.
- Deendarlianto., Hohne, T., Lucas, D., Vierow, K., 2012, Gas-liquid countercurrent two-phase flow in a PWR Hot leg: A comprehensive research review. *Nuclear Engineering and Design* 243(2), 214–233.
- Elperin, t., and Klochko, M., 2002, Flow regime identification in a two-phase flow using wavelet transform. *Exp. Fluids*. 32 (6), 674-682.



- Gargallo, M., Schulenberg, T., Meyer, L., and Laurien, E., 2005, Counter-Current Flow Limitations during Hot leg Injection in Pressurized Water Reactors. *Nuclear Engineering and Design* 235 (7): 785–804.
- Jaiboon, Or-ampai., Chalermisinsuwan, B., Mekasut, L., Piumsomboon, P., 2013, Effect of flow pattern on power spectral density of pressure fluctuation in various fluidization regimes. *Powder Technology*. 233, 215-226.
- Kim, D., M., Chin, H., Yu, T., Diehl, Q., Tan, R.A., Kahn, K., Tsigaridis, S.E., Bauer, T., Takemura, L., Pozzoli, N., Bellouin, M., Schulz, S., Peyridieu, A., Chédin, and B. Koffi., 2014, Sources, sinks, and transatlantic transport of North African dust aerosol: A multi-model analysis and comparison with remote-sensing data. *J. Geophys. Res. Atmos.*, 119, no. 10, 6259-6277.
- KINOSHITA, I., Nriai, T., Tomiyama, A., Lucaks, D., and Murase, M., 2011, Effects of Liquid Properties on CCFL in a Scaled-Down Model of a PWR Hot leg. *Journal of Power and Energy Systems* 5(3), 316–329.
- Koskie, J. E., Mudawar, I., and Tiederman, W. G., 1989, Parallel-Wire Probes for Measurement of Thick Liquid Films. *International Journal of Multiphase Flow* 15 (4), 521-30.
- Navarro, M. A., 2005, Study of countercurrent flow limitation in a horizontal pipe connected to an inclined one. *Nuclear Engineering and Design*. 235, 1139-1148.
- Nguyen, V. T., Euh, D. J., Song, C-H., 2010, An application of the wavelet analysis technique for the objective discrimination of two-phase flow patterns. *International Journal of Multiphase Flow*. 36, 755-768.
- Rodrigues, R., Cozin, C., Naidek, P, Neto, M., Silva., M, Morales., R., 2020, Statistical features of the flow evolution in horizontal liquid-gas slug flow. *Experimental Thermal and Fluid Science* 119, 110203.
- Vallée, C., Deendarlianto., Beyer, M., Lucas, D., Carl, H l., 2009, Experimental study on the air / water counter-current flow limitation in a model of the hot leg of a pressurized water reactor. 238, 3389–3402.
- Vallée, C., Seidel, T., Lucas, D., Tomiyama, A., and Murase, M., 2011, Comparison of Countercurrent Flow Limitation Experiments Performed in Two Different



UNIVERSITAS
GADJAH MADA

KARAKTERISTIK FLUKTUASI ANTARMUKA DAN TEKANAN ALIRAN BERLAWANAN ARAH DUA
FASE PADA 1/30 HOT LEG PWR
MENGGUNAKAN CAIRAN DENGAN TEGANGAN PERMUKAAN RENDAH

Dede Rafico Saleh, Prof. Dr. Ir. Indarto, DEA., IPM., ASEAN Eng.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Models of the Hot Leg of a Pressurized Water Reactor with Rectangular Cross
Section, *Journal of Engineering for Gas Turbines and Power*. Vol. 133 /
052917-1.

Wallis, G., 1961, FLOODING VELOCITIES FOR AIR AND WATER IN
VERTICAL TUBES. United Kingdom: AEEW-R-123.

Yoanita, Y. V., Indarto., Deendarlianto., Badarudin, A., Tirtha, S., Sindhu, M.,
Suprianta., 2017, VISUALISASI HYDRAULIC JUMP ALIRAN UDARA-
AIR BERLAWANAN ARAH PADA PIPA HORISONTAL. Seminar
Nasional Mesin dan Industri (SNMI XI) 2017.

Zhang, W. H., Li, H., and Li, X., 2010, Identification of regime transitions in an
inner-loop airlift reactor using local bubble-induced pressure fluctuation
signals. *Journal Chemical Engineering*. 162(1), 296-300.