

DAFTAR PUSTAKA

- Alghazali, N.O.S. (2012). A new method of dimensional analysis (Fluid mechanics applications). *Jordan Journal of Civil Engineering* 6(3): 361-372.
- Abdulhameed, A. A., Yang, T. A., & Abdulkarim, A. A. (2016). Kinetics of Texture and Colour Changes in Chicken Sausage during Superheated Steam Cooking. *Polish Journal of Food and Nutrition Sciences*, 66(3), 199–209. <https://doi.org/10.1515/pjfn-2015-0044>
- Adams, M., & Mos, M. (2005). Food Microbiology. Second Edition. In *The Royal Society of Chemistry* (2nd Editio).
- Adawiyah, R., Widyastuti, S., & Werdiningsih, W. (2016). The Effect of Vacuum Packaging on Microbiological of Smoked Roasted-Chicken during Storage. *Jurnal Ilmu Dan Teknologi Pangan*, 2(2), 152–158.
- Afrianti, M., Dwiloka, B., & Setiani, B. E. (2013). Perubahan Warna, Profil Protein dan Mutu Organoleptik Daging Ayam Boiler Setelah Diredam Dengan Ekstrak Daun Senduduk. *Jurnal Aplikasi Teknologi Pangan*, 2(3), 116–120.
- Afrianto, R., Restuhadi, F., & Zalfiatri, Y. (2017). Analisis Pemetaan Kesukaan Konsumen Pada Produk Bolu Kemojo di Kalangan Mahasiswa Fakultas Pertanian Universitas Riau. *Jom FAPERTA*, 4(2), 1–15.
- Aghamohammadi, B., Hadidi, M., Lleida, U. De, Ghasemkhani, N., Branch, S., & Akbarian, M. (2014). Effect of chilling, freezing and thawing on meat quality: A review. *International Journal of Biosciences (IJB)*, 5(4), 159–169. <https://doi.org/10.12692/ijb/5.4.159-169>
- Ahn, D. U., & Maurer, A. J. (1990). Poultry Meat Color: Kinds of Heme Pigments and Concentrations of the Ligands. *Poultry Science*, 69(1), 157–165. <https://doi.org/10.3382/PS.0690157>
- Alami, P., Dag, P., Winarti, C., Bexar, B., Pascapanen, P., Teknologi, D., Meningkatkan, U., Pangan, P., & Gt, P. (1998). *Femanfaatan rempah - rempah sebagai pengawet alami*. 243–250.
- Ali, A. S. A., Harrison, A. P., & Jensen, J. F. (1999). Effect of some ante-mortem stressors on peri-mortem and post-mortem biochemical changes and tenderness in broiler breast muscle: A review. *World's Poultry Science Journal*, 55(4), 410–414. <https://doi.org/10.1079/wps19990028>
- Ali, A. S. A., Jensen, J. F., Lawson, M. A., & Chwalibog, A. (2005). Variability in post-mortem pH values of broiler breast muscles due to electrical stunning voltages. *Archiv Fur Geflugelkunde*, 69(5), 226–230.
- Allen, C. D., Fletcher, D. L., Northcutt, J. K., & Russell, S. M. (1997). The

- Relationship of Broiler Breast Color to Meat Quality and Shelf-Life. *Poultry Science*, 77(2), 361–366. <https://doi.org/10.1093/ps/77.2.361>
- Allen, C. D., Russell, S. M., & Fletcher, D. L. (1997). The Relationship of Broiler Breast Meat Color and pH to Shelf-Life and Odor Development. *Poultry Science*, 76(7), 1042–1046. <https://doi.org/10.1093/ps/76.7.1042>
- Allouch, A., Guglielmino, M., Bernhardt, P., Serra, C. A., & Le, S. (2013). Sensors and Actuators B : Chemical Transportable , fast and high sensitive near real-time analyzers : Formaldehyde detection. *Sensors & Actuators: B. Chemical*, 181, 551–558. <https://doi.org/10.1016/j.snb.2013.02.043>
- Apriyansyah, E. (2016). *Vinegar Pengawet Alami Pengganti Formalin.pdf*. BB Pascapanen.
- Arifin, Z. (2007). *Stabilitas Formalin Dalam Daging Ayam Selama Penyimpanan (Stability of Formaline Contamination in Chicken Meat during Storage)*. 588–592.
- Asmara, R. A., Hasanah, Q., Rahutomo, F., Rohadi, E., Siradjuddin, I., Ronilaya, F., & Handayani, A. N. (2019). Chicken meat freshness identification using colors and textures feature. *2018 Joint 7th International Conference on Informatics, Electronics and Vision and 2nd International Conference on Imaging, Vision and Pattern Recognition, ICIEV-IVPR 2018*, 93–98. <https://doi.org/10.1109/ICIEV.2018.8640992>
- Asmawati, Ahmadi, & Saputrayadi, A. (2021). Analisa Penggunaan Formalin sebagai Pengawet Seafood oleh Pedagang di Pasar Tradisional Kota Mataram. *Agribisnis Perikanan*, 14(2), 367–375.
- Asterina, Elmatris, dan Endrinaldi. (2008). Identifikasi dan penentuan kadar boraks pada mie basah yang beredar di beberapa pasar di kota padang. *Majalah Kedokteran Andalas*, 32(2), 174–179.
- Astuti, S. D., Tamimi, M. H., Pradhana, A. A. S., Alamsyah, K. A., Purnobasuki, H., Khasanah, M., Susilo, Y., Triyana, K., Kashif, M., & Syahrom, A. (2021). Gas sensor array to classify the chicken meat with E. coli contaminant by using random forest and support vector machine. *Biosensors and Bioelectronics: X*, 9, 100083. <https://doi.org/10.1016/j.biosx.2021.100083>
- Athifa, S. F., & Rachmat, H. H. (2019). Evaluasi Karakteristik Deteksi Warna Rgb Sensor Tcs3200 Berdasarkan Jarak Dan Dimensi Objek. *JETri Jurnal Ilmiah Teknik Elektro*, 16(2), 105. <https://doi.org/10.25105/jetri.v16i2.3459>
- Atmojo, Y. D., Rachmawan, O., & Balia, R. (2016). Pengaruh Penggunaan Berbagai Konsentrasi Ekstrak Lengkuas Merah (*Alpinia Purpurata* K. Schum) Terhadap Daya Awet Daging Ayam Broiler. *Fakultas Peternakan Universitas Padjadjaran*, 2016, 1–2.
- Badan Standarisasi Nasional. (2006). SNI Petunjuk Pengujian Organoleptik dan

atau Sensori. *BSN (Badan Standarisasi Nasional)*, 2–14.

Badii, F., & Howell, N. K. (2002). Changes in the texture and structure of cod and haddock fillets during frozen storage. *Food Hydrocolloids*, 16(4), 313–319. [https://doi.org/10.1016/S0268-005X\(01\)00104-7](https://doi.org/10.1016/S0268-005X(01)00104-7)

Balai Besar Bahan dan Barang Teknik. (2022). *Laboratorium Kalibrasi – Balai Besar Bahan dan Barang Teknik (B4T) | Kementerian Perindustrian RI*. <https://www.b4t.go.id/pelayanan-publik/fasilitas/laboratorium/laboratorium-kalibrasi/>

Bao, Y., & Ertbjerg, P. (2019). Effects of protein oxidation on the texture and water-holding of meat: a review. *Critical Reviews in Food Science and Nutrition*, 59(22), 3564–3578. <https://doi.org/10.1080/10408398.2018.1498444>

Barbin, D. F., Mastelini, S. M., Barbon, S., Campos, G. F. C., Barbon, A. P. A. C., & Shimokomaki, M. (2016). Digital image analyses as an alternative tool for chicken quality assessment. *Biosystems Engineering*, 144, 85–93. <https://doi.org/10.1016/j.biosystemseng.2016.01.015>

Baron, C. P., & Andersen, H. J. (2002). Myoglobin-induced lipid oxidation. A review. *J Agric Food Chem*, 50(14) doi, 3887–3897.

Behrends, J. M. (2004). *Metmyoglobin Reducing Ability and Visual Characteristics*. December.

Berkel, B. M., Boogaard, B. van den, & Heijnen, C. (1994). Preservation of fish and meat. *Agromisa Foundation*, 1–86. http://journeytoforever.org/farm_library/AD12.pdf

Bohrer, B. M. (2019). Correlation of chicken breast quality and sensory attributes with chicken thigh quality and sensory attributes. *Canadian Journal of Animal Science*, 99(3), 465–474. <https://doi.org/10.1139/cjas-2018-0192>

BPMSPH. (2016). *Cara Pintar Pilih Pangan Asal Hewan*.

BPOM RI. (2019). Regulation of the Food and Drug Administration on Food Additives [Peraturan Badan Pengawas Obat Dan Makanan tentang Bahan Tambahan Pangan]. *Badan Pengawas Obat Dan Makanan Republik Indonesia*, 1–10.

BPPT. (2021). *Peralatan UV-Vis Spectrophotometer*. -.

Brewer, M. ., Zhu, L. ., Bidner, B., Meisinger, D. ., & McKeith, F. . (2001). Measuring pork color: effects of bloom time, muscle, pH and relationship to instrumental parameters. *Meat Science*, 57(2), 169–176.

Brewer, M. S. (2009). Irradiation effects on meat flavor: A review. *Meat Science*, 81(1), 1–14. <https://doi.org/10.1016/j.meatsci.2008.07.011>

Brooks, J. C., Alvarado, M., Stephens, T. P., Kellermeier, J. D., Tittor, A. W.,

- Miller, M. F., & Brashears, M. M. (2008). Spoilage and safety characteristics of ground beef packaged in traditional and modified atmosphere packages. *Journal of Food Protection*, 71(2), 293–301. <https://doi.org/10.4315/0362-028X-71.2.293>
- BSN. (2000). *SNI 19-17025-2000: Persyaratan umum kompetensi Laboratorium pengujian dan laboratorium kalibrasi*.
- Castromán, G., Puerto, M. D., & Ramos, A. (2013). Organic and Conventional Chicken Meat Produced In Uruguay: Colour, Ph, Fatty Acids Composition and Oxidative Status. *American Journal of Food and Nutrition*, 1(2), 12–21.
- Chen, S., Wang, Y., & Choi, S. (2013). Applications and Technology of Electronic Nose for Clinical Diagnosis. *Open Journal of Applied Biosensor*, 02(02), 39–50. <https://doi.org/10.4236/ojab.2013.22005>
- Chen, Y., Qiao, Y., Xiao, Y., Chen, H., Zhao, L., Huang, M., & Zhou, G. (2016). Differences in physicochemical and nutritional properties of breast and thigh meat from crossbred chickens, commercial broilers, and spent hens. *Asian-Australasian Journal of Animal Sciences*, 29(6), 855–864. <https://doi.org/10.5713/ajas.15.0840>
- Chmiel, M., Słowiński, M., & Dasiewicz, K. (2011). Lightness of the color measured by computer image analysis as a factor for assessing the quality of pork meat. *Meat Science*, 88(3), 566–570. <https://doi.org/10.1016/j.meatsci.2011.02.014>
- Dainty, R. (1996). Chemical/biochemical detection of spoilage. *International Journal of Food Microbiology*, 33(1), 19–33.
- Damayanti, H., Ratnasari, A., & Kristanto Wahyudi. (2018). Karakteristik Kromatik Bone Ash Sintetik Berdasarkan Suhu Kalsinasi. *Jurnal Keramik Dan Gelas Indonesia*, 27(2), 66–76.
- Dawson, P. L., Chaves, B. D., Northcutt, J. K., & Han, I. Y. (2013). Quality and shelf life of fresh chicken breasts subjected to crust freezing with and without skin. *Journal of Food Quality*, 36(5), 361–368. <https://doi.org/10.1111/jfq.12046>
- del Puerto, M., Terevinto, A., Saadoun, A., Olivero, R., & Cabrera, M. C. (2016). Effect of Different Sources of Dietary Starch on Meat Quality , Oxidative Status and Glycogen and Lactate Kinetic in Chicken pectoralis Muscle. *Journal of Food and Nutrition Research*, 4(3), 185–194. <https://doi.org/10.12691/jfnr-4-3-9>
- Direktorat Jenderal Peternakan dan Kesehatan Hewan. (2018). *Statistik Peternakan dan Kesehatan Hewan 2018/ Livestock and Animal Health Statistics 2018*.
- Downing, J. A., Kerr, M. J., & Hopkins, D. L. (2017). The effects of pre-

- transport supplementation with electrolytes and betaine on performance , carcass yield and meat quality of broilers in summer and winter. *Livestock Science*, 205(September), 16–23. <https://doi.org/10.1016/j.livsci.2017.09.006>
- Doyle, M. E. (2001). Physical methods of food preservation. In: Food Microbiology. *FRI B RIEFINGS: Microbial Food Spoilage*, July, pp 567-591.
- Drastini, Y., & Widiasih, D. A. (2009). Studi Metode Schiff Untuk Deteksi Kadar Formalin Pada Ikan Bandeng Laut (Chanos-chanos). *J. Sains Vet*, 27(1), 21–27.
- Du, C. J., & Sun, D. W. (2006). Learning techniques used in computer vision for food quality evaluation: A review. *Journal of Food Engineering*, 72(1), 39–55. <https://doi.org/10.1016/j.jfoodeng.2004.11.017>
- Edita, R., Darius, G., Vinauskienė, R., Eisinaitė, V., Balčiūnas, G., Dobilienė, J., & Tamkutė, L. (2018). Rapid evaluation of fresh chicken meat quality by electronic nose. *Czech Journal of Food Sciences*, 36(5), 420–426. <https://doi.org/https://doi.org/10.17221/419/2017-CJFS> &
- Efenberger-Szmechtyk, M., Nowak, A., & Kregiel, D. (2018). Implementation of chemometrics in quality evaluation of food and beverages. *Critical Reviews in Food Science and Nutrition*, 58(10), 1747–1766. <https://doi.org/10.1080/10408398.2016.1276883>
- Elhany, N. A., & Sopandi, T. (2014). Degradasi kadar formalin pada daging ayam broiler (*Gallus domesticus*) berformalin oleh sari buah cermai (*Phyllanthus acidus* L.). *STIGMA: Jurnal Matematika Dan Ilmu Pengetahuan Alam UNIPA*, 07(1), 18–23.
- Ehipanias, R. (2018). *Perancangan pendeteksi amonia menggunakan sensor mq-137 dengan software visual basic berbasis mikrokontroler atmega*. Medan: Universitas Sumatera Utara. Skripsi.
- Estévez, M. (2015). Oxidative damage to poultry: From farm to fork. *Poultry Science*, 94(6), 1368–1378. <https://doi.org/10.3382/ps/pev094>
- Faradiba, N. (2021). *Macam-macam Teknik Pengawetan Makanan*. Kompas. <https://www.kompas.com/sains/read/2021/09/24/123000123/macam-macam-teknik-pengawetan-makanan>
- Feathers, C., Liquid-, U., & Digestions, S. A. (2021). Biogas Production from Coffee Pulp and Chicken Feathers Using Liquid- and Solid-State Anaerobic Digestions. *Energies*, 14, 4664. <https://doi.org/https://doi.org/10.3390/en14154664>
- Febrianta, H., Yuniyanto, V. D., Nurwantoro, N., & Bintoro, V. P. (2021). Quality evaluation of chicken breast marinated with encapsulation of turmeric extract. *Food Research*, 5(4), 366–373. [https://doi.org/https://doi.org/10.26656/fr.2017.5\(4\).066](https://doi.org/https://doi.org/10.26656/fr.2017.5(4).066)

- Fikri, F., Hamid, I. S., Thohawi, M., & Purnama, E. (2017). Organoleptic Test , pH Test , Eber Test and Bacterial Contaminant on Carcass that Isolated from Banyuwangi Market Organoleptic Test , pH Test , Eber Test and Bacterial Contaminant on Carcass that Isolated from Banyuwangi Market Abstrak. *Medik Veteriner*, 1(October), 23–27.
- Fitri A.L, D. et al. (2014). *Analisis Kandungan Formalin Dan Boraks Pada Bakso Yang Disajikan Kios Bakso Permanen Pada Beberapa Tempat Di Kota Bitung Tahun 2014*. 39–45.
- Fletcher, D. L., Qiao, M., & Smith, D. P. (2000). The relationship of raw broiler breast meat color and pH to cooked meat color and pH. *Poultry Science*, 79(5), 784–788. <https://doi.org/10.1093/ps/79.5.784>
- Fletcher, D. L., Qiao, M., & Smith, D. P. (2014). *The relationship of raw broiler breast meat color and pH to cooked meat color and pH The Relationship of Raw Broiler Breast Meat Color and pH to Cooked Meat Color and pH*. May. <https://doi.org/10.1093/ps/79.5.784>
- Fu, X., & Chen, J. (2019). A Review of Hyperspectral Imaging for Chicken Meat Safety and Quality Evaluation: Application, Hardware, and Software. *Comprehensive Reviews in Food Science and Food Safety*, 18(2), 535–547. <https://doi.org/10.1111/1541-4337.12428>
- Gaman, P. M., & Sherrington, K. B. (1992). *The Science of Food: An Introduction to Food Science, Nutrition and Microbiology* (2nd ed.). Elsevier Science.
- Gil, M., Ramírez, J. A., Pla, M., Ariño, B., Hernández, P., Pascual, M., Blasco, A., Guerrero, L., Hajós, G., Szerdahelyi, E. N., & Oliver, M. Á. (2006). Effect of selection for growth rate on the ageing of myofibrils, meat texture properties and the muscle proteolytic potential of m. longissimus in rabbits. *Meat Science*, 72(1), 121–129. <https://doi.org/10.1016/j.meatsci.2005.06.014>
- Gredilla, A., Fdez-Ortiz de Vallejuelo, S., Elejoste, N., de Diego, A., & Madariaga, J. M. (2016). Non-destructive Spectroscopy combined with chemometrics as a tool for Green Chemical Analysis of environmental samples: A review. *TrAC - Trends in Analytical Chemistry*, 76, 30–39. <https://doi.org/10.1016/j.trac.2015.11.011>
- Gunadi, I. G. A., & Rachmawati, D. O. (2022). Penggunaan Sensor Pada Aplikasi Iot. *Jurnal Matematika, Sains, Dan Pembelajarannya*, 16(3), 48–60.
- Hanenian, R., & Mittal, G. (2004). Effect of freezing and thawing on meat quality. *Journal of Food, Agriculture & Environment*, 2(3&4), 74–80.
- Hasbullah, U. H. A., & Umiyati, R. (2017). Perbandingan Warna Tepung Suweg Fase Dorman dan Vegetatif Secara Instrumental dan Sensoris. *AGRISAINTELIKA: Jurnal Ilmu-Ilmu Pertanian*, 1(1), 64. <https://doi.org/10.32585/ags.v1i1.40>

- Hastuti, R. T., & Rusita, Y. D. (2020). Deteksi Sederhana Boraks dan Formalin pada Makanan Jajanan Anak dengan Bunga Terompet Ungu (*Ruellia Tuberosa*). *Jurnalempathy.Com*, 1(1), 85–95. <https://doi.org/10.37341/jurnalempathy.v1i1.14>
- Hastuti, S. (2010). Analisis Kualitatif Dan Kuantitatif Formaldehid Pada Ikan Asin Di Madura. *Jurnal AGROINTEK*, 4(2), 132–137.
- Hermanianto, J., Nurwahid, M., & Azhar, E. (2017). Pengetahuan Bahan Daging dan Unggas. *Pengetahuan Bahan Pangan Hewani*, 1–64.
- HHM, H., Ma, M., Jin, G., & He, L. (2017). Nitroso-Hemoglobin Preparation and Meat Product Colorant Development. *Journal of Food Processing & Technology*, 08(02). <https://doi.org/10.4172/2157-7110.1000658>
- Hidayah, S. N., Wahyuni, H. I., & Kismiyati, S. (2019). Kualitas Kimia Daging Ayam Broiler dengan Suhu Pemeliharaan yang Berbeda. *Jurnal Sains Dan Teknologi Peternakan*, 1(1), 1–6. <https://doi.org/10.31605/jstp.v1i1.443>
- Hiskia. (2007). Perkembangan Teknologi Sensor Dan Aplikasinya Untuk Diteksi Radiasi Nuklir. *Prosiding PPI*.
- Hoque, M. S., Jaxsens, L., De Meulenaer, B., & Alam, A. K. M. N. (2016). Quantitative Risk Assessment for Formalin Treatment in Fish Preservation: Food Safety Concern in Local Market of Bangladesh. *Procedia Food Science*, 6(Icsusl 2015), 151–158. <https://doi.org/10.1016/j.profoo.2016.02.037>
- Hunt, M. C., & King, D. A. (2012). Meat Color Measurement Guidelines: AMSA. In *American Meat Science Association* (Issue). Illinois: AMSA.
- Husni, N. L., Rasyad, S., Putra, M. S., Hasan, Y., & Rasyid, J. Al. (2020). Pengaplikasian Sensor Warna Pada Navigasi Line Tracking Robot Sampah Berbasis Mikrokontroler. *Jurnal Ampere*, 4(2), 297. <https://doi.org/10.31851/ampere.v4i2.3450>
- Ihsanto, E., & Hidayat, S. (2014). Rancang Bangun Sistem Pengukuran Ph Meter Dengan Menggunakan Mikrokontroler Arduino Uno. *Jurnal Teknologi Elektro*, 5(3). <https://doi.org/10.22441/jte.v5i3.769>
- Jannah, M., ruf, W., & Surti, T. (2014). Efektivitas Lengkuas (*Alpinia Galanga*) Sebagai Pereduksi Kadar Formalin Pada Udang Putih (*Penaeus Merquiensis*) Selama Penyimpanan Dingin. *Jurnal Pengolahan Dan Bioteknologi Hasil Perikanan*, 3(1), 70–79.
- Jastrzębska, A., Kowalska, S., & Szłyk, E. (2016). Food Additives & Contaminants : Part A Studies of levels of biogenic amines in meat samples in relation to the content of additives. *Food Additives Contaminants: Part A*, 33(1), 27–40. <https://doi.org/10.1080/19440049.2015.1111525>

- Joshi, R., Bhatta, R., Paudel, P. N., & Kafle, B. K. (2015). Formaldehyde content of selected fish from the wet markets of Kathmandu valley. *International Food Research Journal*, 22(4), 1434–1437.
- Josopandojo, B., Putut Suseno, T. I., Astadi, I. R., & Setijawati, E. (2019). Sifat Fisik, Kimia Dan Organoleptik Dendeng Giling Dari Daging Sapi – Mangga Muda. *Jurnal Teknologi Pangan*, 13(2), 12–16.
<https://doi.org/10.33005/jtp.v13i2.1701>
- Jung, Y., Jeon, H. J., Jung, S., Choe, J. H., Lee, J. H., Heo, K. N., Kang, B. S., & Jo, C. (2011). Comparison of quality traits of thigh meat from Korean native chickens and broilers. *Korean Journal for Food Science of Animal Resources*, 31(5), 684–692. <https://doi.org/10.5851/kosfa.2011.31.5.684>
- Kamps, J. J. A. G., Hopkinson, R. J., Schofield, C. J., & Claridge, T. D. W. (2019). How formaldehyde reacts with amino acids. *Communications Chemistry*, 2(1), 1–14. <https://doi.org/10.1038/s42004-019-0224-2>
- Kamruzzaman, M., Barbin, D., Elmasry, G., Sun, D. W., & Allen, P. (2012). Potential of hyperspectral imaging and pattern recognition for categorization and authentication of red meat. *Innovative Food Science and Emerging Technologies*, 16, 316–325.
- Kartika, V.S. (2018). *Klasifikasi Tingkat Kebusukan Daging Menggunakan Sensor Gas Semikonduktor , Pengolahan Citra GLCM Dan Neural Netwrok*. Institut Teknologi Sepuluh November Surabaya.
- Kartika, Vinda Setya, Pembimbing, D., Magister, P., Keahlian, B., Elektronika, T., Elektro, D. T., & Elektro, F. T. (2018). *Klasifikasi Tingkat Kebusukan Daging Menggunakan Sensor Gas Semikonduktor , Pengolahan Citra Glcm Dan Neural*.
- KASSEM, A. E.-W. S., SABBAAH, M. A., ABOUKARIMA, A. E. W. M., & KAMEL, R. M. (2015). a Study on Color Sorting of Tomatoes Maturity Using Machine Vision and Artificial Neural Networks. *Egyptian Journal of Agricultural Research*, 93(1), 147–161.
<https://doi.org/10.21608/ejar.2015.153315>
- Khadre, M. A., Yousef, A. E., & Kim, J. G. (2001). Microbiological aspects of ozone applications in food: A review. *Journal of Food Science*, 66(9), 1242–1252. <https://doi.org/10.1111/j.1365-2621.2001.tb15196.x>
- Khalaf, J. H., Al-Asadi, M. H., & Al-Hilphy, A. R. (2019). Influence of modified atmosphere packaging and frozen-storage period in the colour characteristics of poultry meat. *Basrah Journal of Agricultural Sciences*, 32(2), 60–73.
<https://doi.org/10.37077/25200860.2019.197>

- Liur, I. J., & Tagueha, A. D. (2020). Analisis Cemaran Mikroba Pada Daging Ayam Broiler Di Beberapa Pasar Kota Ambon. *Agrinimal Jurnal Ilmu Ternak Dan Tanaman*, 8(2), 92–96. <https://doi.org/10.30598/ajitt.2020.8.2.92-96>
- López Camelo, A. F., & Gómez, P. A. (2004). Comparison of color indexes for tomato ripening. *Horticultura Brasileira*, 22(3), 534–537. <https://doi.org/10.1590/s0102-05362004000300006>
- M. Smolander, E. Hurme, K. Latva-Kala, T. Luoma, H.-L. Alakomi, R. A. (2002). Myoglobin-based indicators for the evaluation of freshness of unmarinated broiler cuts. *Innovative Food Science & Emerging Technologies, Volume 3*,.
- Magnaghi, L. R., Zanoni, C., Bancalari, E., Hadj Saadoun, J., Alberti, G., Quadrelli, P., & Biesuz, R. (2022). pH-Sensitive Sensors at Work on Poultry Meat Degradation Detection: From the Laboratory to the Supermarket Shelf. *AppliedChem*, 2(3), 128–141. <https://doi.org/10.3390/appliedchem2030009>
- Mahugija, J. A. M., Chibura, P. E., & Lugwisha, E. H. J. (2018). Chemosphere Residues of pesticides and metabolites in chicken kidney , liver and muscle samples from poultry farms in Dar es Salaam and Pwani , Tanzania. *Chemosphere*, 193, 869–874. <https://doi.org/10.1016/j.chemosphere.2017.11.094>
- Maines, C., & Johnston-Feller, R. (2002). Color Science in the Examination of Museum Objects. In *Journal of the American Institute for Conservation* (Vol. 41, Issue 2). <https://doi.org/10.2307/3179796>
- Mardiana, A. (2018). Tingkat Pencemaran Formalin Pada Produk Pangan Asal Hewan di Pasar RAU Kota Serang Tahun 2018. *Energies*, 6(1), 1–8. <http://journals.sagepub.com/doi/10.1177/1120700020921110%0Ahttps://doi.org/10.1016/j.reuma.2018.06.001%0Ahttps://doi.org/10.1016/j.arth.2018.03.044%0Ahttps://reader.elsevier.com/reader/sd/pii/S1063458420300078?token=C039B8B13922A2079230DC9AF11A333E295FCD8>
- Marsidah, T. (2017). Perendaman Daging Ayam Broiler Dengan Infusa Daun Kari (Murraya koenigii) Terhadap Awal Pembersukan. *Jimvet*, 01(1), 13–18.
- Metrohm International Headquarters, C. C. T. (1991). pH measurement technique. *Application Bulletin*, 188(4 e), 1–5.
- Mikš-Krajnik, M., Yoon, Y. J., & Yuk, H. G. (2015). Detection of volatile organic compounds as markers of chicken breast spoilage using HS-SPME-GC/MS-FASST. *Food Science and Biotechnology*, 24(1), 361–372. <https://doi.org/10.1007/s10068-015-0048-5>
- Mokhtar, S. M., Youssef, K. M., & Morsy, N. E. (2014). The effects of natural antioxidants on colour, lipid stability and sensory evaluation of fresh beef patties stored at 4°C. *Journal of Agroalimentary Processes and Technologies*, 20(3), 282–292.

- Mokhtar, S., Mostafa, G., Taha, R., & Eldeep, G. S. S. (2012). Effect of different starter cultures on the biogenic amines production as a critical control point in fresh fermented sausages. *European Food Research and Technology*, 235(3), 527–535. <https://doi.org/10.1007/s00217-012-1777-9>
- Monira, S. S. U., Aziz, M. G., & Mondal, S. K. D. (2019). Assessment of the impact of formalin treatment on the quality and shelf life of mango. *Agricultural Engineering International: CIGR Journal*, 21(1), 185–191. <https://doi.org/10.13140/RG.2.2.11904.48649>
- Mukaka, M. M. (2012). Statistics corner: A guide to appropriate use of correlation coefficient in medical research. *Malawi Medical Journal*, 24(3), 69–71.
- Mutiasari, S. D., Rosyidi, D., & Thohari, I. (2014). *Physical Quality Of Carrion Chicken And Normal Chicken Meat Cobb 500 Strain Viewed From Ph, Texture, Whc (Water Holding Capacity), And Meat Colour*. 3–6.
- Nafiasari, N. A., & Handayani, A. M. (2019). Penganalisis Kesegaran Daging Sapi Dan Daging Babi Mentah Berdasarkan Klasifikasi Warna Dan Kelembaban. *Jurnal Teknosains*, 8(1), 66. <https://doi.org/10.22146/teknosains.35643>
- Naibaho, N. M., Munthe, S., Popang, E. G., & Zamroni, A. (2019). Uji Sensoris Minuman Kulit Buah Naga (*Hylocereus costaricensis*) The Sensory Test of Dragon Fruit (*Hylocereus costaricensis*) Peel Drink. *Buletin LOUPE*, 15(01), 24–30.
- Nastiti, P. W., & Bintoro, N. (2022). *Classification of Freshness Levels and Prediction of Changes in Evolution of NH₃ and H₂S Gases from Chicken Meat during Storage at Room Temperature*. 11(1), 90–98.
- Nastiti, P. W., Bintoro, N., Nugroho, J., Karyadi, W., & Rahayoe, S. (2022). *Kinetics Study of Chicken Breast Meat (Pectoralis major) Color Changes Measured using the TCS 3200 Color Sensor during Storage at Room Temperature*. 928, 103–110. <https://doi.org/10.4028/p-w152c0>
- Ngafifuddin, M., & Sunarno, S. (2017). *Penerapan Rancang Bangun Ph Meter Berbasis Arduino Pada Mesin Pencuci Film Radiografi Sinar-X Application Design Of pH-Meter Based On Arduino To Washing Machine Of X-Ray Radiograph Film*. 6(1), 66–70.
- Nitiyacassari, N. (2019). Label Pintar Untuk Pemonitoran Kesegaran Daging Ayam Pada Kemasan. In *Universitas Jember: Vol. (Issue)*. Jember.
- Nitiyacassari, N., Kuswandi, B., Agung Pangaribowo, D., & Kalimantan, J. (2021). Label Pintar untuk Pemonitoran Kesegaran Daging Ayam. *Journal Pustaka Kesehatan*, 9(2), 123.
- Norliana, S., Abdulmir, A. S., Abu Bakar, F., & Salleh, A. B. (2009). The health risk of formaldehyde to human beings. *American Journal of Pharmacology and Toxicology*, 4(3), 98–106. <https://doi.org/10.3844/ajptsp.2009.98.106>

- Nychas, G.-J. E., & Tassou, C. C. (1997). Spoilage Processes and Proteolysis in Chicken as Detected by HPLC. *The Journal of the Science of Food and Agriculture*, 74(2), 199–208.
[https://doi.org/https://doi.org/10.1002/\(SICI\)1097-0010\(199706\)74:2<199::AID-JSFA790>3.0.CO;2-4](https://doi.org/https://doi.org/10.1002/(SICI)1097-0010(199706)74:2<199::AID-JSFA790>3.0.CO;2-4)
- Olivera, D. F., Bambicha, R., Laporte, G., Cárdenas, F. C., & Mestorino, N. (2013). Kinetics of colour and texture changes of beef during storage. *Journal of Food Science and Technology*, 50(4), 821–825.
<https://doi.org/10.1007/s13197-012-0885-7>
- Oto, N., Oshita, S., Kawagishi, S., Makino, Y., Kawagoe, Y., Al-Haq, M. I., Shinozaki, S., & Hiruma, N. (2012). Non-destructive estimation of ATP contents and plate count on pork meat surface by UV-Vis reflectance spectrum analysis. *Journal of Food Engineering*, 110(1), 9–17.
<https://doi.org/10.1016/j.jfoodeng.2011.12.017>
- Pambudi, P. E. (2014). Identifikasi Daging Segar dan Busuk Menggunakan Sensor Warna RGB dan Sensor pH Meter Digital. *Jurnal TECHNOSCIENTIA, IST AKPRIND Yogyakarta*, 7(1).
<http://technoscience.akprind.ac.id/>
- Pambudi, P. E., & Sutanta, E. (2014). Identifikasi Daging Segar menggunakan Sensor Warna RGB TCS3200-DB. *Teknologi Technoscience*, 6(2), 177–184.
- Parastar, H., van Kollenburg, G., Weesepeel, Y., van den Doel, A., Buydens, L., & Jansen, J. (2020). Integration of handheld NIR and machine learning to “Measure & Monitor” chicken meat authenticity. *Food Control*, 112(January), 107149. <https://doi.org/10.1016/j.foodcont.2020.107149>
- Parker, J. K. (2013). The kinetics of thermal generation of flavour. *The Journal of the Science of Food and Agriculture*, 93(2).
<https://doi.org/https://doi.org/10.1002/jsfa.5943>
- Peng, Y., & Dhakal, S. (2015). Optical methods and techniques for meat quality inspection. *Transactions of the ASABE*, 58(5), 1371–1386.
<https://doi.org/10.13031/trans.58.11004>
- Pereira, P. F. M., de Sousa Picciani, P. H., Calado, V., & Tonon, R. V. (2021). Electrical gas sensors for meat freshness assessment and quality monitoring: A review. *Trends in Food Science and Technology*, 118(June), 36–44.
<https://doi.org/10.1016/j.tifs.2021.08.036>
- Phermthong, P., Worawattanamateekul, W., & Hinsui, J. (2021). Effect of Ozone Treatments on Nile Tilapia Mince (*Oreochromis niloticus*) Off-Odor. *Rajamangala University of Technology Srivijaya Research Journal*, 13(1), 85–94.

- Poynton, C. (2005). *Sensing color with the TAOS TCS230 in Digital Video and HDTV Algorithms and Inter-faces* (pp. 1–15). San Francisco:Morgan Kaufmann Publishers Inc.
- Prasojo, E. . (2017). *Rancang Bangun Sistem Kontrol Kadar Has H2S Pada Proses Purifikasi Biogas Dengan Water Scrubber System Berbasis Microcontroler Atmega128*. Surabaya:Institut Teknologi Sepuluh Nopember.
- Pratama, A. W., Setiasih, I. S., & Debby Moody, S. (2019). Perbedaan Penurunan Nilai a*, b* dan L* pada Daging Ayam Broiler (*Gallus Domesticus*) Akibat Ozonasi dan Perebusan. *Pasundan Food Technology Journal*, 6(2), 86. <https://doi.org/10.23969/pftj.v6i2.1327>
- Purawisastra, S. (2010). *Identifikasi Senyawa Produk Reaksi Formalin Dengan Protein Hewani Dan Nabati Dalam Bahan Makanan*.
- Purawisastra, S., & Sahara, E. (2011). the Adsorption of Formaldehyde By Some Foodstuffs and Its Elimination By Soaking Them in Hot Water. *Pgm*, 34(1), 63–74.
- Purwanto, I., Afriansyah, M., & Kusriani, K. (2019). Deteksi Tingkat Kesegaran Daging Ayam Menggunakan K-Nearest Neighbor. *CCIT Journal*, 12(2), 177–185. <https://doi.org/10.33050/ccit.v12i2.688>
- Qaid, M. M., Al-Mufarrej, S. I., Azzam, M. M., Al-Garadi, M. A., Alqhtani, A. H., Fazea, E. H., Suliman, G. M., & Alhidary, I. A. (2021). Effect of rumex nervosus leaf powder on the breast meat quality, carcass traits, and performance indices of eimeria tenella oocyst-infected broiler chickens. *Animals*, 11(6). <https://doi.org/10.3390/ani11061551>
- Qiao, M., Fletcher, D. L., Smith, D. P., & Northcutt, J. K. (2001). The Effect of Broiler Breast Meat Color on pH , Moisture , Water-Holding Capacity , and Emulsification Capacity. *Poultry Science*, 80(5), 676–680. <https://doi.org/10.1093/ps/80.5.676>
- Quevedo, R., Valencia, E., Cuevas, G., Ronceros, B., Pedreschi, F., & Bastías, J. M. (2013). Color changes in the surface of fresh cut meat: A fractal kinetic application. *Food Research International*, 54(2), 1430–1436. <https://doi.org/10.1016/j.foodres.2013.10.006>
- Rabeler, F., & Feyissa, A. H. (2018). Kinetic modeling of texture and color changes during thermal treatment of chicken breast meat. *Food and Bioprocess Technology*, 11(8), 1495–1504. <https://doi.org/10.1007/s11947-018-2123-4>
- Radha Krishnan, K., Babuskin, S., Azhagu Saravana Babu, P., Sivarajan, M., & Sukumar, M. (2015). Evaluation and predictive modeling the effects of spice extracts on raw chicken meat stored at different temperatures. *Journal of Food Engineering*, 166, 29–37. <https://doi.org/10.1016/j.jfoodeng.2015.05.021>

- Rahmani, L., Hanifah, T. A., & Kartika, G. F. (2018). Analisis Korelasi Formalin Dan Protein Pada Ikan Selar (*Caranx Leptolepis*) Dan Ikan Kakap Merah (*Lutjanus argentimaculatus*). *UNRI*, 5(September), 1–8.
- Rahmawarti, F. (2011). Pengawetan makanan dan permasalahannya. *Pengawetan Makanan Dan Permasalahannya*, 51–70.
- Rehbein, H., & Schmidt, T. (1996). A rapid and simple method for the determination of Formaldehyde in Fishery Products. *Inf. Fisch Wirtsch*, 43(1), 37–39. <https://doi.org/>
- Ripoll, G., Córdoba, M. de G., Alcalde, M. J., Martín, A., Argüello, A., Casquete, R., & Panea, B. (2019). Volatile organic compounds and consumer preference for meat from suckling goat kids raised with natural or replacers milk. *Italian Journal of Animal Science*, 18(1), 1259–1270. <https://doi.org/10.1080/1828051X.2019.1646107>
- Rivai, M., Budiman, F., Purwanto, D., & Simamora, J. (2018). Meat freshness identification system using gas sensor array and color sensor in conjunction with neural network pattern recognition. *Journal of Theoretical and Applied Information Technology*, 96(12), 3861–3872.
- Sabow, A. B., Sazili, A. Q., Aghwan, Z. A., Zulkifli, I., Goh, Y. M., Ab Kadir, M. Z. A., Nakyinsige, K., Kaka, U., & Adeyemi, K. D. (2016). Changes of microbial spoilage, lipid-protein oxidation and physicochemical properties during post mortem refrigerated storage of goat meat. *Animal Science Journal*, 87(6), 816–826. <https://doi.org/10.1111/asj.12496>
- Sahar, A., Allen, P., Sweeney, T., Cafferky, J., Downey, G., Cromie, A., & Hamill, R. M. (2019). Online Prediction of Physico-Chemical Quality Spectroscopy and Chemometrics. *Foods*, 8(525), 1–12.
- Salsinha, C. N. (2019). Estimasi Parameter Distribusi Weibull Dan Aplikasinya pada Pengendalian Mutu Dengan Memanfaatkan Kuantil. *Unisda Journal of Mathematics and Computer Science (UJMC)*, 5(01), 9–15. <https://doi.org/10.52166/ujmc.v5i01.1473>
- Sandi, G. D. K., Syauqy, D., & Maulana, R. (2020). Sistem Pendeteksi Kesegaran Ikan Bandeng Berdasarkan Bau Dan Warna Daging Berbasis Sensor Mq135 Dan Tcs3200 Dengan Metode Naïve Bayes. *Jurnal Pengembangan Teknologi Informasi Dan Ilmu Komputer E-ISSN*, 2548(10), 964X.
- Santos, H. C., Brandelli, A., & Ayub, M. A. Z. (2004). Influence of post-mortem aging in tenderness of chicken breast filets. *Ciência Rural*, 34(3), 905–910. <https://doi.org/10.1590/s0103-84782004000300038>
- Saputrayadi, A., Asmawati, A., & Marianah, M. (2018). Analisis Kandungan Boraks dan Formalin Pada Beberapa Pedagang Bakso di Kota Mataram. *IJECA (International Journal of Education and Curriculum Application)*, 5(2), 1. <https://doi.org/10.31764/ijeca.v0i0.1971>

- Saputrayadi, A., Asmawati, A., Marianah, M., & Suwati, S. (2019). Analisis Kandungan Boraks Dan Formalin Pada Beberapa Pedagang Bakso Di Kota Mataram. *Jurnal Agrotek UMMat*, 5(2), 107. <https://doi.org/10.31764/agrotek.v5i2.701>
- Sara, G., & Hanriko, R. (2017). Efektivitas Activated Charcoal Cigarette Filter dalam Menurunkan Risiko Kejadian Kanker Paru. *Medula*, 7(5), 9–13.
- Schneider, A. C., Pasel, C., Luckas, M., Schmidt, K. G., & and Herbell, J. D. (2004). Determination of Hydrogen Single Ion Activity Coefficients in Aqueous HCl Solutions at 25°C. *Journal of Solution Chemistry*, 33(3), 257–273. <https://doi.org/DOI: 10.1023/B:JOSL.0000035359.00943.14>
- Schreurs, F. J. G. S. J. G. (2019). *Post-mortem changes in chicken muscle Post-mortem changes in chicken muscle*. 9339(2000). <https://doi.org/10.1079/WPS20000023>
- Sen, A. R., Muthukumar, M., Naveena, B. M., & Ramanna, D. B. V. (2014). Effects on colour characteristics of buffalo meat during blooming, retail display and using vitamin C during refrigerated storage. *Journal of Food Science and Technology*, 51(11), 3515–3519. <https://doi.org/10.1007/s13197-012-0882-x>
- Sendari, S., Hadi, M. S., Rahmawati, Y., Hadi, N. C., Wibowo, F. S., Wibowo, D. A., Agustin, W., Kumalasari, I., Rachman, I., & and Matsumoto, T. (2019). Design and analysis of safety hazardous gas instruments for laboratory experiments. *AIP Conference Proceedings*, 2173(November), New York: AIP Publising. <https://doi.org/https://doi.org/10.1063/1.5133921>
- Setianingias, P. A. (2005). *Sifat Fisik dan Organoleptik Dendeng Giling Daging Domba dengan Suhu dan Waktu Pengeringan yang Berbeda*. Institut Pertanian Bogor.
- Shen, Y., Hong, S., Du, Z., Chao, M., O’Quinn, T., & Li, Y. (2022). Effect of adding modified pea protein as functional extender on the physical and sensory properties of beef patties. *Lwt*, 154(January 2023), 112774. <https://doi.org/10.1016/j.lwt.2021.112774>
- Silvia, D., Yusuf, M. R., & Zulkarnain, Z. (2022). Analisis Kadar pH dan Organoleptik Daging Ayam dengan Metode Vakum dan Non-vakum. *Metana*, 18(1), 1–6. <https://doi.org/10.14710/metana.v18i1.40661>
- Simamora, J. (2017). *Rancang bangun sistem pendeteksi kesegaran daging berdasarkan sensor bau dan warna*. Institut Teknologi Sepuluh Nopember.
- SNI 3924 : 2009. (2009). *Standar Nasional Indonesia 3924:2009 Mutu karkas dan daging ayam*.
- Soeparno. (2015). *Ilmu dan Teknologi Daging* (Soeparno (ed.); Edisi kedu). Gadjah Mada University Press.

- Song, B. Y., Zhang, M., Teng, Y., Zhang, X. F., Deng, Z. P., Huo, L. H., & Gao, S. (2020). Highly selective ppb-level H₂S sensor for spendable detection of exhaled biomarker and pork freshness at low temperature: Mesoporous SnO₂ hierarchical architectures derived from waste scallion root. *Sensors and Actuators, B: Chemical*, 307(October 2019), 127662. <https://doi.org/10.1016/j.snb.2020.127662>
- Suardana, I. W., & Swacita, I. B. N. (2009). *Higiene makanan : kajian teori dan prinsip dasar*. Denpasar : Udayana University Press.
- Sudarmaji, A., Margiwiyatno, A., Sulisty, S. B., & and Saporso. (2021). Measurement of Patchouli oil vapor using array of MOS gas sensors in various adulteration substances and concentrations. *Food Research*, 5(S2), 84–90. [https://doi.org/https://doi.org/10.26656/fr.2017.5\(S2\).016](https://doi.org/https://doi.org/10.26656/fr.2017.5(S2).016)
- Suhanda, I., & Cahana, P. (2006). *Makan sehat hidup sehat*. Penerbit Buku Kompas.
- Suliman, G. M., Hussein, E. O. S., Alsagan, A., Al-Owaimer, A. N., Alhotan, R., Al-Baadani, H. H., Ba-Awadh, H. A., Qaid, M. M., & Swelum, A. A. (2023). Effects of adding nano-emulsified plant oil and probiotics to drinking water during different periods besides sex on processing characteristics, physicochemical properties, and meat quality traits of broiler chickens. *Frontiers in Veterinary Science*, 10. <https://doi.org/10.3389/fvets.2023.1133605>
- Suman, S. P., & Joseph, P. (2013). Myoglobin chemistry and meat color. *Annual Review of Food Science and Technology*, 4(1), 79–99. <https://doi.org/10.1146/annurev-food-030212-182623>
- Sumaryanto, A., Hadikusumo, S. A., & Lukmandaru, & G. (2013). Pengawetan kayu gubal jati secara rendaman dingin dengan pengawet boron untuk mencegah serangan rayap kayu kering. *Ilmu Kehutanan*, VII(2), 93–107.
- Suradi, K. (2006). Perubahan Sifat Fisik Daging Ayam Broiler Post Mortem Selama Penyimpanan Temperatur Ruang (Change of Physical Characteristics of Broiler Chicken Meat Post Mortem During Room Temperature Storage). *Juni*, 6(1), 23–27.
- Surbakti, M. S., Farhan, M., Zakaria, Z., Isa, M., Sufriadi, E., Alva, S., Yusibani, E., Heliawati, L., Iqhrammullah, M., & Suhud, K. (2022). Development of Arduino Uno-Based TCS3200 Color Sensor and Its Application on the Determination of Rhodamine B Level in Syrup. *Indonesian Journal of Chemistry*, 22(3), 630–640. <https://doi.org/10.22146/ijc.69214>
- Susanto, E., & Sutrisniati, D. (1994). Sifat-sifat Kelistrikan Bahan Hasil Pertanian dan Faktor-faktor yang Mempengaruhi untuk Pengujian secara Non Destruktif. *Warta IHP*, 11(1–2), 52–57.

- Susanty, A., Adji, D., & Ruf Tafsir, M. ' . (2021). Analisis Kualitas Daging Ayam Broiler Asal Pasar Swalayan dan Pasar Tradisional di Kota Medan Sumatera Utara Analysis of The Quality of Broiler Chicken From Modern and Traditional Market in Medan, North Sumatera. *Jurnal Sain Veteriner*, 39(3), 224–232.
- Suwanaruang, T. (2018). Formalin Contaminated in Seafood and Frozen Meat at Somdet Market, Kalasin Province. *Journal of Environmental Protection*, 09(12), 1286–1293. <https://doi.org/10.4236/jep.2018.912080>
- Suyatno, C. B. (2021). *Deteksi Bahan Pengawet Kimia Formalin Dan Boraks Pada Ayam Potong Yang Dijual Oleh Penjual Tradisional Dan Penjual Modern Surabaya Barat*. Universitas Wijaya Kusuma Surabaya.
- Syamsuryadi, B., Afnan, R., Arief, I., & Ekastuti, D. (2017). Ayam Pedaging Jantan yang Dipelihara di Dataran Tinggi Sulawesi Selatan Produktivitasnya Lebih Tinggi (Higher Productivity Performance Of Male Broilers Reared In The Highland of South Sulawesi). *Jurnal Veteriner*, 18(1), 160–166. <https://doi.org/10.19087/jveteriner.2017.18.1.160>
- Talon, R., & Leroy, S. (2011). Diversity and safety hazards of bacteria involved in meat fermentations. *Meat Science*, 89(3), 303–309. <https://doi.org/10.1016/j.meatsci.2011.04.029>
- Tang, S., Yu, J., Zhang, M., & Bao, E. (2013). Effects of different heat stress periods on various blood and meat quality parameters in young arbor Acer broiler chickens. *Canadian Journal of Animal Science*, 93(4), 453–460. <https://doi.org/10.4141/CJAS2013-041>
- Tarlak, F., Ozdemir, M., & Melikoglu, M. (2016). Computer vision system approach in colour measurements of foods: Part II. validation of methodology with real foods. *Food Science and Technology*, 36(3), 499–504. <https://doi.org/10.1590/1678-457X.02616>
- Taylor, R. G., Geesink, G. H., Thompson, V. F., Koohmaraie, M., & Goll, D. E. (1995). Is Z-disk degradation responsible for postmortem tenderization? *Journal of Animal Science*, 73(5), 1351–1367. <https://doi.org/10.2527/1995.7351351x>
- Timuneno, H. M., & R. Heri Soelistyo Utomo, dan W. (2008). Model Pertumbuhan Logistik dengan Waktu Tunda. *Jurnal Matematika*, 11(1), 43–51.
- Toba, R. D. S., Hafid, H., Peternakan, M., Pascasarjana, P., Halu, U., Fakultas, D., Universitas, P., & Oleo, H. (2018). *Kualitas Organoleptik Daging Sapi Yang Diberi Pasta Lengkuas (Alpinia galanga L .) Dengan Lama Simpan Yang Berbeda*. 5(1).
- Tomasevic, I., Novakovic, S., Solowiej, B., Zdolec, N., Skunca, D., Krocko, M., Nedomova, S., Kolaj, R., Aleksiev, G., & Djekic, I. (2018). Consumers'

- perceptions, attitudes and perceived quality of game meat in ten European countries. *Meat Science*, 142(July), 5–13.
<https://doi.org/10.1016/j.meatsci.2018.03.016>
- Triyantini, Abubakar, Bintang, I., & Antawidjaja, T. (1997). Studi Komparatif Preferensi, Mutu dan Gizi beberapa Jenis Daging Unggas. *Ilmu Ternak Dan Veteriner*, 2(3), 157–163.
- Tsuda, M., Frank, N., Sato, S., & Sugimura, T. (1988). Marked Increase in the Urinary Level of N-Nitrosothioprolin after Ingestion of Cod with Vegetables. *Cancer Research*, 48(14), 4049–4052.
- Usmiati, S. (2010). Pengawetan daging segar dan olahan. *J Teknol Sains*, 9(3), 46–51.
- Utaminigrum, F., & Setiawan, E. (2020). Sistem Klasifikasi Kualitas Daging Ayam menggunakan Metode K-Nearest Neighbors berbasis Arduino. *Jurnal Pengembangan Teknologi Informasi Dan Ilmu Komputer*, 4(5), 1455–1461.
- Vaikousi, H., Biliaderis, C. G., & Koutsoumanis, K. P. (2009). Applicability of a microbial Time Temperature Indicator (TTI) for monitoring spoilage of modified atmosphere packed minced meat. *International Journal of Food Microbiology*, 133(3), 272–278.
<https://doi.org/10.1016/j.ijfoodmicro.2009.05.030>
- Van Boekel, M. A. J. S. (2009). Kinetic Modeling of Reactions in Foods. In *CRC Pres.* CRC.
- Vargas-sansalvador, I. M. P. De, Erenas, M. M., Martínez-olmos, A., Mirza-montoro, F., Diamond, D., & Capitan-vallvey, L. F. (2020). Smartphone based meat freshness detection. *Talanta*, 216(January), 120985.
<https://doi.org/10.1016/j.talanta.2020.120985>
- Varnam, A. H., & Sutherland, J. P. (1994). *Milk and milk products, Technology, Chemistry, and Microbiology*. Chapman and Hall.
- Wardhani, W. S., & Setiarini, E. P. F. (2010). Menduga Pertumbuhan Bobot Badan Ayam Broiler Strain Lohmann Dengan Pendekatan Model Logistic dan Gompertz Using Logistic and Gompertz Model To Estimate The Body Weight Growth of Lohmann Broiler Chicken. *Veterinaria Medika*, 3(2), 105–108. <http://journal.unair.ac.id/download-fullpapers-vetmedf64116b2452full.pdf>
- Widiastuti, D. W. I. R. (2016). *Kajian pengawet pangan dari bahan alami sebagai bahan tambahan pangan alternatif*. 1–31.
- Widyawati, P., Wahyu, O., & Soesanti, I. (2008). Identifikasi Tingkat Kesegaran Daging Ayam Broiler Berdasar Ciri Tekstur Dan Warna Daging. *Jurnal*, 2004.
- Winarno, F. G. (2004). *Kimia Pangan dan Gizi*. PT. Gramedia Pustaka Utama.

- Xiaobo, Z., & Jiewen, Z. (2008). Comparative analyses of apple aroma by a tin-oxide gas sensor array device and GC/MS. *Food Chemistry*, *107*(1), 120–128. <https://doi.org/10.1016/j.foodchem.2007.07.071>
- Xu, S., Liang, M., Liu, B., & Zhang, Z. (2022). Investigation on key odorants in braised chicken thigh meat and their changes during storage. *Journal of Food Composition and Analysis*, *114*(104765), 1–9.
- Xue, M., Huang, F., Huang, M., & Zhou, G. (2012). Influence of oxidation on myofibrillar proteins degradation from bovine via μ -calpain. *Food Chemistry*, *134*(1), 106–112. <https://doi.org/10.1016/j.foodchem.2012.02.072>
- Yellowness, S. (n.d.). *Selecting Yellowness and Whiteness Indices to Measure Samples*.
- Yimenu, S. M., Koo, J., Kim, B. S., Kim, J. H., & Kim, J. Y. (2019). Freshness-based real-time shelf-life estimation of packaged chicken meat under dynamic storage conditions. *Poultry Science*, *98*(12), 6921–6930. <https://doi.org/10.3382/ps/pez461>
- Yulianto, D. (2013). Analisis Boraks Dalam Sampel Bakso Sapi I, Ii, Iii, Iv. *Jurnal Ilmiah Mahasiswa Universitas Surabaya*, *2*(2), 1.
- Yulistiani, R. (2010). *Studi Daging Ayam Bangkok : Perubahan Organoleptik Dan Pola Pertumbuhan Bakteri*. *11*(1), 27–36.
- Yunilas, Mirwandhono, E., & Sinaga, O. (2005). Pengaruh Pemberiaan Tepung Temulawak (Curcuma Xanthorrhizha Roxb) Dalam Ransum Terhadap Kualitas Karkas Ayam Broiler Umur 6 Minggu. *Jurnal Agribisnis Peternakan*, *01*(02), 62–66.
- Zeng, H., Yang, C., Zhang, H., Wu, Z., Zhang, J., Dai, G., Babiloni, F., Kong, W., & Chuang, L. (2019). A LightGBM-Based EEG Analysis Method for Driver Mental States Classification. *Computational Intelligence and Neuroscience*, *2019*. <https://doi.org/10.1155/2019/3761203>
- Zhang, Y. min, Hopkins, D. L., Zhao, Xiao xiao, van de Ven, R., MAO, Y. wei, ZHU, L. xian, HAN, G. xing, & LUO, X. (2018). Characterisation of pH decline and meat color development of beef carcasses during the early postmortem period in a Chinese beef cattle abattoir. *Journal of Integrative Agriculture*, *17*(7), 1691–1695. [https://doi.org/10.1016/S2095-3119\(17\)61890-2](https://doi.org/10.1016/S2095-3119(17)61890-2)
- Zheng, H., & Lu, H. (2011). Use of kinetic, Weibull and PLSR models to predict the retention of ascorbic acid, total phenols and antioxidant activity during storage of pasteurized pineapple juice. *Lwt*, *44*(5), 1273–1281. <https://doi.org/10.1016/j.lwt.2010.12.023>