

Daftar Pustaka

- Abrahamian, P. E., & Abou-Jawdah, Y. (2014). Whitefly-transmitted criniviruses of cucurbits: current status and future prospects. *VirusDisease*, 25(1), 26–38. <https://doi.org/10.1007/s13337-013-0173-9>
- Adachi-Fukunaga, S., Tomitaka, Y., & Sakurai, T. (2020). Effects of melon yellow spot orthotospovirus infection on the preference and developmental traits of melon thrips, *Thrips palmi*, in cucumber. *PLoS ONE*, 15(6), 1–13. <https://doi.org/10.1371/journal.pone.0233722>
- Agastya, I. M. I., Julianto, R. P. D., & Marwoto, M. (2020). Review: Pengaruh Pemanasan Global terhadap Intensitas Serangan Kutu Kebul (*Bemisia tabaci* Genn) dan Cara Pengendaliannya pada Tanaman Kedelai. *Buana Sains*, 20(1), 99–110. <https://doi.org/10.33366/bs.v20i1.1935>
- Akhtar, N., Mehmood, A., Khan, B. A., Mahmood, T., Khan, H. M. S., & Saeed, T. (2011). Exploring cucumber extract for skin rejuvenation. *African Journal of Biotechnology*, 10(7), 1206–1216.
- Alexander, H. M., Mauck, K. E., Whitfield, A. E., Garrett, K. A., & Malmstrom, C. M. (2014). Plant-virus interactions and the agro-ecological interface. *European Journal of Plant Pathology*, 138(3), 529–547. <https://doi.org/10.1007/s10658-013-0317-1>
- Alhudaib, K. A., Rezk, A. A., & Soliman, A. M. (2018). Current status of watermelon chlorotic stunt virus (WmCSV) on some cucurbit plants (Cucurbitaceae) in Alahsa region of Saudi Arabia. *Scientific Journal of King Faisal University*, 19(2), 37–45.
- Ali, Z. H., & Ali, F. H. (2019). Effect of Salicylic Acid on Chlorophyll A , B and Carotene Content of *Petunia* sp . *Indian Journal of Ecology*, 46 Special(8):, 188–191.
- Ament, K., Kant, M. R., Sabelis, M. W., Haring, M. A., & Schuurink, R. C. (2004). Jasmonic acid is a key regulator of spider mite-induced volatile terpenoid and methyl salicylate emission in tomato. *Plant Physiology*, 135(4), 2025–2037. <https://doi.org/10.1104/pp.104.048694>
- Amer, M. A. (2015). Serological and molecular characterization of Cucurbit chlorotic yellows virus affecting cucumber plants in Egypt. *International Journal of Virology*, 11(1), 1–11. <https://doi.org/10.3923/ijv.2015.1.11>
- Andersen, E. J., Ali, S., Byamukama, E., Yen, Y., & Nepal, M. P. (2018). Disease resistance mechanisms in plants. *Genes*, 9(7), 1–30. <https://doi.org/10.3390/genes9070339>
- Ariyanti, N. A. (2014). Mekanisme Infeksi Virus kuning Cabai dan Pengaruhnya terhadap Proses Fisiologi Tanaman Cabai. *Seminar Nasional IX Pendidikan Biologi, UNS*, 682–686.
- Badan Pusat Statistik. (2022). *Luas Panen Tanaman Sayuran Menurut Provinsi dan Jenis Tanaman, 2022*. Perencanaan Pembangunan. https://www.bps.go.id/indikator/indikator/view_data_pub/0000/api_pub/bXNVb1pmZndqUDhKWEIUSjhZRitdz09/da_05/1

- Badan Pusat Statistik Indonesia. (2021). Statistik Tanaman Sayuran dan Buah-Buahan Semusim Indonesia 2020. In *Statistik Tanaman Sayuran dan Buah-Buahan Semusim Indonesia 2020*.
- Badillo-Vargas, I. E., Chen, Y., Martin, K. M., Rotenberg, D., & Whitfield, A. E. (2019). Discovery of Novel Thrips Vector Proteins That Bind to the Viral Attachment Protein of the Plant Bunyavirus Tomato Spotted Wilt Virus. *Journal of Virology*, 93(21), 1–25. <https://doi.org/10.1128/jvi.00699-19>
- Bengyella, L., Waikhom, S. D., Allie, F., & Rey, C. (2015). Virus tolerance and recovery from viral induced-symptoms in plants are associated with transcriptome reprogramming. *Plant Molecular Biology*, 89(3), 243–252. <https://doi.org/10.1007/s11103-015-0362-6>
- Beyer, S. F., Bel, P. S., Flors, V., Schultheiss, H., Conrath, U., & Langenbach, C. J. G. (2021). Disclosure of salicylic acid and jasmonic acid-responsive genes provides a molecular tool for deciphering stress responses in soybean. *Scientific Reports*, 11(20600), 1–15. <https://doi.org/10.1038/s41598-021-00209-6>
- Bhat, A. I., & Rao, G. P. (2020). *Characterization of Plant Viruses* (1st ed.). Humana New York, NY. https://doi.org/10.1007/978-1-0716-0334-5_7
- Bragard, C., Caciagli, P., Lemaire, O., Lopez-Moya, J. J., Macfarlane, S., Peters, D., Susi, P., & Torrance, L. (2013). Status and prospects of plant virus control through interference with vector transmission. *Annual Review of Phytopathology*, 51, 177–201. <https://doi.org/10.1146/annurev-phyto-082712-102346>
- Brożek, J., Mróz, E., Wylęzek, D., Depa, Ł., & Węgierek, P. (2015). The structure of extremely long mouthparts in the aphid genus *Stomaphis* Walker (Hemiptera: Sternorrhyncha: Aphididae). *Zoomorphology*, 134, 431–445. <https://doi.org/10.1007/s00435-015-0266-7>
- Butterbach, P., Verlaan, M. G., Dulleman, A., Lohuis, D., Visser, R. G. F., Bai, Y., & Kormelink, R. (2014). Tomato yellow leaf curl virus resistance by Ty-1 involves increased cytosine methylation of viral genomes and is compromised by cucumber mosaic virus infection. *Proceedings of the National Academy of Sciences of the United States of America*, 111(35), 12942–12947. <https://doi.org/10.1073/pnas.1400894111>
- Chen, Q., Yu, G., Wang, X., Meng, X., & Lv, C. (2021). Genetics and Resistance Mechanism of the Cucumber (*Cucumis sativus* L.) Against Powdery Mildew. *Journal of Plant Growth Regulation*, 40(1), 147–153. <https://doi.org/10.1007/s00344-020-10075-7>
- Chen, X., Wang, D. D., Fang, X., Chen, X. Y., & Mao, Y. B. (2019). Plant Specialized Metabolism Regulated by Jasmonate Signaling. *Plant and Cell Physiology*, 60(12), 2638–2647. <https://doi.org/10.1093/pcp/pcz161>
- Chini, A., Monte, I., Zamarreño, A. M., Hamberg, M., Lassueur, S., Reymond, P., Weiss, S., Stintzi, A., Schaller, A., Porzel, A., García-Mina, J. M., & Solano, R. (2018). An OPR3-independent pathway uses 4,5-didehydrojasmonate for jasmonate synthesis. *Nature Chemical Biology*, 14(2), 171–178. <https://doi.org/10.1038/nchembio.2540>
- Chomicki, G., Schaefer, H., & Renner, S. S. (2020). Origin and domestication of Cucurbitaceae crops: insights from phylogenies, genomics and archaeology. *New Phytologist*, 226(5), 1240–1255. <https://doi.org/10.1111/nph.16015>

- Damiri Nurhayati. (2012). Virus Penyebab Penyakit Tanaman. In *Hama Penyakit Tanaman* (Vol. 1, Issue 1). Universitas Sriwijaya Press.
- Delfosse, V. C., Barrios Barón, M. P., & Distéfano, A. J. (2021). What we know about poleroviruses: Advances in understanding the functions of polerovirus proteins. *Plant Pathology*, 70(5), 1047–1061. <https://doi.org/10.1111/ppa.13368>
- Denis Persley, & Gambley, C. (2010). *Plant viruses spread by thrips*.
- Doubrava, N., Blake, J. H., & Keinath, A. P. (2021). *Cucumber, squash, melon and other cucurbit diseases*. <https://doi.org/1-888-656-9988>
- Dutton, C., Hórak, H., Hepworth, C., Mitchell, A., Ton, J., Hunt, L., & Gray, J. E. (2019). Bacterial infection systemically suppresses stomatal density. *Plant Cell and Environment*, 42(8), 2411–2421. <https://doi.org/10.1111/pce.13570>
- Ertunç, F. (2020). Physiology of virus-infected plants. In L. P. Awasthi (Ed.), *Applied Plant Virology* (pp. 199–205). Elsevier Inc. <https://doi.org/10.1016/b978-0-12-818654-1.00015-3>
- Esmaeili, M., Heydarnejad, J., Massumi, H., & Varsani, A. (2015). Analysis of watermelon chlorotic stunt virus and tomato leaf curl Palampur virus mixed and pseudo-recombination infections. *Virus Genes*, 51(3), 408–416. <https://doi.org/10.1007/s11262-015-1250-5>
- Faizah, R., Sujiprihati, S., Syukur, M., & Hidayat, S. H. (2012). Ketahanan Biokimia Tanaman Cabai terhadap Begomovirus Penyebab Penyakit Daun Keriting Kuning. *Jurnal Fitopatologi Indonesia*, 8(5), 138–144. <https://doi.org/10.14692/jfi.8.5.138>
- Farmer, E. E., Johnson, R. R., & Ryan, C. A. (1992). Regulation of expression of proteinase inhibitor genes by methyl jasmonate and jasmonic acid. *Plant Physiology*, 98(3), 995–1002. <https://doi.org/10.1104/pp.98.3.995>
- Flint, M. L. (2013). *Integrated Pest Management for Home Gardeners and Landscape Professionals* (Issue July). <http://ipm.ucanr.edu/PMG/PESTNOTES/pn7404.html>
- Fránová, J., Lenz, O., Přibyllová, J., Čmejla, R., Valentová, L., & Koloniuk, I. (2021). Czech Republic and Its Vectors, Genetic Variability and Recombination. *Viruses*, 13, 1–19. <https://doi.org/https://doi.org/10.3390/v13122487>
- Fu, X., Feng, Y. Q., Zhang, X. W., Zhang, Y. Y., Bi, H. G., & Ai, X. Z. (2021). Salicylic Acid Is Involved in Rootstock–Scion Communication in Improving the Chilling Tolerance of Grafted Cucumber. *Frontiers in Plant Science*, 12(June), 1–16. <https://doi.org/10.3389/fpls.2021.693344>
- Gadhave, K. R., Dutta, B., Coolong, T., & Srinivasan, R. (2019). A non-persistent aphid-transmitted Potyvirus differentially alters the vector and non-vector biology through host plant quality manipulation. *Scientific Reports*, 9(1), 1–12. <https://doi.org/10.1038/s41598-019-39256-5>
- Gallagher, E. W. (2013). *A molecular genetic analysis of resistance to poleroviruses in sugar beet and oilseed rape* (Issue September). University of East Anglia School.
- Gao, Q. M., Zhu, S., Kachroo, P., & Kachroo, A. (2015). Signal regulators of systemic acquired resistance. *Frontiers in Plant Science*, 6(228), 1–12.

<https://doi.org/10.3389/fpls.2015.00228>

- Gao, Z., Meng, C., Zhang, X., Xu, D., Miao, X., Wang, Y., Yang, L., Lv, H., Chen, L., & Ye, N. (2012). Induction of salicylic acid (SA) on transcriptional expression of eight carotenoid genes and astaxanthin accumulation in *Haematococcus pluvialis*. *Enzyme and Microbial Technology*, 51(4), 225–230. <https://doi.org/10.1016/j.enzmitec.2012.07.001>
- Ghanim, M. (2014). A review of the mechanisms and components that determine the transmission efficiency of Tomato yellow leaf curl virus (Geminiviridae; Begomovirus) by its whitefly vector. *Virus Research*, 186, 47–54.
- Ghosh, A., Dey, D., Timmanna, Basavaraj, Mandal, B., & Jain, R. K. (2017). Thrips as the vectors of tospoviruses in Indian agriculture. In B. Mandal, G. P. Rao, Virendra Kumar Baranwal, & Rakesh Kumar Jain (Eds.), *A Century of Plant Virology in India* (pp. 537–561). Springer Nature. https://doi.org/10.1007/978-981-10-5672-7_24
- Ghosh, S., Kanakala, S., Lebedev, G., Kontsedalov, S., Silverman, D., Alon, T., Mor, N., Sela, N., Luria, N., Dombrovsky, A., Mawassi, M., Haviv, S., Czosnek, H., & Ghanim, M. (2019). Transmission of a New Polerovirus Infecting Pepper by the Whitefly *Bemisia tabaci*. *Journal of Virology*, 93(15), 1–14. <https://doi.org/10.1128/jvi.00488-19>
- Ghoshal, B., & Sanfaçon, H. (2015). Symptom recovery in virus-infected plants: Revisiting the role of RNA silencing mechanisms. *Virology*, 479–480, 167–179. <https://doi.org/10.1016/j.virol.2015.01.008>
- Gomi, K. (2020). Jasmonic acid: An essential plant hormone. *International Journal of Molecular Sciences*, 21(1261), 1–3. <https://doi.org/10.3390/ijms21041261>
- Gunaeni, N, Wulandari, A., & Hudayya, A. (2015). Pengaruh Bahan Ekstrak Tanaman terhadap Pathogenesis Related Protein dan Asam Salisilat dalam Menginduksi Resistensi Tanaman Cabai Merah terhadap Virus Kuning Keriting (Effect of Plant Extracts Against Pathogenesis Related Proteins and Salicylic Acid for. *J. Hort*, 25(2), 160–170.
- Gunaeni, Neni, Setiawati, W., Murtiningsih, R., & Rubiati, T. (2008). *Virus Kuning Dan Cara Pengendaliannya* (T. K. Moekasan & L. Prabaningrum (eds.)). BALAI PENELITIAN TANAMAN SAYURAN. www.balitsa.or.id
- Gupta, A., Bhardwaj, M., & Tran, L. S. P. (2020). Jasmonic acid at the crossroads of plant immunity and pseudomonas syringae virulence. *International Journal of Molecular Sciences*, 21(20), 1–19. <https://doi.org/10.3390/ijms21207482>
- Gururani, M. A., Venkatesh, J., Upadhyaya, C. P., Nookaraju, A., Pandey, S. K., & Park, S. W. (2012). Plant disease resistance genes: Current status and future directions. *Physiological and Molecular Plant Pathology*, 78, 51–65. <https://doi.org/10.1016/j.pmpp.2012.01.002>
- Haerunisa, R., Suastika, G., & Damayanti, T. A. (2016). Identifikasi Begomovirus yang Berasosiasi dengan Penyakit Kuning pada Mentimun di Jawa Barat dan Bali. *Jurnal Hortikultura Indonesia*, 7(1), 9–20. <https://doi.org/10.29244/jhi.7.1.9-20>
- He, W., Pan, L., Han, W., & Wang, X. (2021). Isothiazolinones as novel candidate insecticides for the control of hemipteran insects. *Antibiotics*, 10(4). <https://doi.org/10.3390/antibiotics10040436>

- He, Y., Fukushige, H., Hildebrand, D. F., & Gan, S. (2002). Evidence supporting a role of jasmonic acid in *Arabidopsis* leaf senescence. *Plant Physiology*, 128(3), 876–884. <https://doi.org/10.1104/pp.010843>
- Henrique Bello, V., Ghosh, S., Krause-Sakate, R., & Ghanim, M. (2021). Competitive interactions between whitefly- And aphid-transmitted poleroviruses within the plant host and the insect vectors. *Phytopathology*, 111(6), 1042–1050. <https://doi.org/10.1094/PHYTO-08-20-0369-R>
- Hidayat, P., Kurniawan, H. A., Afifah, L., & Triwidodo, H. (2017). Siklus hidup dan statistik demografi kutukebul *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae) biotipe B dan non-B pada tanaman cabai (*Capsicum annum* L.). *Jurnal Entomologi Indonesia*, 14(3), 143–151. <https://doi.org/10.5994/jei.14.3.143>
- Jaime, C., Muchut, S. E., Reutemann, A. G., Gieco, J. O., & Dunger, G. (2020). Morphological changes, alteration of photosynthetic parameters and chlorophyll production induced by infection with alfalfa dwarf virus in *Medicago sativa* plants. *Plant Pathology*, 69(2), 393–402. <https://doi.org/10.1111/ppa.13109>
- Janda, T., Gondor, O. K., Yordanova, R., Szalai, G., & Pál, M. (2014). Salicylic acid and photosynthesis: signalling and effects. *Acta Physiologiae Plantarum*, 36(10), 2537–2546. <https://doi.org/10.1007/s11738-014-1620-y>
- Jang, G., Yoon, Y., & Choi, Y. Do. (2020). Crosstalk with jasmonic acid integrates multiple responses in plant development. *International Journal of Molecular Sciences*, 21(305), 1–15. <https://doi.org/10.3390/ijms21010305>
- Janssen, D., Ruiz, L., Garcia, C., & Meijer, R. J. M. (2016). Viruses transmitted by the whitefly *Bemisia tabaci* in organic greenhouse crops. In *Plant Health*. <http://library.wur.nl/WebQuery/wurpubs/499428>
- Jones, D. R. (2005). Plant viruses transmitted by thrips. *European Journal of Plant Pathology*, 113(2), 119–157. <https://doi.org/10.1007/s10658-005-2334-1>
- Kandito, A., Hartono, S., Sulandari, S., & Somowiyarjo, S. (2021). A recombinant DNA-satellite associated with pepper yellow leaf curl Indonesia virus in highland area. *Indonesian Journal of Biotechnology*, 26(2), 82–90. <https://doi.org/10.22146/IJBIOTECH.64817>
- Kassem, M. A., Sempere, R. N., Juárez, M., Aranda, M. A., & Truniger, V. (2007). Cucurbit aphid-borne yellows virus is prevalent in field-grown cucurbit crops of southeastern Spain. *Plant Disease*, 91(3), 232–238. <https://doi.org/10.1094/PDIS-91-3-0232>
- Kassem, Mona A., Gosalvez, B., Garzo, E., Fereres, A., Gómez-Guillamon, M. L., & Aranda, M. A. (2015). Resistance to cucurbit aphid-borne yellows virus in melon accession TGR-1551. *Phytopathology*, 105(10), 1389–1396. <https://doi.org/10.1094/PHYTO-02-15-0041-R>
- Kementrian, P. (2015). *Statistik Produksi Hortikultura*.
- Kenyon, L., Kumar, S., Tsai, W. S., & Hughes, J. d. A. (2014). Virus Diseases of Peppers (*Capsicum* spp.) and Their Control. In G. Loebenstein & N. Katis (Eds.), *Advances in Virus Research* (First, pp. 297–354). <https://doi.org/10.1016/B978-0-12-801246-8.00006-8>

- Khalil, R. R., Bassiouny, F. M., El-DougDoug, K. A., Abo-Elmaty, S., & Yousef, M. S. (2014). A dramatic physiological and anatomical changes of tomato plants infecting with tomato yellow leaf curl geminivirus. *International Journal of Agricultural Technology*, 10(5), 1213–1229.
- Khodijah. (2014). Kelimpahan Serangga Predator kutudaun Aphis gossypii di Sentra Tanaman Sayuran di Sumatera Selatan. *Biosaintifika: Journal of Biology & Biology Education*, 6(2), 52–60. <https://doi.org/10.15294/biosaintifika.v6i2.3100>
- Kiraly, L., Barna, B., & Kiraly, Z. (2007). Plant Resistance to Pathogen Infection: Forms and Mechanisms of Innate and Acquired Resistance. *Journal of Phytopathology*, 155, 385–396. <https://doi.org/https://doi.org/10.1111/j.1439-0434.2007.01264>.
- Knierim, D., Deng, T. C., Tsai, W. S., Green, S. K., & Kenyon, L. (2010). Molecular identification of three distinct Polerovirus species and a recombinant Cucurbit aphid-borne yellows virus strain infecting cucurbit crops in Taiwan. *Plant Pathology*, 59(5), 991–1002. <https://doi.org/10.1111/j.1365-3059.2010.02327.x>
- Kone, N., Asare-Bediako, E., Silue, S., Kone, D., Koita, O., Menzel, W., & Winter, S. (2017). Influence of planting date on incidence and severity of viral disease on cucurbits under field condition. *Annals of Agricultural Sciences*, 62(1), 99–104. <https://doi.org/10.1016/j.aosas.2017.05.005>
- Kozik, E. U., Klosinska, U., Call, A. D., & Wehner, T. C. (2013). Heritability and genetic variance estimates for resistance to downy mildew in cucumber accession ames 2354. *Crop Science*, 53(1), 177–182. <https://doi.org/10.2135/cropsci2012.05.0297>
- Kumar, A., Bhattarai, A., Rathore, A. S., Jat, G. S., Behera, T. K., Renukadevi, P., Baranwal, V. K., Jain, R. K., & Basavaraj, Y. B. (2021). Association of cucurbit aphid-borne yellows virus with cucumber plants in India. *VirusDisease*, 32(1), 183–185. <https://doi.org/10.1007/s13337-020-00645-4>
- Kumari, S., Krishnan, N., Dubey, V., Das, B., Pandey, K. K., & Singh, J. (2021). Investigations on annual spreading of viruses infecting cucurbit crops in Uttar Pradesh State, India. *Scientific Reports*, 11(1), 1–17. <https://doi.org/10.1038/s41598-021-97232-4>
- Kurnia, T. D., Purwanto, A., Sulandari, S. R. I., & Basunanda, P. (2022). Molecular and morpho-physiological identification of yellow leaf curl disease of cucumber in Salatiga, Indonesia. *Biodiversitas*, 23(3), 1466–1474. <https://doi.org/10.13057/biodiv/d230334>
- Laili, N. U., & Damayanti, T. A. (2019). Deteksi Virus Pada Tanaman Mentimun Di Jawa Barat. *Agrovigor: Jurnal Agroekoteknologi*, 12(1), 8–15. <https://doi.org/10.21107/agrovigor.v12i1.5089>
- Lakani, Suastika, G., Damayanti, T., & Mattjik, N. (2015). Respons Ketahanan Beberapa Spesies Anggrek Terhadap Infeksi Odontoglossum Ringspot Virus (Resistance Response of Several Orchid Species Against Infection of Odontoglossum Ringspot Virus). *Jurnal Hortikultura*, 25(1), 71–77.
- Lecoq, H., Desbiez, C., & Schoeny, A. (2021). *Cucurbit aphid-borne yellows virus*. Invasive Species Compendium. <https://www.cabi.org/isc/datasheet/110067>
- Lefeuvre, P., Martin, D. P., Elena, S. F., Shepherd, D. N., Roumagnac, P., & Varsani,

- A. (2019). Evolution and ecology of plant viruses. *Nature Reviews Microbiology*, 17(10), 632–644. <https://doi.org/10.1038/s41579-019-0232-3>
- Leibman, D., Kravchik, M., Wolf, D., Haviv, S., Weissberg, M., Ophir, R., Paris, H. S., Palukaitis, P., Ding, S. W., Gaba, V., & Gal-On, A. (2018). Differential expression of cucumber RNA-dependent RNA polymerase 1 genes during antiviral defence and resistance. *Molecular Plant Pathology*, 19(2), 300–312. <https://doi.org/10.1111/mpp.12518>
- Liang, C., Hao, J., Meng, Y., Luo, L., & Li, J. (2018). Identifying optimal reference genes for the normalization of microRNA expression in cucumber under viral stress. *PLoS ONE*, 13(3), 1–16. <https://doi.org/10.1371/journal.pone.0194436>
- Listihani, L., Damayanti, T. A., Hidayat, S. H., & Wiyono, S. (2020). First report of cucurbit aphid-borne yellows virus on cucumber in Java, Indonesia. *Journal of General Plant Pathology*, 86(3), 219–223. <https://doi.org/10.1007/s10327-019-00905-2>
- Lovelock, D. A., Šola, I., Marschollek, S., Donald, C. E., Rusak, G., van Pée, K. H., Ludwig-Müller, J., & Cahill, D. M. (2016). Analysis of salicylic acid-dependent pathways in *Arabidopsis thaliana* following infection with *Plasmodiophora brassicae* and the influence of salicylic acid on disease. *Molecular Plant Pathology*, 17(8), 1237–1251. <https://doi.org/10.1111/mpp.12361>
- Luo, Y., Shang, J., Zhao, P., Xi, D., Yuan, S., & Lin, H. (2011). Application of jasmonic acid followed by salicylic acid inhibits cucumber mosaic virus replication. *Plant Pathology Journal*, 27(1), 53–58. <https://doi.org/10.5423/PPJ.2011.27.1.053>
- Majer, E., Llorente, B., Rodríguez-Concepción, M., & Daròs, J. A. (2017). Rewiring carotenoid biosynthesis in plants using a viral vector. *Scientific Reports*, 7(January), 1–10. <https://doi.org/10.1038/srep41645>
- Martín-Hernández, A. M., & Picó, B. (2021). Natural Resistances to Viruses in Cucurbits. *Agronomy*, 11(23), 1–29. <https://doi.org/10.3390/agronomy11010023>
- McCreight, J. D., Staub, J. E., Wehner, T. C., & Dhillon, N. P. S. (2013). Gone global: Familiar and exotic cucurbits have Asian Origins. *HortScience*, 48(9), 1078–1089. <https://doi.org/10.21273/hortsci.48.9.1078>
- Melero, I., Gonzalez, R., & Elena, S. F. (2022). Host age-dependent evolution of a plant RNA virus. *BioRxiv*, 28(6), 1–12. <https://doi.org/https://doi.org/10.1101/2022.06.28.497762>
- Menzel, W., Maeritz, U., & Seigner, L. (2020). First report of Cucurbit aphid-borne yellows virus infecting cucurbits in Germany. In *New Disease Reports* (Vol. 41, Issue 1). <https://doi.org/http://dx.doi.org/10.5197/j.2044-0588.2020.041.001>
- Miclea, I., Suhani, A., Zahan, M., & Bunea, A. (2020). Effect of jasmonic acid and salicylic acid on growth and biochemical composition of in-vitro-propagated *Lavandula angustifolia* mill. *Agronomy*, 10(11), 1–14. <https://doi.org/10.3390/agronomy10111722>
- Mituti, T., Edwards Molina, J. P., & Rezende, J. A. M. (2018). Bioassays on the role of tomato, potato and sweet pepper as sources of Tomato chlorosis virus transmitted by *Bemisia tabaci* MEAM1. *European Journal of Plant Pathology*, 152(3), 613–619. <https://doi.org/10.1007/s10658-018-1504-x>

- Mukherjee, P. K., Nema, N. K., Maity, N., & Sarkar, B. K. (2013). Phytochemical and therapeutic potential of cucumber. *Fitoterapia*, 84(1), 227–236. <https://doi.org/10.1016/j.fitote.2012.10.003>
- Munganyinka, E., Edema, R., Lamo, J., Gibson, P., Gahakwa, D., & Box, P. O. (2015). Maternal genetic effect of resistance to rice yellow mottle virus disease in rice. *International Journal of Agronomy and Agricultural Research*, 6(4), 213–221.
- Murad, H., & Nyc, M. A. (2016). Evaluating The Potential Benefits of Cucumbers For Improved Health and Skin Care. *Journal of Aging Research & Clinical Practice*, 5(3), 139–141. <https://doi.org/http://dx.doi.org/10.14283/jarcp.2016.108>
- Nyana, I. D. N., Lestariningsih, M. T., Adnyani, N. N. P., & Suastika, G. (2016). Identifikasi Pepper vein yellows virus yang Berasosiasi dengan Penyakit Yellow Vein Banding pada Tanaman Mentimun di Bali. *Jurnal Fitopatologi Indonesia*, 12(4), 109–116. <https://doi.org/10.14692/jfi.12.4.109>
- Okuda, S., Okuda, M., Sugiyama, M., Sakata, Y., Takeshita, M., & Iwai, H. (2013). Resistance in melon to Cucurbit chlorotic yellows virus, a whitefly-transmitted crinivirus. *European Journal of Plant Pathology*, 135(2), 313–321. <https://doi.org/10.1007/s10658-012-0088-0>
- Orfanidou, C. G., Papayiannis, L. C., Pappi, P. G., Katis, N. I., & Maliogka, V. I. (2019). Criniviruses associated with cucurbit yellows disease in Greece and Cyprus: an ever-changing scene. *Plant Pathology*, 68(4), 764–774. <https://doi.org/10.1111/ppa.12986>
- Ozaslan, M., Aytekin, T., Bas, B., Halil Kilic, I., Didem Afacan, I., & Dag, D. S. (2006). Virus diseases of cucurbits in Gaziantep-Turkey. *Plant Pathology Journal*, 5(1), 24–27. <https://doi.org/10.3923/ppj.2006.24.27>
- Painter, R. H. (1951). *Insect Resistance in Crop Plants*. The Macmillan Company. <https://doi.org/http://dx.doi.org/10.1097/00010694-195112000-00015>
- Palaniswami, M. S. (2020). Bemisia tabaci (Gennadius) as vector of plant viruses. In L. P. Awasthi (Ed.), *Applied Plant Virology* (pp. 335–347). INC. <https://doi.org/10.1016/b978-0-12-818654-1.00025-6>
- Persley, D. (2020). *Virus diseases of cucurbits in Australia*. Hort Innovation. <https://www.horticulture.com.au/globalassets/hort-innovation/resource-assets/vg16086-virus-diseases-of-cucurbits-final.pdf>
- Persley, D., & Gambley, C. (2009). *Aphid-transmitted viruses in vegetable crops Integrated virus disease management*. www.publish.csiro.au
- Pieterse, C. M. J., Van Der Does, D., Zamioudis, C., Leon-Reyes, A., & Van Wees, S. C. M. (2012). Hormonal modulation of plant immunity. *Annual Review of Cell and Developmental Biology*, 28, 489–521. <https://doi.org/10.1146/annurev-cellbio-092910-154055>
- Poonam, S., Kaur, H., & Geetika, S. (2013). Effect of Jasmonic Acid on Photosynthetic Pigments and Stress Markers in *Cajanus cajan* (L.) Millsp. Seedlings under Copper Stress. *American Journal of Plant Sciences*, 04(04), 817–823. <https://doi.org/10.4236/ajps.2013.44100>
- Purba, E. R., Lestari, S. M., Nurhaelena, Y., & Hidayat, S. H. (2017). Deteksi Squash mosaic virus pada Lima Varietas Mentimun (*Cucumis sativus* L.) Squash

- mosaic virus Detection on Five Cucumber (*Cucumis sativus* L .) Varieties. *J. Hort. Indonesia*, 8(2), 104–110.
- Putu, P. N., Hanum, F., & Ariati, E. P. (2018). Kejadian Penyakit Mosaik dan Varietas Tahan Cucumber Mosaic Virus (CMV) Penyebab Penyakit Mosaik pada Tanaman Mentimun. *Agrimeta*, 8(15), 49–59.
- Qi, X., Chen, M., Liang, D., Xu, Q., Zhou, F., & Chen, X. (2020). Jasmonic acid, ethylene and ROS are involved in the response of cucumber (*Cucumis sativus* L.) to aphid infestation. *Scientia Horticulturae*, 269(March), 1–9. <https://doi.org/10.1016/j.scienta.2020.109421>
- Rahman, A., Anisuzzaman, M., Ferdous, A. K. ., Rafiul, I., & Naderuzzaman, A. T. . (2008). Study of nutritive value and medicinal uses of cultivated cucurbits. *Journal of Applied Sciences Research*, 4(5), 555–558.
- Ramirez, P., Hernandez, E., Mora, F., Abratis, R., & Hammond, R. W. (2008). Limited geographic distribution of beet pseudo-yellows virus in costa rican cucurbits. *Journal of Plant Pathology*, 90(2), 331–335. <https://doi.org/10.4454/jpp.v90i2.669>
- Rezk, A. A., Sattar, M. N., Alhudaib, K. A., & Soliman, A. M. (2019). Identification of watermelon chlorotic stunt virus from watermelon and zucchini in Saudi Arabia. *Canadian Journal of Plant Pathology*, 41(2), 285–290. <https://doi.org/10.1080/07060661.2019.1567590>
- Ruan, J., Zhou, Y., Zhou, M., Yan, J., Khurshid, M., Weng, W., Cheng, J., & Zhang, K. (2019). Jasmonic acid signaling pathway in plants. *International Journal of Molecular Sciences*, 20(10), 1–15. <https://doi.org/10.3390/ijms20102479>
- Rukmana, R. (1997). *Budidaya Mentimun*. Kanisius.
- Sáez, C., Ambrosio, L. G. M., Miguel, S. M., Valcárcel, J. V., Díez, M. J., Picó, B., & López, C. (2021). Resistant sources and genetic control of resistance to tolcndv in cucumber. *Microorganisms*, 9(913), 1–17. <https://doi.org/10.3390/microorganisms9050913>
- Sanchez-Chavez, S., Regla-Marquez, C. F., Cardenas-Conejo, Z. E., Garcia-Rodriguez, D. A., Centeno-Leija, S., Serrano-Posada, H., Liñan-Rico, A., Partida-Palacios, B. L., & Cardenas-Conejo, Y. (2020). First report of begomoviruses infecting *Cucumis sativus* L. In North America and identification of a proposed new begomovirus species. *PeerJ*, 2020(7), 1–18. <https://doi.org/10.7717/peerj.9245>
- Schoeny, A., Rimbaud, L., Gognalons, P., Girardot, G., Millot, P., Nozeran, K., Wipf-Scheibel, C., & Lecoq, H. (2020). Can winged aphid abundance be a predictor of cucurbit aphid-borne yellows virus epidemics in melon crop? *Viruses*, 12(911), 1–13. <https://doi.org/10.3390/v12090911>
- Septariani, D. N., Hidayat, S. H., & Nurhayati, E. (2014). Identifikasi Penyebab Penyakit Daun Keriting Kuning pada Tanaman Mentimun. *J. HPT Tropika*. ISSN 1411-7525, 14(1), 80–86.
- Setiawati, W., Budiarto, B., & Gunaeni, N. (2007). Preferensi Beberapa Varietas Tomat Dan Pola Infestasi Hama Kutu Kebul Serta Pengaruhnya Terhadap Intensitas Serangan Virus Kuning. *Jurnal Hortikultura*, 17(4), 374–386. <https://doi.org/10.21082/jhort.v17n4.2007.p>

- Shang, J., Xi, D. H., Yuan, S., Xu, F., Xu, M. Y., Qi, H. L., Wang, S. D., Huang, Q. R., Wen, L., & Lin, H. H. (2010). Difference of physiological characters in dark green islands and yellow leaf tissue of cucumber mosaic virus (CMV)-infected nicotiana tabacum leaves. *Zeitschrift Fur Naturforschung - Section C Journal of Biosciences*, 65(1–2), 73–78. <https://doi.org/10.1515/znc-2010-1-213>
- Shi, L., Yang, Y., Xie, Q., Miao, H., Bo, K., Song, Z., Wang, Y., Xie, B., Zhang, S., & Gu, X. (2018). Inheritance and QTL mapping of cucumber mosaic virus resistance in cucumber (*Cucumis Sativus* L.). *PLoS ONE*, 13(7), 1–12. <https://doi.org/10.1371/journal.pone.0200571>
- Shi, X., Gao, Y., Yan, S., Tang, X., Zhou, X., Zhang, D., & Liu, Y. (2016). Aphid performance changes with plant defense mediated by Cucumber mosaic virus titer. *Virology Journal*, 13(1), 4–9. <https://doi.org/10.1186/s12985-016-0524-4>
- Sinaga, M. S. (2003). *Dasar-dasar Ilmu Penyakit Tumbuhan* (1st ed.). Penebar Swadaya.
- Singh, S., Awasthi, L. P., & Jangre, A. (2020). Transmission of plant viruses in fields through various vectors. In L. P. Awasthi (Ed.), *Applied Plant Virology* (pp. 313–334). INC. <https://doi.org/10.1016/b978-0-12-818654-1.00024-4>
- Sirhindi, G., Mushtaq, R., Gill, S. S., Sharma, P., Abd_Allah, E. F., & Ahmad, P. (2020). Jasmonic acid and methyl jasmonate modulate growth, photosynthetic activity and expression of photosystem II subunit genes in Brassica oleracea L. *Scientific Reports*, 10(1), 1–14. <https://doi.org/10.1038/s41598-020-65309-1>
- Soosaar, J. L. M., Burch-Smith, T. M., & Dinesh-Kumar, S. P. (2005). Mechanisms of plant resistance to viruses. *Nature Reviews Microbiology*, 3(10), 789–798. <https://doi.org/10.1038/nrmicro1239>
- Stratford, R., & Covey, S. N. (1989). Segregation of Cauliflower Determinants. *Virology*, 172, 451–459. [https://doi.org/10.1016/0042-6822\(89\)90187-6](https://doi.org/10.1016/0042-6822(89)90187-6)
- Subiastuti, A. S., Hartono, S., & Daryono, B. S. (2019). Detection and identification of begomovirus infecting cucurbitaceae and solanaceae in yogyakarta, indonesia. *Biodiversitas*, 20(3), 738–744. <https://doi.org/10.13057/biodiv/d200318>
- Sun, X., Wang, Z., Gu, Q., Li, H., Han, W., & Shi, Y. (2017). Transcriptome analysis of Cucumis sativus infected by Cucurbit chlorotic yellows virus. *Virology Journal*, 14(18), 1–8. <https://doi.org/10.1186/s12985-017-0690-z>
- Tanaka, K., Taniguchi, S., Tamaoki, D., Yoshitomi, K., Akimitsu, K., & Gomi, K. (2014). Multiple roles of plant volatiles in jasmonate-induced defense response in rice. *Plant Signaling and Behavior*, 9, 1–3. <https://doi.org/10.4161/psb.29247>
- Tuttle McGrath, M. (2004). Diseases of Cucurbits and their Management. *Diseases of Fruits and Vegetables*, 1, 455–510. https://doi.org/10.1007/1-4020-2606-4_12
- Tzanetakis, I. E., Martin, R. R., & Wintermantel, W. M. (2013). Epidemiology of criniviruses: An emerging problem in world agriculture. *Frontiers in Microbiology*, 4(MAY), 1–15. <https://doi.org/10.3389/fmicb.2013.00119>
- Uzuazokaro, M.-M. A., Okwesili, F. C. N., & Chioma, A. A. (2018). Phytochemical and proximate composition of cucumber (*Cucumis sativus*) fruit from Nsukka, Nigeria. *African Journal of Biotechnology*, 17(38), 1215–1219. <https://doi.org/10.5897/ajb2018.16410>

- Vafaei, S. H., & Mahmoodi, M. (2017). Presence of recombinant strain of cucurbit aphid borne yellows virus in Iran. *Iranian Journal of Biotechnology*, 15(4), 289–295. <https://doi.org/10.15171/ijb.1541>
- Vidal, A. H., Lacorte, C., Sanches, M. M., Alves-Freitas, D. M. T., Abreu, E. F. M., Pinheiro-Lima, B., Rosa, R. C. C., Jesus, O. N., Campos, M. A., Felix, G. P., Abreu, A. C. R., Santos, Y. S., Lacerda, A. L. M., Varsani, A., Melo, F. L., & Ribeiro, S. G. (2023). Characterization of Cucurbit Aphid-Borne Yellows Virus (CABYV) from Passion Fruit in Brazil: Evidence of a Complex of Species within CABYV Isolates. *Viruses*, 15(2). <https://doi.org/10.3390/v15020410>
- Vinutha, T., Gupta, O. P., Rama Prashat, G., Krishnan, V., & Sharma, P. (2014). Molecular mechanism of Begomovirus evolution and plant defense response. In R. K. Gaur, T. Hohn, & P. Sharma (Eds.), *Plant Virus-Host Interaction: Molecular Approaches and Viral Evolution* (1st ed., pp. 345–357). Elsevier. <https://doi.org/10.1016/B978-0-12-411584-2.00018-4>
- Wang, K. Der, Empleo, R., Nguyen, T. T. V., Moffett, P., & Sacco, M. A. (2015). Elicitation of hypersensitive responses in *Nicotiana glutinosa* by the suppressor of RNA silencing protein P0 from poleroviruses. *Molecular Plant Pathology*, 16(5), 435–448. <https://doi.org/10.1111/mpp.12201>
- Wang, G., Sun, Y., & Wang, J. (2017). Automatic Image-Based Plant Disease Severity Estimation Using Deep Learning. *Computational Intelligence and Neuroscience*, 2017(2917536). <https://doi.org/10.1155/2017/2917536>
- Wasternack, C., & Hause, B. (2013). Jasmonates: Biosynthesis, perception, signal transduction and action in plant stress response, growth and development. An update to the 2007 review in *Annals of Botany*. *Annals of Botany*, 111(6), 1021–1058. <https://doi.org/10.1093/aob/mct067>
- Wenig, M., Ghirardo, A., Sales, J. H., Pabst, E. S., Breitenbach, H. H., Antritter, F., Weber, B., Lange, B., Lenk, M., Cameron, R. K., Schnitzler, J. P., & Vlot, A. C. (2019). Systemic acquired resistance networks amplify airborne defense cues. *Nature Communications*, 10(3813), 1–14. <https://doi.org/10.1038/s41467-019-11798-2>
- Willmann, M. R., Endres, M. W., Cook, R. T., & Gregory, B. D. (2011). The Functions of RNA-Dependent RNA Polymerases in *Arabidopsis*. *The Arabidopsis Book*, 9, 1–20. <https://doi.org/10.1199/tab.0146>
- Wiratama, I. D. M. P., Wirya, G. N. A. S., Adnyani, N. N. P., Nyana, I. D. N., & Suastika, G. (2015). Laporan Pertama Infeksi Begomovirus pada Tanaman Mentimun di Bali. *Jurnal Fitopatologi Indonesia*, 11(5), 175–178. <https://doi.org/10.14692/jfi.11.5.175>
- Wu, X., & Ye, J. (2020). Manipulation of jasmonate signaling by plant viruses and their insect vectors. *Viruses*, 12(2), 1–16. <https://doi.org/10.3390/v12020148>
- Xia, C., Li, S., Hou, W., Fan, Z., Xiao, H., Lu, M., Sano, T., & Zhang, Z. (2017). Global transcriptomic changes induced by infection of cucumber (*Cucumis sativus* L.) with mild and severe variants of hop stunt viroid. *Frontiers in Microbiology*, 8(2427), 1–16. <https://doi.org/10.3389/fmicb.2017.02427>
- Yang, L., Li, B., Zheng, X. Y., Li, J., Yang, M., Dong, X., He, G., An, C., & Deng, X. W. (2015). Salicylic acid biosynthesis is enhanced and contributes to increased biotrophic pathogen resistance in *Arabidopsis* hybrids. *Nature Communications*,

6(7309), 1–12. <https://doi.org/10.1038/ncomms8309>

- Zhang, P. J., He, Y. C., Zhao, C., Ye, Z. H., & Yu, X. P. (2018). Jasmonic acid-dependent defenses play a key role in defending tomato against *Bemisia tabaci* nymphs, but not adults. *Frontiers in Plant Science*, 9(1065), 1–10. <https://doi.org/10.3389/fpls.2018.01065>
- Zhao, K., & Rosa, C. (2020). Thrips as the transmission bottleneck for mixed infection of two orthotospoviruses. *Plants*, 9(4). <https://doi.org/10.3390/plants9040509>
- Zhu, F., Xi, D. H., Yuan, S., Xu, F., Zhang, D. W., & Lin, H. H. (2014). Salicylic acid and jasmonic acid are essential for systemic resistance against tobacco mosaic virus in *nicotiana benthamiana*. *Molecular Plant-Microbe Interactions*, 27(6), 567–577. <https://doi.org/10.1094/MPMI-11-13-0349-R>
- Zuo, D. P., He, M. J., Chen, X. R., Hu, R. J., Zhao, T. Y., Zhang, X. Y., Peng, Y. M., Wang, Y., Li, D. W., Yu, J. L., & Han, C. G. (2021). A simple method for the acquisition and transmission of brassica yellows virus from transgenic plants and frozen infected leaves by aphids. *Plants*, 10(1944), 1–10. <https://doi.org/10.3390/plants10091944>