

## DAFTAR PUSTAKA

- Adachi, N., Tsukamoto, S., Inoue, Y., & Azegumi, K. 2012. Control of bacterial seedling rot and seedling blight of rice by bacteriophage. *Plant Disease*. Vol. 96 No. 7.
- Agunyemi, S.O., Chen, J., Zhang, M., Wang, L., Masum, Md., M.I., Yan, C., An, Q., Li, B., & Chen, J. 2018. Identification and characterization of five new OP2-related *Myoviridae* bacteriophages infecting different strain of *Xanthomonas oryzae* pv. *oryzae*. *Journal of Plant Pathology*. <https://doi.org/10.1007/s42161-018-0188-6>.
- Romdon, A.S., Kurniaty, E., Bahri, S., & Pramono, J. 2014. Kumpulan Deskripsi Varietas Padi. Balai Pengkajian Teknologi Pertanian Jawa Tengah.
- Badan Pusat Statistik. 2021. BPS Sebut Potensi Luas Lahan Panen Padi Menyusut 0,14 Juta Tahun ini. <https://m.bisnis.com/amp/read/20211015/12/1454724/bps-sebut-potensi-luas-lahan-panen-padi-menyusut-014-juta-tahun-ini>. Diakses pada 27 Januari 2022, pukul 21.45.
- Badan Pusat Statistik. 2021. Produksi Padi Tahun 2021 Naik 1,14 persen (Angka Sementara). <https://www.bps.go.id/pressrelease/2021/10/15/1850/produksi-padi-tahun-2021-naik-1-14-persen--angka-sementara-.html>. Diakses pada 27 Januari 2022, pukul 21.45.
- Badan Pusat Statistik. 2022. Luas Panen, Produksi, dan Produktivitas Padi Menurut Provinsi 2019-2020. <https://www.bps.go.id/indicator/53/1498/1/luas-panen-produksi-dan-produktivitas-padi-menurut-provinsi.html>. Diakses pada 2 September 2022, pukul 11.30.
- Balogh, B., Canteros, B. I., Stall, R. E., & Jones, J. B. 2008. Control of citrus canker and citrus bacterial spot with bacteriophages. *Plant Dis*. Vol. 92, hal.1048–1052. doi: 10.1094/PDIS-92-7-1048.
- Buttimer, C., McAuliffe, O., Ross, R.P., Colin, B., O'Mahony, J., & Aidan. 2017. Bacteriophages and bacterial plant disease. *Frontiers in microbiology*. Vol. 8., article 34.
- Cappucino, J. G., & Sherman. N. (2001). *Microbiology: A Laboratory Manual*. Edisi Kedua. New York: Benjamin Cummings Publishing Company.
- Clarridge JE. 2004. Impact of 16S rRNA gene sequence analysis for identification of bacteria on clinical microbiology and infectious diseases. *Clin Microb Rev* 17 (4): 840-862.
- Egido, J.E., Costa, A.R., Maldonado, C.A., Haas, P.J., & Brouns, S.J.J. 2022. Mecanism and clinical importance of bacteriophage resistance. *FEMS Microbiology Reviewers*. Vol.46, No.1. <https://doi.org/10.1093/femsre/fuab048>.

EPPO. 2007. *Xanthomonas oryzae*. Buletin OEPP/ EPPO 37: 543–553.

Fang, C.T., Ren, H.C., Chen, T.Y., Chu, Y.K., Faan, H.C., & Wu, S.C. 1957. A comparison of rice bacterial leaf blight organism with the bacterial leaf streak organism of rice and *Leersia hexandra* Schwartz. *Acta Pythopathol. Sin.* 3:99-124.

Ghasemie, E., Kazempour, M. N., & Padasht, F. 2008> Isolation and identification of *Xanthomonas oryzae* pv. *oryzae* the causal agent of bacterial blight of rice in iran. *Journal of Plant Protection Research*. Vol. 48, No. 1.

Gnanamanickam, S.S., Priyadarisini, V.B., Narayanan, N.N., Vasudevan, P., & Kavita, S. 1999. *Current Science*. Vol. 77, No. 11. Stable URL: <<https://www.jstor.org/stable/24105230>>.

Integrated Taxonomic Information System (ITIS). 2022. *Oryza sativa* L. <[https://www.itis.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=41976#null](https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=41976#null)>. Diakses pada 2 Februari 2022, pukul 22.11.

Integrated Taxonomic Information System (ITIS). 2022. *Xanthomonas oryzae*. <<https://www.itis.gov/servlet/SingleRpt/SingleRpt#null>>. Diakses pada 2 Februari 2022, pukul 22.20.

Islam, Md. R., Alam, Md., S., Khan, A. I., Hossain, I., Adam, L. R., & Daayf, F. 2016. Analyses of genetic diversity of bacterial blight pathogen, *Xanthomonas oryzae* pv. *oryzae* using IS1112 in Bangladesh. Elsevier; *Comptes Rendus Biologies*. 399-407.

Jain, L., Kumar, V., Jain, S.K., Kausha, P., & Ghosh, P.K. 2023. Isolation of bacteriophage infecting *Xanthomonas oryzae* pv. *oryzae* and genomic characterization of novel phage vB\_XooS\_NR08 for biocontrol of bacterial leaf blight of rice. *Frontiers in microbiology*. Doi: [10.3389/fmicb.2023.1084025](https://doi.org/10.3389/fmicb.2023.1084025).

Jiang, H., Li, C., Huang, X., Ahmed, T., Ogunyemi, S.O., Yu, S., Wang, X., Ali, H.M., Khan, F., Yan, C., Chen, J., & Li, B. 2023. Phage combination alleviates bacterial leaf blight of rice (*Oryza sativa* L). *Frontiers in Plant Science*. Doi: [10.3389/fpls.2023.1147351](https://doi.org/10.3389/fpls.2023.1147351).

Kerstens, K., Pot, B., Hoste, B., Gillis, M., & De Ley, J. 1989. Protein electrophoresis and DNA:DNA hybridizations of xanthomonads from grasses and cereals. *OEPP/EPPO Bull.* 19:51-55.

Kusumaningrum, H.P., Yuwono, T., Rustini, S., & Silitonga, T.S. 2015. Padi Lokal Pulau Jawa: Suatu Antisipasi Perubahan Iklim. Universitas Diponegoro bekerjasama dengan Badan Penelitian dan Pengembangan Pertanian. Semarang.

Lang, J. M., Hamilton, J. P., Diaz, M. G. Q., Van Sluys, M. A., Burgos, M. R. G., Vera Cruz, C. M., Buell, C. R., Tisserat, N. A., & Leach, J. E. 2010. Genomics-based diagnostic marker development for *Xanthomonas oryzae* pv. *oryzae* and *X. oryzae* pv. *oryzicola*. *Plant Disease*. 94:311- 319.

- Lee, K.S., Rasabandith, S., Angeles, E.R. & Khush, G.S. 2003. Inheritance of resistance to bacterial blight in 21 cultivars of rice. *Phytopathology* 93: 147–152.
- Liu, D.O.N., Ronald, P.C., & Bogdanove, A.J. 2006. Pathogen profile: *Xanthomonas oryzae* pathovars: model pathogens of a model crop. *Molecular Plant Pathology*. 7(5), 303–324. DOI: 10.1111/J.1364-3703.2006.00344.X.
- Mew, T.W., Alvaarez, A.M., & Swings, J. 1993. Focus on bacterial blight of rice. The American Phytopathological Society. Hawaii.
- Murray, R.K., Daryl, K.G., & Victor, W.R. 2006. Biokimia Harper (Harper's Illustrate Biochemistry). Jakarta: EGC.
- Müller, C.M.O., Yamashita, F., & Laurindo, J.B. 2008. Evaluation of the effects of glycerol and sorbitol concentration and water activity on the water barrier properties of cassava starch films through a solubility approach. *Carbohydr. Polym.* 72: 82-87.
- Nakayinga, R., Makumi, A., Tumuhaise, V., & Tinzaara, W. 2021. *Xanthomonas* bacteriophages: a review of their biology and biocontrol applications in agriculture. *BMC Microbiology*. 21:291. <<https://doi.org/10.1186/s12866-021-02351-7>>.
- Prasad, R., Shivay, Y. S., & Kumar, D. (2017). Current Status, Challenges, & Opportunities in Rice Production. *Rice Production Worldwide*, 1–32. doi:10.1007/978-3-319-47516-5\_1.
- Premi, M.S.G., Narmadha, R., & Bernatin, T. 2019. A brief survey on disease of paddy plant. *Journal of Pharmaceutical sciences and research*. Vol. 11(7), 2739-2743.
- Ranjani, P., Goethami, Y., Samuel, Gnanamanickam, S., & Palani, P. 2018. Bacteriophages; a new weapon for the control of bacterial blight disease in rice caused by *xanthomonas oryzae*. *Microbiology and biotechnology Letters*. Vol (4)64, hal. 346-359. <<http://dx.doi.org/10.4014/mbl.1807.07009>>.
- Rosmania & Yanti, F. 2020. Perhitungan jumlah bakteri di Laboratorium Mikrobiologi menggunakan pengembangan metode spektrofotometri. *Jurnal Penelitian Sains* 22 (2): 76-86.
- Roza, C., Usyati, N., & Gunarsih, C. 2019. Keragaman ketahanan padi lokal Jawa, Sumatra, dan Sulawesi terhadap patogen hawar daun bakteri patotipe III, IV, VIII. *Buletin Plasma Nutfah*. Vol. 25, No. 2 hal 37-46.
- Schaad, N.W.J., Jones, B., & Chun, W. 2001. *Laboratory Guide for Identification of Plant Pathogenic Bacteria, third edition*. The American Phytopathological Society 3340.
- Sileshi, G. W., & Gebeyehu, S. 2021. *Glob. Food Secur.* 28:100479.
- Sudir & Yuliani, D. 2016. Composition and Distribution of *Xanthomonas oryzae* pv. *oryzae* pathotypes, the pathogen of rice bacterial leaf blight in Indonesia. *AGRIVITA Journal of Agricultural Science*. 2016. 38(2): 174-185.

- Sudir, Suprihanto & Kadir, T.S. 2009. Pathotype identification of *Xanthomonas oryzae* pv. *oryzae*, causing bacterial leaf blight in rice production centers in Java (in Indonesian). *Jurnal Penelitian Pertanian Tanaman Pangan* 28 (3): 131-138.
- Suparyono, Sudir & Suprihanto. 2004. Pathotype profile of *Xanthomonas oryzae* pv. *oryzae* isolates from the rice Ecosystem in java. *Indonesian Journal of Agriculture Science*. 5: 63–69.
- Suparyono, Sudir, & Suprihanto. 2003. Komposisi patotipe patogen hawar daun bakteri pada tanaman padi stadium tumbuh berbeda. *Penelitian Pertanian* 22(1):45-50.
- Suprihatno, B., A.A. Daradjat, Satoto, Baehaki, S.E., Sudir, A. Setyono, S.D. Indrasari, M.Y. Samaullah, & M.J. Mejaya. 2011. Deskripsi varietas padi. Balai Besar Penelitian Tanaman Padi Badan Litbang Pertanian. 115p
- Suryadi, Y., & Kadir, T.S. 2017. Patogenisitas Isolat Bakteri *Xanthomonas oryzae* pv. *oryzae* dan Pemantauan Penyakit Hawar Daun Bakteri Pada Padi Galur Isogenik. *Berita Biologi*. 16(2).
- Susianto, G., Farid, M.M., Dhany, N.R. & Addy, H.S. 2014. Host Range for Bacteriophages that Infect Bacterial Blight Pathogen on Soybean. *Procedia Environmental Sciences*. 760 – 766.
- Swing, J., Van den Mooter, M., Hoste, V.L.B., Gillis, M., Mew, T.W., & Kersters, K. 1990. Reclassification of the causal agents of bacterial blight (*Xanthomonas campestris* pv. *oryzae*) and bacterial leaf streak (*Xanthomonas campestris* pv. *oryzicola*) of rice as pathovars of *Xanthomonas oryzae* (ex Ishiyama 1922) sp. nov., nom. Rev. *Int. J. Syst. Bacteriol.* 40:309-311.
- Tampoma, W.P., Nurmala, T., & M. Rachmadi. 2017. Eksplorasi dan Karakterisasi Tanaman Padi Sawah (*Oryza sativa* L.) Kultivar Lokal di Kabupaten Poso, *Jurnal Agrotek Indonesia*, vol. 2, no. 2, pp. 88–92.
- Tian, Y., Zhao, Y., Xu, R., Liu, F., Hu, F., & Walcott, R.R. 2014. Simultaneous detection of *Xanthomonas oryzae* pv. *oryzae* and *X. oryzae* pv. *oryzicola* in rice seed using a padlock probe-based assay. *Phytopathology*. Vol. 104, No. 10.
- Vera Cruz, C.M., Gossale, F., Kersters, K., Segers, P., Van den Mooter, M., Swing, J., & De Ley, J. 1984. Differentiation between *Xanthomonas campestris* pv. *oryzae*, *Xanthomonas campestris* pv. *oryzicola*, and the bacterial “brown blotch” pathogen on rice by numerical analysis of phenotypic features and protein gel electrophoregrams. *J. Gen. Microbiol.* 130:2983-2999.
- Yashitola, J., Krishnaveni, D., Reddy, A.P.K., & Sonti, R.V. 1997. Genetic diversity within the population of *X. oryzae* pv. *oryzae* in India. *Phytopathology* 87:760-765.
- Zhu, W.M.M., Magbanua, F.F., & White. Genetic diversity and disease control in rice. *J. Bacteriol.* 182 (2000) 1844.