

DAFTAR PUSTAKA

- Abechi, E. S., Gimba, C. E., Uzairu, A., & Kagbu, J. A. (2011). Kinetics of Adsorption of Methylene Blue onto Activated Carbon Prepared from Palm Kernel Shell. *Scholars Research Library*, 3(1), 154–164. www.scholarsresearchlibrary.com
- Agilent. (2021). The Basics of UV-Vis Spectrophotometry. *The Basics of UV-Vis Spectrophotometry*, 36.
- Alvarez-ordóñez, A., & Prieto, M. (2012). *Fourier Transform Infrared Spectroscopy in Food Microbiology*.
- Aman, F., Mariana, M., Mahidin, M., & Maulana, F. (2018). Penyerapan limbah cair amonia menggunakan arang aktif ampas kopi. *Jurnal Litbang Industri*, 8(1), 47. <https://doi.org/10.24960/jli.v8i1.3685.47-52>
- Azam, K., Shezad, N., Shafiq, I., Akhter, P., Akhtar, F., Jamil, F., Shafique, S., Park, Y. K., & Hussain, M. (2022). A review on activated carbon modifications for the treatment of wastewater containing anionic dyes. *Chemosphere*, 306(July), 135566. <https://doi.org/10.1016/j.chemosphere.2022.135566>
- Badan Pusat Statistik (BPS). (2022). *Statistik Kopi Indonesia 2021*. <https://www.bps.go.id/publication/2022/11/30/bb965cef3b3c7bbb8e70e9de/statistik-kopi-indonesia-2021.html>
- Baunsele, A. B., & Missa, H.-. (2021). Langmuir and Freundlich Equation Test on Methylene Blue Adsorption by Using Coconut Fiber Biosorbent. *Walisongo Journal of Chemistry*, 4(2), 131–138. <https://doi.org/10.21580/wjc.v4i2.8941>
- Block, I., Günter, C., Rodrigues, A. D., Paasch, S., Hesemann, P., & Taubert, A. (2021). Carbon Adsorbents from Spent Coffee for Removal of Methylene Blue and Methyl Orange from Water. *Materials*, 14, 3996. <https://doi.org/10.3390/ma14143996>
- Chatir, E. M., El Hadrami, A., Ojala, S., & Brahmi, R. (2022). Production of activated carbon with tunable porosity and surface chemistry via chemical activation of hydrochar with phosphoric acid under oxidizing atmosphere.

Surfaces and Interfaces, 30(February), 101849.
<https://doi.org/10.1016/j.surfin.2022.101849>

Danewalia, S. S., & Singh, K. (2021). Materials Today Bio Bioactive glasses and glass – ceramics for hyperthermia treatment of cancer : state-of-art , challenges , and future perspectives. *Materials Today Bio*, 10(October 2020), 100100.
<https://doi.org/10.1016/j.mtbio.2021.100100>

Domenech-Carbo, M. T., & Osete-Cortina, L. (2016). *Another beauty of analytical chemistry : chemical analysis of inorganic pigments of art and archaeological objects*. 2(14). <https://doi.org/10.1007/s40828-016-0033-5>

Dony, N., Azis, H., & Syukri. (2013). Studi Fotodegradasi Biru Metilen Di Bawah Sinar Matahari Oleh ZnO-SnO 2 Yang Dibuat Dengan Metoda Solid State Reaction. *Prosiding Semirata FMIPA Universitas Lampung*, 297–303.

Endarwati, Oktiani. (2019). Bisnis Kedai Kopi Kekinian Diprediksi Kian Moncer di 2020. Diakses pada 25 Mei 2023, dari <https://ekbis.sindonews.com/berita/1472518/34/bisnis-kedai-kopi-kekinian-diprediksi-kian-moncer-di-2020>

Ernawati, Maflihah, I., Ubang, I., Podung, P. N., Nurbaiti, W., & Lestari, S. (2021). Adsorpsi Metilen Biru dengan Menggunakan Arang Aktif dari Ampas Kopi. *Prosiding Seminar Nasional Kimia*, 5(5), 173–179.

Farma, R., Fatjrin, D., & Deraman, M. (2019). *Physical properties of activated carbon from fibers of oil palm empty fruit bunches by microwave assisted potassium hydroxide activation Physical Properties of Activated Carbon from Fibers of Oil Palm Empty Fruit Bunches by Microwave Assisted Potassium Hy*. 040001(2017). <https://doi.org/10.1063/1.4973090>

Fito, J., Abraham, S., & Angassa, K. (2020). Adsorption of Methylene Blue from Textile Industrial Wastewater onto Activated Carbon of Parthenium hysterophorus. *International Journal of Environmental Research*, 14(5), 501–511. <https://doi.org/10.1007/s41742-020-00273-2>

Gayathiri, M., Pulingam, T., Lee, K. T., & Sudesh, K. (2022). Chemosphere Activated carbon from biomass waste precursors : Factors affecting production and adsorption mechanism. *Chemosphere*, 294(January), 133764.

<https://doi.org/10.1016/j.chemosphere.2022.133764>

Hock, P. E., & Zaini, M. A. A. (2018). Activated carbons by zinc chloride activation for dye removal – a commentary. *Acta Chimica Slovaca*, 11(2), 99–106. <https://doi.org/10.2478/acs-2018-0015>

Iqbal, M., Parwati, W. D. U., & Ginting, C. (2018). Pengaruh Ampas Kopi Sebagai Pupuk Organik Dan Dosis Dolomit Terhadap Pertumbuhan Bibit Kelapa Sawit di Pre-Nursery. *Jurnal Agromast*, 3(2), 1–10.

Jeníček, L., Tunklová, B., Malat'ák, J., Neškudla, M., & Velebil, J. (2022). Use of Spent Coffee Ground as an Alternative Fuel and Possible Soil Amendment. *Materials*, 15(19). <https://doi.org/10.3390/ma15196722>

Jutakridsada, P., Prajaksud, C., Kuboonya-Aruk, L., Theerakulpisut, S., & Kamwilaisak, K. (2016). Adsorption characteristics of activated carbon prepared from spent ground coffee. *Clean Technologies and Environmental Policy*, 18(3), 639–645. <https://doi.org/10.1007/s10098-015-1083-x>

Kim, M. J., Choi, S. W., Kim, H., Mun, S., & Lee, K. B. (2020). Simple synthesis of spent coffee ground-based microporous carbons using K₂CO₃ as an activation agent and their application to CO₂ capture. *Chemical Engineering Journal*, 397(May), 125404. <https://doi.org/10.1016/j.cej.2020.125404>

Lessa, E. F., Nunes, M. L., & Fajardo, A. R. (2018). Chitosan/waste coffee-grounds composite: An efficient and eco-friendly adsorbent for removal of pharmaceutical contaminants from water. *Carbohydrate Polymers*, 189(December 2017), 257–266. <https://doi.org/10.1016/j.carbpol.2018.02.018>

Limantara, J., Tedjokoesoemo, P. E. D., & Rizqy, M. T. (2019). Penggunaan Ampas Kopi Sebagai Material Alternatif pada Produk Interior. *Jurnal Intra*, 7(2), 846–849.

Liu, G., Sun, L., Zhang, P., Wu, Y., Ma, C., & Su, X. (2020). Preparation and Identification of Carbon Materials from Coffee Grounds. *Journal of Physics: Conference Series*, 1622(1). <https://doi.org/10.1088/1742-6596/1622/1/012047>

Maros, H., & Juniar, S. (2016). *Adsorpsi Menggunakan Material Berbasis Lignoselulosa* (1st ed.). Unnes Press.

- Mengesha, D. N., Abebe, M. W., Appiah-ntiamoah, R., & Kim, H. (2022). Science of the Total Environment Ground coffee waste-derived carbon for adsorptive removal of caffeine : Effect of surface chemistry and porous structure. *Science of the Total Environment*, 818, 151669. <https://doi.org/10.1016/j.scitotenv.2021.151669>
- Moubarak, F., Atmani, R., Elkouali, M., Talbi, M., Gondaf, Y., & Amardo, N. (2018). Adsorption of methylene blue in solution on activated carbon based of banana peels residue. *International Journal of Scientific and Engineering Research*, 9(10), 617–622. https://www.researchgate.net/profile/Moubarak-Faical/publication/328783332_Adsorption_of_methylene_blue_in_solution_on_activated_carbon_based_of_banana_peels_residue/links/5bea845792851c6b27ba553e/Adsorption-of-methylene-blue-in-solution-on-activated-carb
- Nandiyanto, A. B. ., Maryanti, R., Fiandini, M., Ragadhita, R., & Usdiyana, D. (2020). *Synthesis of Carbon Microparticles from Red Dragon*. 15(3), 199–209.
- Nurmayasari. (2022). *Fabrikasi Dan Karakterisasi Beads Kitosan Dengan Penambahan Ampas Kopi Dalam Adsorpsi Metilen Biru*. (Tesis Magister, Universitas Gadjah Mada).
- Olusakin, P., Oladiran, T., Oyinkansola, E., & Joel, O. (2022). Results in Engineering Methylene blue dye: Toxicity and potential elimination technology from wastewater. *Results in Engineering*, 16(August), 100678. <https://doi.org/10.1016/j.rineng.2022.100678>
- Pagalan, E., Sebron, M., Gomez, S., Jane, S., Ampusta, R., Joy, A., Joyno, C., Ido, A., & Arazo, R. (2020). Activated carbon from spent coffee grounds as an adsorbent for treatment of water contaminated by aniline yellow dye. *Industrial Crops & Products*, 145(November 2019), 111953. <https://doi.org/10.1016/j.indcrop.2019.111953>
- Pambudi, A., Farid, M., & Nurdiansah, H. (2017). Analisis Morfologi dan Spektroskopi Infra Merah Serat Bambu Betung (*Dendrocalamus Asper*) Hasil Proses Alkalisasi Sebagai Penguat Komposit Absorpsi Suara. *Jurnal Teknik ITS*, 6(2), 441–444.

- Pratiwi, R. A., & Nandiyanto, A. B. D. (2022). How to Read and Interpret UV-VIS Spectrophotometric Results in Determining the Structure of Chemical Compounds. *Indonesian Journal of Educational Research and Technology*, 2(1), 1–20. <https://doi.org/10.17509/ijert.v2i1.35171>
- Raghav, S., & Kumar, D. (2018). Adsorption Equilibrium, Kinetics, and Thermodynamic Studies of Fluoride Adsorbed by Tetrametallic Oxide Adsorbent. *Journal of Chemical and Engineering Data*, 63(5), 1682–1697. <https://doi.org/10.1021/acs.jced.8b00024>
- Sumadewi, N. L. ., Puspaningrum, D. H. ., & Adisanjaya, N. . (2020). Pkm Pemanfaatan Limbah Kopi Di Desa Catur Kabupaten Bangli. *Gastronomía Ecuatoriana y Turismo Local*, 1(69), 5–24. <https://jurnalfkip.unram.ac.id/index.php/JPPM/article/view/1897>
- Togibasa, O., Ansanay, Y. O., Dahlan, K., & Erari, M. (2021). Identification of Surface Functional Group on Activated Carbon from Waste Sago. *Journal of Physics: Theories and Applications*, 5(1), 1. <https://doi.org/10.20961/jphystheor-appl.v5i1.49885>
- Üner, O., Geçgel, Ü., & Bayrak, Y. (2016). Adsorption of Methylene Blue by an Efficient Activated Carbon Prepared from Citrullus lanatus Rind: Kinetic, Isotherm, Thermodynamic, and Mechanism Analysis. *Water, Air, and Soil Pollution*, 227(7). <https://doi.org/10.1007/s11270-016-2949-1>
- Usman, Y., Bernama, A., & Nafisah, A. R. (2020). Synthesis and Characterization of Coffee Based-Activated Carbon with Different Activation Methods. *IOP Conference Series: Materials Science and Engineering*, 742(1). <https://doi.org/10.1088/1757-899X/742/1/012036>
- Verma, G., & Mishra, M. (2018). Development and Optimization Of UV-Vis Spectroscopy - A Review. *World Journal of Pharmaceutical Research*, 7(11), 1170–1180. <https://doi.org/10.20959/wjpr201811-12333>
- Wang, S., Nam, H., Lee, D., & Nam, H. (2022). H₂S gas adsorption study using copper impregnated on KOH activated carbon from coffee residue for indoor air purification. *Journal of Environmental Chemical Engineering*, 10(6), 108797. <https://doi.org/10.1016/j.jece.2022.108797>

- Widayatno, T., Yuliawati, T., Susilo, A. A., Studi, P., Kimia, T., Teknik, F., & Muhammadiyah, U. (2017). Adsorpsi Logam Berat (Pb) dari Limbah Cair dengan Adsorben Arang Bambu Aktif. *Jurnal Teknologi Bahan Alam*, 1(1), 17–23.
- Wu, T., Yang, G., Cao, J., Xu, Z., & Jiang, X. (2022). Activation and adsorption mechanisms of methylene blue removal by porous biochar adsorbent derived from eggshell membrane. *Chemical Engineering Research and Design*, 188, 330–341. <https://doi.org/10.1016/j.cherd.2022.08.042>
- Yadav, S., Yadav, A., Bagotia, N., Sharma, A. K., & Kumar, S. (2021). Adsorptive potential of modified plant-based adsorbents for sequestration of dyes and heavy metals from wastewater - A review. *Journal of Water Process Engineering*, 42(May), 102148. <https://doi.org/10.1016/j.jwpe.2021.102148>
- Yuliusman, Nasruddin, Afdhol, M. K., Haris, F., Amiliana, R. A., Hanafi, A., & Ramadhan, I. T. (2017). Production of activated carbon from coffee grounds using chemical and physical activation method. *Advanced Science Letters*, 23(6), 5751–5755. <https://doi.org/10.1166/asl.2017.8822>