

DAFTAR PUSTAKA

- [1] J. Li *et al.*, “Metal–organic framework-based materials: superior adsorbents for the capture of toxic and radioactive metal ions,” *Chem. Soc. Rev.*, vol. 47, no. 7, pp. 2322–2356, 2018, doi: 10.1039/C7CS00543A.
- [2] B. Li *et al.*, “Capture of organic iodides from nuclear waste by metal-organic framework-based molecular traps,” *Nat. Commun.*, vol. 8, no. 1, p. 485, Sep. 2017, doi: 10.1038/s41467-017-00526-3.
- [3] S. Gupta, “Experimental Investigations Relevant for Hydrogen and Fission Product Issues Raised by the Fukushima Accident,” *Elsevier*, vol. 47, pp. 11–25, 2015, doi: 10.1016/j.net.2015.01.002.
- [4] O. US EPA, “Radionuclide Basics: Strontium-90,” Apr. 15, 2015. <https://www.epa.gov/radiation/radionuclide-basics-strontium-90> (accessed May 12, 2023).
- [5] M. J. Manos and M. Kanatzidis, “Layered Metal Sulfides Capture Uranium from Seawater,” *ASC Publ.*, vol. 134, no. 39, pp. 16441–16446, 2012, doi: <https://doi.org/10.1021/ja308028n>.
- [6] S. Yang, J. Hu, C. Chen, D. Shao, and X. Wang, “Mutual Effects of Pb(II) and Humic Acid Adsorption on Multiwalled Carbon Nanotubes/Polyacrylamide Composites from Aqueous Solutions,” *Environ. Sci. Technol.*, vol. 45, no. 8, pp. 3621–3627, Apr. 2011, doi: 10.1021/es104047d.
- [7] A. F. Nurwendi, “Studi Kemampuan Adsorpsi Abu Sekam Padi untuk Mengolah Limbah Stronsium,” p. 1.
- [8] M. Handayani, “Uji Persamaan Langmuir dan Freundlinch Pada Penyerapan Limbah Chrom (VI) Oleh Zeolit,” p. 8, 2009.
- [9] N. Abedin Khan, E. Haque, and S. Hwa Jhung, “Rapid syntheses of a metal–organic framework material $\text{Cu}_3(\text{BTC})_2(\text{H}_2\text{O})_3$ under microwave: a quantitative analysis of accelerated syntheses,” *RSC Publ.*, vol. 12, no. 11, pp. 2625–2631, 2010.
- [10] Q.-L. Zhu and Q. Xu, “Metal–organic framework composites,” *Chem Soc Rev*, vol. 43, no. 16, pp. 5468–5512, Mar. 2014, doi: 10.1039/C3CS60472A.
- [11] C. H. Hendon and A. Walsh, “Chemical principles underpinning the performance of the metal–organic framework HKUST-1,” *Chem. Sci.*, vol. 6, no. 7, pp. 3674–3683, 2015, doi: 10.1039/C5SC01489A.
- [12] M. Shöâeè, J. R. Agger, M. W. Anderson, and M. P. Attfield, “Crystal form, defects and growth of the metal organic framework HKUST-1 revealed by



- atomic force microscopy,” *CrystEngComm*, vol. 10, no. 6, p. 646, 2008, doi: 10.1039/b718890k.
- [13] R. Ediati, M. Kahardian, and D. Hartanto, “Pengaruh Perbandingan Pelarut Etanol dan Dimetilformamida pada Sintesis Metal Organik Framework HKUST-1,” *Akta Kim. Indones.*, vol. 1, no. 1, p. 25, Nov. 2016, doi: 10.12962/j25493736.v1i1.1425.
- [14] M. F. Saifuddin, “Studi Sintesis $[\text{Cu}_3(\text{C}_6\text{H}_3(\text{COO})_3)_2(\text{H}_2\text{O})_3]_n$ (HKUST-1) Menggunakan Metode Solvothermal pada Variasi Fraksi Volume Pelarut N,N Dimethylformamide sebagai Material Prekursor Sensor Gas,” Universitas Gadjah Mada, 2020.
- [15] S. S.-Y. Chui, S. M.-F. Lo, J. P. H. Charmant, A. G. Orpen, and I. D. Williams, “A Chemically Functionalizable Nanoporous Material $[\text{Cu}_3(\text{TMA})_2(\text{H}_2\text{O})_3]_n$,” *Science*, vol. 283, no. 5405, pp. 1148–1150, Feb. 1999, doi: 10.1126/science.283.5405.1148.
- [16] A. Vishnyakov, P. I. Ravikovitch, A. V. Neimark, M. Bülow, and Q. M. Wang, “Nanopore Structure and Sorption Properties of Cu–BTC Metal–Organic Framework,” *Nano Lett.*, vol. 3, no. 6, pp. 713–718, Jun. 2003, doi: 10.1021/nl0341281.
- [17] K. Schlichte, T. Kratzke, and S. Kaskel, “Improved synthesis, thermal stability and catalytic properties of the metal-organic framework compound $\text{Cu}_3(\text{BTC})_2$,” *Elsevier*, vol. 73, pp. 81–88, 2004.
- [18] H. Dathe, E. Peringer, V. Roberts, A. Jentys, and J. A. Lercher, “Metal organic frameworks based on Cu^{2+} and benzene-1,3,5-tricarboxylate as host for SO_2 trapping agents,” *Comptes Rendus Chim.*, vol. 8, no. 3–4, pp. 753–763, Mar. 2005, doi: 10.1016/j.crci.2004.10.018.
- [19] I. Senkovska and S. Kaskel, “High pressure methane adsorption in the metal-organic frameworks $\text{Cu}_3(\text{btc})_2$, $\text{Zn}_2(\text{bdc})_2\text{dabco}$, and $\text{Cr}_3\text{F}(\text{H}_2\text{O})_2\text{O}(\text{bdc})_3$,” *Microporous Mesoporous Mater.*, vol. 112, no. 1–3, pp. 108–115, Jul. 2008, doi: 10.1016/j.micromeso.2007.09.016.
- [20] J. L. C. Rowsell and O. M. Yaghi, “Effects of Functionalization, Catenation, and Variation of the Metal Oxide and Organic Linking Units on the Low-Pressure Hydrogen Adsorption Properties of Metal–Organic Frameworks,” *J. Am. Chem. Soc.*, vol. 128, no. 4, pp. 1304–1315, Feb. 2006, doi: 10.1021/ja056639q.
- [21] J. Liu *et al.*, “Experimental and Theoretical Studies of Gas Adsorption in $\text{Cu}_3(\text{BTC})_2$: An Effective Activation Procedure,” *J. Phys. Chem. C*, vol. 111, no. 26, pp. 9305–9313, Jul. 2007, doi: 10.1021/jp071449i.



- [22] J. Liu, Y. Wang, A. I. Benin, P. Jakubczak, R. R. Willis, and M. D. LeVan, "CO₂/H₂O Adsorption Equilibrium and Rates on Metal–Organic Frameworks: HKUST-1 and Ni/DOBDC," *Langmuir*, vol. 26, no. 17, pp. 14301–14307, Sep. 2010, doi: 10.1021/la102359q.
- [23] P. Chowdhury, C. Bikkina, D. Meister, F. Dreisbach, and S. Gumma, "Comparison of adsorption isotherms on Cu-BTC metal organic frameworks synthesized from different routes," *Microporous Mesoporous Mater.*, vol. 117, no. 1–2, pp. 406–413, Jan. 2009, doi: 10.1016/j.micromeso.2008.07.029.
- [24] K.-S. Lin, A. K. Adhikari, C.-N. Ku, C.-L. Chiang, and H. Kuo, "Synthesis and characterization of porous HKUST-1 metal organic frameworks for hydrogen storage," *Elsevier*, vol. 37, pp. 13865–13871, 2012.
- [25] L. He *et al.*, "Silver nanoparticles prepared by gamma irradiation across metal–organic framework templates," *RSC Adv.*, vol. 5, no. 14, pp. 10707–10715, 2015, doi: 10.1039/C4RA10260F.
- [26] C. Volkringer *et al.*, "Stability of metal–organic frameworks under gamma irradiation," *Chem. Commun.*, vol. 52, no. 84, pp. 12502–12505, 2016, doi: 10.1039/C6CC06878B.
- [27] S. K. Elsaïdi *et al.*, "Radiation-resistant metal-organic framework enables efficient separation of krypton fission gas from spent nuclear fuel," *Nat. Commun.*, vol. 11, no. 1, p. 3103, Jun. 2020, doi: 10.1038/s41467-020-16647-1.
- [28] H. Fikrinabilah, "Studi Perubahan Karakteristik $[\text{Cu}_3(\text{C}_6\text{H}_3(\text{COO})_3)_2(\text{H}_2\text{O})_3]_n$ (HKUST-1) terhadap Radiasi menggunakan Metode Iradiasi Gamma," Universitas Gadjah Mada, 2022. Accessed: Jan. 12, 2023. [Online]. Available: <http://etd.repository.ugm.ac.id/penelitian/detail/210520>
- [29] Y. A. Mezenov *et al.*, "Probing the dynamics of Cu nanoparticle growth inside metal-organic frameworks upon electron beam irradiation," *Photonics Nanostructures - Fundam. Appl.*, vol. 41, p. 100832, Sep. 2020, doi: 10.1016/j.photonics.2020.100832.
- [30] Y. Miao and M. Tsapatsis, "Electron Beam Patterning of Metal–Organic Frameworks," *Chem. Mater.*, vol. 33, no. 2, pp. 754–760, Jan. 2021, doi: 10.1021/acs.chemmater.0c04204.
- [31] R. J. Kuppler *et al.*, "Potential applications of metal-organic frameworks," *Elsevier*, vol. 253, pp. 3042–3066, 2009.
- [32] N. Suhascaryo, Y. Ristianingsih, and Mahreni, "Sintesis dan Aplikasi Material Baru Kerangka Logam Organik," p. 20.



- [33] Q. A. Hanif, R. E. Nugraha, and W. W. Lestari, “Kajian Metal–Organic Frameworks (MOFS) sebagai Material Baru Pengantar Obat,” *ALCHEMY J. Penelit. Kim.*, vol. 14, no. 1, p. 16, Feb. 2018, doi: 10.20961/alchemy.14.1.8218.16-36.
- [34] H.-C. Zhou, J. R. Long, and O. M. Yaghi, “Introduction to Metal–Organic Frameworks,” *Chem. Rev.*, vol. 112, no. 2, pp. 673–674, Feb. 2012, doi: 10.1021/cr300014x.
- [35] K. K. Gangu, S. Maddila, S. B. Mukkamala, and S. B. Jonnalagadda, “A review on contemporary Metal–Organic Framework materials,” *Elsevier*, vol. 446, pp. 61–74, 2016, doi: 10.1016/j.ica.2016.02.062.
- [36] I. Majchrzak-Kucęba and A. Ściubidło, “Shaping metal–organic framework (MOF) powder materials for CO₂ capture applications—a thermogravimetric study,” *J. Therm. Anal. Calorim.*, vol. 138, no. 6, pp. 4139–4144, Dec. 2019, doi: 10.1007/s10973-019-08314-5.
- [37] Q. Min Wang *et al.*, “Metallo-organic molecular sieve for gas separation and purification,” *Microporous Mesoporous Mater.*, vol. 55, no. 2, pp. 217–230, Sep. 2002, doi: 10.1016/S1387-1811(02)00405-5.
- [38] “Jahn-Teller Distortions,” *Chemistry LibreTexts*, Oct. 02, 2013. [https://chem.libretexts.org/Bookshelves/Inorganic_Chemistry/Supplemental_Modules_and_Websites_\(Inorganic_Chemistry\)/Coordination_Chemistry/Structure_and_Nomenclature_of_Coordination_Compounds/Coordination_Numbers_and_Geometry/Jahn-Teller_Distortions](https://chem.libretexts.org/Bookshelves/Inorganic_Chemistry/Supplemental_Modules_and_Websites_(Inorganic_Chemistry)/Coordination_Chemistry/Structure_and_Nomenclature_of_Coordination_Compounds/Coordination_Numbers_and_Geometry/Jahn-Teller_Distortions) (accessed Mar. 25, 2023).
- [39] P. Atkins and T. Overton, *Shriver & Atkins' Inorganic Chemistry*, 5th ed. OUP Oxford, 2010.
- [40] “Distortions of a regular Octahedron,” *ChemTube3D*. <https://www.chemtube3d.com/tm-distortedpolyhedra/> (accessed Mar. 25, 2023).
- [41] P. G. Jamkhande, N. W. Ghule, A. H. Bamer, and M. G. Kalaskar, “Metal nanoparticles synthesis: An overview on methods of preparation, advantages and disadvantages, and applications,” *J. Drug Deliv. Sci. Technol.*, vol. 53, p. 101174, Oct. 2019, doi: 10.1016/j.jddst.2019.101174.
- [42] V. V. Butova, M. A. Soldatov, A. A. Guda, K. A. Lomachenko, and C. Lamberti, “Metal-organic frameworks: structure, properties, methods of synthesis and characterization,” *Russ. Chem. Rev.*, vol. 85, no. 3, pp. 280–307, Mar. 2016, doi: 10.1070/RCR4554.



- [43] N. Al Amery, H. R. Abid, S. Al-Saadi, S. Wang, and S. Liu, “Facile directions for synthesis, modification and activation of MOFs,” *Mater. Today Chem.*, vol. 17, p. 100343, Sep. 2020, doi: 10.1016/j.mtchem.2020.100343.
- [44] S. Han, R. A. Ciufo, B. R. Wygant, B. K. Keitz, and C. B. Mullins, “Methanol Oxidation Catalyzed by Copper Nanoclusters Incorporated in Vacuum-Deposited HKUST-1 Thin Films,” *ACS Catal.*, vol. 10, no. 9, pp. 4997–5007, May 2020, doi: 10.1021/acscatal.0c00592.
- [45] B. A. Averill, *MAP: General Chemistry: Principles, Patterns, and Applications*. LibreTexts, 2021.
- [46] “Crystalline & Amorphous Solids | Chemistry, Properties & Types,” *study.com*. <https://study.com/learn/lesson/crystalline-amorphous-solids-properties.html> (accessed Feb. 02, 2023).
- [47] C. Nunes, A. Mahendrasingam, and R. Suryanarayanan, “Quantification of Crystallinity in Substantially Amorphous Materials by Synchrotron X-ray Powder Diffractometry,” *Pharm. Res.*, vol. 22, pp. 1942–53, Dec. 2005, doi: 10.1007/s11095-005-7626-9.
- [48] J. Šesták, J. J. Mareš, and P. Hubík, Eds., *Glassy, Amorphous and Nano-Crystalline Materials*, vol. 8. in Hot Topics in Thermal Analysis and Calorimetry, vol. 8. Dordrecht: Springer Netherlands, 2011. doi: 10.1007/978-90-481-2882-2.
- [49] W. J. Weber, “Models and mechanisms of irradiation-induced amorphization in ceramics,” *Nucl. Instrum. Methods Phys. Res. Sect. B Beam Interact. Mater. At.*, vol. 166–167, pp. 98–106, May 2000, doi: 10.1016/S0168-583X(99)00643-6.
- [50] “Crystallization and Precipitation,” *Mettler Toledo*. https://www.mt.com/us/en/home/applications/L1_AutoChem_Applications/L2_Crystallization.html (accessed Mar. 22, 2023).
- [51] T. Nagase and Y. Umakoshi, “Electron Irradiation Induced Crystallization of the Amorphous Phase in Zr-Cu Based Metallic Glasses with Various Thermal Stability,” *Mater. Trans.*, vol. 45, no. 1, pp. 13–23, 2004, doi: 10.2320/matertrans.45.13.
- [52] I. G. Gonzalez-Martinez *et al.*, “Electron-beam induced synthesis of nanostructures: a review,” *Nanoscale*, vol. 8, no. 22, pp. 11340–11362, Jun. 2016, doi: 10.1039/C6NR01941B.
- [53] Z. Mo and H. Zhang, “The Degree of Crystallinity in Polymers by Wide-Angle X-Ray Diffraction (Waxd),” *J. Macromol. Sci. Part C Polym. Rev.*, vol. 35, no. 4, pp. 555–580, Nov. 1995, doi: 10.1080/15321799508021751.



- [54] K. Dahlan, “Potensi Kerang Ranga sebagai Sumber Kalsium dalam Sintesis Biomaterial Substitusi Tulang,” *Pros. SEMIRATA 2013*, vol. 1, no. 1, Art. no. 1, Jan. 2003, Accessed: Feb. 09, 2023. [Online]. Available: <https://jurnal.fmipa.unila.ac.id/semirata/article/view/729>
- [55] Z. Noer and I. Dayana, *Karakterisasi Material*. GUEPEDIA, 2021.
- [56] A. Setiabudi, R. Hardian, and A. Muzakir, *Prinsip dan Aplikasinya dalam Penelitian Kimia*. UPI PRESS, 2012.
- [57] K. D. Vernon-Parry, “Scanning electron microscopy: an introduction,” *III-Vs Rev.*, vol. 13, no. 4, pp. 40–44, Jul. 2000, doi: 10.1016/S0961-1290(00)80006-X.
- [58] W. Zhou and Z. L. Wang, Eds., *Scanning microscopy for nanotechnology: techniques and applications*. New York: Springer, 2007.
- [59] W. B. E., “X-Ray Diffraction Methods,” *J. Appl. Phys.*, vol. 12, p. 375, 1941, doi: 10.1063/1.1712915.
- [60] TWI, “WHAT IS X-RAY DIFFRACTION ANALYSIS (XRD) AND HOW DOES IT WORK?,” *TWI Global*. <https://www.twi-global.com/technical-knowledge/faqs/x-ray-diffraction>
- [61] J. Epp, “X-ray diffraction (XRD) techniques for materials characterization,” in *Materials Characterization Using Nondestructive Evaluation (NDE) Methods*, Elsevier, 2016, pp. 81–124. doi: 10.1016/B978-0-08-100040-3.00004-3.
- [62] J. Wang and X. Guo, “Adsorption isotherm models: Classification, physical meaning, application and solving method,” *Elsevier*, vol. 258, no. Chemosphere, p. 127279, 2020.
- [63] M. Thommes *et al.*, “Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution (IUPAC Technical Report),” *Pure Appl. Chem.*, vol. 87, no. 9–10, pp. 1051–1069, Oct. 2015, doi: 10.1515/pac-2014-1117.
- [64] R. Bardestani, G. S. Patience, and S. Kaliaguine, “Experimental methods in chemical engineering: specific surface area and pore size distribution measurements—BET, BJH, and DFT,” *Can. J. Chem. Eng.*, vol. 97, no. 11, pp. 2781–2791, Nov. 2019, doi: 10.1002/cjce.23632.
- [65] N. Argaman and G. Makov, “Density functional theory: An introduction,” *Am. J. Phys.*, vol. 68, no. 1, pp. 69–79, Jan. 2000, doi: 10.1119/1.19375.
- [66] J. J. Thomson, “The structure of the atom,” *Acad. R. Belg.*, 1913.



- [67] “CODATA Value: proton-electron mass ratio.” <https://physics.nist.gov/cgi-bin/cuu/Value?mpsme> (accessed Feb. 13, 2023).
- [68] P. J. Mohr, B. N. Taylor, and D. B. Newell, “CODATA recommended values of the fundamental physical constants: 2006,” *Rev. Mod. Phys.*, vol. 80, no. 2, pp. 633–730, Jun. 2008, doi: 10.1103/RevModPhys.80.633.
- [69] G. R. BLUMENTHAL and R. J. GOULD, “Bremsstrahlung, Synchrotron Radiation, and Compton Scattering of High-Energy Electrons Traversing Dilute Gases,” *Rev. Mod. Phys.*, vol. 42, no. 2, pp. 237–270, Apr. 1970, doi: 10.1103/RevModPhys.42.237.
- [70] B. The Editors of Encyclopaedia, “Electron Beam,” *Encyclopedia Britannica*, Aug. 29, 2018. <https://www.britannica.com/science/electron-beam> (accessed Feb. 13, 2023).
- [71] M. Akhadi, *Sentuhan Teknik Nuklir Dalam Aktivitas Industri*. Deepublish, 2019.
- [72] D. Henry, “Electron Interactions,” *Geochemical Instrumentation and Analysis*, 2021. https://serc.carleton.edu/research_education/geochemsheets/electroninteractions.html (accessed Feb. 16, 2023).
- [73] Claudionico, “File:Electron Interaction with Matter.svg - Wikipedia,” Dec. 17, 2013. https://commons.wikimedia.org/wiki/File:Electron_Interaction_with_Matter.svg (accessed Feb. 16, 2023).
- [74] K. Ahlenhoff, C. Preischl, P. Swiderek, and H. Marbach, “Electron Beam-Induced Surface Activation of Metal–Organic Framework HKUST-1: Unraveling the Underlying Chemistry,” *J. Phys. Chem. C*, vol. 122, no. 46, pp. 26658–26670, Nov. 2018, doi: 10.1021/acs.jpcc.8b06226.
- [75] “CSD Entry: FIQCEN.” <https://www.ccdc.cam.ac.uk/structures/Search?Compound=hkust-1&DatabaseToSearch=Published> (accessed Feb. 05, 2023).

