

DAFTAR PUSTAKA

- Al Aboud AM, Zito PM. Alopecia. 2022 Apr 30. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing.
- Abadi, H., Winata, H. S., Parhan, Diana, V. E., Chan, A., & Haryani, R. (2020). Hair tonic formulation of clove leaves (*Syzygium aromaticum*) ethanol extract and the effectiveness on rabbit hair growth. *International Journal of Applied Pharmaceutics*, **12**(6), 245–248.
- Agnish, S., Sharma, A. D., & Kaur, I. (2022). Nanoemulsions (O/W) containing *Cymbopogon pendulus* essential oil: development, characterization, stability study, and evaluation of in vitro anti-bacterial, anti-inflammatory, anti-diabetic activities. *BioNanoScience*, **12**(2), 540–554.
- Aini, Q. (2017). Uji aktivitas pertumbuhan rambut kelinci jantan dari sediaan hair tonic yang mengandung ekstrak etanol daun mangkokan (*Nothopanax scutellarium* L.). *JFL Jurnal Farmasi Lampung*, **6**(2), 1–12.
- Alam, P., Ansari, M. J., Anwer, M. K., Raish, M., Kamal, Y. K. T., & Shakeel, F. (2017). Wound healing effects of nanoemulsion containing clove essential oil. *Artificial Cells, Nanomedicine and Biotechnology*, **45**(3), 591–597.
- Alhasso, B., Ghori, M. U., & Conway, B. R. (2023). Development of Nanoemulsions for Topical Application of Mupirocin. *Pharmaceutics*, **15**(2).
- Ali, Halah & Hussein, Ahmed. (2017). Oral nanoemulsions of candesartan cilexetil: formulation, characterization and in vitro drug release studies. *AAPS Open*. **3**(4).
- Alomaish, A., Gosadi, I., Dallak, F., Durayb, A., Dallak, A., Hakami, J., Hakami, A., Alshamakhy, A., & Mleeh, N. (2021). Prevalence of alopecia and its contributing factors among primary healthcare attendees in the Jazan region, Saudi Arabia. *Journal of Family Medicine and Primary Care*, **10**(10), 3851.
- Aman, R. M., Hashim, I. I. A., & Meshali, M. M. (2020). Novel clove essential oil nanoemulgel tailored by taguchi's model and scaffold-based nanofibers: Phytopharmaceuticals with promising potential as cyclooxygenase-2 inhibitors in external inflammation. *International Journal of Nanomedicine*, **15**, 2171–2195.
- Amelia, B., Saepudin, E., Cahyana, A. H., Rahayu, D. U., Sulistyoningrum, A. S., & Haib, J. (2017). GC-MS analysis of clove (*Syzygium aromaticum*) bud essential oil from Java and Manado. *AIP Conference Proceedings*, 1862.
- Asadi, S. (2020). The role of mutations on gene AR, in androgenetic alopecia syndrome. *International Journal of Molecular Biology: Open Access*, **5**(2), 46–49.
- Astuti, I. Y., Marchaban, M., Martien, R., & Nugroho, A. E. (2017). Design and optimization of self nano-emulsifying drug delivery system containing a new anti-inflammatory agent pentagamavunon-0. *Indonesian Journal of Chemistry*, **17**(3), 365–375.
- Azeem, A., Rizwan, M., Ahmad, F. J., Iqbal, Z., Khar, R. K., Aqil, M., & Talegaonkar, S. (2009). Nanoemulsion components screening and selection: A technical note. *AAPS PharmSciTech*, **10**(1), 69–76.

- Badan POM RI. (2022). *Peraturan Kepala Badan Pengawas Obat dan Makanan Nomor 10 Tahun 2022 tentang Pedoman Uji Toksisitas Praklinik secara In Vivo*. Jakarta: Badan Pengawas Obat dan Makanan RI.
- Bagchi, D., Roy, S., Patel, V., He, G., Khanna, S., Ojha, N., Phillips, C., Ghosh, S., Bagchi, M., & Sen, C. K. (2006). Safety and whole-body antioxidant potential of a novel anthocyanin-rich formulation of edible berries. *Molecular and Cellular Biochemistry*, *281*(1–2), 197–209.
- Barghi, B., Shokoohi, M., Khaki, A. A., Khaki, A., Moghimian, M., & Soltani, M. (2021). Eugenol improves tissue damage and oxidative stress in adult female rats after ovarian torsion/detorsion. *Journal of Obstetrics and Gynaecology*, *41*(6), 933–938.
- BihShow Lou, Y. L. (2014). Gas Chromatography-Mass Spectrometry Analysis of Photosensitive Characteristics in Citrus and Herb Essential Oils. *Journal of Chromatography & Separation Techniques*, *06*(01).
- Budiasih, S., Masyitah, I., Jiyauddin, K., Kaleemullah, M., Samer, A. D., Fadli, A. M., & Yusuf, E. (2019). Formulation and characterization of cosmetic serum containing argan oil as moisturizing agent. *Bromo Conference, Symposium on Natural Products and Biodiversity*, 297–304.
- Buffoli B, Rinaldi F, Labanca M, Sorbellini E, Trink A, Guanziroli E, Rezzani R, Rodella LF. The human hair: from anatomy to physiology. *Int J Dermatol*, *53*(3):331-41.
- Cappra Silva, A. P., Nunes, B. R., de Oliveira, M. C., Scherer Koester, L., Mayorga, P., Linck Bassani, V., & Ferreira Teixeira, H. (2009). Development of topical nanoemulsions containing the isoflavone genistein. *Pharmazie*, *64*, 32–35.
- Cardoso, S. A., & Barradas, T. N. (2020). Developing formulations for drug follicular targeting: Nanoemulsions loaded with minoxidil and clove oil. *Journal of Drug Delivery Science and Technology*, *59*, 101908.
- Chang, R. K., Raw, A., Lionberger, R., & Yu, L. (2013). Generic development of topical dermatologic products: Formulation development, process development, and testing of topical dermatologic products. In *AAPS Journal* (Vol. 15, Issue 1, pp. 41–52). Springer New York LLC.
- Changediya, V. v, Jani, R., & Kakde, P. (2019). A Review on Nanoemulsions: A Recent Drug Delivery Tool. *Journal of Drug Delivery and Therapeutics*, *9*(5), 185–191.
- Chen, H., Khemtong, C., Yang, X., Chang, X., & Gao, J. (2011). Nanonization strategies for poorly water-soluble drugs. *Drug Discovery Today*, *16*(7–8), 354–360.
- Cooper, G. A. A. (2015). Anatomy and Physiology of Hair, and Principles for its Collection. *Hair Analysis in Clinical and Forensic Toxicology*, 1–22.
- Danaei, M., Dehghankhold, M., Ataei, S., Hasanzadeh Davarani, F., Javanmard, R., Dokhani, A., Khorasani, S., & Mozafari, M. R. (2018). Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. In *Pharmaceutics* (Vol. 10, Issue 2). MDPI AG.
- Davidov-Pardo, G., & McClements, D. J. (2015). Nutraceutical delivery systems: Resveratrol encapsulation in grape seed oil nanoemulsions formed by spontaneous emulsification. *Food Chemistry*, *167*, 205–212.

- de Meneses, A. C., Sayer, C., Puton, B. M. S., Cansian, R. L., Araújo, P. H. H., & de Oliveira, D. (2019). Production of clove oil nanoemulsion with rapid and enhanced antimicrobial activity against gram-positive and gram-negative bacteria. *Journal of Food Process Engineering*, **42**(6).
- Dhurat, R. S., & Daruwalla, S. B. (2021). Androgenetic alopecia: Update on etiology. *Dermatological Reviews*, *2*(3), 115–121.
- Doko, J. K., & Barbara, A. S. (2018). Identifikasi senyawa kimia pada ekstrak tanaman taduk (*Alstonia scholaris*). *CHMK Pharmaceutical Scientific Journal*, *1*(1).
- Ermawati, D. E., Yugatama, A., & Wulandari, W. (2020). Optimization of olive oil, tween 80, and propylene glycol of selfnanoemulsifying drug delivery system of zinc oxide by d-optimal method. *Journal of Pharmaceutical Sciences and Community*, *17*(2), 92–101.
- Fu, D., Huang, J., Li, K., Chen, Y., He, Y., Sun, Y., Guo, Y., Du, L., Qu, Q., Miao, Y., & Hu, Z. (2021). Dihydrotestosterone-induced hair regrowth inhibition by activating androgen receptor in C57BL6 mice simulates androgenetic alopecia. *Biomedicine and Pharmacotherapy*, *137*.
- Gu, Y., Bian, Q., Zhou, Y., Huang, Q., & Gao, J. (2022). Hair follicle-targeting drug delivery strategies for the management of hair follicle-associated disorders. In *Asian Journal of Pharmaceutical Sciences*, *17*(3), 333–352.
- Han, S. H., Byun, J. W., Lee, W. S., Kang, H., Kye, Y. C., Kim, K. H., Kim, D. W., Kim, M. B., Kim, S. J., Kim, H. O., Sim, W. Y., Yoon, T. Y., Huh, C. H., Hwang, S. S., Ro, B. I., & Choi, G. S. (2012). Quality of life assessment in male patients with androgenetic alopecia: Result of a prospective, multicenter study. *Annals of Dermatology*, *24*(3), 311–318.
- Haro-González, J. N., Castillo-Herrera, G. A., Martínez-Velázquez, M., & Espinosa-Andrews, H. (2021). Clove essential oil (*Syzygium aromaticum* l. myrtaceae): Extraction, chemical composition, food applications, and essential bioactivity for human health. In *Molecules*, **26**(21).
- Harshitha, V., Swamy, M. V., Kumar, D. P., Rani, K. S., & Trinath, A. (2020). Nanoemulgel: A Process Promising in Drug Delivery System. *Research Journal of Pharmaceutical Dosage Forms and Technology*, *12*(2), 125.
- Indrati, O., Martien, R., Rohman, A., & Nugroho, A. K. (2020). Application of simplex lattice design on the optimization of andrographolide self nanoemulsifying drug delivery system (SNEDDS). *Indonesian Journal of Pharmacy*, *31*(2), 124–130.
- Jaiswal, M., Dudhe, R., & Sharma, P. K. (2015). Nanoemulsion: an advanced mode of drug delivery system. In *3 Biotech*, **5**(2), 123–127.
- Jose, D., Muenmuang, C., Kitiborwornkul, N., Yasurin, P., Asavasanti, S., Tantayotai, P., & Sriariyanun, M. (2022). Effect of surfactants and co-surfactants in formulation of noni fruit extract in virgin coconut oil-based emulsion. *Journal of the Indian Chemical Society*, *99*(10).
- Jugreet, B. S., Suroowan, S., Rengasamy, R. R. K., & Mahomoodally, M. F. (2020). Chemistry, bioactivities, mode of action and industrial applications of essential oils. In *Trends in Food Science and Technology* (Vol. 101, pp. 89–105).

- Kabir, Y., & Goh, C. (2013). Androgenetic alopecia. *Journal of the Egyptian Women's Dermatologic Society*, 10(3), 107–116.
- Kamishitta, T., Takashi, M., & Yoshihide, O. (1992). *Spray Gel Base and Spray Gel Preparation Using Thereof*. United State Patent Application Publication.
- Kanedi, M., Lulus Lande, M., Nurcahyani, N., & Ratna Anggraeni, I. (2017). Hair-growth promoting activity of plant extracts of suruhan (*Peperomia pellucida*) in rabbits. *IOSR Journal of Pharmacy and Biological Sciences (IOSR-JPBS)*, 12(5), 18–23.
- Katzer, T., Leite Junior, A., Beck, R., & da Silva, C. (2019). Physiopathology and current treatments of androgenetic alopecia: Going beyond androgens and anti-androgens. In *Dermatologic Therapy* (Vol. 32, Issue 5).
- Kidangazhiathmana, A., & Santhosh, P. (2022). Pathogenesis of androgenetic alopecia. *Clinical Dermatology Review*, 6(2), 69.
- Kokabiyani, Z., Yaghmaei, P., Jameie, S. B., & Hajebrahimi, Z. (2022). Therapeutic Effects of Eugenol in Polycystic Ovarian Rats Induced by Estradiol Valerate: A Histopathological and A Biochemical Study. *International Journal of Fertility and Sterility*, 16(3), 184–191.
- Legiawati, L., Suseno, L. S., Sitohang, I. B. S., & Pratama, A. I. (2022). Hair disorder in dr. Cipto Mangunkusumo cosmetic dermatology and venereology outpatient clinic of Jakarta, Indonesia: A socio-demographic and clinical evaluation. *Dermatology Reports*, 14(3).
- Lolli, F., Pallotti, F., Rossi, A., Fortuna, M. C., Caro, G., Lenzi, A., Sansone, A., & Lombardo, F. (2017). Androgenetic alopecia: a review. In *Endocrine*, 57(1), 9–17.
- Lukić, M., Pantelić, I., & Savić, S. D. (2021). Towards optimal ph of the skin and topical formulations: From the current state of the art to tailored products. In *Cosmetics* (Vol. 8, Issue 3). MDPI AG.
- Marchese, E., D'onofrio, N., Balestrieri, M. L., Castaldo, D., Ferrari, G., & Donsì, F. (2020). Bergamot essential oil nanoemulsions: antimicrobial and cytotoxic activity. *Zeitschrift Fur Naturforschung - Section C Journal of Biosciences*, 75(7–8), 279–290.
- Martinez-Jacobo, L., Villarreal-Villarreal, C. D., Ortiz-López, R., Ocampo-Candiani, J., & Rojas-Martínez, A. (2018). Genetic and molecular aspects of androgenetic alopecia. In *Indian Journal of Dermatology, Venereology and Leprology* (Vol. 84, Issue 3, pp. 263–268).
- McMartin, K. (2014). Propylene Glycol. In *Encyclopedia of Toxicology: Third Edition* (pp. 1113–1116). Elsevier.
- Moradi, S., & Barati, A. (2019). Essential Oils Nanoemulsions: Preparation, Characterization and Study of Antibacterial Activity against Escherichia Coli. In *Int. J. Nanosci. Nanotechnol*, 15(3).
- Morgan BA. (2014). The dermal papilla: an instructive niche for epithelial stem and progenitor cells in development and regeneration of the hair follicle. *Cold Spring Harb Perspect Med*.
- Nakama, Y. (2017). Surfactants. *Cosmetic Science and Technology: Theoretical Principles and Applications*, 231–244.

- Nirmala, M. J., Durai, L., Gopakumar, V., & Nagarajan, R. (2020). Preparation of celery essential oil-based nanoemulsion by ultrasonication and evaluation of its potential anticancer and antibacterial activity. *International Journal of Nanomedicine*, *15*, 7651–7666.
- Nogueira Barradas, T. (2020). *Nanoemulsions as optimized vehicles for essential oils*. Springer.
- Ogawa, Y., Akamatsu, M., Hotta, Y., Hosoda, A., & Tamura, H. (2010). Effect of essential oils, such as raspberry ketone and its derivatives, on antiandrogenic activity based on in vitro reporter gene assay. *Bioorganic & Medicinal Chemistry Letters*, *20*(7), 2111–2114.
- Orasan, M. S., Roman, I. I., Coneac, A., Muresan, A., & Orasan, R. I. (2016). Hair loss and regeneration performed on animal models. In *Clujul Medical* (Vol. 89, Issue 3, pp. 327–334).
- Owczarczyk-Saczonek, A., Wygonowska, E., Budkiewicz, M., Placek, W., & Wojska, A. (2019). Serum sickness disease in a patient with alopecia areata and Meniere' disease after PRP procedure. *Dermatol Ther*, *32*(2), 12798.
- Patel, M., Harrison, S., & Sinclair, R. (2013). Drugs and Hair Loss. *Dermatologic Clinics*, *31*(1), 67–73.
- Patravale, V. B., & Date, A. A. (2007). Microemulsions: Applications in transdermal and dermal delivery. In *Critical Reviews in Therapeutic Drug Carrier Systems* (Vol. 24, Issue 6, pp. 547–596). Begell House Inc.
- Pawar, V. C., & Thaker, V. S. (2007). Evaluation of the anti-Fusarium oxysporum f. sp cicer and anti-Alternaria porri effects of some essential oils. *World Journal of Microbiology and Biotechnology*, *23*(8), 1099–1106.
- Priani, S. E., Somantri, S. Y., & Aryani, R. (2020). Formulasi dan karakterisasi snedds (self nanoemulsifying drug delivery system) mengandung minyak jintan hitam dan minyak zaitun. *Jurnal Sains Farmasi & Klinis*, *7*(1), 31.
- Rahmawanty, D., & Sari, D. I. (2021). Pengaruh penggunaan kombinasi surfaktan nonionik terhadap stabilitas fisik sediaan nanoemulsi minyak ikan haruan (*Channa striata*). *Prosiding Seminar Nasional Lingkungan Lahan Basah*, *6*.
- Rahmi, D., Yunilawati, R., Jati, B. N., Setiawati, I., Riyanto, A., Batubara, I., & Astuti, R. I. (2021). Antiaging and skin irritation potential of four main indonesian essential oils. *Cosmetics*, *8*(4).
- Rai, P. B., Khushwaha, P., Jain, N., & Gupta, S. (2018). Comparing the therapeutic efficacy of topical minoxidil and finasteride with topical minoxidil and oral finasteride in androgenetic alopecia: a randomized trial. *International Journal of Research in Dermatology*, *4*(3), 386.
- Rancan, F., Jurisch, J., Günday, C., Türeli, E., Blume-Peytavi, U., Vogt, A., Schaudinn, C., & Günday-Türeli, N. (2021). Screening of surfactants for improved delivery of antimicrobials and poly-lactic-co-glycolic acid particles in wound tissue. *Pharmaceutics*, *13*(7).
- Rinaldi, F., Marzani, B., Pinto, D., & Sorbellini, E. (2019). Randomized controlled trial on a PRP-like cosmetic, biomimetic peptides based, for the treatment of alopecia areata. *Journal of Dermatological Treatment*, *30*(6), 588–593.
- Sadeq, Z. A. (2020). Review on nanoemulsion: Preparation and evaluation. In *International Journal of Drug Delivery Technology*, *10*(1), 187–189.

- Safrudin, I., Maimulyanti, A., & Prihadi, A. R. (2015). Effect of crushing of clove bud (*Syzygium aromaticum*) and distillation rate on main constituents of the essential oil. In *~ 12 ~ American Journal of Essential Oils and Natural Products*, **2(3)**.
- Shahavi, M. H., Hosseini, M., Jahanshahi, M., Meyer, R. L., & Darzi, G. N. (2019). Evaluation of critical parameters for preparation of stable clove oil nanoemulsion. *Arabian Journal of Chemistry*, **12(8)**, 3225–3230.
- Shahtalebi, M., & Safaeian, L. (2016). Preparation and evaluation of clove oil in emu oil self-emulsion for hair conditioning and hair loss prevention. In *Article in Journal of Herbmmed Pharmacology*, **5(2)**: 72-77.
- Sharma, M., Mann, B., Pothuraju, R., Sharma, R., & Kumar, R. (2022). Physico-chemical characterization of ultrasound assisted clove oil-loaded nanoemulsion: As enhanced antimicrobial potential. *Biotechnology Reports*, **34**.
- Shoviantari, F., Liziarnezilia, Z., Bahing, A., Agustina Fakultas Farmasi, L., & Ilmu Kesehatan Bhakti Wiyata, I. (2019). Uji aktivitas tonik rambut nanoemulsi minyak kemiri (*Aleurites moluccana* L.). *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, **6(2)**, 69.
- Smail, S. S., Ghareeb, M. M., Omer, H. K., Al-Kinani, A. A., & Alany, R. G. (2021). Studies on surfactants, cosurfactants, and oils for prospective use in formulation of ketorolac tromethamine ophthalmic nanoemulsions. *Pharmaceutics*, **13(4)**.
- Sreejayan, N., Marone, P. A., Lau, F. C., Yasmin, T., Bagchi, M., & Bagchi, D. (2010). Safety and toxicological evaluation of a novel chromium(III) dinicocysteinatate complex. *Toxicology Mechanisms and Methods*, **20(6)**, 321–333.
- Suciati, T., Aliyandi, A., Satrialdi. (2014). Development of transdermal nanoemulsion formulation for simultaneous delivery of protein vaccine and artin-m adjuvant. *International Journal of Pharmacy and Pharmaceutical Sciences*. **6(6)**, 536-546.
- Taha Yassin, M., Abdulrahman Al-Askar, A., Abdel-Fattah Mostafa, A., & El-Sheikh, M. A. (2020). Bioactivity of *Syzygium aromaticum* (L.) Merr. & L.M.Perry extracts as potential antimicrobial and anticancer agents. *Journal of King Saud University - Science*, **32(8)**, 3273–3278.
- Taleb, M. H., Abdeltawab, N. F., Shamma, R. N., Abdelgayed, S. S., Mohamed, S. S., Farag, M. A., & Ramadan, M. A. (2018). *Origanum vulgare* L. Essential oil as a potential anti-acne topical nanoemulsion—in vitro and in vivo study. *Molecules*, **23(9)**.
- Tammannavar, P., Pushpalatha, C., Jain, S., & Sowmya, S. V. (2013). An unexpected positive hypersensitive reaction to eugenol. *BMJ case reports*.
- Tampucci, S., Paganini, V., Burgalassi, S., Chetoni, P., & Monti, D. (2022). Nanostructured Drug Delivery Systems for Targeting 5- α -Reductase Inhibitors to the Hair Follicle. In *Pharmaceutics*, **14(2)**.
- Tanaka, Y., Aso, T., Ono, J., Hosoi, R., & Kaneko, T. (2018). Androgenetic Alopecia Treatment in Asian Men. *J Clin Aesthet Dermatol*, **11(7)**, 32–35.

- Thakkar, H. P., Khunt, A., Dhande, R. D., & Patel, A. A. (2015). Formulation and evaluation of Itraconazole nanoemulsion for enhanced oral bioavailability. *Journal of Microencapsulation*, *32*(6), 559–569.
- Trilisnawati, D., Diba, S., Kurniawati, Y., Adi Nugroho, S., & Pamudji, R. (2021). Update Treatment of Male Androgenetic Alopecia. *Periodical of Dermatology and Venereology*, *33*(1), 63–71.
- Ulanowska, M., & Olas, B. (2021). Biological properties and prospects for the application of eugenol—a review. In *International Journal of Molecular Sciences*, *22*(7).
- Vicidomini, C., Roviello, V., & Roviello, G. N. (2021). Molecular basis of the therapeutical potential of clove (*Syzygium aromaticum* L.) and clues to its anti-COVID-19 utility. In *Molecules*, *26*(7).
- Viuda-Martos, M., Ruíz-Navajas, Y., Fernández-López, J., & Angel Pérez-Álvarez, J. (2007). Chemical Composition of the Essential Oils Obtained From Some Spices Widely Used in Mediterranean Region. In *Acta Chim. Slov* (Vol. 54).
- Wall, D., Meah, N., Fagan, N., York, K., & Sinclair, R. (2022). Advances in hair growth. *Faculty Reviews*, *11*.
- Wang, J., Li, Z., Sun, F., Tang, S., Zhang, S., Lv, P., Li, J., & Cao, X. (2017). Evaluation of dermal irritation and skin sensitization due to vitacoxib. *Toxicology Reports*, *4*, 287–290.
- Wooster, T. J., Golding, M., & Sanguansri, P. (2008). Impact of oil type on nanoemulsion formation and ostwald ripening stability. *Langmuir*, *24*(22), 12758–12765.
- Yakoubi, S., Kobayashi, I., Uemura, K., Nakajima, M., Isoda, H., Ksouri, R., Saidani-Tounsi, M., & Neves, M. A. (2021). Essential-oil-loaded nanoemulsion lipidic-phase optimization and modeling by response surface methodology (RSM): Enhancement of their antimicrobial potential and bioavailability in nanoscale food delivery system. *Foods*, *10*(12).
- Zeng, L., Xin, X., & Zhang, Y. (2017). Development and characterization of promising Cremophor EL-stabilized o/w nanoemulsions containing short-chain alcohols as a cosurfactant. *RSC Advances*, *7*(32), 19815–19827.