



DAFTAR PUSTAKA

- American Association of Neurological Surgeons (2019). *A Neurosurgeon's Overview the Brain's Anatomy*. [online] Aans.org. Available at: <https://www.aans.org/en/Patients/Neurosurgical-Conditions-and-Treatments/Anatomy-of-the-Brain>.
- Ances, B.M. and Hammoud, D.A. (2014). Neuroimaging of HIV-associated neurocognitive disorders (HAND). *Current Opinion in HIV and AIDS*, 9(6), pp.545–551. doi:<https://doi.org/10.1097/coh.0000000000000112>.
- Chang, L. and Shukla, D.K. (2018). Imaging studies of the HIV-infected brain. *Handbook of Clinical Neurology*, [online] 152, pp.229–264. doi:<https://doi.org/10.1016/B978-0-444-63849-6.00018-9>.
- Cohen, R.A., Harezlak, J., Schifitto, G., Hana, G., Clark, U., Gongvatana, A., Paul, R., Taylor, M., Thompson, P., Alger, J., Brown, M., Zhong, J., Campbell, T., Singer, E., Daar, E., McMahon, D., Tso, Y., Yiannoutsos, C.T. and Navia, B. (2010). Effects of nadir CD4 count and duration of human immunodeficiency virus infection on brain volumes in the highly active antiretroviral therapy era. *Journal of Neurovirology*, [online] 16(1), pp.25–32. doi:<https://doi.org/10.3109/13550280903552420>.
- Cuffari, B. (2020). *The Anatomy of the Human Brain*. [online] News-Medical.net. Available at: <https://www.news-medical.net/health/The-Anatomy-of-the-Human-Brain.aspx>.
- Deeks, S.G., Overbaugh, J., Phillips, A. and Buchbinder, S. (2015). HIV infection. *Nature Reviews Disease Primers*, 1(1). doi:<https://doi.org/10.1038/nrdp.2015.35>.
- Desta, A. A., Woldearegay, T. W., Berhe, A. A., Futwi, N., Gebru, G. G., & Godefay, H. (2019). Immunological recovery, failure and factors associated with CD-4 T-cells progression over time, among adolescents and adults living with HIV on Antiretroviral Therapy in Northern Ethiopia: A retrospective cross sectional study. *PLoS ONE*, 14(12), 1–18. <https://doi.org/10.1371/journal.pone.0226293>
- Hanna, K.F., Sayles, H.R., O'Neill, J., White, M.L., Wilson, T.W. and Swindells, S. (2020). Incidental Findings on Brain MRI in People with HIV Infection. *Scientific Reports*, 10(1). doi:<https://doi.org/10.1038/s41598-020-66443-6>.



- Hashmi, M.A., Baboo, S. and Saha, B. (2018). CD4 Count, Magnetic Resonance-white Matter Signals, and Magnetic Resonance Spectroscopy in Human Immunodeficiency Virus Patients. *Journal of neurosciences in rural practice*, [online] 9(3), pp.437–439. doi:https://doi.org/10.4103/jnrp.jnrp_33_18.
- Hassanzadeh-Behbahani, S., Shattuck, K.F., Bronshteyn, M., Dawson, M., Diaz, M., Kumar, P., Moore, D.J., Ellis, R.J. and Jiang, X. (2020). Low CD4 nadir linked to widespread cortical thinning in adults living with HIV. *NeuroImage: Clinical*, [online] 25(12), p.102155. doi:<https://doi.org/10.1016/j.nicl.2019.102155>.
- HIV.gov (2022). *The global HIV/AIDS epidemic*. [online] HIV.gov. Available at: <https://www.hiv.gov/hiv-basics/overview/data-and-trends/global-statistics>.
- Hua, X., Boyle, C.P., Harezlak, J., Tate, D.F., Yiannoutsos, C.T., Cohen, R., Schifitto, G., Gongvatana, A., Zhong, J., Zhu, T., Taylor, M.J., Campbell, T.B., Daar, E.S., Alger, J.R., Singer, E., Buchthal, S., Toga, A.W., Navia, B., Thompson, P.M. and HIV Neuroimaging Consortium (2013a). Disrupted cerebral mEtabolite levels and lower nadir CD4 + counts are linked to brain volume deficits in 210 HIV-infected patients on stable treatment. *NeuroImage: Clinical*, [online] 3, pp.132–142. doi:<https://doi.org/10.1016/j.nicl.2013.07.009>.
- Hidayat, A. (2012). Uji Pearson Product Moment dan Asumsi Klasik. Tersedia dari: <https://www.statistikian.com/2012/07/pearson-dan-asumsi-klasik>.
- IeDEA and COHERE Cohort Collaborations (2018). Global Trends in CD4 Cell Count at the Start of Antiretroviral Therapy: Collaborative Study of Treatment Programs. *Clinical Infectious Diseases: An Official Publication of the Infectious Diseases Society of America*, [online] 66(6), pp.893–903. doi:<https://doi.org/10.1093/cid/cix915>.
- Khairani (2019). *Kementerian Kesehatan Republik Indonesia*. [online] www.kemkes.go.id. Available at: <https://www.kemkes.go.id/downloads/resources/download/pusdatin/infodatin/infodatin%202020%20HIV.pdf>.
- Kiki, S.M., Tové, K.M.S. de, Adjadohoun, S., Mipinda, G.E., Akanni, D., Yèkpè-Ahouansou, P., Biaou, O., Mwanyombet, L. and Ndouongo, P.K. (2020). Magnetic Resonance Imaging of Central Nervous System Lesions in HIV/AIDS: About 35 Cases in Libreville (Gabon). *Open Journal of*



- Radiology*, [online] 10(4), pp.203–214.
doi:<https://doi.org/10.4236/ojrad.2020.104020>.
- Klatt, E. (2022). *Pathology of HIV/AIDS 33 rd Edition*. [online] Available at: <https://webpath.med.utah.edu/AIDS2022.PDF>.
- Kugathasan, R., Collier, D.A., Haddow, L.J., El Bouzidi, K., Edwards, S.G., Cartledge, J.D., Miller, R.F. and Gupta, R.K. (2017). Diffuse White Matter Signal Abnormalities on Magnetic Resonance Imaging Are Associated With Human Immunodeficiency Virus Type 1 Viral Escape in the Central Nervous System Among Patients With Neurological Symptoms. *Clinical Infectious Diseases: An Official Publication of the Infectious Diseases Society of America*, [online] 64(8), pp.1059–1065.
doi:<https://doi.org/10.1093/cid/cix035>.
- Lindl, K.A., Marks, D.R., Kolson, D.L. and Jordan-Sciutto, K.L. (2010). HIV-Associated Neurocognitive Disorder: Pathogenesis and Therapeutic Opportunities. *Journal of Neuroimmune Pharmacology*, 5(3), pp.294–309.
doi:<https://doi.org/10.1007/s11481-010-9205-z>.
- Means, A.R., Risher, K.A., Ujeneza, E.L., Maposa, I., Nondi, J. and Bellan, S.E. (2016). Impact of Age and Sex on CD4+ Cell Count Trajectories following Treatment Initiation: An Analysis of the Tanzanian HIV Treatment Database. *PLOS ONE*, 11(10), e0164148.
doi:<https://doi.org/10.1371/journal.pone.0164148>.
- Naif, H.M. (2013). Pathogenesis of HIV infection. *Infectious Disease Reports*, [online] 5(1S), p.6. doi:<https://doi.org/10.4081/idr.2013.s1.e6>.
- Nishijima, T., Gatanaga, H., Teruya, K., Tajima, T., Kikuchi, Y., Hasuo, K. and Oka, S. (2014). Brain magnetic resonance imaging screening is not useful for HIV-1-infected patients without neurological symptoms. *AIDS research and human retroviruses*, [online] 30(10), pp.970–974.
doi:<https://doi.org/10.1089/AID.2014.0123>.
- Offiah, C.E. and Turnbull, I.W. (2006). The imaging appearances of intracranial CNS infections in adult HIV and AIDS patients. *Clinical Radiology*, [online] 61(5), pp.393–401. doi:<https://doi.org/10.1016/j.crad.2006.01.008>.



- Riono, P. and Challacombe, S.J. (2020). HIV in Indonesia and in neighbouring countries and its social impact. *Oral Diseases*, 26(S1), pp.28–33. doi:<https://doi.org/10.1111/odi.13560>.
- Romadhoni, D. P., Mahmudah, F., & Ramadhan, A. M. (2018). Pengaruh Pengobatan ARV terhadap Peningkatan Limfosit Pasien HIV-AIDS Di RSUD Abdul Wahab Sjahranie Samarinda. *Proceeding of Mulawarman Pharmaceuticals Conferences*, 8(1), 191–199. Retrieved from <https://prosiding.farmasi.unmul.ac.id/index.php/mpc/article/view/323>
- Sakai, M., Higashi, M., Fujiwara, T., Uehira, T., Shirasaka, T., Nakanishi, K., Kashiwagi, N., Tanaka, H., Terada, H. and Tomiyama, N. (2021). MRI imaging features of HIV-related central nervous system diseases: diagnosis by pattern recognition in daily practice. *Japanese Journal of Radiology*, 39(11), pp.1023–1038. doi:<https://doi.org/10.1007/s11604-021-01150-4>.
- Sastroasmoro, S. and Ismael, S. (2014). Dasar-dasar metodologi penelitian klinis/ Prof. dr. Sudigdo Sastroasmoro, Prof. dr. Sofyan Ismael | OPAC Perpustakaan Nasional RI. [online] Perpusnas.go.id. Available at: <https://opac.perpusnas.go.id/DEtailOpac.aspx?id=1111569>.
- Sheybani, F., van de Beek, D. and Brouwer, M.C. (2021). Suspected Central Nervous System Infections in HIV-Infected Adults. *Frontiers in Neurology*, 12. doi:<https://doi.org/10.3389/fneur.2021.741884>.
- Singh, S.N., Dhagat, P.K., Jain, M., Yadav, N., Dwivedi, A., Arora, S., Leelakanth, K. and Singh, S. (2017). Magnetic Resonance Imaging Evaluation of Central Nervous System Manifestations in Patients Infected with Human Immunodeficiency Virus. *Journal of Clinical and Diagnostic Research* [online] Available at: [https://www.jcdr.net/articles/PDF/10863/25359_CE\(RA1\)_F\(T\)_PF1\(MJ_G_G\)_PFA\(MJ_GG\)_PF2\(MJ_SS\).pdf](https://www.jcdr.net/articles/PDF/10863/25359_CE(RA1)_F(T)_PF1(MJ_G_G)_PFA(MJ_GG)_PF2(MJ_SS).pdf).
- Smith, A.B., Smirniotopoulos, J.G. and Rushing, E.J. (2008). Central Nervous System Infections Associated with Human Immunodeficiency Virus Infection: Radiologic-Pathologic Correlation. *RadioGraphics*, 28(7), pp.2033–2058. doi:<https://doi.org/10.1148/rg.287085135>.
- Smith, C.J., Sabin, C.A., Youle, M.S., Kinloch-de Loes, S., Lampe, F.C., Madge, S., Cropley, I., Johnson, M.A. and Phillips, A.N. (2004). Factors Influencing Increases in CD4 Cell Counts of HIV-Positive Persons Receiving Long-



Term Highly Active Antiretroviral Therapy. *The Journal of Infectious Diseases*, [online] 190(10), pp.1860–1868. doi:<https://doi.org/10.1086/425075>.

Suriyajakryuththana, W., Mayurasakorn, W., Phuphuakrat, A. and Numthavaj, P. (2018). *The Imaging Findings of the Brain Lesions in Adult HIV Patients at Ramathibodi Hospital*. [online] Available at: <https://he02.tci-thaijo.org/index.php/ramajournal/article/download/99576/90984/307112> [Accessed 6 Feb. 2023].

Tan, I.L., Smith, B.R., von Geldern, G., Mateen, F.J. and McArthur, J.C. (2012). HIV-associated opportunistic infections of the CNS. *The Lancet Neurology*, 11(7), pp.605–617. doi:[https://doi.org/10.1016/s1474-4422\(12\)70098-4](https://doi.org/10.1016/s1474-4422(12)70098-4).

Thompson, P.M., Dutton, R.A., Hayashi, K.M., Toga, A.W., Lopez, O.L., Aizenstein, H.J. and Becker, J.T. (2005). Thinning of the cerebral cortex visualized in HIV/AIDS reflects CD4+ T lymphocyte decline. *Proceedings of the National Academy of Sciences of the United States of America*, [online] 102(43), pp.15647–15652. doi:<https://doi.org/10.1073/pnas.0502548102>.

UNAIDS (2021). *Global AIDS monitoring 2019 : indicators for monitoring the 2016 political declaration on ending AIDS*. [online] Geneva 27, Switzerland: Unaids, Joint United Nations Programme On Hiv/Aids. Available at: <https://digitallibrary.un.org/record/3801751> [Accessed 26 Nov. 2019].

Vidya Vijayan, K.K., Karthigeyan, K.P., Tripathi, S.P. and Hanna, L.E. (2017). Pathophysiology of CD4+ T-Cell Depletion in HIV-1 and HIV-2 Infections. *Frontiers in Immunology*, 8(580). doi:<https://doi.org/10.3389/fimmu.2017.00580>.

Viera, A.J. and Garrett, J.M. (2005). Understanding interobserver agreement: the kappa statistic. *Family Medicine*, [online] 37(5), pp.360–363. Available at: <https://pubmed.ncbi.nlm.nih.gov/15883903/>.

Walot, I., Miller, B.L., Chang, L. and Mehringer, C.M. (1996a). Neuroimaging Findings in Patients with AIDS. *Clinical Infectious Diseases*, 22(6), pp.906–919. doi:<https://doi.org/10.1093/clinids/22.6.906>.

WHO (2021). *HIV data and statistics*. [online] www.who.int. Available at: <https://www.who.int/teams/global-hiv-hepatitis-and-stis-programmes/hiv/strategic-information/hiv-data-and-statistics>.



Widiyanti, M., Hadi, M. I., Kumalasari, M. L. F., Natalia, E. I., Purba, D. A., & Adiningsih, S. (2020). Body mass index increases CD4+ count in HIV/AIDS patients on first-line therapy. *Universa Medicina*, 39(2), 121–127. <https://doi.org/10.18051/UnivMed.2020.v39.121-127>

Wycoco, V., Shroff, M., Sudhakar, S. and Lee, W. (2013). White Matter Anatomy. *Neuroimaging Clinics of North America*, [online] 23(2), pp.197–216.doi:<https://doi.org/10.1016/j.nic.2012.12.002>.