DAFTAR PUSTAKA

Abdullah B., Tjokrowidjojo S., dan Sularjo. 2008. Perkembangan dan Prospek Perakitan Padi Tipe Baru di Indonesia. J.Litbang Pertanian, 27(1), 2008

Abdallah, M.M.S., El Habbasha, S.F., El Sebai, T., 2016. Comparison of yeast extract and Nicotinaminde foliar applications effect on quinoa plants grown under sandy soil condition. International Journal of PharmTech Research, 9, 24-32.

Adachi, N., Tsukamoto, S., Inoue, Y., and Azegumi, K. 2012. Control of bacterial seedling rot and seedling blight of rice by bacteriophage. Plant Disease.Vol. 96 No. 7.

Agarwal, V.K. and Sinclair J.B.. 1996. Principles of Seed Pathology 2nd. CRC Press. Florida. US. p.13

Ahn I, Kim S. and Lee Y. 2005. Vitamin B1 Functions as an Activator of Plant Disease Resistance. J. Plant Physiology, July 2005, Vol. 138, pp. 1505–1515, www.plantphysiol.org 2005 American Society of Plant Biologists.

Ahn P., Kim S. And Lee Y, Suh S. 2007. Vitamin B1- induce priming is depent on hydrogen peroxide and the NPRI gene in Arabidopsis. Plant Physiol 143: 838-848

Azami S. Z., Franca S.C, DeVleesschauwer D., Hofte M. 2010, Riboflavin induces resistance against Botryyiscinerea in bean, but not in tomato, by priming for a hydrogen peroxside fueled resistance response. Physiol Mol Plant Pathol 75: 23-29

Baca, B.E. & Elmerich, C. 2003. Microbial production of plant hormones. In C. Elmerich and W.E. Newton (eds.), Associative and Endophytic Nitrogen-fixing Bacteria and Cyanobacterial Associations. Kluwer Academic Publishers. Printed in the Netherlands.

Badan Litbang Pertanian. 2022. Masalah Lapang Hama, Penyakit dan Hara Pada Padi. https://www.litbang.pertanian.go.id/download//31/

BPS (Badan Pusat Statistik). 2022. Luas Panen dan Produksi Padi di Indonesia 2021. https://www.bps.go.id/publication/2022/07/12/c52d5cebe530c363d0ea4198/luas-panen-dan-produksi-padi-di-indonesia-2021.html

BPS. 2023. Produksi padi di indonesia tahun 2022. https://www.bps.go.id/pressrelease/2023/03/01/2036/pada-2022--luas-panen-padi-mencapai-sekitar-10-45-juta-hektar-dengan-produksi-sebesar-54-75-juta-ton-gkg

.html#:~:text=Produksi%20padi%20pada%202022%20yaitu,54%2C42%20juta%20ton%20GKG

Badan Ketahanan Pangan dan Penyuluh Pertanian (BKPPP) Aceh dan Balai Pengkajian tekologi Pertanian (BPTP) NAD. 2009. Budidaya Tanaman Padi. 20 hal.

Baehaki. 2013. Hama Penggerek Batang Padi dan Teknologi Pengendalian. IPTEK TANAMAN PANGAN VOL. 8 NO. 1 2013

Borkow, G., & Gabbay, J. 2004. Putting copper into action: copper-impregnated products with potent biocidal activities. The FASEB journal. 18(14): 1728-1730.

Boubakri, H., Wahab M.A.., Chong J., Bertsch C., Mliki A., & Soustre-Gacougnolle I. 2012. Tiamine Induced Resistance to Plasmopara viticola in Grapevine and Elicited Host-Defense Responsses, Including HR Like-cell Death. Plant Physiology and Biochemistry 57: 120−133

Ditlin (Direktorat Perlindungan Tanaman Pangan). 2011. Laporan Tahunan 2010 Direktorat Perlindungan Tanaman Pangan. Dirjen Tanaman Pangan. Kementerian Pertanian, Jakarta.

Djatmiko H. A., Budi P. & Nur P. 2011. Penentuan Patotipe dan Keragaman Genetik Xanthomonas oryzae pv. oryzae pada Tanaman Padi di Wilayah Karesidenan Banyumas. J. HPT Tropika. ISSN 1411-7525. Vol. 11, No. 1: 35 – 46, Maret 2011

Djatmiko AH, & Fatichin. 2009. Ketahanan dua puluh satu varietas padi terhadap penyakit hawar daun bakteri. J HPT Tropika. 9(2):168–173.

El-Bassiouny, H.S.M., Bakry, B.A., Attia, A.A.E.M., Allah, M.M.A., 2014. Physiological role of humic acid and nicotinamide on improving plant growth, yield, and mineral nutrient of wheat (Triticum durum) grown under newly reclaimed sandy soil. Agricultural Sciences, 5, 687-700.

EPPO. 2007. Xanthomonas oryzae. Buletin OEPP/ EPPO 37: 543–553.

Fadel, F., El-Naggar M., Tolba S., & Farahat G.. 2006. Induction of Disease Resistance by Salicylic Acid, Sodium Benzoat and Potassium Monophosphate against Ustilago maydis in Maize Plants, p. 240−250. In G.J. Kövics & I. Dávid, Proceeding of 4th International Plant Protection Symposium at Debrecen University. Debrecen, Hungary, October 18−19, 2006

Faize M., Burgos, L., Faize, C.P. 2012. Modulation of tobacco bacterial disease resistance using cytosolic ascorbate peroxidase and Cu, Znsuperoxide dismutase. Plant Pathology 61: 858-866.

Friendly M., Efendi Y., & Rahmi. 2020. Pengaruh pemberian thiamin (vitamin B1) terhadap pertumbuhan morfometrik tanaman sawi pakcoy (Brassica rapa L.). J. Sambiosa, 10 (1): 41-49. Juli 2021

Gnanamanickam, S. S., Priyadarisini, V. B., Narayanan, N. N., Vasudevan, P., & Kavitha, S. 1999. An overview of bacterial blight disease of rice and strategies for its management. Current Science. 77(11): 1435-1444.

Goyer, A., 2010. Thiamine in plants: aspects of its metabolism and functions. Phytochemistry, 71, 1615-1624.

Gunaeni N, Setiawati W, Kusandriani Y. 2014. Pengaruh perangkap likat kuning, ekstrak Tagetes erecta, dan imidacloprid terhadap perkembangan verktor kutukebul dan virus kuning keriting pada tanaman cabai merah (Capsicum annum L.). J Hort 24(4):346- 354.

Habibullah, M., Widiastuti A. & Sumardiyono C. 2018. Respon awal Ketahanan Jagung terhadap Peronosclerospora maydis dan Induksi Bahan Kimia. Jurnal Perlindungan Tanaman Indonesia, Vol. 22, No. 1, 2018: 27–32

Hadianto, W., Hakim, L, & Bakhtiar. 2015. Ketahanan Beberapa Genotipe Padi Terhadap Penyakit Hawar Daun Bakteri (*Xanthomonas oryzae* pv. *oryzae*). *Jurnal Hama dan Penyakit Tumbuhan Tropika* 15(2): 152-163.

Hartvigsen, G. 2000. The Concept of Carrying Capacity. Encyclopedia of Biodiversity. Academic Press.

Hasegawa M, Mitsuhara I, Seo S, Imai T, Koga J, Okada K, Yamane H, Ohashi Y. 2010. Phytoalexin accumulation in the interaction between rice and the blast fungus. Mol Plant Microb Interact. 23(8):1000–1011. DOI: 10.1094/MPMI -23-8-1000.

IRRI (International Rice Research Institute). 1989. *Bacterial Blight of Rice*. International Rice Research Institute P.O. Box 933, Manila, Philippines. ISBN 971-104-188-X.

IRRI. 2013. Standard Evaluation System for Rice (SES) 5th Edition. International Rice Research Institute (IRRI). IRRI, Manila, Philippines.

Jeger M, Viljanen-Rollinson S. 2001. The use of area under the disease-progress curve (AUDPC) to assess quantitative disease resistance in crop cultivars. *Theory Application Genetic*. 102: 32-40.

Kaya, C., Ashraf, M., Sonmez, O., Tuna, A.L., Polat, T., Aydemir, S., 2015. Exogenous application of thiamin promotes growth and antioxidative defense

system at initial phases of development in salt-stressed plants of two maize cultivars differing in salinity tolerance. Acta physiologiae plantarum, 37, 1741.

Keller, B.C. Feuillet and Messmer M.. 2000. Basic Conceps and Aplicationin Resistance Breeding. Mechanism of Resistance to Plant Disease. Kluwer Academic Publisher. London. p. 101-160.

Khaeruni, A., M. Taufik, T. Wijayanto, E.A., Johan. 2014. Perkembangan penyakit hawar daun bakteri pada tiga varietas padi sawah yang diinokulasi pada beberapa fase pertumbuhan. Jurnal Fitopatologi Indonesia 10(4): 119-125.

Khoiri S., Abdiatun, Muhlisa K., Amzeri A., & Megasari D. 2021. Insidensi dan Keparahan Penyakit Bulai pada Tanaman Jagung Lokal Madura di Kabupaten Sumenep, Jawa Timur, Indonesia. AGROLOGIA: Volume 10, Nomor 1, April 2021, halaman 17-24 p-ISSN 2301-7287; e-ISSN 2580-9636

Kumar, A., Singh R., & Jalali B.L. 2012. Management of Stem Rot of Rice with Resistance Inducing Chemicals and Fungicides. Indian Phytopathology 56: 226−269.

Maffei, G., Miozzi, L., Fiorilli, V., Novero, M., dan Lanfranco, L. 2014. The arbuscular mycorrhizal symbiosis attenuates symptom severity and reduces virus concentration in tomato infected by Tomato yellow leaf curl Sardinia virus(TYLCSV). Mycorrhiza 24: 179–186.

Mandal, S., Mallick N., & Mitra A. 2009. Salicylic Acid-induced Resistance to Fusarium oxysporum f. sp. lycopersici in Tomato. Plant Physiology and Biochemistry 47: 642–649.

Maulizal S. R., Sumeinika F. L., Muhammad I. 2022. Karakter Agronomi Beberapa varietas Padi (*Oryza sativa* L.) dengan Sistem Tanam Jajar Legowo 2:1 Pada Lahan Tadah Hujan. Agrohita Jurnal Agroteknologi Fakultas Pertanian Universitas Muhammadiyah Tapanuli Selatan. Vol. 7 No. 1 Tahun 2022 |DOI : 10.31604/jap.v7i1 6005| Hal. 195 – 201

Mew, T. W., Alvarez, A. M., Leach, J. E., & Swings, J. 1993. Focus on bacterial blight of rice*. Plant disease*. 77(1): 5-12.

Milati L. N. dan Bambang N. 2019. Periode Kritis Pertumbuhan Tanaman Padi terhadap Infeksi Penyakit Hawar Pelepah dan Pengaruhnya terhadap Hasil Gabah. Penelitian Pertanian Tanaman Pangan Vol. 3 No. 2 Agustus 2019: 61-66

Nellawati N. L. C. A., Retno K. dan Arpiwi N. L. 2016. Uji Daya Hambat *Streptomyces Roseoflavus* AL2 terhadap *Xanthomonas* sp. Penyebab Penyakit Hawar Daun Bakteri (Hdb) Pada Tanaman Padi (*Oryza sativa* L.). JURNAL METAMORFOSA III (1): 1-7 (2016). ISSN: 2302-5697

Noaman, A. H.; I. A. Sarhan; Y. A. Mohammed; N. M. Abood1and Z. A. 2017. Effect of Foliar Application with Thiamin B1 on Plant Content of Hcn (Hydrocyanic Acid) of Ten Sorghum Cultivars (Sorghum bicolor L. Moench). J. Plant Production, Mansoura Univ., Vol. 8(11): 1187 - 1190, 2017

Nugraha D. B. A. R., Titik N. A. dan Tri M. 2014. Pengaruh Aplikasi Bakterisida Berbahan Aktif Asam Kloro Bromo Isosianurik 50% terhadap Intensitas Penyakit Hawar Daun Bakteri dan Produksi Pada Tanaman Padi. Jurnal Agrotek Tropika 2(1):139-143, 2014

Nurkatika R., Satriyas I. dan Muhammad M. 2017. Aplikasi Agens Hayati untuk Mengendalikan Hawar Daun Bakteri pada Produksi Benih Padi. J. Agron. Indonesia, Desember 2017,45(3):235-242. DOI:https://dx.doi.org/10.24831/jai.v45i3.13811

Nuryani, Yusuf S, Djantika I, Hanudin, Marwoto B. 2011. Pengendalian penyakit layu fusarium pada subang gladiol dengan pengasapan dan biopestisida. J. Hort. 21(1):40- 50

Premi, M.S.G., Narmadha, R., Bernatin, T. 2019. A brief survey on disease of paddy plant. Journal of Pharmaceutical sciences and research. Vol. 11(7), 2739-2743.

Qi, Z. and Mew T.W.. 1989. Types of resistance in rice to bacterial blight, p. 125-134. In: Bacterial Blight of Rice. IRRI, Manila, Philippines.

Raini, M. 2015. Kajian Pestisida Berbahan Aktif Antibiotika. Media Litbangkes.25 (21):33-42

Rauf, A. W., T. Syamsuddin, dan R. S. Sri. 2000. Peranan Pupuk NPK pada Tanaman Padi. Departemen Pertanian. Badan Penelitian dan Pengembangan Pertanian. Loka Pengkajian Teknologi Pertanian Koya Barat, Irian Jaya.

Ranjani, P. K., Gowthami, Y., Samuel., Gnanamanickam, S., & Palani, P. 2018. Bacteriophage: a new weapon for the control of bacterial blight disease in rice caused by Xanthomonas oryzae. Journal Microbiology Biotechnology. 46(4), 346-359. https://doi.org/10.4014/mbl.1807.07009

Rori, S. S. N. 2014. Insidensi dan severitas penyakit bercak daun pada tanaman kacang tanah di desa Lowian dan Lowian Satu kecamatan Maesaan kabupaten Minahasa Selatan. J. Agroteknologi. 10(10):1-7

Sariasih, S., Widiantini, F., & Widiawati, W. 2020. Metode Penyimpanan Bakteri *Xanthomonas Oryzae* pv. *oryzae* Penyebab Penyakit Hawar Daun Bakteri Pada Tanaman Padi Menggunakan Glycerol. Jurnal Pengelolaan Laboratorium Pendidikan. 2(1): 1-7.

Semangun, H. 2008. Penyakit-penyakit tanaman pangan di Indonesia (Edisi Kedua). Gadjah Mada University Press. Yogyakarta.

Song F, Goodman RM. 2001. Molecular biology of disease resistance in rice. Physiol Mol Plant Pathol. 59:1–11. DOI:10.1006/pmpp.2001.0353.

Sopialena, Suryadi, R. Jannah, D. Tantiani. 2020. Control of bacterial leaf blight disease in several varietiesofrice plants (Oryza sativa L.) by using bacteria of Paenibaciluspolymyxa Mace. IOP Conf. Series: Earth and Environmental Science 800.

Stockwell, & Duffy, B. 2012. Use of antibiotics in plant agriculture. Rev. sci. tech. Off. int. Epiz., 31(1), 199-210.

Sudir, B. Nuryanto, T.S. Kadir. 2012. Epidemiologi, Patotipe, dan Strategi Pengendalian Penyakit Hawar Daun Bakteri pada Tanaman Padi. *IPTEK TANAMAN PANGAN*. 7(2): 79-87.

Sudir & Handoko. 2012. Komposisi dan Penyebaran Patotipe *Xanthomonas oryzae* pv*. oryzae*, Penyebab Penyakit Hawar Daun Bakteri Padi di Jawa Timur. Jurnal Pengkajian dan Pengembangan Teknologi Pertanian Vol. 15, No. 1, Maret 2012: 23-37

Sudir, Suprihanto & Kadir, T.S., 2009. Identifikasi patotipe *Xanthomonas oryzae* pv. *oryzae*, penyebab penyakit hawar daun bakteri di sentra produksi padi di Jawa. *Penelitian Pertanian Tanaman Pangan 28*(3), pp.131-138.

Sudir, Nuryanto B, & Kadir T.S. 2012. Epidemiologi, patotipe, dan strategi pengendalian penyakit hawar daun bakteri pada tanaman padi. Iptek Tanaman Pangan 7(2): 79–87

Sumardiyono, C., Wibowo, A., Widiastuti, A., dan Ramdani, R. 2012. Ketahanan *Peronoscleroswpora maydis* Penyebab Penyakit Bulai pada Jagung terhadap Fungisida Metalaksil dan Dimetomorf. Laporan Hibah Penelitian Fakultas Pertanian UGM.

Sumardiyono, C. 2008. Ketahanan Jamur terhadap Fungisida di Indonesia. Jurnal Perlindungan Tanaman Indonesia 14: 1−5.

Suparyono, S., Sudir, S., & Suprihanto, S. 2004. Pathotype profile of *Xanthomonas oryzae* pv. *oryzae* isolates from the rice ecosystem in Java. *Indonesian Journal of Agricultural Science.* 5(2): 63-69

Sudir, Dini Y & Lalu W. 2015. Komposisi dan Sebaran Patotipe Xanthomonas oryzae pv. oryzae, Penyakit pada Padi di Nusa Tenggara Barat. PENELITIAN PERTANIAN TANAMAN PANGAN VOL. 34 NO. 2 2015

Supriyanti, A., Supriyanta, Kristamtini. 2015. Karakterisasi dua puluh padi (Oryza sativa L.) lokal di Daerah Istimewa Yogyakarta. Vegetalika. 4(3): 29-41.

Susanti V., Nurcahyanti S. D. dan Masnilah R. 2018. Perkembangan Penyakit dan Pertumbuhan Lima Varietas Padi (Oryza sativa L.) dengan Sistem Tanam Blok. J. Agrotek. Trop. 7(1): 8-19 (2018)

Sutarman. 2017. Dasar-Dasar Ilmu Penyakit Tanaman. UMSIDA Press. Sidoarjo

Syifa,.T., Isnaeni, S., Rosmala, A. 2020. Pengaruh Jenis Pupuk Anorganik Terhadap Pertumbuhan dan Hasil Tanaman Sawi pagoda (Brassicaee narinosa l.). Agroscript. 2(1): 21-33

Taiz, L., Zeiger, E., Moller, I.M., Murphy, A., 2017. Plant Physiology and Development, sixth ed. Sinauer Associates, Sunderland.

Thakur, Meenakshi, Baldev, S. 2013. Role of Elicitors in Inducing Resistance in Plants against Pathogen Infection: A Review. Biochem.

Torky Z. A. 2016. Vitamin B Mediated Priming of Disease Resistance and Defense Responses to Tobacco Mosaic Virus in Capsicum annuum L. Plants. J Antivir Antiretrovir 2016, 8:2 DOI: 10.4172/jaa.1000133

Udin, M. N., Hadiwiyono, H., & Supyani, S. 2017. Area under the disease progress curve (AUDPC) sebagai variabel ketahanan varietas padi terhadap hawar daun. In Prosiding Seminar Nasional Fakultas Pertanian UNS. 1(1): 305-309.

Van der Plank, J.E. 1963. Plant Disease, Epidemic and Control. New York, London: Acad Press.

Vendruscolo, E. P.; Rodrigues, A. H. A.; Oliveira, P. R.; Leitão, R. A.; Campos, L. F. C.; Seleguini, A.; Lima, S. F. 2019. Exogenous application of vitamins in

upland rice. Revista de Agricultura Neotropical, Cassilândia-MS, v. 6, n. 2, p. 1-6, abr./jun. 2019. ISSN 2358-6303.

Wang C., Xu A. Ying G., Fan Y, Liang Y., Zheng C., Sun L., Wang W & Zhao K. 2009. Generation and characterisation of Tn5-tagged Xanthomonas oryzae pv. oryzae mutants that overcome Xa23-mediated resistance to bacterial blight of rice. European Journal of Plant Pathology volume 123, pages343–351 (2009).

Widiastoety D., Solvia N., & Kartikaningrum S. 2009. Pengaruh Tiamin terhadap Pertumbuhan Planlet Anggrek Oncidium Secara In Vitro. J.Hort. 19(1):35-39, 2009

Widyastuti S. M., Sumardiyono C., dan Widiastuti A. 2023. Fitoaleksin dan Ketahanan Tanaman. Penerbit Gunadarma, Jakarta.

Wiraatmaja, W. 2017. Bahan Ajar Metabolisme Pada Tanaman. Program Studi Agroteknologi. Fakultas Pertanian, Universitas Udayana, Bali

Yanti S., Marlina dan Fikrinda. 2018. Pengendalian Penyakit Hawar Daun Bakteri pada Padi Sawah Menggunakan Fungi Mikoriza**.** J. Agroecotania Vol. 1 No. 2 (2018) p-ISSN 2621-2846. e-ISSN 2621-2854

Yuan, M., Chu, Z., Li, X., Xu, C., & Wang, S. 2010. The bacterial pathogen Xanthomonas oryzae overcomes rice defenses by regulating host copper redistribution. The Plant Cell. 22(9): 3164-3176.

Yuriah S, Dwinita W, Utami & Hanarida I. 2013. Uji Ketahanan Galur-galur Harapan Padi terhadap Penyakit Hawar Daun Bakteri (Xanthomonas oryzae pv. oryzae) Ras III, IV, dan VIII. Balai Besar Penelitian dan Pengembangan Bioteknologi dan Sumber Daya Genetik Pertanian. Buletin Plasma Nutfah Bogor 19 (2) 2013.