



DAFTAR PUSTAKA

- Alakkas, A., Ellis, R.J., Watson, C.W.-M., Umlauf, A., Heaton, R.K., Letendre, S., Collier, A., Marra, C., Clifford, D.B., Gelman, B., Sacktor, N., Morgello, S., Simpson, D., McCutchan, J.A., Kallianpur, A., Gianella, S., Marcotte, T., Grant, I., Fennema-Notestine, C. and CHARTER Group (2019). White matter damage, neuroinflammation, and neuronal integrity in HAND. *Journal of Neurovirology*, [online] 25(1), pp.32–41. doi:10.1007/s13365-018-0682-9.
- Ances, B.M. and Hammoud, D.A. (2014). Neuroimaging of HIV-associated neurocognitive disorders (HAND). *Current Opinion in HIV and AIDS*, 9(6), pp.545–551. doi:10.1097/coh.0000000000000112.
- Dahlan, S. 2009. *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan. Edisi ke-3*. Salemba Medika. Jakarta
- de Bresser, J., Kuijf, H.J., Zaanen, K., Viergever, M.A., Hendrikse, J. and Biessels, G.J. (2018). White matter hyperintensity shape and location feature analysis on MRI kepala; proof of principle study in patients with diabetes. *Scientific Reports*, 8(1). doi:10.1038/s41598-018-20084-y.
- Debette, S. and Markus, H.S. (2010). The clinical importance of white matter hyperintensities on brain magnetic resonance imaging: systematic review and meta-analysis. *BMJ*, 341(jul26 1), pp.c3666–c3666. doi:10.1136/bmj.c3666.
- Fazekas, F., Chawluk, J., Alavi, A., Hurtig, H. and Zimmerman, R. (1987). MR signal abnormalities at 1.5 T in Alzheimer's dementia and normal aging. *American Journal of Roentgenology*, 149(2), pp.351–356. doi:10.2214/ajr.149.2.351.
- Haddow, L.J., Dudau, C., Chandrashekhar, H., Cartledge, J.D., Hyare, H., Miller, R.F. and Jäger, H.R. (2014). Cross-sectional study of unexplained white matter lesions in HIV positive individuals undergoing kepala magnetic resonance imaging. *AIDS patient care and STDs*, [online] 28(7), pp.341–349. doi:10.1089/apc.2013.0230.
- Hashmi, M.A., Baboo, S. and Saha, B. (2018). CD4 Count, Magnetic Resonance-white Matter Signals, and Magnetic Resonance Spectroscopy in Human Immunodeficiency Virus Patients. *Journal of neurosciences in rural practice*, [online] 9(3), pp.437–439. doi:10.4103/jnrp.jnrp_33_18.
- Hassanzadeh-Behbahani, S., Shattuck, K.F., Bronshteyn, M., Dawson, M., Diaz, M., Kumar, P., Moore, D.J., Ellis, R.J. and Jiang, X. (2020). Low CD4 nadir



- linked to widespread cortical thinning in adults living with HIV. *NeuroImage: Clinical*, [online] 25(12), p.102155. doi:10.1016/j.nicl.2019.102155.
- Hidayat, A. 2012. Uji Pearson Product Moment dan Asumsi Klasik. Tersedia dari: <https://www.statistikian.com/2012/07/pearson-dan-asumsi-klasik>.
- Hua, X., Boyle, C.P., Harezlak, J., Tate, D.F., Yiannoutsos, C.T., Cohen, R., Schifitto, G., Gongvatana, A., Zhong, J., Zhu, T., Taylor, M.J., Campbell, T.B., Daar, E.S., Alger, J.R., Singer, E., Buchthal, S., Toga, A.W., Navia, B., Thompson, P.M. and HIV Neuroimaging Consortium (2013). Disrupted cerebral metabolite levels and lower nadir CD4 + counts are linked to brain volume deficits in 210 HIV-infected patients on stable treatment. *NeuroImage: Clinical*, [online] 3, pp.132–142. doi:10.1016/j.nicl.2013.07.009.
- Khairani (2019). *Kementerian Kesehatan Republik Indonesia*. [online] www.kemkes.go.id. Available at: <https://www.kemkes.go.id/downloads/resources/download/pusdatin/infodatin/infodatin%202020%20HIV.pdf>.
- Kim, K.W., MacFall, J.R. and Payne, M.E. (2008). Classification of white matter lesions on magnetic resonance imaging in elderly persons. *Biological Psychiatry*, [online] 64(4), pp.273–280. doi:10.1016/j.biopsych.2008.03.024.
- Kugathasan, R., Collier, D.A., Haddow, L.J., El Bouzidi, K., Edwards, S.G., Cartledge, J.D., Miller, R.F. and Gupta, R.K. (2020). Diffuse White Matter Signal Abnormalities on Magnetic Resonance Imaging Are Associated With Human Immunodeficiency Virus Type 1 Viral Escape in the Central Nervous System Among Patients With Neurological Symptoms. *Clinical Infectious Diseases: An Official Publication of the Infectious Diseases Society of America*, [online] 64(8), pp.1059–1065. doi:10.1093/cid/cix035.
- Li, J., Gao, L., Wen, Z., Zhang, J., Wang, P., Tu, N., Lei, H., Lin, F., Gui, X. and Wu, G. (2018). Structural Covariance of Gray Matter Volume in HIV Vertically Infected Adolescents. *Scientific Reports*, [online] 8(1). doi:10.1038/s41598-018-19290-5.
- Meltzer, C.C., Wells, S.W., Becher, M.W., Flanigan, K.M., Oyler, G.A. and Lee, R.R. (1998). AIDS-related MR hyperintensity of the basal ganglia. *AJNR. American journal of neuroradiology*, [online] 19(1), pp.83–89. Available at: <https://pubmed.ncbi.nlm.nih.gov/9432162/> [Accessed 3 Sep. 2022].
- Nishijima, T., Gatanaga, H., Teruya, K., Tajima, T., Kikuchi, Y., Hasuo, K. and Oka, S. (2014). Kepala magnetic resonance imaging screening is not useful for HIV-1-infected patients without neurological symptoms. *AIDS research*



- and human retroviruses, [online] 30(10), pp.970–974. doi:10.1089/AID.2014.0123.
- WHO (2016). *CLINICAL GUIDELINES: HIV DIAGNOSIS*. [online] www.ncbi.nlm.nih.gov. World Health Organization. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK374310/>.
- Picker, L.J. and Watkins, D.I. (2005). HIV pathogenesis: the first cut is the deepest. *Nature Immunology*, 6(5), pp.430–432. doi:10.1038/ni0505-430.
- Riono, P. and Challacombe, S.J. (2020). HIV in Indonesia and in neighbouring countries and its social impact. *Oral Diseases*, 26(S1), pp.28–33. doi:10.1111/odi.13560.
- Sakai, M., Higashi, M., Fujiwara, T., Uehira, T., Shirasaka, T., Nakanishi, K., Kashiwagi, N., Tanaka, H., Terada, H. and Tomiyama, N. (2021). MRI imaging features of HIV-related central nervous system diseases: diagnosis by pattern recognition in daily practice. *Japanese Journal of Radiology*, 39(11), pp.1023–1038. doi:10.1007/s11604-021-01150-4.
- Sastroasmoro, S., Ismael, S. 2011. *Dasar-dasar metodologi penelitian klinis*. 4th ed. Jakarta: Sagung Seto
- Senocak, E., K. Oguz, K., Ozgen, B., Kurne, A., Ozkaya, G., Unal, S. and Cila, A. (2008). Imaging features of cns involvement in aids: pictorial essay from a tertiary-care center in turkey. *Diagnostic and Interventional Radiology*. doi:10.4261/1305-3825.dir.2182-08.1.
- Smith, A.B., Smirniotopoulos, J.G. and Rushing, E.J. (2008). Central Nervous System Infections Associated with Human Immunodeficiency Virus Infection: Radiologic-Pathologic Correlation. *RadioGraphics*, 28(7), pp.2033–2058. doi:10.1148/rg.287085135.
- Tan, I.L., Smith, B.R., von Geldern, G., Mateen, F.J. and McArthur, J.C. (2012). HIV-associated opportunistic infections of the CNS. *The Lancet Neurology*, 11(7), pp.605–617. doi:10.1016/s1474-4422(12)70098-4.
- Viera, A.J. and Garrett, J.M. (2005). Understanding interobserver agreement: the kappa statistic. *Family Medicine*, [online] 37(5), pp.360–363. Available at: <https://pubmed.ncbi.nlm.nih.gov/15883903/>.
- Vidya Vijayan, K.K., Karthigeyan, K.P., Tripathi, S.P. and Hanna, L.E. (2020). Pathophysiology of CD4+ T-Cell Depletion in HIV-1 and HIV-2 Infections. *Frontiers in Immunology*, 8(580). doi:10.3389/fimmu.2020.00580.
- Walot, I., Miller, B.L., Chang, L. and Mehringer, C.M. (1996). Neuroimaging Findings in Patients with AIDS. *Clinical Infectious Diseases*, 22(6), pp.906–919. doi:10.1093/clinids/22.6.906.



Wardlaw, J.M., Valdés Hernández, M.C. and Muñoz-Maniega, S. (2015). What are White Matter Hyperintensities Made of? *Journal of the American Heart Association*, 4(6). doi:10.1161/jaha.114.001140.

www.hiv.uw.edu. (2022). *Core Concepts - Initial Evaluation - Basic HIV Primary Care - National HIV Curriculum*. [online] Available at: <https://www.hiv.uw.edu/go/basic-primary-care/staging-initial-evaluation-monitoring/core-concept/all>. [Accessed 3 Sep. 2022].

Wycoco, V., Shroff, M., Sudhakar, S. and Lee, W. (2013). White Matter Anatomy. *Neuroimaging Clinics of North America*, [online] 23(2), pp.197–216. doi:10.1016/j.nic.2012.12.002.