

## DAFTAR PUSTAKA

- Amano, K. 2004. *Attempts to Introduce Klancengs for The Pollination of Crops Under Greenhouse Conditions in Japan*, Food & Fertilizer Technology Center, <http://www.fftc.agnet.org/library/article/tb167.html> 8 Desember 2021
- Ahmad, M. 2020. *Analisis Pendapatan Masyarakat Dari Budidaya Lebah Madu Trigona (Trigona sp.) Desa Timusu Kecamatan Liliraja Kabupaten Soppeng*. In Universitas Muhammadiyah Makasar.
- Amin, Z., Aina, F., Sabri, S., Mohammad, S. M., Ismail, M., Chan, K. W., Ismail, N., Norhaizan, M. E. and Zawawi, N. 2018. Therapeutic properties of klanceng honey in comparison with European bee honey. *Adv. Pharm. Sci*, 1–12.
- Basibuyuk, H. H.; Quicke, D. L. J.; Rasnitsyn, A. P.; Fitton, M. G. 2000. Morphology and sensilla of the orbicula, a sclerite between the tarsal claws, in the HYmenoptera. *Annals of the Entomological Society of America*, 93: 625-636.
- BMKG. 2021. Laporan Iklim Harian di Stasiun Meteorologi Maritim Tanjung Priok. Pusat Database Data Online BMKG. [dataonline.bmkg.go.id](http://dataonline.bmkg.go.id)
- Camargo JMF, Garcia MVB, Junior ERQ, Castrillon A. 1992. Notas previas sobre a bionomia de Ptilotrigona lurida (Hymenoptera, Apidae, Meliponinae): associação de leveduras em pólen estocado. *Boletim do Museu Paraense Emílio Goeldi* 8:391–395. Camargo JMF, Posey DA. 1990. O conhecimento dos Kayapó sobre as abelhas sociais sem ferrão (Meliponidae, Apidae, Hymenoptera): notas adicionais. *Boletim do Museu Paraense Emílio Goeldi, série Zoologia*, 6: 17–42.
- Chuttong B, Chanbang Y, Burgett M. 2014. Meliponiculture: Klanceng beekeeping in Thailand. *Bee World* 91, (2): 41-45. DOI: 10.1080/0005772X.2014.11417595.
- Chuttong B, Chanbang Y, Sringarm K, Burgett M. 2016. Physicochemical profiles of klanceng (Apidae: Meliponini) honey from South East Asia (Thailand). *Food Chem*, 192: 149-155. DOI: 10.1016/j.foodchem.2015.06.089.
- Cockerell TDA. 1918. Descriptions and records of bees-LXXX. *J Nat Hist*, 2: 384-390
- Croft, L. 2004. *Profitable Beekeeping*. Elmwood Books, Chorley, UK.
- Costa, M.A., Del Lama M. A., Melo, G. A. R. and sheppard, W.S. 2003.. Molecular Phylogeny of Klancengs (Apidae, Meliponini) inferred from mitochondrial 16S rDNA sequence. *Apidologie*, 34: 73-8
- Damara, I. M. G. W., Watiniasih, N. L. and Suartini, N. M. 2017. Variation of entrances, food storage and brood cells of *Trigona laeviceps* bees from various habitat. *Journal of Advances in Tropical Biodiversity and Environmental Sciences*, 1(2): 50-53.
- Daud, I., Awaluddin. 2021. Perbanyak Koloni Lebah *Trigona sp.* Dengan Metode Cangkok Sarang Pada Pohon *Rhizophora sp.* "Colony Propagation of Bee

*Trigona* sp. with The Nest Grafting Method on *Rizhophora* sp. *Pangale Journal of Forestry and Environment*, Vol 1 No 1. Juni p-ISSN: 2797 – 7390.

Dewirman, P. P., dan Jasmi. 2016. Teknik Perbanyak Koloni *Trigona* SPP ke sarang buatan (*Stup*). *UNNES Journal of Sciencetech Research*, Vol. 1 Issue 2.

Direktorat Jenderal Rehabilitasi Lahan dan Perhutanan Sosial, 2003. *Pedoman umum Pemberdayaan Masyarakat di Dalam dan di Sekitar Hutan*. Jakarta

Dollin, A.E., L.J. Dollin. and S.F. Sakagami. 1997. Australian stingles bees of the genus *Trigona* (Hymenoptera: Apidae). *Invertebr. Taxon*, 11: 861–896.

Elpawati, Hudaya, U. M. D. A., & Habibie, F.M. (2019). Paddy rice farming diversification with *Trigona* sp. In Pandeglang regency, Banten province (Case study: diversification income analysis of paddy rice business with bee cultivation). *IOP Conference Series: Earth and Environmental Science*, 383(1). <https://doi.org/10.1088/1755-1315/383/1/012019>.

Engel, M. S., Rasmussen, C. and Gonzalez, V. H. 2020. Bees: phylogeny and classification. *Encyclopedia of Social Insects*: 1-17.

Engel MS, Kahono S, Peggie D. 2018. A key to the genera and subgenera of klancengs in Indonesia (Hymenoptera: Apidae). *Treubia*, 45: 65-84. DOI: 10.14203/treubia.v45i0.3687.

Fletcher, M. T., Hungerford, N. L., Webber, D., de Jesus, M. C., Zhang, J., Stone, I. S. J., Blanchfield, J. T. and Zawawi, N. 2020. Klanceng honey, a novel source of trehalulose: a biologically active disaccharide with health benefits. *Scientific Reports*, 10: 12128.

Free, J. B. 1982. *Bees and Mankind*. George Allen & Unkwin, London. 67-69.

Gadhiya VC, Pastagia JJ. 2019. Time spent by klancengs, *Tetragonula laeviceps* for nectar and pollen collection from musk melon flower. *J Entomol Zool Stud* 7, (1): 498-500.

Gruter, C. 2020. *Klancengs: Their behavior, ecology, and evolution*. Springer Nature, Switzerland: xiv+373

Hamid, S. A., Salleh, M. S., Thevan, K. and Hashim, N. A. 2016. Distribution and morphometrical variations of klancengs (*Apidae: Meliponini*) in urban and forest areas of Penang Island, Malaysia. *J. Trop. Resour. Sustain. Sci* 4: 1-5.

Herbert, P., Ratnasingham, S. and de Waard, J. R. 2003. Barcoding animal life: Cytochrome c oxidase subunit 1 divergences among closely related species. *Proceedings of the Royal Society of London B*, 270: S96–S99.

Huang, M. A., J. K. Grenson. 2014. Involvement of Telmisartan and Valsartanon Insulin Resistance in Hypertensive Patients with Metabilic Syndrome. DOI: 10.2169/internalmedicine.l46.7173, 2014, 1-6.

Huang S., Zhang C.P., Wang K., Li G.Q., Hu F.L. 2014. Recent advances in the chemical composition of propolis. *Molecules*, 19: 19610–19632.

- Jalil, M. A. A., Kasmuri, A. R. and Hadi, H. 2017. Klanceng honey, the natural wound healer: A review. *Skin Pharmacol Physiol*, 30:66–75.
- Kahono, S., Chantawannakul, P. and Engel, M. S. 2018. Social bees and the current status of beekeeping in Indonesia. *Asian Beekeeping in the 21st Century*, 287– 306.
- KBBI, 2016. Kamus Besar Bahasa Indonesia (KBBI).[Online] Available at: <http://kbbi.web.id/pusat>.
- Kerisna, V., Diba, F., & Wulandari, R. S. (2019). Identifikasi jenis lebah trigona spp. Pada zona pemanfaatan hutan Desa Menua Sadap Kecamatan Embaloh Hulu Kabupaten Kapuas Hulu. *Jurnal Tengawang*, 9(2), 82–91.
- Kumar, M. S., Singh, A. J. A. R. and Alagumuthu, G. 2012. Traditional beeskeeping of klancengs (*Trigona* sp.) by kani tribes of Western Ghats, Tamil Nadu, India. *Indian J TraditKnowledge*. 11(12): 342-345.
- Leonhardt, S. D., Bluthgen, N. and Schmitt, T. 2009. Smelling like resin: Terpenoids account for species-specific cuticular profiles in Southeast-Asian klancengs. *Insectes Sociaux* 56: 157–170.
- Lukman, L., Hardiansyah, G. and Siahaan, S., 2020. Potensi Jenis Lebah Madu Kelulut (*Trigona* Spp) Untuk Meningkatkan Ekonomi Masyarakat Desa Galang Kecamatan Sungai Pinyuh Kabupaten Mempawah. *Jurnal Hutan Lestari*, 8(4),792-801
- Madden, T. 2013. The BLAST sequence analysis tool. Bethesda (MD): National Center for Bio technology Information
- Mohammadzadeh, S., Sharriatpanahi, M. Hamed, M. Amanzadeh, Y. Ebrahimi, S. E. S. Ostad, S.N. 2007. Antioxidant power of Iranian propolis extract. *Food Chemistry*, 103: 729-733.
- Mahendran, B., Ghosh, S. K. and Kundu, S. C. 2006. Molecular phylogeny of silk-producing insects based on 16S ribosomal RNA and cytochrome oxidase subunit I genes. *J. Genet.*, 85: 31-38.
- Nopriawansyah N, Rauf A, Kusumah YM, Nurmansyah A, Koesmaryono Y. 2019. Genetic variation among the geographic population of cassava mealybug *Phenacoccus manihoti* (Hemiptera: Pseudococcidae) in Indonesia inferred from mitochondrial COI gene sequence. *Biodiversitas*, 20 (9): 2685-2692. DOI: 10.13057/biodiv/d200933.
- Novita RS, Sutriyono R. 2013. Morphometrics analyses of *Apis cerana* workers cultivated at different altitude. *Jurnal Sains Peternakan Indonesia*, 8 (1): 41-56. DOI: 10.31186/jspi.id.8.1.41-56
- Pangestika, N. W., Atmowidi, T. and Kahono, S. 2018. Additional nest structures and natural enemies of klancengs (Hymenoptera: Apidae: Meliponinae). *Jurnal Sumberdaya HAYATI*, 4(2): 42-47

- Pribadi, A. (2020). Produktivitas panen propolis mentah lebah *Trigona itama* cockerell (Hymenoptera: Apidae) menggunakan propolis trap dan manipulasi lingkungan di Riau. *A Scientific Journal*, 37 (2), 60–68. <https://doi.org/10.20884/1.mib.2020.37.2.1045>
- Purwanto, H. Hidayat S, Trianto, M. 2022. Klancengs from meliponiculture in south Kalimantan, Indonesia. *BIODIVERSITAS*, 23 (3): 1254-1266.
- Purwanto, H. and Trianto, M. 2021. Species description, morphometric measurement and molecular identification of klancengs (Hymenoptera: Apidae: Meliponini) in meliponiculture industry in West Java Province, Indonesia. *Serangga*, 26 (1): 13- 33.
- Rasmussen, C., Thomas, J. C. and Engel, M. S. 2017. A new genus of eastern hemisphere klancengs (Hymenoptera: Apidae), with a key to the supraspecific groups of Indomalayan and Australasian Meliponini. *AMERICAN MUSEUM NOVITATES*: 3888.
- Rao, P. V., Krishhnan, K. T., Salleh, N., & Gan, S. H. (2016). Biological and therapeutic effects of honey produced by honey bees and klancengs: a comparative review. *Revista Brasileira de Farmacognosia*, 26(5), 657–664. doi: 10.1016/j.bjp.2016.01.012.
- Rayment T. 1935. A Cluster of Bees. Sydney, Endeavour press. 752 pp.
- Rosli, F. N., Hazemi, M. H. F., Akbar, M. A., Barir, S., Kassim, H. and Bunawan, H. 2020. Klanceng honey: Evaluating its antibacterial activity and bacterial diversity. *Insects* 11: 500
- Roubik DW. 1983. Klanceng Nesting Biology. *Apidologie*, 37: 124–143
- Roubik DW. 2006. Klanceng Nesting Biology. *Apidologie*, 37 (2): 124- 143. DOI: 10.1051/apido:2006026.
- Salim, H. M. W., Dzulkiply, A. D., Harrison, R. D., Fletcher, C., Kassim, A. R. and Potts, M. D. 2012. Klanceng (Hymenoptera: Apidae: Meliponini) diversity in dipterocarp forest reserves in Peninsular Malaysia. *The Raffles Bulletin of Zoology*, 60 (1): 213–219.
- Sakagami SF. 1978. *Tetragonula* klancengs of the Continental Asia and Sri Lanka (Hymenoptera: Apidae). *J Fac Agr Hokkaido Univ*, 21: 165-247.
- Sakagami, S. F., Inoue, T. and Salmah, S. 1990. Klancengs of Central Sumatra. In: Ohgushi R, Sakagami SF, Roubik DW, editors. *Natural History of Social Bees in Equatorial Sumatra*. Japan: Hokaido University Press.
- Sarwar G, Aslam M, Munawar MS, Raja S, Mahmood R. 2008. Effect of honey bee ( *Apis mellifera* L.) pollination on fruit setting and yield of cucumber (*Cucumis sativus* L.). *Pakistan Entomologist*, 30:185–191.
- Sayusti T, Raffiudin R, Kahono S, Nagir T. 2020. Klancengs (Hymenoptera: Apidae) in South and west Sulawesi, Indonesia: Morphology, nest structure, and

molecular characteristics. *J Apic Res*, 60 (1): 143-156. DOI: 10.1080/00218839.2020.1816272.

- Sayusti, T., Raffiudin, R., Kahono, S. and Nagir, T. 2021. Klancengs (Hymenoptera: Apidae) in South and West Sulawesi, Indonesia: morphology, nest structure, and molecular characteristics. *Journal of Apicultural Research*, 60(1): 143–156.
- Schwarz, H. F. 1937. The Indo-Malayan species of *Trigona*. *Bulletin of the American Museum of Natural History*, 76: 83–141.
- Schwarz, H. F. (1939). The Indo – Malayan species of trigona. *Bull. Am. Mus. Nat. Hist.* 76 : 83-141
- Sihombing, D. T. H. 2005. Ilmu Ternak Lebah Madu. Gadjah Mada University Press. Yogyakarta
- Singh, S. 1962. *Bee keeping in India*. New Delhi: Indian Council Agricultural Research.
- Slessor, K.N., M. L. Winston and Y. Le Conte. 2005. Pheromone communication in the honeybee (*Apis mellifera* L.). *Journal of Chemical Ecology*, 31 (11): 2731-2745. DOI: 10.1007/s10886-005-7623-9
- Smith DR. 2012. Key to workers of Indo-Malayan klancengs. In: Smith DR (eds). For use in the klancengs workshop: 11th International Conference of the Asian Apiculture Association, Malaysia, 26-28 September and 2 October 2012.
- Syafrizal, R. R., Kusuma, I. W., Egra, S., Shimizu, K., Kanzaki, M. and Arung, E. T. 2020. Diversity and honey properties of klancengs from meliponiculture in East and North Kalimantan, Indonesia. *BIODIVERSITAS* 21(10): 4623-4630.
- Syaifudin, S. M. (2020). Budidaya pakan lebah *Trigona* sp. Dengan apiculture agroforestry system di Kelurahan Anjungan Melancar, Kecamatan Anjungan Kabupaten Mempawah. *Jurnal Ilmiah Pangabdhi*, 6 (1), 17–24. <https://doi.org/10.21107/pangabdhi.v6i1.6932>
- Tamura K, Stecher G, Kumar S. 2021. MEGA11: Molecular Evolutionary Genetics Analysis Version 11. *Mol Biol Evol* 38, (7): 3022-3027. DOI: 10.1093/molbev/msab120.
- Thummajitsakul, S., Klinbunga, S., and Sittipraneed, S. 2011. Genetic differentiation of the klanceng *Tetragonula pagdeni* in Thailand using SSCP analysis of a large subunit of mitochondrial ribosomal DNA. *Biochem. Genet.*, 49: 499-510.
- Trianto, M. and Purwanto, H. 2020a. Morphological characteristics and morphometrics of klancengs (Hymenoptera: Meliponini) in Yogyakarta, Indonesia. *BIODIVERSITAS*, 21 (6): 2619-2628.
- Trianto M, Purwanto H. 2020b. Molecular phylogeny of klancengs in the Special Region of Yogyakarta revealed using partial 16S rRNA mitochondrial gene. *Buletin Peternak*, 44 (4): 186-193. DOI: 10.21059/buletinpeternak.v44i4.55539

- Villanueva R, Roubik DW, Colli-Ucán W. 2005. Extinction of *Melipona beecheii* and traditional beekeeping in the Yucatán peninsula. *Bee World*, 86: 35–41.
- Wahyuni, N. and Anggadhanika L. 2020. The characteristic of klanceng's products (*Tetragonula* spp.) in Lombok Island. *IOP Conf. Series: Earth and Environmental Science* 457: 012045.
- Warzecha, D., T. Diekötter, V. Wolter, and F. Jauker. 2016. Intraspecific body size increases with habitat fragmentation in wild bee pollinators. *Landsc. Ecol.* 31: 1449–1455.
- Welch D. 2010. *Aboriginal Culture*. Available at: <https://www.aboriginalculture.com.au>
- Wicaksono, A., Atmowidi, T. and Priawandiputra, W., 2020. Musuh alami koloni *Lepidotrigona terminata* Smith (Hymenoptera: Apidae: Meliponinae). *Jurnal Sumberdaya Hayati*, 6 (2): 33-39.
- Yunkaporta T. 2009. *Decolonising Education: an Indigenous Learning Journey*. PhD Thesis, Aboriginal pedagogies at the cultural interface, James Cook University; Cairns, Australia. 85 pp.