

DAFTAR PUSTAKA

- Abd El-Latif, A. O., & Subrahmanyam, B. 2010. Pyrethroid synergists suppress esterase-mediated resistance in Indian strains of the cotton bollworm, *Helicoverpa armigera* (Hübner). *Pesticide Biochemistry and Physiology* 97 (3): 279–288.
- Ahmad, M. & S. Gull. 2017. Susceptibility of armyworm *Spodoptera litura* (Lepidoptera: Noctuidae) to novel insecticides in Pakistan. *The Canadian Entomologist* 149 (5): 649–661.
- Ahmad, M., A. Farid, & M. Saeed. 2018. Resistance to new insecticides and their synergism in *Spodoptera exigua* (Lepidoptera: Noctuidae) from Pakistan. *Crop Protection* 107: 79–86.
- Aldini, G. M., A. Wijonarko, Witjaksono, H. de Putter, H. Hengsdijk, & Y. A. Trisyono. 2021. Insecticide resistance in *Spodoptera exigua* (Lepidoptera: Noctuidae) populations in shallot areas of Java, Indonesia. *Journal of Economic Entomology* 114 (6): 2505–2511.
- Aldini, G. M., Y. A. Trisyono, A. Wijonarko, Witjaksono, & H. de Putter. 2020. Farmers' practices in using insecticides to control *Spodoptera exigua* infesting shallot *Allium cepa* var. *aggregatum* in the shallot production centers of Java. *Jurnal Perlindungan Tanaman Indonesia* 24 (1): 75–81.
- Aryanta, I. W. R. 2019. Bawang merah dan manfaatnya bagi kesehatan. *E-Jurnal Widya Kesehatan* 1 (1): 1–7.
- Awami, S. N., K. Sa'diyah, & E. Subekti. 2018. Faktor yang mempengaruhi produksi bawang merah (*Allium ascalonium* L.) di Kabupaten Demak. *Jurnal Agrifo* 3 (2): 35–44.
- Badan Pusat Statistik. 2023. Banyaknya curah hujan tiap bulan di Kecamatan Tanjunganom (mm) Kabupaten Nganjuk. Dinas Pekerjaan Umum dan Penataan Ruang Kabupaten Nganjuk. Diakses pada 2 Februari 2023, dari <https://nganjukkab.bps.go.id/indicator/151/468/3/banyaknya-curah-hujan-tiap-bulan-di-kecamatan-tanjunganom.html>
- Bandoly, M. & A. Steppuhn. 2016. Bioassays to investigate the effects of insect oviposition on a plant's resistance to herbivores. *Bio-Protocol* 6 (11): 1–13.
- Bernardes, M. F. F., M. Pazin, L. C. Pereira, & D. J. Dorta. 2015. Impact of pesticides on environmental and human health. *IntechOpen*, London. 195–233.
- Bradford, M. M. 1976. A Rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry* 72 (1–2): 248–254.
- Brewer, M. J., & Trumble, J. T. 1994. Beet armyworm resistance to fenvalerate and methomyl: resistance variation and insecticide synergism. *Journal of Agricultural Entomology* 11 (4): 291–300.
- Burg, D., Riepsaame, J., Pont, C., Mulder, G., & van de Water, B. 2006. Peptide-bond modified glutathione conjugate analogs modulate GST π function in GSH-conjugation, drug sensitivity and JNK signaling. *Biochemical Pharmacology* 71 (3): 268–277.
- Capinera, J. L. 2017. Beet Armyworm, *Spodoptera exigua* (Hubner) (Insecta: Lepidoptera: Noctuidae). IFAS Extension, University of Florida, 1–5.
- Che, W., T. Shi, Y. Wu, & Y. Yang. 2013. Insecticide resistance status of field populations of *Spodoptera exigua* (Lepidoptera: Noctuidae) from China. *Journal of Economic Entomology* 106 (4): 1855–1862.



- Chen, C., Harvey, J. A., Biere, A., & Gols, R. 2019. Rain downpours affect survival and development of insect herbivores: the specter of climate change?. *Ecology* 100 (11): p.e02819.
- Clement, S. L., H. C. Sharma, F. J. Muehlbauer, L. R. Elbertson, D. S. Mattinson, & J. K. Fellman. 2009. Resistance to beet armyworm in a chickpea recombinant inbred line population. *Journal of Applied Entomology* 134 (1): 1–8.
- Ehler, L. E. 2004. An evaluation of some natural enemies of *Spodoptera exigua* on sugarbeet in northern California. *BioControl* 49 (2): 121–135.
- Fauziyah, T. Handayani, R. E. W. Susanto, & A. D. Rosanti. 2020. Pengolahan produk unggulan daerah bawang merah lokal di Kecamatan Sukomoro Kabupaten Nganjuk. *ABDI* 5 (2): 111–118.
- Finney, D. J. 1971. *Probit Analysis*. 3rd Edition. Cambridge University Press. London. 333p.
- Fitriana, Suhartono, & Y. H. Darundiati. 2020. Studi prevalensi kejadian keracunan pestisida pada petani penyemprot bawang merah desa Karang Tengah Kecamatan Bagor Kabupaten Nganjuk. *Media Kesehatan Masyarakat Indonesia* 19 (2): 158–164.
- Gao, M., W. Mu, W. Wang, C. Zhou, & X. Li. 2014. Resistance mechanisms and risk assessment regarding indoxacarb in the beet armyworm, *Spodoptera exigua*. *Phytoparasitica* 42 (5): 585–594.
- Garza-Urbina, E. & A. P. Teran-Vargas. 1998. Beet armyworm (*Spodoptera exigua*) resistance mechanisms to insecticides in Southern Tamaulipas, Mexico. *Proceedings Beltwide Cotton Conferences*, San Diego California USA: 5–9 January 1998 2: 1343–1345.
- Georghiou, G. P. & C. E. Taylor. 1986. Factors influencing the evolution of resistance. In: E. H. Glass, P. L. Adkisson, G. A. Carlson, B. A. Croft, D. E. Davis, J. W. Eckert, G. P. Georghiou, W. B. Jackson, H. M. LeBaron, B. R. Levin, F. W. Plapp Jr., R. T. Roush, H. D. Sisler (Eds.). *Pesticides resistance: Strategies and tactics for management*. National Academy Press, Washington D.C. 157–169.
- Greenberg, S. M., T. W. Sappington, B. C. Legaspi, T.-X. Liu, & M. Setamou. 2001. Feeding and life history of *Spodoptera exigua* (Lepidoptera: Noctuidae) on different host plants. *Annals of the Entomological Society of America* 94 (4): 566–575.
- Gunandini, D. J., & Wicaksana, P. B. 2005. Peningkatan dan aktivitas enzim asetilkolinesterase pada nyamuk *Aedes aegypti* yang diseleksi dengan malation. *Jurnal Entomologi Indonesia* 2 (2): 24–24.
- Hafeez, M., M. Qasim, S. Ali, H. K. Yousaf, M. Waqas, E. Ali, M. A. Ahmad, S. Jan, M. A. Bashir, A. Noman, M. Wang, H. A. Gharmh, & K. A. Khan. 2020. Expression and functional analysis of P450 gene induced tolerance/resistance to lambda-cyhalothrin in quercetin fed larvae of beet armyworm *Spodoptera exigua* (Hübner). *Saudi Journal of Biological Sciences* 27 (1): 77–87.
- Hafeez, M., S. Liu, S. Jan, B. Ali, M. Shahid, G. M. Fernández-Grandon, M. Nawaz, A. Ahmad, & M. Wang. 2018. Gossypol-induced fitness gain and increased resistance to deltamethrin in beet armyworm, *Spodoptera exigua* (Hübner). *Pest Management Science* 75 (3): 683–693.
- Hammon, B. 2023. Leaf damage caused by beet armyworm feeding; *Spodoptera exigua*. Colorado State University. Diakses pada 8 Maret 2023, dari <https://www.forestryimages.org/browse/detail.cfm?imgnum=5473257>



- Han, Y. C., W. T. Yu, W. Q. Zhang, Y. H. Yang, T. Walsh, J. G. Oakeshott, & Y. D. Wu. 2015. Variation in P450-mediated fenvalerate resistance levels is not correlated with CYP337B3 genotype in Chinese populations of *Helicoverpa armigera*. *Pesticide Biochemistry and Physiology* 121: 129–135.
- Haryati, Y. & A. Nurawan. 2009. Peluang pengembangan feromon seks dalam pengendalian hama ulat bawang (*Spodoptera exigua*) pada bawang merah. *Jurnal Litbang Pertanian* 28 (2): 72–77.
- Hasyim, A., Lukman, L., & Marhaeni, L. S. 2019. Evaluasi konsentrasi lethal dan waktu lethal insektisida botani terhadap ulat bawang (*Spodoptera exigua*) di Laboratorium. *Jurnal Hortikultura* 29 (1): 69–80.
- Heong, K. L., K. H. Tan, C. P. F. Garcia, Z. Liu, & Z. Lu. 2013. Research methods in toxicology and insecticide resistance monitoring of rice planthoppers, 2nd edition. International Rice Research Institute, Los Baños, Philippines. 145p.
- Huang, J. M., Y. X. Zhao, H. Sun, H. Ni, C. Liu, X. Wang, C. F. Gao, & S. F. Wu. 2021. Monitoring and mechanisms of insecticide resistance in *Spodoptera exigua* (Lepidoptera: Noctuidae), with special reference to diamides. *Pesticide Biochemistry and Physiology* 174: 104831.
- Ihsan, I. M., R. Hidayati, & U. K. Hadi. 2016. Pengaruh suhu udara terhadap fekunditas dan perkembangan pradewasa lalat rumah (*Musca Domestica*). *Jurnal Teknologi Lingkungan* 17 (2): 100–107.
- IRAC (Insecticide Resistance Action Committee). 2021. IRAC mode of action classification scheme. CropLife International, Belgium. 39p.
- IRAC (Insecticide Resistance Action Committee). 2011. Prevention and management of insecticide resistance in vectors of public health importance, 2nd edition. CropLife International, Belgium. 71p.
- Ishtiaq, M., M. A. Saleem, & D. J. Wright. 2012. Stability, cross-resistance and effect of synergists, PBO and DEF, on deltamethrin resistant strain of *Spodoptera exigua* (Lepidoptera: Noctuidae) from Pakistan. *Pakistan Journal of Zoology* 44 (6): 1677–1682.
- Ismail, S. M. 2022. Role of detoxification enzymes of chlorantraniliprole resistance in field strain of cotton leafworm, *Spodoptera littoralis* (Lepidoptera: Noctuidae). *Progress in Chemical and Biochemical Research* 5 (4): 367–375.
- Iwasa, T., N. Motoyama, J. T. Ambrose, & R. M. Roe. 2004. Mechanism for the differential toxicity of neonicotinoid insecticides in the honey bee, *Apis mellifera*. *Crop Protection* 23: 371–378.
- James, C. E., & Davey, M. W. 2009. Increased expression of ABC transport proteins is associated with ivermectin resistance in the model nematode *Caenorhabditis elegans*. *International journal for parasitology* 39 (2): 213–220.
- Jia, B., Y. Liu, Y. C. Zhu, X. Liu, C. Gao, & J. Shen. 2009. Inheritance, fitness cost and mechanism of resistance to tebufenozide in *Spodoptera exigua* (Hubner) (Lepidoptera: Noctuidae). *Pest Management Science* 65 (9): 996–1002.
- Kementerian Pertanian. 2016. Pestisida pertanian dan kehutanan. Direktorat Jenderal Prasarana dan Sarana Pertanian Kementerian Pertanian Republik Indonesia. 1096p.
- Kranthi, K. R. 2005. Insecticide resistance: Monitoring, mechanisms and management manual. Central Institute for Cotton Research, Nagpur, India. 153p.
- Lai, T., J. Li, & J. Su. 2011. Monitoring of beet armyworm *Spodoptera exigua* (Lepidoptera: Noctuidae) resistance to chlorantraniliprole in China. *Pesticide Biochemistry and Physiology* 101 (3): 198–205.

- Macron, P. C. R. G., L. J. Young, K. L. Steffey, & B. D. Siegfried. 1999. Baseline susceptibility of european corn borer (Lepidoptera: Crambidae) to *Bacillus thuringiensis* toxin. *Journal of Economic Entomology* 92 (2): 279–285.
- Marsadi, D., I. W. Supartha, & A. A. A. S. Sunari. 2017. Invasi dan tingkat serangan ulat bawang (*Spodoptera exigua* Hubner) pada dua kultivar tanaman bawang merah di desa Songan, Kecamatan Kintamani, Kabupaten Bangli. *E-Jurnal Agroekoteknologi Tropika* 6 (4): 360–369.
- Mehta, V., C. S. Jayaram, R. Koranga, & N. Negi. 2021. Developmental biology of *Spodoptera exigua* (Hubner) (Lepidoptera: Noctuidae) on tomato under mid hills (sub-humid) conditions of India. *Biological Forum An International Journal* 13 (3a): 11–15.
- Metcalf, R. L. 1967. Mode of action of insecticide synergists. *Annual Review of Entomology* 12: 229–256.
- Minarno, E. B. & I. Khoiriyah. 2011. Ketahanan galur kedelai (*Glycine max* L.) terhadap serangan ulat grayak (*Spodoptera litura* F.) berdasarkan karakteristik trikoma. *El-Hayah* 2 (1): 7–14.
- Moekasan, T. K. & R. S. Basuki. 2007. Status resistensi *Spodoptera exigua* Hubn. pada tanaman bawang merah asal Kabupaten Cirebon, Brebes, dan Tegal terhadap insektisida yang umum digunakan petani di daerah tersebut. *Jurnal Hortikultura* 17 (4): 343–354.
- Moulton, J. K., D. A. Pepper, & T. J. Dennehy. 2000. Studies of resistance of beet armyworm (*Spodoptera exigua*) to spinosad in field populations from the Southern USA and Southeast Asia. College of Agriculture, University of Arizona, Tucson, Arizona. 9p.
- Muraro, D. S., D. de Oliveira Abbade Neto, R. H. Kanno, i. S. Kaiser, O. Bernardi, & C. Omoto. 2021. Inheritance patterns, cross-resistance and synergism in *Spodoptera frugiperda* (Lepidoptera: Noctuidae) resistant to emamectin benzoate. *Pest Management Science* 77 (11): 5049–5057.
- Nusyirwan. 2013. Studi musuh alami (*Spodoptera exigua* Hbn) pada agroekosistem tanaman bawang merah. *Jurnal Penelitian Pertanian Terapan* 13 (1): 33–37.
- Qian, L., G. Cao, J. Song, Q. Yin, & Z. Han. 2008. Biochemical mechanisms conferring cross-resistance between tebufenozide and abamectin in *Plutella xylostella*. *Pesticide Biochemistry and Physiology* 91 (3): 175–179.
- Rahmadona, L., A. Fariyanti, & Burhanuddin. 2015. Analisis pendapatan usahatani bawang merah di Kabupaten Majalengka. *Agrise* 15 (2): 72–84.
- Rauf, A. 1999. Dinamika populasi *Spodoptera exigua* (Hubner) (Lepidoptera: Noctuidae) pada pertanaman bawang merah di dataran rendah. *Buletin Hama dan Penyakit Tumbuhan* 11 (2): 39–47.
- Shabbir, M. Z., Yang, X., Batool, R., Yin, F., Kendra, P. E., & Li, Z. Y. 2021. *Bacillus thuringiensis* and chlorantraniliprole trigger the expression of detoxification-related genes in the larval midgut of *Plutella xylostella*. *Frontiers in Physiology* 12 (2113): 1–15.
- Shen, J., Z. Li, D. Li, R. Wang, S. Zhang, H. You, & J. Li. 2020. Biochemical mechanisms, cross-resistance and stability of resistance to metaflumizone in *Plutella xylostella*. *Insects* 11 (5): 311–319.
- Shimada, K., K. Natsuhara, Y. Oomori, & T. Miyata. 2005. Permethrin resistance mechanisms in the beet armyworm (*Spodoptera exigua* (Hübner)). *Journal of Pesticide Science* 30 (3): 214–219.
- Siagan, J. V. 2016. Outlook bawang merah. Pusat Data dan Sistem Informasi Pertanian Kementerian Pertanian 2016. 69p.
- Sisay, B., T. Tefera, M. Wakgari, G. Ayalew, & E. Mendesil. 2019. The efficacy of selected synthetic insecticides and botanicals against fall armyworm, *Spodoptera frugiperda*, in maize. *Insects* 10 (45): 1–14.

- Soumia, P. S., V. Karuppaiah, V. Mahajan, & M. Singh. 2020. Beet armyworm *Spodoptera exigua*: Emerging threat to onion production. *National Academy Science Letters* 43 (4): 473–476.
- Su, J. & X. -X. Sun. 2014. High level of metaflumizone resistance and multiple insecticide resistance in field populations of *Spodoptera exigua* (Lepidoptera: Noctuidae) in Guangdong Province, China. *Crop Protection* 61: 58–63.
- Su, J., Lai, T., & Li, J. 2012. Susceptibility of field populations of *Spodoptera litura* (Fabricius) (Lepidoptera: Noctuidae) in China to chlorantraniliprole and the activities of detoxification enzymes. *Crop Protection* 42: 217–222.
- Sutrisno & M. E. Whalon. 1994. Inheritance of insensitives, high non specific esterases activity, and resistance to isoprocarb and phenthoate in the rice brown planthopper, *Nilaparvata lugens* (Stål) (Hemiptera: Delphacidae). In: Sutrisno (Eds). *Resistensi wereng batang cokelat padi, Nilaparvata lugens* Stal terhadap insektisida di Indonesia. *Jurnal AgroBiogen*. 10 (3): 115–124.
- Swastika, S., I. G. A. A. Ambarawati, & I. A. L. Dewi. 2017. Perbandingan pendapatan usahatani bawang merah dengan dan tanpa teknologi feromon (studi kasus di gapoktan Asta Mandiri, desa Songan B, Kecamatan Kintamani, Kabupaten Bangli). *E-Jurnal Agribisnis dan Agrowisata* 6 (1): 76–85.
- Terriere, L. C. 1984. Induction of detoxication enzymes in insects. *Annual Review of Entomology* 29: 71–88.
- Tian, X., X. -X. Sun, & J. Su. 2014. Biochemical mechanisms for metaflumizone resistance in beet armyworm, *Spodoptera exigua*. *Pesticide Biochemistry and Physiology* 113: 8–14.
- Trisyono, A., & Whalon, M. E. 1999. Toxicity of neem applied alone and in combinations with *Bacillus thuringiensis* to Colorado potato beetle (Coleoptera: Chrysomelidae). *Journal of Economic Entomology* 92 (6): 1281–1288.
- Triwidodo, H. & M. H. Tanjung. 2020. Hama penyakit utama tanaman bawang merah (*Allium Ascalonicum*) dan tindakan pengendalian di Brebes, Jawa Tengah. *Agrovigor* 13 (2): 149–154.
- Udiarto, B. K., W. Setiawati, & E. Suryaningsih. 2005. Pengenalan hama dan penyakit pada tanaman bawang merah dan pengendaliannya. Balai Penelitian Tanaman Sayuran, Bandung. 46p.
- Wang, X., X. Xiang, H. Yu, S. Liu, Y. Yin, P. Cui, Y. Wu, Jing Yang, C. Jiang, & Q. Yang. 2018. Monitoring and biochemical characterization of beta-cypermethrin resistance in *Spodoptera exigua* (Lepidoptera: Noctuidae) in Sichuan Province, China. *Pesticide Biochemistry and Physiology* 146: 71–79.
- Wen, Y., Z. Liu, H. Bao, & Z. Han. 2009. Imidacloprid resistance and its mechanisms in field populations of brown planthopper, *Nilaparvata lugens* Stål in China. *Pesticide Biochemistry and Physiology* 94 (1): 36–42.
- WHO (World Health Organization). 1998. Techniques to detect insecticide resistance mechanisms (field and laboratory manual). Department of Disease Prevention and Control, WHO Communicable Diseases (CDS). 35p.
- Wibisono, I. I., Y. A. Trisyono, E. Martono, & A. Purwantoro. 2007. Evaluasi resistensi terhadap metoksifenoizida pada *Spodoptera exigua* di Jawa. *Jurnal Perlindungan Tanaman Indonesia* 13 (2): 127–135.
- Yadav, J., P. Ranga, & D. Guruwan. 2018. Role of synergists in combating insect resistance to pesticides. *Applied Entomology and Zoology* 4: 45–59.



- Yang, Y., Wu, Y., Chen, S., Devine, G. J., Denholm, I., Jewess, P., & Moores, G. D. 2004. The involvement of microsomal oxidases in pyrethroid resistance in *Helicoverpa armigera* from Asia. *Insect Biochemistry and Molecular Biology* 34 (8): 763–773.
- Yu, S. J. 2008. Detoxification mechanisms in insects. In: Capinera, J.L. (eds) *Encyclopedia of entomology*. Springer, Dordrecht.
- Yuliani, Y., S. Ismayana, R. Maharani, F. Widiyanti, & D. Dono. 2020. Evaluation and possible mechanism of beet armyworm (*Spodoptera exigua* Hubner) resistance to chlorpyrifos and their sensitivity to neem oil insecticides. *Open Agriculture* 5 (1): 785–791.
- Zhang, X., X. Liao, K. Mao, P. Yang, D. Li, E. Alia, & H. Wan. 2017. The role of detoxifying enzymes in field-evolved resistance to nitenpyram in the brown planthopper *Nilaparvata lugens* in China. *Crop Protection* 94: 106–114.
- Zheng, X. L., X. P. Cong, X. P. Wang, & C. L. Lei. 2011. A review of geographic distribution, overwintering and migration in *Spodoptera exigua* Hübner (Lepidoptera: Noctuidae). *Journal of the Entomological Research Society* 13 (3): 39–48.